

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES,
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 265.]

[Price 1s.

Marriages—*October, November, December, 1914.*

Births and Deaths—*January, February, March, 1915.*

NOTE.—The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return tables of the deaths (by sex, age, and cause) in England and Wales during the first and second quarters of the year 1914 are incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

*General Register Office, Somerset House,
30th April, 1915.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,971 registration sub-districts of England and Wales in the three months ended 31st March, 1915; and the MARRIAGES in 15,995 churches or chapels, in 16,657 registered places of worship unconnected with the Established Church, and in 633 Superintendent Registrars' Offices, in the three months ended 31st December, 1914.

The births registered during the three months ended 31st March, 1915, numbered 221,447 and the deaths 177,225; the number of persons married during the three months ended 31st December, 1914, was 159,902.

Marriages.

The number of persons married during the *fourth* quarter of 1914 corresponds to an annual rate of 17·0 per 1000 of the population, which is estimated to amount to 37,302,983* persons at the middle of the year 1914; this is 0·4 per 1000 above the mean marriage-rate in the ten preceding fourth quarters, and 0·6 per 1000 above the rate recorded in the fourth quarter of 1913.

* The revised estimate is 36,960,684 (see note, page ii).

Births.

The births registered in the *first* quarter of 1915 correspond to a rate of 24·1 annually per 1000 of the population in the middle of 1914.* This rate is 1·8 per 1000 below the mean birth-rate in the ten preceding first quarters, but 0·5 per 1000 above the rate in the corresponding period of 1914.

Of the 221,447 births, 10,167 were illegitimate; the distribution of the latter among the several registration counties is shown in Table VI*a*.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 44,222, against 77,958, 70,088, and 71,140 in the first quarters of 1912, 1913, and 1914, respectively.

Deaths.

The deaths registered in England and Wales last quarter correspond to an annual rate of 19·3 per 1000 persons living; this rate is 2·4 per 1000 above the mean rate in the ten preceding first quarters, and is the highest death-rate recorded in the first quarter of any year since 1900.

The 177,225 registered deaths included 90,641 of males and 86,584 of females, the death-rate among males being 20·4, and that among females 18·2, per 1000 of the estimated populations of the respective sexes. Compared with the average for each sex in the ten preceding first quarters, the death-rate of males showed an increase of 2·7, and that of females an increase of 2·1. Out of equal numbers living, the deaths of males were to those of females as 112 is to 100, the mean proportion in the first quarters of the ten preceding years being 110 to 100.

Mortality at Different Ages.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 128 per 1000, being 6 per 1000 above the average in the ten preceding first quarters.

The mortality among persons aged between one year and sixty-five years was at the annual rate of 10·3 per 1000 of the estimated population at this group of ages.

Among persons aged sixty-five years and upwards the mortality was at the annual rate of 126·7 per 1000 of the estimated population at this group of ages.

Urban and Rural Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the death-rates at certain age-groups, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions in

* The population of England and Wales as a whole has hitherto been estimated on the assumption that the rate of increase during 1901-11 has continued, but in view of the fall in the rate of natural increase since 1911 and an increase in the loss by migration the estimate of population in the middle of 1915 will be based upon the returns of births, deaths and migration. Until this is available the old estimate for the middle of 1914 will continue in use.

The populations of parts of the country, such as counties, towns, &c., being affected by the alteration in the estimate for the country as a whole, the old estimates for 1914 are also provisionally employed in their case.

Revised estimates for England and Wales, &c., in the middle of 1914 were published in the Quarterly Return for the Fourth Quarter of 1914 (Tables XVI-XXVI).

England and Wales during the *first* quarter of 1915, compared with the corresponding average rates in the *first* quarters of the ten preceding years, and also with the rates last quarter in the 96 great towns, in the 145 smaller towns, and in the remainder of England and Wales.

In the country as a whole the mortality last quarter from measles was nearly 70 per cent. above, that from whooping cough and diphtheria was slightly above, and that from scarlet fever was slightly below the average, while that from enteric fever was only two-thirds of the average.

The highest death-rates per 1000 persons living from the several epidemic diseases among the 96 great towns last quarter were as follows :—from *enteric fever*, 0·13 in Reading, in Coventry, in Bolton, in Rochdale and in Gateshead, 0·14 in Wallasey, 0·18 in Brighton, and 0·20 in Tynemouth; from *measles*, 2·74 in West Hartlepool, 2·81 in Wolverhampton, 3·08 in Northampton, 3·10 in St. Helens, 3·48 in Cambridge, 3·63 in Merthyr Tydfil, and 4·79 in Darlington; from *scarlet fever*, 0·23 in Newcastle on Tyne, 0·27 in Darlington, 0·32 in Warrington, 0·34 in Preston, 0·37 in Ipswich, and 0·39 in Wigan; from *whooping cough*, 1·03 in Gloucester, 1·05 in Tynemouth and in Aberdare, 1·07 in Reading, 1·14 in Bristol, 1·23 in Wigan, 1·75 in Bootle, and 2·40 in Merthyr Tydfil; and from *diphtheria*, 0·44 in Middlesbrough, 0·47 in Darlington and in Stockton on Tees, 0·50 in Eastbourne, 0·61 in Southampton, 0·64 in Warrington, and 0·68 in Rotherham. The highest death-rates per 1000 births from *diarrhœa and enteritis* among children under 2 years of age were 15·72 in Great Yarmouth, 18·87 in Burnley, 19·18 in Hornsey, 19·19 in Middlesbrough, 19·72 in Oldham, and 21·62 in West Bromwich.

UNITED KINGDOM.

The POPULATION of the UNITED KINGDOM in the middle of 1914 is estimated at 46,431,548 persons; that of England and Wales at 37,302,983, that of Scotland at 4,747,167, and that of Ireland at 4,381,398.*

In the United Kingdom 261,772 *births* and 166,889 *deaths* were registered in the three months ended 31st December, 1914. The natural increase of population was, therefore, 94,883. The number of *persons married* in the United Kingdom during the quarter was 187,064.

The birth-rate in the United Kingdom in the *fourth* quarter of 1914 was 22·4, the death-rate 14·3, and the marriage-rate 16·0 per 1,000 of the estimated population.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

Passenger Movement.

According to a Return issued by the Board of Trade it appears that with respect to the passenger movement between the United Kingdom and places out of Europe in the three months ended 31st March, 1915, the arrivals of passengers stated to be of British nationality exceeded the departures by 2,009 persons, compared with an excess of 27,516 departures in the corresponding period of the

* The revised estimates of population in the middle of 1914 are as follows :—United Kingdom 46,089,249, England and Wales 36,960,684 (see page ii), Scotland 4,747,167 (as above), Ireland 4,381,398 (as above). Calculated upon this revised population the rates in the United Kingdom are as follows :—birth-rate 22·5, death-rate 14·4, marriage-rate 16·1.

previous year. Of aliens those leaving exceeded those arriving by 130, the balance in the corresponding period of the previous year having been 1,854.

The passenger movement between the United Kingdom and the Continent of Europe or the Mediterranean Sea showed a balance inward of 9,808 persons, British and aliens,* in the first quarter of the year, the balance in the corresponding period of the previous year having been 9,782.

Thus the balance of the aggregate passenger movement in the quarter to and from all Countries was 11,687 inward.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 3rd April, 1915 (Table XV).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 3rd April, 1915 (*see* pages 22-27); and in the two following tables, these numbers have been reduced to rates per 1000 living in the several populations (*see* pages 28-33).

METEOROLOGY.

In spite of a dry March the quarter as a whole had much more rain than usual, the excess being particularly large, 86 mm., in England, South-East, and nearly 70 mm. in the south-west and east. The number of days on which rain fell exceeded the normal except in the north-west; by 13 or 14 in the north-east and east. The mean temperature, on the contrary, differed little from the average. In most parts of the country it was about half a degree above the normal, but in the south-west, and also in the Channel Islands, it was half a degree below it. The greatest divergence was 1° above in England East. The mean temperature ranged from 44·0 in the Channel Islands, 41·1 in England South-West, and 40·9 in England South-East to 39·6 in the Midland Counties and England North-East. The duration of bright sunshine for the quarter agreed very closely with the normal. As a whole there was a deficit of 5 to 10 minutes per day, but in the Channel Islands the daily deficit was more than 20 minutes. In England North-West there was a slight excess. In the English Channel district (the Channel Islands and Scilly), the daily amount was 3 hours, whence it decreased to 2·5 hour in England North-East, and 2·4 hour in the Midland Counties.

January.

The first fortnight was rough, very rainy, and mild, but during the latter half of the month the general condition of the weather was quieter, drier, and much colder. The mild spell was the result of strong winds from some point between South and West, sweeping

* The number of aliens included in this total is not available.

across the country. Gales were frequent in the west and south-west, and occurred occasionally over the whole country. The more wintry weather later was mainly due to a shift of wind to North-West and North, although some of the coldest days were accompanied by light variable airs or calms.

Temperature.—Until after the 16th there was little frost, and the maximum temperature of the day was generally between 45° and 50° , sometimes above 50° . The warmest day of the month occurred on the 13th when in nearly every district the sheltered thermometer rose to above 55° , and touched 60° at Torquay. The fall of temperature brought about by the shift of wind to the northward on the 17th was very abrupt, and thenceforth night frosts were more frequent and severe, while the maximum temperature of the day was seldom much above 40° . Towards the end of the month the thermometer remained below 40° throughout the day over a large portion of the country, and the mean temperature for the last week was as low as 36° . The corresponding value for the second week had been $43^{\circ}4$. The sharpest frost occurred on the 23rd or 24th, but was confined to a relatively small area in the south-eastern counties. At Matfield the sheltered thermometer fell to 13° , and at some stations in Essex to 14° or 15° , while 22° was recorded at Greenwich, Hampstead, and Wisley. In other parts of the country the lowest temperature occurred later. Some parts of Northumberland and Durham registered minima of about 20° on the 26th; in Brecknockshire minima of 20° were recorded on the 30th, and on the same day the reading was 22° at Tavistock, and 24° at Cullompton. For the month as a whole the temperature was above the average except in England South-West, the greatest divergence being $1^{\circ}2$ in England East.

Rainfall.—During the greater part of the month rain fell almost daily, and was often heavy. One of the most striking features was the persistence with which rain fell in the south-east and east of England, the districts which are usually the least rainy in the whole country. Falls exceeding an inch within 24 hours were experienced at times in all districts, the chief dates being the 3rd, 6th, 15th, and 22nd. On the 3rd 50 mm. fell at Marlborough, 51 mm. at Mildenhall, and between 25 mm. and 38 mm. at several other places; on the 6th heavy falls were common over a wide area in the south-west. On the 15th the largest amounts fell in Wales and the west and north of England; at Arncliffe and Meltham the measurement was 51 mm., and in some parts of Snowdonia more than 76 mm. On the 22nd the heaviest precipitation extended from Wales to the south-east of England. It was accompanied by a Northerly wind in the rear of a depression travelling eastward, and consisted largely of snow and sleet, which, when melted, yielded more than 25 mm. of water in the gauge at a great number of stations. In some parts of the south-east of England where the temperature was sufficiently low the depth of snow was considerable; at Midhurst it lay to a depth of 25 cm., and at Warlingham 30 cm. The rainfall for the whole month exceeded the normal in all districts, the greatest excess being 46 mm. in England South-East. The actual fall in the usually dry quarter of south-eastern England was 102 mm., the same as that in England North-West, and only 13 mm. less than in England South-West. At Camden Square, London, the total fall, 102 mm., was the highest January record in 58 years except that of 1877, when the figure was 103 mm.

Floods.—The floods in the Thames valley were the highest experienced since November, 1894, and reached their maximum level at the end of the second week. At Shrewton (Wilts.) the chalk wells were higher than they had been for 140 years.

Bright Sunshine.—Intervals of clear sky were rare, and fewer number of hours of sunshine were recorded than during an average January except in the North-West and South-West. The daily duration ranged from about 1·5 hour in the southern and western counties to 1 hour in the north-east.

February.

The month generally was very wet, at first with a mild temperature and strong Southerly winds, reaching gale force at times, and subsequently with winds from more varied points of the compass and a lower temperature. A small proportion of the precipitation came in the form of snow.

Temperature.—In a general way the temperature was similar to that of January, being much lower late in the month than at the beginning, while the mean temperature for the two months over the country as a whole was identical. Excluding the Channel and Scilly Islands the mean was $39^{\circ}\cdot8$. No settled frosty period was experienced, but sharp night frosts occurred from time to time in various parts of the country, although rarely over a large area simultaneously, and at no station did the thermometer fail to rise above the freezing point during the day. The maximum temperature was, nevertheless, not infrequently below the normal, and high readings for the time of year were very uncommon. The most severe frost occurred after the 23rd, during a brief interval of quiet, bright weather, but occasional very low minimum readings were recorded earlier locally. At Wistanstow the thermometer sank to 22° on the 12th, at Belper and Garforth to the same value on the 13th and 16th respectively, while at Cirencester there was a minimum of 21° on the 16th. Wokingham had a reading of 20° on the 21st, and on the same day Killerton registered 21° . On the 24th a minimum of 19° was recorded at Bellingham, on the 25th 17° at Llangammarch Wells and 15° at Marlborough, while readings nearly as low were reported at many other stations. For the month as a whole the temperature was about 1° above the average in England East and England South, and very slightly above it in all other districts except England South-West. The mean temperature for the first week was 6° higher than that for the last week.

Rainfall.—February was the fourth consecutive month with a great excess of rainfall. Over England and Wales generally the amount, expressed as a percentage of the average, was 196, while locally the percentage was much higher. At Ashburton it was 250, Southampton 257, and at Wilton, Salisbury, 306. In the whole of England South-West the percentage was 206, and in England South-East 234. Until late in the month few days passed without more or less rain, but a large portion of the total amount fell within a relatively short time. On the 5th, and again on the 13th, many places in the south-west and some elsewhere had more than 25 mm.; on the 16th or 17th very large quantities were experienced over a much more extensive area—91 mm. at Treherbert and Holne, 97 mm. at Princetown, 76 mm. at Ashburton, and 52 mm. at Redruth. Further heavy downpours were experienced, mostly in the north-west, on the 26th.

The snow which fell occasionally in all districts was generally very slight or too wet to lie; but at Hemel Hempstead on the 13th there was a depth of 13 cm., and on the 22nd or 23rd a similar depth covered a larger area, while at Harrow and Mildenhall the depth was 15 cm.

Soon after the middle of the month large areas of low-lying country in southern England were flooded.

Bright Sunshine was generally below the average until late in the month, when the weather became much brighter. For the month as a whole it was about $\frac{1}{4}$ hour per day less than the normal in the north-eastern and eastern counties, about the same amount in excess in the midland, north-western, and south-eastern counties, and about equal to the normal in the south west. In the south-east the mean daily duration was 3 hours, whence it decreased to 2·4 hours in the north-east.

March.

After the first week or so, when strong southerly and south-westerly winds and gales brought mild and rainy weather, a shift of wind was soon followed by a colder and drier condition, and the weather of the rest of the month, dominated by a wind current from some point between west and north or north-east, was both cold and dry.

Temperature.—During the first week the temperature ranged from 3° to 5° above the normal, and in the following week there was a slight excess, but subsequently the thermometer remained almost constantly below the average. The greatest divergence from the normal for the whole month was 1° below in England South-west. In England North-west the mean temperature just equalled the average, while in England North-East and East it was slightly above it. Warm days were seldom experienced. On the 5th and 6th, a maximum heat of 55° or a little higher was recorded in many districts, and on the 13th or 14th similar readings occurred over a larger portion of the country, the thermometer touching 60° at Hereford, and 62° at Alnwick Castle. The warmest day over the country generally was the 23rd or 24th, when 60° or above was registered in numerous localities, the highest readings being 64° at Scarborough, and 65° in the midlands. During the last fortnight the thermometer fell below freezing point on many occasions. The most severe night frosts over a large portion of the country simultaneously occurred on the 28th, 29th, and 30th, when minimum readings below 20° were recorded at several stations. The weather of the last week was marked by low temperature during the day-time, but the lowest maxima of the month were registered earlier. On the 18th a number of places over a very large area recorded maxima below 40°, at several places the reading was below 35°, and at Bellingham as low as 31°.

Rainfall.—Although the first week was wet the aggregate rainfall for the month as a whole was only 54 per cent. of the average. In many localities the percentage was much less, especially in the south-west. At Ashburton it was only 27 per cent., at Newquay 20 per cent., and at the Scilly Isles 17 per cent. In eastern and north-eastern England, however, the rain was more persistent, and the deficit was slight. The number of days on which a measurable amount of precipitation was recorded ranged from nine in England

South-West and 10 in the English Channel to 16 or 17 respectively in England East and North-East.

Snow was not a rare occurrence in the east and north, and occasionally it visited the more southern districts. As a rule, however, the fall was very slight and soon disappeared. The chief exceptions were on the 18th and 19th when snow lay to a depth of 15 cm. to 19 cm. over a considerable area in the north, while in many places further south there was a depth of 10 cm. to 15 cm. In the drifts the depth reached 136 cm. at West Witton and 150 cm. at Macclesfield.

Bright Sunshine.—In all districts except England North-West the total duration of sunshine was less than the average. Generally the difference was rather slight, but in England East it exceeded half an hour per day, in England South-East exceeded three-quarters of an hour, and in the English Channel amounted to an hour. In England North-East and South-West the mean daily duration was nearly 4 hours, but in England South-East, the dullest district, it was no more than 3·2 hour.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1905-1915**, and in each Quarter of those Years.

YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
Marriages- - -	260,742	270,038	276,421	264,940	260,544	267,721	274,943	283,834	286,583	294,087	—
Births - - -	929,293	935,081	918,042	940,383	914,472	896,962	881,138	872,737	881,890	878,822	—
Deaths - - -	520,031	531,281	524,221	520,456	518,003	483,247	527,810	486,939	504,975	516,778	—
MARRIAGES.											
Quarter ended the last day of											
March- - -	45,173	45,478	53,017	47,548	45,094	56,432	44,808	44,737	60,926	51,016	—
June - - -	70,954	74,420	69,782	73,502	71,829	61,036	75,656	74,619	65,904	81,096	—
September - -	72,811	75,949	79,129	73,785	73,843	76,545	77,873	83,505	83,636	82,024	—
December - -	71,804	74,191	74,493	70,105	69,778	73,708	76,606	80,973	76,117	79,951	—
BIRTHS.											
March- - -	237,826	237,427	229,287	240,112	228,787	221,684	223,585	222,600	216,629	217,357	221,447
June - - -	236,702	237,168	238,535	243,834	237,220	234,825	225,774	218,070	227,470	226,067	—
September - -	235,352	234,663	230,528	237,229	228,840	227,146	222,506	219,232	225,501	227,122	—
December - -	219,413	225,823	219,692	219,208	219,625	213,307	209,273	212,835	212,290	208,276	—
DEATHS.											
March- - -	148,291	140,451	160,020	156,328	160,506	136,400	143,128	144,642	146,541	146,217	177,235
June - - -	123,078	125,370	127,337	121,052	125,233	115,671	119,966	115,777	121,743	124,134	—
September - -	120,882	129,397	106,813	113,929	104,786	104,149	140,949	101,680	113,446	115,545	—
December - -	127,780	136,063	130,051	129,147	127,478	127,027	123,767	124,840	123,245	130,882	—

TABLE II.—**Annual Rate** per 1000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1905-1915**, and in each Quarter of those Years.

Estimated Population of England and Wales, in thousands, in the middle of each Year.*	33,989	34,342	34,699	35,059	35,424	35,792	36,164	36,540	36,919	37,303	—	*
YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	Mean 1905-1914.	1915
Persons married -	15·3	15·7	15·9	15·1	14·7	15·0	15·2	15·5	15·5	15·8†	15·4	—
Births - - -	27·3	27·2	26·5	26·7	25·8	25·1	24·4	23·8	23·9	23·6†	25·4	—
Deaths - - -	15·3	15·5	15·1	14·8	14·6	13·5	14·6	13·3	13·7	13·9†	14·4	—
PERSONS MARRIED.												
Quarter ended the last day of												
March - - -	10·8	10·7	12·4	10·9	10·3	12·8	10·0	9·8	13·4	11·1	11·2	—
June - - -	16·7	17·4	16·1	16·8	16·3	13·7	16·8	16·4	14·3	17·4	16·2	—
September - -	17·0	17·5	18·1	16·7	16·5	17·0	17·1	18·1	18·0	17·4	17·3	—
December - -	16·8	17·1	17·0	15·9	15·6	16·3	16·8	17·6	16·4	17·0	16·7	—
BIRTHS.												
March - - -	28·4	28·0	26·8	27·5	26·2	25·1	25·1	24·4	23·8	23·6	25·9	24·1
June - - -	27·9	27·7	27·6	27·9	26·9	26·3	25·0	23·9	24·7	24·3	26·2	—
September - -	27·5	27·1	26·4	26·8	25·6	25·2	24·4	23·8	24·2	24·2	25·5	—
December - -	25·6	26·1	25·1	24·8	24·6	23·6	23·0	23·1	22·8	22·2	24·1	—
DEATHS.												
March - - -	17·7	16·6	18·7	17·9	18·4	15·5	16·1	15·9	16·1	15·9	16·9	19·3
June - - -	14·5	14·6	14·7	13·8	14·2	13·0	13·3	12·7	13·2	13·3	13·7	—
September - -	14·1	14·9	12·2	12·9	11·7	11·5	15·5	11·0	12·2	12·3	12·8	—
December - -	14·9	15·7	14·9	14·6	14·3	14·1	13·6	13·6	13·2	13·9	14·3	—

* The estimated populations shown in this Return are based on the Censuses of 1901 and 1911. For the middle of 1915, however, estimates will be based upon the returns of births, deaths and migration. Until these are available the old estimates for 1914 will continue in use. The revised estimate for England and Wales in the middle of 1914 is 36,960,684. Revised estimates for each of the registration counties, the 242 towns and the Metropolitan Boroughs in the middle of 1914 will be found in Quarterly Return No. 264 (Tables XVI., XVIII., XIX. and XXI.).

† The rates based upon the revised estimate of population are :—persons married 15·9, births 23·8, deaths 14·0.

TABLE III.—Birth-rate, Death-rate, and Analysis of Mortality during the First Quarter of 1915.

	ANNUAL RATE PER 1000 LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			
	Birth-rate.	Death-rate.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 years).	Total deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Deaths in Public Institutions.	Certified causes.	Inquest Cases.	Uncertified Causes of Death.
		Crude.	Standardized.*															
England and Wales { 1905-14 - - - 1915 - - -	25·9 24·1	16·9 19·3	16·5 18·9	0·03 0·04	0·00 0·00	0·37 0·62	0·09 0·08	0·30 0·33	0·18 0·19	0·58 0·61	?	122 128	?	126·7	19·3 20·6	91·8 92·3	6·7 6·3	1·5 1·4
96 Great Towns - - -	25·3	19·6	20·0	0·04	0·00	0·84	0·08	0·34	0·20	0·62	8·27	125	11·3	131·1	26·9	91·8	7·3	0·9
145 Smaller Towns - - -	24·1	18·5	18·7	0·04	-	0·76	0·10	0·32	0·18	0·50	7·65	112	9·8	127·0	14·9	93·5	4·7	1·8
England and Wales, less the 241 Towns. }	22·5	19·1	17·6	0·04	0·00	0·29	0·06	0·32	0·18	0·65	5·57	129	9·3	122·6	14·2	92·6	5·4	2·0

* The Standardized Death-rates represent the Crude Death-rates multiplied by the respective Standardizing Factors in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of England and Wales in 1901. A description of the method of constructing these Factors is to be found in the Annual Report for 1911, p. xxix.

TABLE IV.—Commercial Statistics and Pauperism, 1914-1915.

QUARTER ended	AVERAGE PRICES.										PAUPERISM.				
	2½% per Cent. CONSOLS (for Money) per £100 Stock.*	Average Minimum Rate per cent. of DISCOUNT charged by the Bank of England.*	British WHEAT per Quarter.†	Price per lb. at the Metropolitan Cattle Market (sinking the offal).‡						Average Price of Sea-borne COAL per Ton in the London Market.§	Average		Rate per 1,000 total population.		
				BEEF.			MUTTON.				In-door.	Out-door.		In-door.	Out-door.
				Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.						
1914:	£ s. d.	£	s. d.	d.	d.	d.	d.	d.	d.	s. d.					
Mar. 31 -	74 15 8	3·47	31 1	5½	6½	8	6¼	9½	10½	21 0	265,791	377,982	7·1	10·1	
June 30 -	74 18 0	3·00	32 9	5½	6½	7½	6½	8½	10	21 0	252,721	372,559	6·8	10·0	
Sept. 30 -	74 16 2½	4 66	36 3	4½	7½	8½	7½	9½	10½	¶	249,484	383,627	6·7	10·3	
Dec. 31 -	—	5·00	39 11	5½	7½	8½	7½	8½	10½	¶	256,057	379,437	6·9	10·2	
1915:															
Mar. 31 -	68 5 5	5·00	52 5	5½	8½	9½	7½	9½	11½	¶	255,818	379,469	6·9	10·2	
June 30 -	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Sept. 30 -	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Dec. 31 -	—	—	—	—	—	—	—	—	—	—	—	—	—	—	

* The Price of Consols and the Rate of Discount are furnished by the Chief Cashier of the Bank of England.

† Furnished by the Board of Agriculture.

‡ No quotations during the quarter.

§ This amount relates to the month of July only, no official quotation having been obtainable since the Stock Exchange was closed on 31st July. The Stock Exchange remained closed during the quarter ended 31st December, 1914, and no official prices were therefore recorded, but the minimum price at which transactions in this security were allowed by the Stock Exchange Committee was £68 10s. 0d.

¶ As published by the Board of Agriculture. The prices relate to Sunderland coal only.

TABLE V.—**England and Wales and Registration Counties.**—ESTIMATED POPULATION: MARRIAGES registered in the Quarter ended 31st December, 1914; BIRTHS and DEATHS registered in the Quarter ended 31st March, 1915.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The number of marriages, births, and deaths, are the numbers actually registered in each case.

REGISTRATION COUNTIES.		ESTIMATED POPULATION in the middle of 1914. (Old Estimates).*	MAR-RIAGES in Quarter ended 31st Dec., 1914.	BIRTHS in Quarter ended 31st Mar., 1915.	DEATHS in Quarter ended 31st Mar., 1915.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
						Deaths of		Deaths from						Violence.					
						Infants under 1 Year of Age.	Persons aged 65 Years and upwards	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.		Diarrhoea and Enteritis (under 2 years).				
England and Wales	37,302,983	79,951	221,447	177,225	28,417	60,690	363	5	5,690	705	3,012	1,720	1,600	5,649	11,117	36,552	2,490	England and Wales.	
LONDON†	-	12,151	28,340	22,753	3,200	7,315	37	1	1,083	90	361	186	239	809	2,202	9,049	17	LONDON.†	
SURREY	-	1,758	4,733	4,467	494	1,755	7	-	132	24	54	30	19	120	313	1,411	17	SURREY.	
KENT	-	2,494	5,319	5,120	661	2,084	10	4	46	30	50	52	24	255	356	1,176	110	KENT.	
SUSSEX	-	1,238	2,871	3,445	361	1,617	7	-	13	4	58	19	9	99	216	661	13	SUSSEX.	
HAMPSHIRE	-	2,020	4,888	4,596	543	1,824	15	-	84	13	64	56	32	176	305	1,079	54	HAMPSHIRE.	
BERKSHIRE	-	613	1,552	1,517	199	681	2	-	2	5	44	2	11	29	67	294	32	BERKSHIRE.	
MIDDLESEX	-	2,322	7,002	4,752	799	1,622	8	-	230	31	125	55	36	111	304	1,097	5	MIDDLESEX.	
HERTFORDSHIRE	-	589	1,476	1,494	172	681	1	-	20	4	11	14	6	33	44	354	39	HERTFORDSHIRE.	
BUCKINGHAMSHIRE	-	342	955	980	133	460	-	-	4	-	16	2	6	17	39	123	33	BUCKINGHAMSHIRE.	
OXFORDSHIRE	-	346	873	868	93	436	-	-	6	-	4	3	6	13	35	165	11	OXFORDSHIRE.	
NORTHAMPTONSHIRE	-	806	1,862	1,946	279	788	5	-	90	3	30	37	10	39	67	255	69	NORTHAMPTONSHIRE.	
HUNTINGDONSHIRE	-	96	229	270	24	153	-	-	4	-	-	-	1	6	11	36	9	HUNTINGDONSHIRE	
BEDFORDSHIRE	-	459	1,013	1,295	161	568	-	-	125	14	16	24	5	27	45	189	33	BEDFORDSHIRE.	
CAMBRIDGESHIRE	-	515	1,155	1,223	175	523	2	-	61	1	7	4	-	21	43	168	21	CAMBRIDGESHIRE.	
ESSEX	-	2,923	8,005	6,022	777	2,245	4	-	154	20	98	46	30	161	323	1,346	124	ESSEX.	
SUFFOLK	-	892	2,026	2,050	302	926	-	-	13	15	34	20	7	54	97	309	37	SUFFOLK.	
NORFOLK	-	1,081	2,625	2,677	416	1,284	3	-	9	7	21	17	17	96	137	431	60	NORFOLK.	
WILTSHIRE	-	568	1,358	1,369	160	617	1	-	3	1	11	4	6	41	80	266	20	WILTSHIRE.	
DORSETSHIRE	-	487	1,013	1,169	114	537	1	-	4	2	12	9	4	31	39	172	27	DORSETSHIRE.	
DEVONSHIRE	-	1,419	3,372	3,666	462	1,589	14	-	132	5	45	31	15	98	212	482	33	DEVONSHIRE.	
CORNWALL	-	695	1,555	1,656	220	782	1	-	25	1	28	20	9	48	114	147	6	CORNWALL.	
SOMERSETSHIRE	-	930	2,309	2,428	262	1,199	1	-	4	3	31	8	14	68	139	309	17	SOMERSETSHIRE.	
GLOUCESTERSHIRE	-	1,488	3,556	3,537	505	1,443	3	-	26	13	150	37	32	105	241	764	11	GLOUCESTERSHIRE.	
HEREFORDSHIRE	-	172	539	529	62	271	2	-	9	2	5	2	3	11	15	52	17	HEREFORDSHIRE.	
SHROPSHIRE	-	441	1,416	1,201	184	548	1	-	9	2	31	11	13	29	52	158	43	SHROPSHIRE.	
STAFFORDSHIRE	-	3,335	9,937	6,456	1,383	1,857	8	-	246	25	148	63	80	213	389	903	98	STAFFORDSHIRE.	
WORCESTERSHIRE	-	721	1,968	1,554	287	596	2	-	57	5	23	13	6	50	73	278	35	WORCESTERSHIRE.	
WARWICKSHIRE	-	3,058	8,614	5,786	989	1,750	8	-	330	30	32	78	83	183	256	1,408	193	WARWICKSHIRE.	

REGISTRATION COUNTIES.	The DEATHS registered include													REGISTRATION COUNTIES.				
	ESTIMATED POPULATION in the middle of 1914. (Old Estimates).*	MAR-RIAGES in Quarter ended 31st Dec., 1914.	BIRTHS in Quarter ended 31st Mar., 1915.	DEATHS in Quarter ended 31st Mar., 1915.	Deaths from								Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
					Deaths of													
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-Pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.						
LEICESTERSHIRE -	495,022	1,024	2,723	2,085	355	717	4	-	5	1	25	16	19	70	125	394	24	LEICESTERSHIRE.
RUTLANDSHIRE -	21,315	38	119	97	11	51	-	-	-	-	5	1	-	5	5	9	-	RUTLANDSHIRE.
LINCOLNSHIRE -	579,921	1,170	3,404	2,796	408	1,180	5	-	72	7	20	34	16	72	118	323	48	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	758,202	1,725	4,987	3,293	700	993	2	-	74	6	68	21	24	102	145	482	63	NOTTINGHAMSHIRE.
DERBYSHIRE -	567,354	1,201	3,408	2,277	385	773	6	-	51	9	12	41	8	71	116	339	60	DERBYSHIRE.
CHESHIRE -	937,209	1,762	5,231	4,023	609	1,414	11	-	37	9	55	35	32	152	268	776	15	CHESHIRE.
LANCASHIRE -	4,959,966	9,288	29,999	23,969	4,029	6,475	89	-	865	129	360	231	314	803	1417	5,144	495	LANCASHIRE.
WEST RIDING -	3,141,373	6,577	18,924	14,482	2,383	4,510	44	-	371	60	256	167	123	467	1,016	2,615	95	WEST RIDING.
EAST RIDING (WITH YORK).	525,512	1,239	3,200	2,437	341	920	5	-	12	4	42	14	15	92	208	477	13	EAST RIDING.
NORTH RIDING -	431,317	881	2,777	1,971	323	680	7	-	30	4	47	31	27	58	132	253	11	NORTH RIDING.
DURHAM -	1,440,495	3,139	11,351	7,247	1,742	1,618	19	-	604	48	113	113	89	255	374	768	220	DURHAM.
NORTHUMBERLAND -	729,517	1,614	5,024	3,789	782	962	11	-	286	32	101	28	30	123	238	563	68	NORTHUMBERLAND.
CUMBERLAND -	265,333	531	1,636	1,396	262	483	1	-	44	1	21	7	8	40	58	140	41	CUMBERLAND.
WESTMORLAND -	63,285	104	285	265	33	135	1	-	1	-	9	1	1	9	10	20	2	WESTMORLAND.
MONMOUTHSHIRE -	448,691	1,012	3,430	2,232	579	518	3	-	143	14	53	22	39	87	125	233	24	MONMOUTHSHIRE.
GLAMORGANSHIRE -	1,222,659	2,830	9,324	5,456	1,345	1,231	6	-	146	21	230	80	84	220	379	601	11	GLAMORGANSHIRE.
CARMARTHENSHIRE -	160,610	363	1,025	699	150	219	1	-	9	3	12	8	14	15	26	52	13	CARMARTHENSHIRE.
PEMBROKESHIRE -	85,726	250	508	468	63	198	1	-	-	-	2	2	6	18	21	29	34	PEMBROKESHIRE.
CARDIGANSHIRE -	80,095	161	331	465	53	245	1	-	-	-	6	3	3	4	11	22	22	CARDIGANSHIRE.
BRECKNOCKSHIRE -	57,212	118	335	285	42	115	-	-	2	1	3	6	2	8	20	46	5	BRECKNOCKSHIRE.
RADNORSHIRE -	16,553	28	94	64	7	29	-	-	1	2	-	-	-	1	3	6	1	RADNORSHIRE.
MONTGOMERYSHIRE -	61,577	87	271	301	32	141	-	-	2	-	9	-	-	4	12	12	8	MONTGOMERYSHIRE.
FLINTSHIRE -	72,918	118	509	315	61	112	-	-	2	2	9	5	1	3	10	17	10	FLINTSHIRE.
DENBIGHSHIRE -	140,411	258	812	754	130	280	2	-	2	2	20	6	17	12	22	99	12	DENBIGHSHIRE.
MERIONETHSHIRE -	58,900	97	274	322	46	156	-	-	1	-	1	-	-	9	10	8	6	MERIONETHSHIRE.
CARNARVONSHIRE -	143,343	253	645	740	97	306	1	-	8	-	24	4	1	23	27	39	13	CARNARVONSHIRE.
ANGLESEY -	35,551	71	180	171	32	78	-	-	1	-	-	-	4	3	5	3	1	ANGLESEY.

* See note * to Table II.

TABLE VI.—England and Wales and Registration Counties.—MARRIAGE-RATE in the Quarter ended 31st December, 1914; BIRTH-RATE and DEATH-RATE in the Quarter ended 31st March, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.						RATE PER 1000 BIRTHS.	PERCENTAGE of Total Deaths.			REGISTRATION COUNTIES.					
	PERSONS MARRIED in the Quarter ended 31st Dec., 1914.	BIRTHS in the Quarter ended 31st Mar., 1915.	DEATHS in the Quarter ended 31st Mar., 1915.	Deaths from												
				Enteric Fever.	Small-pox.	Measles.		Scarlet Fever.	Whooping Cough.	Diphtheria.		Violence.				
England and Wales	17'0	24'1	19'3	0'04	0'00	0'62	0'08	0'33	0'19	0'61	7'23	128	6'3	20'6	1'4	England and Wales.
LONDON*	21'3	25'1	20'6	0'03	0'00	0'99	0'09	0'34	0'18	0'67	8'29	111	9'2	40'8	0'1	LONDON.*
SURREY -	14'1	19'4	18'3	0'03	-	0'51	0'10	0'22	0'12	0'49	4'01	104	7'0	31'6	0'4	SURREY.
KENT -	18'9	20'6	19'8	0'04	0'02	0'18	0'12	0'19	0'20	0'99	4'51	124	7'0	23'0	2'1	KENT.
SUSSEX -	14'9	16'9	20'3	0'04	-	0'08	0'02	0'34	0'11	0'58	3'14	126	6'3	19'2	0'4	SUSSEX.
HAMPSHIRE -	16'6	20'5	19'3	0'06	-	0'35	0'05	0'27	0'23	0'74	6'55	111	6'6	23'5	1'2	HAMPSHIRE.
BERKSHIRE -	15'1	19'6	19'2	0'03	-	0'03	0'06	0'56	0'04	0'37	7'09	128	4'4	19'4	2'1	BERKSHIRE.
MIDDLESEX -	14'6	22'5	15'3	0'03	-	0'74	0'10	0'40	0'18	0'36	5'14	114	6'4	23'1	0'1	MIDDLESEX.
HERTFORDSHIRE -	15'4	19'7	20'0	0'01	-	0'27	0'05	0'15	0'19	0'44	4'07	117	2'9	23'7	2'0	HERTFORDSHIRE.
BUCKINGHAMSHIRE -	13'5	19'3	19'8	-	-	0'08	-	0'32	0'04	0'34	6'28	139	4'0	12'6	3'4	BUCKINGHAMSHIRE.
OXFORDSHIRE -	11'3	18'5	18'4	-	-	0'13	-	0'08	0'06	0'28	6'87	107	4'0	19'0	1'3	OXFORDSHIRE.
NORTHAMPTONSHIRE -	17'3	20'5	21'4	0'05	-	0'99	0'03	0'33	0'41	0'43	5'37	150	3'4	13'1	3'5	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE -	15'7	19'1	22'5	-	-	0'33	-	-	-	0'50	4'37	105	4'1	13'3	3'3	HUNTINGDONSHIRE.
BEDFORDSHIRE -	17'7	20'0	25'6	-	-	2'47	0'28	0'32	0'47	0'53	4'94	159	3'5	14'6	2'5	BEDFORDSHIRE.
CAMBRIDGESHIRE -	18'6	21'3	22'5	0'04	-	1'12	0'02	0'13	0'07	0'39	-	152	3'5	13'7	1'7	CAMBRIDGESHIRE.
ESSEX -	16'3	22'8	17'2	0'01	-	0'44	0'06	0'28	0'13	0'46	3'75	97	5'4	22'4	2'1	ESSEX.
SUFFOLK -	18'1	21'1	21'3	-	-	0'14	0'16	0'35	0'21	0'56	3'46	149	4'7	15'1	1'8	SUFFOLK.
NORFOLK -	17'3	21'5	21'9	0'02	-	0'07	0'06	0'17	0'14	0'78	6'48	158	5'1	16'1	2'2	NORFOLK.
WILTSHIRE -	15'8	19'3	19'5	0'01	-	0'04	0'01	0'16	0'06	0'58	4'42	118	5'8	19'4	1'5	WILTSHIRE.
DORSETSHIRE -	17'0	18'0	20'8	0'02	-	0'67	0'04	0'21	0'16	0'55	3'95	113	3'3	14'7	2'3	DORSETSHIRE.
DEVONSHIRE -	15'7	19'1	20'8	0'08	-	0'75	0'03	0'26	0'18	0'56	4'45	137	5'8	13'1	0'9	DEVONSHIRE.
CORNWALL -	16'8	19'2	20'5	0'01	-	0'31	0'01	0'35	0'25	0'59	5'79	141	6'9	8'9	0'4	CORNWALL.
SOMERSETSHIRE -	14'8	18'7	19'7	0'01	-	0'03	0'02	0'25	0'06	0'55	6'06	113	5'7	12'7	0'7	SOMERSETSHIRE.
GLOUCESTERSHIRE -	17'3	21'2	21'1	0'02	-	0'15	0'08	0'89	0'22	0'63	9'00	142	6'8	21'6	0'3	GLOUCESTERSHIRE.
HEREFORDSHIRE -	12'0	19'3	18'9	0'07	-	0'32	0'07	0'18	0'07	0'39	5'57	115	2'8	9'8	3'2	HEREFORDSHIRE.
SHROPSHIRE -	13'0	21'4	18'1	0'02	-	0'14	0'03	0'47	0'17	0'44	9'18	130	4'3	13'2	3'6	SHROPSHIRE.
STAFFORDSHIRE -	18'6	28'5	18'4	0'02	-	0'70	0'07	0'42	0'18	0'61	8'01	138	6'0	14'0	1'5	STAFFORDSHIRE.
WORCESTERSHIRE -	17'0	23'7	18'7	0'02	-	0'69	0'06	0'28	0'16	0'60	3'05	146	4'7	17'9	2'3	WORCESTERSHIRE.
WARWICKSHIRE -	18'8	27'1	18'2	0'03	-	1'04	0'09	0'10	0'25	0'58	9'64	115	4'4	24'3	3'3	WARWICKSHIRE.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.							RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			REGISTRATION COUNTIES.
	PERSONS MARRIED in the Quarter ended 31st Dec., 1914.	BIRTHS in the Quarter ended 31st Mar., 1915.	DEATHS in the Quarter ended 31st Mar., 1915.	Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.				
LEICESTERSHIRE -	16.4	22.3	17.1	0.03	-	0.04	0.01	0.20	0.13	0.57	6.98	130	LEICESTERSHIRE.
RUTLANDSHIRE -	14.1	22.6	18.5	-	-	-	-	0.95	0.19	0.95	-	92	RUTLANDSHIRE.
LINCOLNSHIRE -	16.0	23.8	19.6	0.03	-	0.50	0.05	0.14	0.24	0.50	4.70	120	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	18.1	26.7	17.6	0.01	-	0.40	0.03	0.36	0.11	0.55	4.81	140	NOTTINGHAMSHIRE.
DERBYSHIRE -	16.8	24.4	16.3	0.04	-	0.36	0.06	0.09	0.29	0.51	2.35	113	DERBYSHIRE.
CHESHIRE -	14.9	22.6	17.4	0.05	-	0.16	0.04	0.24	0.15	0.57	6.12	116	CHESHIRE.
LANCASHIRE -	14.9	24.5	19.6	0.07	-	0.71	0.11	0.29	0.19	0.66	10.47	134	LANCASHIRE.
WEST RIDING -	16.6	24.4	18.7	0.06	-	0.48	0.08	0.33	0.22	0.60	6.50	126	WEST RIDING.
EAST RIDING (WITH YORK).	18.7	24.7	18.8	0.04	-	0.09	0.03	0.32	0.11	0.71	4.69	107	EAST RIDING (WITH YORK).
NORTH RIDING -	16.2	26.1	18.5	0.07	-	0.28	0.04	0.44	0.29	0.55	9.72	116	NORTH RIDING.
DURHAM -	17.3	32.0	20.4	0.05	-	1.70	0.14	0.32	0.32	0.72	7.84	153	DURHAM.
NORTHUMBERLAND -	17.6	27.9	21.1	0.06	-	1.59	0.18	0.56	0.16	0.68	5.97	156	NORTHUMBERLAND.
CUMBERLAND -	15.9	25.0	21.3	0.02	-	0.67	0.02	0.32	0.11	0.61	4.89	160	CUMBERLAND.
WESTMORLAND -	13.0	18.3	17.0	0.06	-	0.06	-	0.58	0.06	0.58	3.51	116	WESTMORLAND.
MONMOUTHSHIRE -	17.9	31.3	20.2	0.03	-	1.29	0.13	0.48	0.20	0.79	11.27	167	MONMOUTHSHIRE.
GLAMORGANSHIRE -	18.4	30.9	18.1	0.02	-	0.48	0.07	0.76	0.27	0.73	9.01	144	GLAMORGANSHIRE.
CARMARTHENSHIRE -	17.9	25.9	17.7	0.03	-	0.23	0.08	0.30	0.20	0.38	13.66	146	CARMARTHENSHIRE.
PEMBROKESHIRE -	23.1	24.0	22.1	0.05	-	-	-	0.09	0.09	0.85	11.81	124	PEMBROKESHIRE.
CARDIGANSHIRE -	16.0	16.8	23.5	0.05	-	-	-	0.30	0.15	0.29	9.06	160	CARDIGANSHIRE.
BRECKNOCKSHIRE -	16.4	23.7	20.2	-	-	0.14	0.07	0.21	0.43	0.57	5.97	125	BRECKNOCKSHIRE.
RADNORSHIRE -	13.4	23.0	15.7	-	-	0.24	0.49	-	-	0.24	-	74	RADNORSHIRE.
MONTGOMERYSHIRE -	11.2	17.8	19.8	-	-	0.13	-	0.59	-	0.26	-	118	MONTGOMERYSHIRE.
FLINTSHIRE -	12.8	28.3	17.5	-	-	0.11	0.11	0.50	0.28	0.17	1.96	120	FLINTSHIRE.
DENBIGHSHIRE -	14.6	23.5	21.8	0.06	-	0.06	0.06	0.58	0.17	0.35	20.94	160	DENBIGHSHIRE.
MERIONETHSHIRE -	13.1	18.9	22.2	-	-	0.07	-	0.07	-	0.62	-	168	MERIONETHSHIRE.
CARNARVONSHIRE -	14.0	18.2	20.9	0.03	-	0.23	-	0.68	0.11	0.65	1.55	150	CARNARVONSHIRE.
ANGLESEY -	15.8	20.5	19.5	-	-	0.11	-	-	-	0.34	22.22	178	ANGLESEY.

TABLE VIa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the quarter ended 31st March of the
 Years 1914 and 1915.

REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended	
	31st March, 1914.	31st March, 1915.		31st March, 1914.	31st March, 1915.
England and Wales.	9,223	10,167	Leicestershire	96	133
London	1,272	1,391	Rutlandshire	5	7
Surrey	208	226	Lincolnshire	204	226
Kent	219	242	Nottinghamshire	273	278
Sussex	172	187	Derbyshire	134	158
Hampshire	204	254	Cheshire	216	218
Berkshire	84	94	Lancashire	1,211	1,238
Middlesex	223	213	Yorkshire (West Riding)	853	909
Hertfordshire	68	71	Yorkshire (East Riding	128	188
Buckinghamshire	33	50	with York).		
Oxfordshire	49	46	Yorkshire (North Riding)	125	159
Northamptonshire	93	87			
Huntingdonshire	12	17	Durham	396	464
Bedfordshire	54	45	Northumberland	212	219
Cambridgeshire	51	68	Cumberland	84	98
Essex	235	245	Westmorland	18	23
Suffolk	112	123			
Norfolk	140	168	Monmouthshire	99	103
Wiltshire	45	54	Glamorganshire	285	335
Dorsetshire	53	48	Carmarthenshire	38	37
Devonshire	177	192	Pembrokeshire	25	25
Cornwall	72	78	Cardiganshire	15	23
Somersetshire	84	106	Brecknockshire	17	14
Gloucestershire	126	158	Radnorshire	7	11
Herefordshire	38	45	Montgomeryshire	28	21
Shropshire	82	93	Flintshire	21	25
Staffordshire	368	390	Denbighshire	43	54
Worcestershire	74	85	Merionethshire	31	29
Warwickshire	253	330	Carnarvonshire	40	41
			Anglesey	18	25

The deaths in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made. The number of towns is reduced by the incorporation of Devonport in the extended borough of Plymouth.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.). +	RAIN- FALL (Milli- metres). +	TOWNS.			
				Deaths of		Deaths from							Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
96 Towns	18,134,239	114,334	88,444	14,258	26,637	177	3	3,782	371	1,520	890	945	2,783	6,459	23,811	762	40·5	221	96 Towns.
LONDON -	4,516,612	28,240	23,159	3,142	7,563	37	3	1,120	100	378	199	234	759	2,125	9,454	15	40·8	194	LONDON.
CROYDON -	181,956	964	808	110	325	3	-	44	3	3	4	7	16	75	226	-	-	-	CROYDON.
WIMBLEDON -	59,598	283	209	24	81	-	-	7	1	2	2	1	9	20	45	-	-	-	WIMBLEDON.
EALING -	71,030	302	292	30	110	1	-	12	1	12	3	4	6	9	49	-	-	-	EALING.
ACTON -	64,369	430	240	55	73	-	-	17	-	5	5	4	6	18	61	-	-	-	ACTON.
WILLESDEN -	167,922	948	716	131	195	1	-	32	3	32	5	6	18	40	202	-	-	-	WILLESDEN.
HORNSEY -	88,953	365	338	41	143	-	-	13	2	3	4	7	9	25	71	-	-	-	HORNSEY.
TOTTENHAM -	149,495	976	631	103	183	-	-	71	6	12	6	3	17	65	195	-	41·3	189	TOTTENHAM.
EDMONTON -	71,024	480	253	53	62	-	-	12	2	2	5	1	7	25	88	-	-	-	EDMONTON.
ENFIELD -	61,069	355	243	38	80	-	-	25	3	3	-	2	7	16	55	-	40·4	211	ENFIELD.
WEST HAM -	296,570	2,313	1,402	236	390	1	-	64	6	13	17	8	58	127	416	-	-	-	WEST HAM.
EAST HAM -	146,526	826	510	72	164	-	-	8	4	2	3	-	18	40	155	-	-	-	EAST HAM.
LEYTON -	133,719	690	448	71	155	-	-	22	1	7	2	2	15	33	128	-	-	-	LEYTON.
WALTHAMSTOW -	134,825	751	525	83	159	-	-	39	2	9	5	2	11	41	135	-	-	-	WALTHAMSTOW.
ILFORD -	91,041	405	273	34	110	-	-	8	-	-	2	2	13	16	46	-	-	-	ILFORD.
GILLINGHAM§ -	55,559	301	331	39	70	-	-	2	-	9	4	3	101	103	39	-	-	-	GILLINGHAM.§
HASTINGS -	59,620	216	330	41	168	-	-	5	-	6	1	1	7	17	69	-	41·2	180	HASTINGS.
EASTBOURNE -	55,662	87	254	25	116	-	-	2	-	6	7	-	9	21	65	1	41·5	236	EASTBOURNE.
BRIGHTON -	133,936	594	798	85	327	6	-	4	-	30	1	-	25	71	205	1	41·7	222	BRIGHTON.
PORTSMOUTH -	245,827	1,499	1,149	159	369	4	-	62	4	20	15	7	33	96	265	4	42·4	265	PORTSMOUTH.
BOURNEMOUTH¶ -	85,904	291	377	37	165	-	-	2	1	3	4	-	15	34	84	-	41·4	249	BOURNEMOUTH.¶
SOUTHAMPTON -	123,948	705	531	64	191	-	-	-	-	10	19	6	18	42	155	-	41·7	270	SOUTHAMPTON
READING -	90,083	462	428	55	155	3	-	-	1	24	2	3	3	14	84	10	39·9	204	READING.
OXFORD -	54,339	242	212	25	104	-	-	-	-	1	2	-	4	9	39	-	40·9	196	OXFORD.
NORTHAMPTON -	91,123	455	571	88	186	2	-	70	1	4	9	4	7	21	94	4	-	-	NORTHAMPTON.
CAMBRIDGE -	57,676	290	396	44	135	-	-	50	-	1	3	-	4	20	74	-	40·3	144	CAMBRIDGE.

* See note to Table II.

† The values for Mean Temperature and Rainfall relate to the calendar quarter.

‡ These towns are included within the Metropolitan Outer Ring.

§ Including 97 deaths, of persons aged 1-65 years, due to the explosion on H.M.S. Bulwark. One of the deaths occurred in a public institution.

¶ As extended on 9th November, 1914.

TABLE VII. *continued*).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 3rd April, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fabr.). *	RAIN- FALL. Milli- metres). *	TOWNS.
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 5 Years).	Violence.						
SOUTHEAD ON SEA.	83,908	353	346	45	139	-	-	5	1	8	1	3	10	12	39	17	40·6	SOUTHEAD ON SEA.	
IPSWICH.	76,472	436	410	52	169	-	-	1	7	10	2	-	12	29	67	-	39·5	IPSWICH.	
GREAT YARMOUTH†	57,502	318	319	53	140	-	-	2	-	2	4	5	8	22	57	-	39·9	GREAT YARMOUTH†	
NORWICH.	124,107	707	607	98	252	-	-	4	2	2	7	3	19	34	123	1	40·0	NORWICH.	
SWINDON.	52,750	290	189	27	67	-	-	-	-	4	1	2	4	11	19	-	-	SWINDON.	
EXETER.	60,788	314	310	27	157	1	-	-	-	-	-	3	7	20	45	1	-	EXETER.	
PLYMOUTH†	212,421	1,223	1,151	176	358	6	-	113	3	9	12	8	31	83	179	-	43·0	PLYMOUTH†	
BATH.	70,292	267	352	38	186	-	-	-	1	8	1	1	6	20	77	-	41·0	BATH.	
BRISTOL.	363,312	1,982	1,899	310	683	2	-	26	7	103	18	24	50	146	472	1	41·2	BRISTOL.	
GLOUCESTER.	50,759	307	221	40	79	-	-	-	-	13	5	4	3	9	31	3	-	GLOUCESTER.	
STOKE ON TRENT.	241,430	1,813	1,169	289	257	6	-	22	1	28	21	21	37	67	174	29	-	STOKE ON TRENT.	
WOLVERHAMPTON.	95,725	662	541	109	140	-	-	67	1	4	2	8	11	33	98	-	-	WOLVERHAMPTON.	
WALSALL.	94,093	749	428	107	104	-	-	12	-	5	6	7	10	31	71	2	-	WALSALL.	
WEST BROMWICH.	69,430	555	380	91	95	-	-	31	-	-	5	12	6	11	54	10	-	WEST BROMWICH.	
DUDLEY.	51,895	428	235	56	69	-	-	6	2	-	-	4	4	8	26	7	-	DUDLEY.	
BIRMINGHAM.	868,430	5,936	3,940	704	1,094	3	-	258	20	19	57	67	122	154	1,070	160	39·6	BIRMINGHAM.	
SMETHWICK.	76,314	503	289	53	62	-	-	37	-	1	2	3	5	15	39	-	-	SMETHWICK.	
COVENTRY.	119,003	752	458	66	148	4	-	17	4	-	4	5	14	24	102	10	40·4	COVENTRY.	
LEICESTER.	232,664	1,260	981	169	288	1	-	-	1	5	8	13	38	72	221	5	-	LEICESTER.	
LINCOLN.	60,243	338	271	41	105	1	-	2	-	-	2	1	3	6	38	2	40·1	LINCOLN.	
GRIMSBY.	78,667	532	374	66	90	1	-	42	-	2	3	2	10	28	39	1	-	GRIMSBY.	
NOTTINGHAM.	266,918	1,576	1,220	219	394	2	-	-	3	22	5	10	31	65	282	8	39·8	NOTTINGHAM.	
DERBY.	126,389	781	549	71	196	-	-	4	4	2	6	4	19	55	145	-	-	DERBY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Including 2 deaths due to the German Air Raid. One death was that of a person aged between 1 and 65 years, the other that of a person aged 65 years or upwards.

‡ As extended on 9th November, 1914.

TABLE VII (continued).—96 Great Towns, &c.—Population ; Births, Deaths, and Meteorology in the 13 Weeks ended 3rd April, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
STOCKPORT -	126,040	701	548	78	170	1	-	1	3	1	6	16	26	124	2	STOCKPORT.			
BIRKENHEAD -	137,710	1,045	630	107	175	1	-	-	9	7	10	22	44	170	1	BIRKENHEAD.			
WALLASEY -	87,175	463	349	50	129	3	-	5	5	8	2	6	11	65	-	WALLASEY.			
LIVERPOOL -	767,992	5,905	4,061	726	976	4	-	94	83	49	62	147	277	1,455	117	LIVERPOOL.			
BOOTLE -	73,230	547	377	83	90	1	-	5	32	3	3	12	13	110	18	BOOTLE.			
ST. HELENS -	100,775	873	534	112	74	2	-	78	13	5	9	10	14	102	20	ST. HELENS.			
SOUTHPORT -	71,747	251	340	26	172	-	-	1	1	-	1	4	5	40	11	SOUTHPORT.			
WIGAN -	91,491	715	510	130	86	2	-	47	28	2	9	17	32	60	-	WIGAN.			
WARRINGTON -	74,923	552	347	64	63	-	-	13	16	12	4	5	6	92	13	WARRINGTON.			
BOLTON -	185,247	1,039	807	135	214	6	-	38	11	14	8	32	52	125	7	BOLTON.			
BURY -	59,213	281	297	32	105	-	-	-	1	1	3	13	21	59	6	BURY.			
MANCHESTER -	738,538	4,676	3,590	595	899	14	-	155	13	48	43	143	292	1,077	14	MANCHESTER.			
SALFORD -	234,975	1,508	1,192	201	270	4	-	123	9	11	13	38	93	260	-	SALFORD.			
OLDHAM -	151,044	862	818	126	200	1	-	17	4	4	17	12	49	150	-	OLDHAM.			
ROCHDALE -	94,320	450	413	53	140	3	-	-	-	6	1	10	18	79	11	ROCHDALE.			
BURNLEY -	110,040	583	500	89	144	1	-	-	1	4	11	17	39	76	3	BURNLEY.			
BLACKBURN -	134,387	695	648	125	177	4	-	1	25	2	10	12	27	91	7	BLACKBURN.			
PRESTON -	118,514	710	707	112	202	1	-	42	11	12	9	15	20	120	29	PRESTON.			
BLACKPOOL -	62,206	223	321	30	113	-	-	9	1	-	-	5	9	34	16	BLACKPOOL.			
BARROW IN FURNESS	65,921	508	307	62	86	1	-	3	1	5	2	5	6	43	9	BARROW IN FURNESS.			
HUDDERSFIELD -	112,265	528	550	54	197	-	-	16	5	5	2	20	38	102	3	HUDDERSFIELD.			
HALIFAX -	100,373	449	506	47	199	1	-	6	2	7	5	7	21	93	4	HALIFAX.			
BRADFORD -	291,482	1,376	1,294	166	426	5	-	-	13	17	8	35	113	323	1	BRADFORD.			
LEEDS -	459,260	2,768	2,365	356	706	4	-	23	72	14	26	83	222	505	1	LEEDS.			
DEWSBURY -	54,083	293	271	34	85	1	-	-	5	1	-	7	19	43	-	DEWSBURY.			
WAKEFIELD -	52,643	304	253	36	73	1	-	8	4	1	1	4	15	50	1	WAKEFIELD.			
BARNLEY -	53,929	414	232	66	52	-	-	5	8	2	6	9	18	31	2	BARNLEY.			

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

TABLE VII. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 3rd April, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres.) *	TOWNS.		
				Deaths of		Deaths from							Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).						
SHEFFIELD†	477,228	3,324	2,202	390	520	4	-	155	11	10	34	28	73	148	544	14	SHEFFIELD †	
ROTHERHAM	65,313	497	348	69	77	1	-	37	2	12	11	3	6	13	61	6	ROTHERHAM,	
YORK	83,802	520	418	54	160	2	-	3	1	3	2	2	10	22	80	-	YORK.	
HULL	291,118	1,965	1,313	217	422	3	-	6	1	29	7	10	50	123	279	10	HULL.	
MIDDLESBROUGH	126,452	1,042	645	133	127	2	-	13	4	11	14	20	18	47	110	4	MIDDLESBROUGH.	
DARLINGTON	59,500	411	360	50	103	1	-	71	4	1	7	3	12	24	49	22	DARLINGTON.	
STOCKTON ON TEES	59,311	483	351	65	99	-	-	34	1	3	7	7	8	17	31	6	STOCKTON ON TEES.	
WEST HARTLEPOOL†	64,374	482	330	75	73	1	-	44	-	3	-	2	13	18	55	6	WEST HARTLEPOOL †	
SUNDERLAND	152,927	1,234	876	234	193	-	-	13	2	29	1	15	39	68	150	9	SUNDERLAND.	
SOUTH SHIELDS	111,357	916	594	135	154	2	-	3	3	6	1	3	16	21	88	21	SOUTH SHIELDS.	
GATESHEAD	119,362	976	709	151	135	4	-	79	3	10	6	7	23	33	108	41	GATESHEAD.	
NEWCASTLE ON TYNE	273,415	2,011	1,594	343	372	5	-	160	16	30	10	12	32	117	269	4	NEWCASTLE ON TYNE	
TYNEMOUTH	61,408	421	322	67	82	3	-	7	3	16	1	-	6	7	43	13	TYNEMOUTH.	
CARLISLE	52,813	324	310	59	92	-	-	15	-	11	2	2	5	11	33	9	CARLISLE.	
NEWPORT (MON.)	89,404	653	375	76	100	1	-	12	2	1	2	6	10	27	72	1	NEWPORT (MON.).	
CARDIFF	188,495	1,290	837	127	245	-	-	2	2	13	18	5	33	75	181	-	CARDIFF.	
RHONDDA	166,365	1,450	667	186	111	1	-	7	7	34	10	15	28	35	45	-	RHONDDA	
MERTHYR TYDFIL	85,082	626	571	153	80	-	-	77	3	51	2	5	14	22	62	1	MERTHYR TYDFIL.	
ABERDARE	53,427	428	262	77	56	1	-	11	-	14	4	4	10	11	15	1	ABERDARE.	
SWANSEA	121,665	905	530	110	156	-	-	-	-	6	9	8	11	42	85	-	SWANSEA.	
GREATER LONDON	7,484,436	44,814	34,630	4,946	11,494	51	3	1,597	150	584	295	315	1,094	2,969	12,339	26	GREATER LONDON.	
OUTER RING	2,967,524	16,574	11,471	1,804	3,931	14	-	477	50	206	96	81	335	844	2,885	11	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,718,097	10,088	6,888	1,081	2,230	6	-	374	34	105	63	49	210	550	1,872	2	14 GREAT TOWNS IN OUTER RING	
REMAINDER OF OUTER RING.	1,249,727	6,486	4,583	723	1,701	8	-	103	16	101	33	32	125	294	1,013	9	REMAINDER OF OUTER RING.	
EDINBURGH§	328,700	1,639	1,669	243	586	2	-	3	10	68	36	13	56	?	?	?	EDINBURGH.§	
GLASGOW§	1,078,400	7,459	5,908	1,176	1,262	20	-	82	78	563	51	59	195	?	?	?	GLASGOW.§	
DUBLIN (Registra- tion Area).	409,000	2,953	3,017	518	883	8	-	5	10	98	15	70	62	69	1,095	123	DUBLIN (Registra- tion Area)	
BELFAST	403,000	2,907	2,326	484	514	1	-	71	21	43	5	31	25	71	553	31	BELFAST.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Including 3 deaths, of persons aged 1-65 years, due to the German bombardment on 16th December, 1914. Two of the deaths occurred in institutions.

§ For the calendar quarter. Deaths of non-residents domiciled in Scotland deducted and those of residents registered elsewhere in Scotland added. The deaths from

Phoenix Park.

As extended on 1st October, 1914.

Fitzwilliam Square.

The death-rate in London has been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The death-rates in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made. The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.		
	Total Deaths.					Deaths from					Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 years.	Aged 65 years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	13 Weeks ended					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.									Diphtheria.	Violence.
	3rd Mar., 1912.	29th Mar., 1913.	4th Apr., 1914.	3rd Apr., 1915.																
96 Towns	25·3	16·2	16·9	16·4	19·6	0·04	0·00	0·84	0·08	0·34	3·20	0·62	8·27	125	11·3	131·1	7·3	26·9	0·9	96 Towns.
LONDON -	-	15·3	17·5	16·1	20·6	0·03	0·00	0·99	0·09	0·34	0·18	0·67	8·29	111	11·9	137·4	9·2	40·8	0·1	LONDON.
(CROYDON -	-	13·0	13·5	12·4	17·8	0·07	-	0·97	0·07	0·07	0·09	0·35	7·26	114	8·9	126·7	9·3	28·0	-	(CROYDON.
WIMBLEDON -	-	11·2	12·5	11·3	14·1	-	-	0·47	0·07	0·13	0·13	0·61	3·53	85	7·5	115·5	9·6	21·5	-	WIMBLEDON.
EALING -	-	11·7	11·2	11·1	16·5	0·06	-	0·68	0·06	0·68	0·17	0·34	13·25	99	9·3	114·2	3·1	16·8	-	EALING.
ACTON -	-	12·1	15·0	13·1	15·0	-	-	1·06	-	0·31	0·31	0·37	9·30	128	7·5	107·8	7·5	25·4	-	ACTON.
WILLESDEN -	-	11·7	13·0	11·0	17·1	0·02	-	0·76	0·07	0·76	0·12	0·43	6·33	138	9·9	122·3	5·6	28·2	-	WILLESDEN.
HORNSEY -	-	10·8	10·9	9·9	15·2	-	-	0·59	0·09	0·14	0·18	0·41	19·18	112	7·5	123·8	7·4	21·0	-	HORNSEY.
TOTTENHAM -	-	14·0	13·0	13·1	16·9	-	-	1·90	0·16	0·32	0·16	0·46	3·07	106	9·9	129·2	10·3	30·9	-	* TOTTENHAM.
EDMONTON -	-	12·4	14·5	10·3	14·3	-	-	0·68	0·11	0·11	0·28	0·40	2·08	110	8·4	82·7	9·9	34·8	-	EDMONTON.
ENFIELD -	-	11·3	11·4	11·0	16·0	-	-	1·64	0·20	0·20	-	0·46	5·63	107	8·8	122·0	6·6	22·6	-	ENFIELD.
WEST HAM -	-	15·3	16·9	17·2	19·0	0·01	-	0·87	0·08	0·18	0·23	0·78	3·46	102	11·2	146·5	9·1	29·7	-	WEST HAM.
EAST HAM -	-	12·3	12·0	11·1	14·0	-	-	0·22	0·11	0·05	0·08	0·49	-	87	8·0	131·7	7·8	30·4	-	EAST HAM.
LEYTON -	-	11·8	11·9	11·2	13·4	-	-	0·66	0·03	0·21	0·06	0·45	2·90	103	7·2	93·8	7·4	28·6	-	LEYTON.
WALTHAMSTOW -	-	10·8	11·8	10·9	15·6	-	-	1·16	0·06	0·27	0·15	0·33	2·66	111	8·9	142·9	7·8	25·7	-	WALTHAMSTOW.
(ILFORD -	-	9·4	11·0	8·4	12·0	-	-	0·35	-	-	0·09	0·57	4·94	84	6·1	111·7	5·9	16·8	0·7	(ILFORD.
GILLINGHAM† -	-	13·4	11·3	16·6	23·9	-	-	0·14	-	0·65	0·29	7·29	9·97	130	17·0	135·7	31·1	11·8	1·2	GILLINGHAM.†
HASTINGS-	-	12·2	15·3	16·8	22·2	-	-	0·34	-	0·40	0·07	0·47	4·63	190	9·1	125·0	5·2	20·9	-	HASTINGS.
EASTBOURNE -	-	10·8	11·6	8·4	18·3	-	-	0·14	-	0·43	0·50	0·65	-	131	8·8	143·6	8·3	25·6	0·4	EASTBOURNE.
BRIGHTON -	-	15·5	15·1	16·1	23·9	0·18	-	0·12	-	0·90	0·03	0·75	-	143	12·7	140·9	8·9	25·7	0·1	BRIGHTON.
PORTSMOUTH -	-	16·0	15·1	15·3	18·7	0·07	-	1·01	0·07	0·33	0·24	0·54	4·67	106	10·9	120·3	8·4	23·1	0·3	PORTSMOUTH.
BOURNEMOUTH	-	13·0	13·8	12·9	17·6	-	-	0·09	0·05	0·14	0·19	0·70	-	127	9·0	102·9	9·0	23·6	-	BOURNEMOUTH.
SOUTHAMPTON	-	14·4	14·0	15·1	17·2	-	-	-	-	0·32	0·61	0·58	8·51	91	9·7	113·0	7·9	29·2	-	SOUTHAMPTON.
READING -	-	13·9	13·4	15·8	19·1	0·13	-	-	0·04	1·07	0·09	0·13	6·49	119	10·5	121·5	3·3	19·6	2·3	READING.
OXFORD -	-	14·2	16·3	13·6	15·6	-	-	-	-	0·07	0·15	0·30	-	103	6·7	115·6	4·2	18·4	-	OXFORD.
NORTHAMPTON	-	13·0	15·7	16·5	25·1	0·09	-	3·08	0·04	0·18	0·40	0·31	8·79	193	14·1	151·0	3·7	16·5	0·7	NORTHAMPTON.
CAMBRIDGE -	-	19·0	14·9	14·3	27·5	-	-	3·48	-	0·07	0·21	0·58	-	152	16·5	144·5	5·1	18·7	-	CAMBRIDGE.

* These towns are included within the Metropolitan Outer Ring.

† See note § to Table VII.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd April, 1915.

ANNUAL RATE PER 1000 PERSONS LIVING.																			PERCENTAGE of Total Deaths.		
TOWNS.	Total Deaths.					Deaths from						RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living		Inquest Cases.			TOWNS.		
	13 Weeks ended				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 years.	Aged 65 years and upwards.	Deaths in Public Institutions.	Uncertified Causes of Death.				
	30th Mar., 1912.	29th Mar., 1913.	4th Apr., 1914.	3rd Apr., 1915.																	
	BIRTHS in 13 Weeks ended 3rd Apr., 1915.																				
SOUTHEND ON SEA	16.9	9.3	12.6	10.8	16.5	-	-	0.24	0.05	0.38	0.05	0.48	8.50	127	8.3	126.8	3.5	11.3	4.9	SOUTHEND ON SEA.	
IPSWICH -	-	17.6	15.6	17.2	21.5	-	-	0.05	0.37	-	0.10	0.63	-	119	10.8	147.1	7.1	16.3	-	IPSWICH.	
GREAT YARMOUTH-	22.2	20.3	14.3	20.5	22.3	-	-	0.14	-	0.14	0.28	0.56	15.72	167	9.7	132.0	6.9	17.9	-	GREAT YARMOUTH.	
NORWICH-	-	17.6	14.1	17.5	19.6	-	-	0.13	0.06	0.06	0.23	0.61	4.24	139	9.1	130.7	5.6	20.3	0.2	NORWICH.	
SWINDON -	-	12.5	18.8	14.7	14.4	-	-	-	-	0.30	0.08	0.30	6.90	93	7.7	127.4	5.8	10.1	-	SWINDON.	
EXETER -	-	17.6	16.2	17.4	20.5	0.07	-	-	-	-	-	0.46	9.55	86	9.1	146.7	6.5	14.5	0.3	EXETER.	
PLYMOUTH -	-	18.9	19.1	20.8	21.7	0.11	-	2.13	0.06	0.17	0.23	0.59	6.54	144	12.6	121.9	7.2	15.6	-	PLYMOUTH.	
BATH -	-	15.4	16.7	17.6	20.1	-	-	-	0.06	0.46	0.06	0.34	3.75	142	8.1	126.7	5.7	21.9	-	BATH.	
BRISTOL -	-	17.4	15.5	16.1	21.0	0.02	-	0.29	0.08	1.14	0.20	0.55	12.11	156	10.8	134.8	7.7	24.9	0.1	BRISTOL.	
GLOUCESTER -	-	16.6	15.9	17.7	17.5	-	-	-	-	1.03	0.40	0.24	13.03	130	8.8	106.6	4.1	14.0	1.4	GLOUCESTER.	
STOKE ON TRENT -	-	19.0	19.9	19.1	19.4	0.10	-	0.37	0.62	0.47	0.35	0.61	11.55	159	11.0	127.4	5.7	14.9	2.5	STOKE ON TRENT.	
WOLVERHAMPTON -	-	16.4	18.5	18.9	22.7	-	-	2.81	0.04	0.17	0.08	0.46	12.08	165	13.1	133.8	6.1	18.1	-	WOLVERHAMPTON.	
WALSALL -	-	24.2	16.6	14.5	18.2	-	-	0.51	-	0.21	0.26	0.43	9.35	143	9.9	104.5	7.2	16.6	0.5	WALSALL.	
WEST BROMWICH -	-	19.8	22.1	19.5	22.0	-	-	1.79	-	-	0.29	0.35	21.62	164	12.1	121.3	2.9	14.2	2.6	WEST BROMWICH.	
DUDLEY -	-	21.9	17.8	19.9	18.2	-	-	0.46	0.15	-	-	0.31	9.35	131	9.1	119.4	3.4	11.1	3.0	DUDLEY.	
BIRMINGHAM -	-	16.4	16.6	17.1	18.2	0.01	-	1.19	0.09	0.09	0.26	0.56	11.29	119	10.6	121.3	3.9	27.2	4.1	BIRMINGHAM.	
SMETHWICK -	-	14.7	13.5	16.8	15.2	-	-	1.94	-	0.05	0.11	0.26	5.96	105	9.7	96.7	5.2	13.5	-	SMETHWICK.	
COVENTRY -	-	14.8	15.4	14.6	15.4	0.13	-	0.57	0.13	-	0.13	0.47	6.65	88	8.8	135.7	5.2	22.3	2.2	COVENTRY.	
LEICESTER -	-	16.5	15.2	17.7	16.9	0.02	-	-	0.02	0.09	0.14	0.66	10.32	134	9.7	107.9	7.3	22.5	0.5	LEICESTER.	
LINCOLN -	-	12.6	15.4	15.0	18.0	0.07	-	0.13	-	-	0.13	0.20	2.96	121	9.0	131.6	2.2	14.0	0.7	LINCOLN.	
GRIMSBY -	-	11.7	14.8	15.2	19.1	0.05	-	2.14	-	0.10	0.15	0.51	3.76	124	11.9	113.2	7.5	10.4	0.3	GRIMSBY.	
NOTTINGHAM -	-	16.9	16.2	17.3	18.3	0.03	-	-	0.05	0.33	0.08	0.47	6.35	139	9.8	122.3	5.3	23.1	0.7	NOTTINGHAM.	
DERBY -	-	17.0	15.5	15.8	17.4	-	-	0.13	0.13	0.06	0.19	0.60	5.12	91	9.6	135.1	10.0	26.4	-	DERBY.	

TABLE VIII (continued). 50 GREAT TOWNS; C.C.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd April, 1915.

TOWNS	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.	PERCENTAGE of Total Deaths.			TOWNS.				
	Total Deaths.					Deaths from					Diarrhoea and enteritis (under 2 years).	Total Deaths under one year.		Aged 1 to 65 Years.	Aged 65 Years and upwards.	Infant Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.		
	13 Weeks ended					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.										Diphtheria.	Violence.
	30th Mar., 1912.	29th Mar., 1913.	4th Apr., 1914.	3rd Apr., 1915.																	
STOCKPORT	22.3	17.6	15.8	16.9	17.4	0.03	-	-	0.03	0.10	0.03	0.51	8.56	111	10.2	124.5	4.7	STOCKPORT.			
BIRKENHEAD	-	16.3	16.3	15.1	18.4	0.03	-	0.15	-	0.26	0.20	0.64	9.57	102	10.9	123.0	7.0	BIRKENHEAD.			
WALLASEY	-	12.5	13.1	13.0	16.1	0.14	-	0.18	0.05	0.23	0.37	0.28	4.32	108	8.4	134.9	3.2	WALLASEY.			
LIVERPOOL	-	19.2	20.5	19.2	21.2	0.03	-	0.49	0.08	0.43	0.26	0.77	10.50	123	13.2	127.1	6.8	LIVERPOOL.			
BOOTLE	-	15.7	20.7	14.9	20.6	0.05	-	0.27	0.16	1.75	0.16	0.65	5.48	152	11.9	143.3	3.4	BOOTLE.			
ST. HELENS	-	19.8	25.7	18.4	21.3	0.08	-	3.10	0.04	0.52	0.20	0.40	10.31	128	14.7	107.4	2.6	ST. HELENS.			
SOUTHPORT	-	17.5	15.0	15.1	19.0	-	-	0.06	0.11	0.06	-	0.22	3.98	104	8.7	136.0	1.5	SOUTHPORT.			
WIGAN	-	17.1	23.8	17.4	22.4	0.09	-	2.06	0.39	1.23	0.09	0.75	12.59	182	13.7	120.1	6.3	WIGAN.			
WARRINGTON	-	18.0	17.0	16.7	18.6	-	-	0.70	0.32	0.86	0.61	0.27	7.25	116	12.5	107.5	1.7	WARRINGTON.			
BOLTON	-	17.9	18.0	15.4	17.5	0.13	-	0.82	0.04	0.24	0.30	0.69	7.70	130	10.5	126.4	6.4	BOLTON.			
BURY	-	16.5	17.6	20.3	20.1	-	-	-	-	0.07	0.07	0.88	10.68	114	11.6	151.3	7.1	BURY.			
MANCHESTER	-	20.5	17.7	18.4	19.5	0.08	-	0.84	0.12	0.07	0.26	0.80	9.20	127	12.1	131.5	8.1	MANCHESTER.			
SALFORD	-	20.8	16.3	18.2	20.3	0.07	-	2.10	0.15	0.26	0.19	0.65	8.62	133	13.1	129.4	7.8	SALFORD.			
OLDHAM	-	19.8	18.4	19.2	21.7	0.03	-	0.45	0.11	0.13	0.11	0.32	19.72	146	13.9	142.2	6.0	OLDHAM.			
ROCHDALE	-	18.2	17.0	20.3	17.6	0.13	-	-	-	-	0.26	0.43	2.22	118	10.0	142.4	4.4	ROCHDALE.			
BURNLEY	-	17.3	18.4	23.3	18.2	0.04	-	-	-	0.04	0.15	0.62	18.87	153	10.3	145.3	7.8	BURNLEY.			
BLACKBURN	-	15.5	18.1	17.6	19.3	0.12	-	0.63	0.03	0.75	0.06	0.36	14.39	180	11.0	130.3	4.2	BLACKBURN.			
PRESTON	-	20.6	21.7	17.0	23.9	0.03	-	1.42	0.34	0.37	0.41	0.51	12.68	158	14.2	165.2	2.8	PRESTON.			
BLACKPOOL	-	13.8	15.8	15.1	20.7	-	-	0.58	0.06	0.06	-	0.32	-	135	12.0	134.0	2.8	BLACKPOOL.			
BARROW IN FURNESS.	50.9	17.1	19.4	16.6	18.7	0.06	-	0.18	0.06	0.06	0.30	0.30	3.94	122	10.3	141.9	2.0	BARROW IN FURNESS.			
HODDERSFIELD	-	15.9	16.1	15.7	19.7	-	-	0.57	-	0.18	0.18	0.71	3.79	102	11.4	155.2	6.9	HODDERSFIELD.			
HALIFAX	-	18.1	17.6	17.4	20.2	0.04	-	0.24	0.08	0.08	0.28	0.28	11.14	105	11.2	148.5	4.2	HALIFAX.			
BRADFORD	-	17.0	15.5	17.3	17.8	0.07	-	-	0.11	0.18	0.23	0.48	5.81	121	10.3	122.7	8.7	BRADFORD.			
LEEDS	-	16.1	17.9	15.6	20.7	0.03	-	0.20	0.07	0.63	0.12	0.72	9.39	129	12.1	146.8	9.4	LEEDS.			
DEWSBURY	-	19.4	18.0	16.0	20.1	0.07	-	-	0.07	0.37	0.07	0.52	-	116	12.1	129.0	7.0	DEWSBURY.			
WAKEFIELD	-	16.8	16.6	15.2	19.3	0.08	-	0.61	-	0.30	0.08	0.30	3.29	118	11.8	120.5	5.9	WAKEFIELD.			
BARNSELEY	-	15.8	18.4	21.1	17.3	-	-	0.37	-	0.60	0.15	0.67	14.49	159	9.0	110.6	7.8	BARNSELEY.			

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd April, 1915.

ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths			TOWNS.			
Total Deaths.					Deaths from					Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
13 Weeks ended																				
3rd Mar., 1912.	29th Mar., 1913.	4th Apl., 1914.	3rd Apl., 1915.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.						Diphtheria.	Violence.				
BIRTHS in 13 Weeks ended 3rd Apl., 1915.																				
SHEFFIELD -	27.9	17.1	18.2	18.4	18.5	0.03	-	1.30	0.9	0.08	0.29	0.61	8.42	117	11.6	119.3	6.7	24.7	0.6	SHEFFIELD.
ROTHERHAM -	30.5	15.1	20.0	16.7	21.4	0.06	-	2.27	0.12	0.74	0.68	0.37	6.04	139	13.3	121.8	3.7	17.5	1.7	ROTHERHAM.
YORK -	24.9	18.3	15.4	14.4	20.0	0.10	-	0.14	0.05	0.14	0.10	0.48	3.85	104	10.5	150.2	5.3	19.1	-	YORK.
HULL -	27.1	15.5	15.4	15.5	18.1	0.04	-	0.08	0.01	0.40	0.10	0.69	5.09	110	10.0	133.2	9.4	21.2	0.8	HULL.
MIDDLESBROUGH -	33.1	16.5	17.8	20.5	20.5	0.06	-	0.41	0.13	0.35	0.44	0.57	19.19	128	13.0	126.5	7.3	17.1	0.6	MIDDLESBROUGH.
DARLINGTON -	27.7	13.1	17.1	15.8	24.3	0.07	-	4.79	0.27	0.07	0.47	0.81	7.30	122	15.0	147.4	6.7	13.6	6.1	DARLINGTON.
STOCKTON ON TEES	32.7	15.7	24.7	17.7	23.7	-	-	2.30	0.07	0.20	0.47	0.54	14.49	135	13.5	160.5	4.8	8.8	1.7	STOCKTON ON TEES.
WEST HARTLEPOOL	30.0	17.1	20.3	17.3	20.6	0.06	-	2.74	-	0.19	-	0.81	4.15	156	12.1	129.7	5.5	16.7	1.8	WEST HARTLEPOOL.
SUNDERLAND -	32.4	16.7	20.2	17.9	23.0	-	-	0.31	0.05	0.76	0.03	1.02	12.16	190	13.4	118.7	7.8	17.1	1.0	SUNDERLAND.
SOUTH SHIELDS -	33.0	16.4	20.7	20.8	21.4	0.07	-	0.11	0.11	0.22	0.04	0.58	3.28	147	11.7	150.1	3.5	14.8	3.5	SOUTH SHIELDS.
GATESHEAD -	32.8	17.0	17.5	18.1	23.8	0.13	-	2.65	0.10	0.34	0.20	0.77	7.17	155	15.2	122.6	4.7	15.2	5.8	GATESHEAD.
NEWCASTLE ON TYNE	29.5	15.5	18.5	17.5	23.4	0.07	-	2.35	0.23	0.41	0.15	0.47	5.97	171	13.7	143.0	7.3	16.9	0.3	NEWCASTLE ON TYNE.
TYNEMOUTH -	27.5	16.5	17.3	16.7	21.0	0.20	-	0.46	0.20	1.05	0.07	0.39	-	159	12.1	125.4	2.2	13.4	4.0	TYNEMOUTH.
CARLISLE -	24.6	18.6	17.5	17.8	23.5	-	-	1.14	-	0.84	0.15	0.38	6.17	182	13.0	138.6	3.5	10.6	2.9	CARLISLE.
NEWPORT (MON.) -	29.3	17.6	17.1	15.8	16.8	0.04	-	0.54	0.09	0.04	0.09	0.45	9.19	116	9.5	126.3	7.2	19.2	0.3	NEWPORT (MON.).
CARDIFF -	27.4	17.0	14.5	16.8	17.8	-	-	0.04	0.04	0.28	0.38	0.70	3.88	98	10.5	136.5	9.0	21.6	-	CARDIFF.
RHONDDA -	35.0	18.7	16.7	16.6	16.1	0.02	-	0.17	0.17	0.82	0.24	0.68	10.34	128	9.4	119.4	5.2	6.7	-	RHONDDA.
MERTHYR TYDFIL -	29.5	20.7	15.8	16.6	26.9	-	-	3.63	0.14	2.40	0.09	0.66	7.99	244	16.9	114.6	3.9	10.9	0.2	MERTHYR TYDFIL.
ABERDARE -	32.1	16.5	17.7	15.0	19.7	0.08	-	0.83	-	1.05	0.30	0.75	9.35	180	10.3	127.3	4.2	5.7	0.4	ABERDARE.
SWANSEA -	29.8	16.5	15.6	21.7	17.5	-	-	-	-	0.20	0.30	0.36	8.84	122	9.3	130.3	7.9	16.0	-	SWANSEA.
GREATER LONDON	24.0	14.0	15.7	14.5	18.6	0.03	0.00	0.86	0.08	0.31	0.16	0.59	7.03	110	?	?	8.6	35.6	0.1	GREATER LONDON.
OUTER RING -	22.4	12.1	12.9	12.0	15.5	0.02	-	0.64	0.07	0.28	0.13	0.45	4.89	109	?	?	7.4	25.2	0.1	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	23.6	12.5	13.2	12.3	16.1	0.01	-	0.87	0.08	0.25	0.15	0.49	4.86	107	8.9	123.0	8.0	27.2	0.0	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	20.8	11.5	12.4	11.6	14.7	0.03	-	0.33	0.05	0.32	0.11	0.40	4.93	111	?	?	6.4	22.1	0.2	REMAINDER OF OUTER RING.
EDINBURGH -	20.2	17.9*	17.0	19.0	20.6	0.02	-	0.04	0.12	0.84	0.44†	0.69	7.93	148	11.2	132.5	?	?	?	EDINBURGH.
GLASGOW -	28.1	20.8*	20.2	18.1	22.2	0.08	-	0.31	0.29	2.12	0.19†	0.73	7.91	158	13.9	127.1	?	?	?	GLASGOW.
DUBLIN (Registration Area).	28.9	25.0	23.3	23.8	29.5	0.08	-	0.05	0.10	0.96	0.15	0.61	23.70	175	17.2	153.0	2.3	36.3	4.1	DUBLIN (Registration Area).
BELFAST -	28.9	24.3	23.1	21.0	23.1	0.01	-	0.70	0.21	0.43	0.05	0.25	10.66	166	14.2	111.2	3.1	23.8	1.3	BELFAST.

TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates).*	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 year to 1000 Births.	TOWNS.
				Deaths of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
145 Towns	4,742,517	28,229	21,615	4,022	6,960	42	-	890	116	376	214	216	583	1,021	3,218	380	142	145 Towns.
SURREY.																		SURREY.
Barnes.†	34,745	192	111	22	26	2	-	9	-	6	-	-	2	11	24	-	115	Barnes.†
Guildford	24,927	124	103	14	49	-	-	1	-	2	-	1	1	6	26	-	113	Guildford.
Kingston on Thames†	39,227	212	180	22	80	-	-	-	-	-	1	2	5	13	62	-	104	Kingston on Thames.†
Reigate	29,375	112	95	8	47	-	-	-	2	-	1	-	3	3	17	-	71	Reigate.
Richmond†	33,760	157	173	23	73	-	-	1	2	3	-	-	4	13	47	-	147	Richmond.†
Sutton†	22,678	100	65	7	32	-	-	-	-	-	1	-	2	9	13	-	70	Sutton.†
Woking	27,055	131	120	16	29	-	-	28	-	-	-	-	4	8	10	1	122	Woking.
KENT.																		KENT.
Beckenham†	33,572	130	89	13	41	-	-	-	-	-	-	-	1	2	11	-	100	Beckenham.†
Bromley†	36,820	154	101	11	52	-	-	-	-	2	-	2	9	13	26	-	71	Bromley.†
Canterbury	24,531	131	144	12	65	-	-	-	1	2	-	1	1	9	43	-	92	Canterbury.
Chatham	44,057	244	257	53	91	1	-	-	1	-	10	2	16	16	64	-	217	Chatham.
Dartford	25,336	130	80	21	24	-	-	3	1	1	1	1	4	6	16	-	162	Dartford.
Dover	43,984	229	233	42	91	-	-	-	1	1	1	1	7	7	57	-	183	Dover.
Erith†	28,604	201	101	12	38	-	-	2	1	1	2	1	1	6	17	-	60	Erith.†
Folkestone	33,968	174	190	34	67	-	-	3	2	6	2	1	11	16	22	-	195	Folkestone.
Gravesend	28,435	170	130	21	55	-	-	-	1	3	-	1	5	8	36	-	124	Gravesend.
Maidstone	36,157	202	192	28	68	-	-	-	1	5	2	-	3	8	31	-	139	Maidstone.
Margate	29,965	129	86	11	43	-	-	-	-	1	3	-	1	2	22	-	85	Margate.
Penge (Surrey Reg. Co.)†	22,283	110	105	16	37	-	-	3	-	2	1	-	4	5	20	-	145	Penge (Surrey Reg. Co.)†
Ramsgate	30,254	138	127	13	59	-	-	6	-	1	1	-	3	4	34	-	94	Ramsgate.
Rochester	31,660	184	159	18	75	-	-	2	2	1	1	-	2	5	34	-	98	Rochester.
Tunbridge Wells	36,506	136	193	17	104	-	-	-	-	1	2	-	4	6	35	-	125	Tunbridge Wells.
SUSSEX EAST.																		SUSSEX EAST.
Hove	44,134	146	214	22	114	-	-	1	-	8	1	-	-	6	22	-	151	Hove.
SUSSEX WEST.																		SUSSEX WEST.
Worthing	32,997	111	188	11	111	-	-	-	-	-	3	1	7	11	21	-	99	Worthing.
SOUTHAMPTON.																		SOUTHAMPTON.
Aldershot (Surrey Reg. Co.)	36,637	206	228	26	30	-	-	7	12	10	1	1	13	14	144	6	126	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	34,838	188	130	17	54	-	-	6	-	2	3	1	1	6	24	-	90	Gosport and Alverstoke.
Winchester	24,230	121	153	21	62	-	-	1	-	6	2	1	4	8	44	1	174	Winchester.
MIDDLESEX.																		MIDDLESEX.
Chiswick†	41,858	203	210	34	65	-	-	20	-	14	-	1	5	11	48	-	167	Chiswick.†
Finchley†	45,435	242	163	22	72	-	-	6	1	1	2	-	2	7	25	-	91	Finchley.†
Hendon†	44,496	252	150	33	42	-	-	4	-	1	-	2	3	11	27	-	131	Hendon.†
Heston and Isleworth†	47,644	270	202	31	81	-	-	3	1	6	2	1	4	8	45	-	115	Heston and Isleworth.†
Southall Norwood†	50,889	160	80	19	14	-	-	3	-	4	1	-	1	1	19	-	119	Southall Norwood.†

* See Note * to Table II.

† These towns are included within the Metropolitan Outer Ring.

TABLE IX. (continued).—One hundred and forty-five Smaller Towns.—Population; Births and Deaths in the QUARTER ended 31st March, 1915.

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
MIDDLESEX—continued. Southgate* Twickenham* Wood Green* HERTFORDSHIRE. St. Albans Watford. BUCKINGHAMSHIRE. Chepping Wycombe NORTHAMPTONSHIRE. Kettering SOKE OF PETERBOROUGH. Peterborough BEDFORDSHIRE. Bedford Luton ESSEX. Barking Town* Colchester SUFFOLK EAST. Lowestoft NORFOLK. King's Lynn WILTSHIRE. Salisbury DORSETSHIRE. Poole Weymouth and Melcombe Regis. DEVONSHIRE. Torquay SOMERSETSHIRE. Taunton Weston super Mare	40,090 32,281 54,635 26,203 44,943 21,328 30,431 34,514 40,588 54,700 34,685 45,219 35,143 20,171 21,576 42,826 23,187 40,561 23,074 24,414	192 184 288 117 223 106 161 190 172 329 265 207 208 112 103 223 103 146 123 81	112 116 222 106 148 101 138 203 329 294 148 209 142 135 126 184 136 198 107 97	10 23 43 15 27 20 18 24 23 56 37 25 27 29 18 28 10 14 18 10	44 45 74 41 56 38 43 92 148 90 39 88 43 50 49 73 54 93 51 47	- - - - - - - - - - - - - - - - - - - - - -	- - - - - - - - - - - - - - - - - -	4 1 1 - 2 - 9 2 104 2 - - 7 - - - - 3 -	- - 1 2 1 - - 12 - - - 2 2 - - 1 - - - -	2 1 3 - 2 - - 1 7 18 - 1 4 - - - 1 -	- 1 2 - 2 - 7 - 5 7 1 1 4 - - 3 - - - 5 1 -	1 1 3 1 2 1 3 - - 1 4 - - - 1 -	5 2 4 5 5 - 2 6 6 3 6 5 7 - - 5 7 - - 5 7 4 3 9 7 4 4 2 4 2	9 8 13 6 5 4 3 7 8 6 8 6 9 8 4 3 9 7 4 4 11 4 9	16 25 69 15 28 17 14 17 53 44 27 49 23 32 33 30 27 36 14 9	- - - 4 3 1 6 7 2 14 - 6 6 2 1 2 1 3 1 -	52 125 149 128 121 189 112 126 134 170 140 121 130 259 175 126 97 96 146 123	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.* HERTFORDSHIRE. St. Albans. Watford. BUCKINGHAMSHIRE. Chepping Wycombe. NORTHAMPTONSHIRE. Kettering. SOKE OF PETERBOROUGH. Peterborough. BEDFORDSHIRE. Bedford. Luton. ESSEX. Barking Town*. Colchester. SUFFOLK EAST. Lowestoft. NORFOLK. King's Lynn. WILTSHIRE. Salisbury. DORSETSHIRE. Poole. Weymouth and Melcombe Regis. DEVONSHIRE. Torquay. SOMERSETSHIRE. Taunton. Weston super Mare.

TOWNS.		ESTIMATED POPULATION IN THE MIDDLE OF 1914 (Old Estimates.)		BIRTHS.		DEATHS.		Deaths of		DEATHS FROM										Inquest Cases.		Deaths in Public Institutions.		Uncertified Causes of Death.		Deaths under 1 year to 1000 Births.		TOWNS.									
								Infants under 1 Year of Age.		Persons aged 65 Years and upwards.		Enteric Fever.		Small-pox.		Measles.		Scarlet Fever.		Whooping cough.		Diphtheria.		Diarrhoea and Enteritis (under 2 years).		Violence.											
GLOUCESTERSHIRE.		48,769		182		258		23		134		-		-		-		4		1		3		1		7		12		59		3		126		GLOUCESTERSHIRE. Cheltenham.	
HEREFORDSHIRE.		22,981		122		107		9		55		1		-		-		-		-		-		1		2		4		10		1		74		HEREFORDSHIRE. Hereford.	
SHROPSHIRE.		29,735		145		140		18		61		-		-		-		-		-		1		-		1		3		30		10		124		SHROPSHIRE. Shrewsbury.	
STAFFORDSHIRE.		26,254		212		127		40		31		-		-		-		1		15		-		1		4		8		10		1		189		STAFFORDSHIRE. Bilston.	
		47,528		279		170		23		64		-		-		-		1		2		2		4		9		6		31		-		82		Burton upon Trent.	
		30,191		242		122		27		39		-		-		-		1		1		3		1		5		15		16		2		112		Cannock.	
		23,048		167		112		27		37		-		-		7		1		1		1		1		2		7		6		1		162		Coseley.	
		20,301		141		92		20		26		-		-		7		1		1		1		1		2		4		18		1		142		Newcastle under Lyme.	
		37,811		308		158		48		34		-		-		1		4		1		1		1		2		6		10		1		156		Rowley Regis.	
		24,249		150		104		21		29		-		-		27		-		5		1		3		7		9		19		2		140		Stafford.	
		32,178		289		187		37		49		-		-		3		-		1		1		1		2		3		15		2		128		Tipton.	
		28,642		228		128		25		35		-		-		-		-		1		1		1		15		19		5		4		110		Wednesbury.	
		28,967		212		105		24		29		-		-		-		-		1		1		1		15		19		5		4		113		Wolstanton United.	
WORCESTERSHIRE.		27,583		151		141		29		51		-		-		3		-		2		-		-		1		5		40		3		192		WORCESTERSHIRE. Kidderminster	
		34,682		266		160		38		48		-		-		2		-		2		1		3		2		2		16		6		143		Oldbury (Staffs. Reg. Co.)	
		49,735		274		227		36		105		-		-		-		-		1		1		1		4		8		58		3		131		Worcester.*	
WARWICKSHIRE.		41,275		300		188		46		43		-		-		28		1		1		1		4		4		5		13		4		153		WARWICKSHIRE. Nuneaton.	
		26,652		106		142		12		66		-		-		14		-		-		-		-		1		4		21		-		113		Royal Leamington Spa.	
		23,472		132		95		12		34		-		-		-		1		-		-		1		-		5		20		-		91		Rugby.	
		22,173		96		69		9		34		-		-		-		-		-		-		-		2		2		3		-		94		Sutton Coldfield (Staffs. Reg. Co.).	
LEICESTERSHIRE.		23,506		125		95		14		31		-		-		-		-		-		-		1		3		6		13		-		112		LEICESTERSHIRE. Loughborough.	
LINCOLNSHIRE (Kesteven)		20,932		93		120		20		51		-		-		1		1		1		4		3		2		2		9		8		215		LINCOLNSHIRE (Kesteven) Grantham.	
LINCOLNSHIRE (Lindsey)		24,492		179		83		16		18		-		-		11		-		2		1		-		3		4		8		-		89		LINCOLNSHIRE (Lindsey). Cleethorpe with	
		21,605		115		81		15		29		-		-		-		-		-		-		2		1		1		6		1		130		Thruscoe. Gainsborough.	
NOTTINGHAMSHIRE.		42,261		325		234		55		45		-		-		38		2		1		2		3		9		9		28		7		169		NOTTINGHAMSHIRE. Mansfield.	
		24,090		183		96		39		20		-		-		4		-		7		1		1		-		-		9		6		213		Sutton in Ashfield.	
		21,874		177		100		29		26		-		-		-		-		-		-		-		4		4		14		2		164		Worksop.	

As extended on 9th November, 1914.

* As extended on 9th November, 1914.

TABLE IX. (continued).—One hundred and forty-five Smaller Towns.—Population; Births and Deaths in the QUARTER ended 31st March, 1915.

The DEATHS registered in the Quarter include															Deaths under 1 year to 1000 Births.	TOWNS,	
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS from													
				Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Larva and Enteritis (under 2 years).	Violence.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.												
DERBYSHIRE.																	
Chesterfield.	39,170	288	192	38	41	1	-	27	-	3	1	-	4	4	31	11	132
Glossop.	21,744	92	89	11	40	-	-	-	1	-	-	-	3	4	13	1	120
Ilkeston (Notts, Reg. Co.)	33,839	271	135	46	22	-	-	-	-	2	1	2	6	6	9	1	170
CHESHIRE.																	
Chester.	39,278	237	194	29	62	1	-	3	-	4	1	1	7	15	44	4	122
Crewe.	45,964	289	196	44	49	-	-	-	1	3	2	4	10	14	26	-	152
Hyde.	33,670	165	190	28	63	-	-	15	1	-	3	-	6	16	25	-	170
Macclesfield.	34,857	163	181	23	72	-	-	-	1	-	-	-	4	16	44	-	141
Stalybridge (Lancs. Reg. Co.).	26,109	139	141	18	46	2	-	1	3	-	-	2	6	11	20	-	129
LANCASHIRE.																	
Accrington.	45,692	218	220	27	79	-	-	2	-	-	2	3	5	10	23	5	124
Ashton in Makerfield.	22,537	164	94	23	24	1	-	-	1	-	1	1	4	4	4	4	140
Ashton under Lyne.	45,618	259	255	43	65	-	-	27	-	1	-	2	9	13	36	4	166
Bacup.	22,253	112	93	15	30	-	-	1	1	-	-	-	-	-	6	2	134
Chadderton.	29,484	191	124	33	33	1	-	3	-	-	-	3	1	6	11	3	173
Chorley.	31,520	210	157	31	46	-	-	1	1	-	-	2	7	9	23	6	148
Colne.	26,625	117	116	17	35	-	-	-	-	5	-	3	2	8	16	4	145
Darwen.	41,070	169	162	19	50	1	-	-	1	7	-	2	8	10	25	4	112
Eccles.	44,579	226	187	23	60	-	-	2	1	-	-	1	3	5	36	6	102
Farnworth.	28,898	174	115	29	28	-	-	1	1	-	1	1	3	8	11	2	167
Heywood.	27,128	147	119	14	39	-	-	-	-	6	1	1	4	5	17	4	95
Hindley.	24,307	184	134	30	26	-	-	12	1	-	1	1	3	3	4	4	163
Ince in Makerfield.	22,303	205	122	37	16	-	-	5	2	4	1	6	3	3	8	6	180
Lancaster.	41,786	177	177	31	51	2	-	9	5	1	-	2	3	6	24	8	141
Leigh.	45,530	302	287	76	49	3	-	53	-	3	-	9	4	9	30	5	252
Middleton.	28,955	142	130	17	49	-	-	1	-	-	2	3	2	5	16	4	120
Nelson.	41,797	184	122	17	33	-	-	-	-	-	4	3	-	9	8	1	92
Radcliffe.	25,984	109	117	14	44	-	-	-	-	-	-	3	-	6	14	6	128
Rawtenstall.	30,329	156	133	20	43	-	-	3	-	-	2	2	3	4	18	6	128
Stretford.	46,692	167	142	19	53	-	-	5	-	4	-	1	2	7	15	2	114
Swinton and Pendlebury.	32,065	188	129	28	30	-	-	1	-	1	-	1	2	4	15	3	149
Waterloo with Seaforth.	27,542	153	110	12	42	-	-	1	-	2	-	-	1	2	17	9	78
Widnes.	32,571	276	182	43	29	-	-	6	-	12	-	5	5	5	24	6	156
YORKSHIRE (WEST RIDING).																	
Batley.	36,949	189	176	22	68	1	-	-	1	-	5	-	5	14	31	-	116
Brighouse.	20,533	94	114	15	30	-	-	19	-	-	3	-	2	4	12	1	160
Castleford.	25,074	172	106	26	28	-	-	-	-	10	1	4	2	6	15	-	151
Doncaster*.	51,591	312	242	34	79	-	-	3	2	4	8	-	5	7	33	3	109
Goole.	21,639	160	85	27	20	-	-	-	-	8	3	-	3	11	7	-	169
Harrogate.	35,540	126	155	18	78	-	-	11	-	3	-	-	-	9	14	-	143

TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 year to 1000 Births.	TOWNS.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
				Deaths of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									
				Infants under 1 Year of Age.	Persons aged 65 years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																												
YORKSHIRE (WEST RIDING)— <i>cont.</i>																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																									

* Including 5 deaths due to the German bombardment on 16th December, 1914. All of the deaths were those of persons aged 1-65 years, and occurred in hospital.

TABLE X.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).‡	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON - - - - -	4,516,612	7,709	179	3	1	11§	4,153	2,256	-	1,023	83
CROYDON - - - - -	181,956	227	3	-	-	-	156	41	-	21	6
WIMBLEDON - - - - -	59,598	97	-	-	-	-	60	31	-	6	-
EALING - - - - -	71,030	137	3	-	-	-	112	16	-	6	-
ACTON - - - - -	64,369	72	2	-	-	-	36	26	-	8	-
WILLESDEN - - - - -	167,922	182	2	-	-	-	106	48	-	26	-
HORNSEY - - - - -	88,953	85	2	-	-	-	52	20	-	9	2
TOTTENHAM - - - - -	149,495	232	-	-	-	-	143	63	-	26	-
EDMONTON - - - - -	71,024	177	1	-	-	-	89	47	-	38	2
ENFIELD - - - - -	61,069	90	-	-	-	-	68	16	-	6	-
WEST HAM - - - - -	296,570	377	12	-	-	-	200	114	-	51	-
EAST HAM - - - - -	146,526	185	-	-	-	-	117	44	-	23	1
LEYTON - - - - -	133,719	165	1	-	-	-	111	33	-	20	-
WALTHAMSTOW - - - - -	134,825	139	3	-	-	-	65	52	-	17	2
ILFORD - - - - -	91,041	88	-	-	-	-	52	26	-	10	-
GILLINGHAM - - - - -	55,559	74	-	-	-	-	37	27	-	10	-
HASTINGS - - - - -	59,620	58	-	-	-	-	34	18	-	6	-
EASTBOURNE - - - - -	55,662	70	1	-	-	-	38	25	-	6	-
BRIGHTON - - - - -	133,936	93	2	-	-	-	50	26	-	15	-
PORTSMOUTH‡ - - - - -	245,827	430	19	-	-	-	165	207	-	36	3
BOURNEMOUTH - - - - -	85,904	67	1	-	-	-	32	25	-	9	-
SOUTHAMPTON - - - - -	123,948	217	6	-	-	-	97	102	-	11	1
READING - - - - -	90,083	95	7	-	-	-	60	16	-	6	6
OXFORD - - - - -	54,339	17	1	-	-	-	2	7	-	5	2
NORTHAMPTON - - - - -	91,123	185	5	-	-	-	71	77	-	30	2
CAMBRIDGE - - - - -	57,676	38	-	-	-	-	16	16	-	4	2
SOUTHEND ON SEA - - - - -	83,908	87	2	-	-	-	69	7	-	8	1
IPSWICH - - - - -	76,472	279	1	-	-	-	241	18	-	16	3
GREAT YARMOUTH - - - - -	57,502	58	-	-	-	-	21	29	-	8	-
NORWICH - - - - -	124,107	190	7	-	-	-	82	81	-	17	3
SWINDON - - - - -	52,750	139	3	-	-	-	98	18	-	20	-
EXETER - - - - -	60,788	44	3	-	-	-	12	19	-	10	-
PLYMOUTH - - - - -	212,421	241	24	-	1	-	81	84	-	48	3
BATH - - - - -	70,292	78	2	-	-	-	46	12	-	15	3
BRISTOL - - - - -	363,312	635	11	-	-	-	382	152	-	81	9
GLOUCESTER - - - - -	50,759	72	-	-	-	-	35	24	-	11	2
STOKE ON TRENT - - - - -	241,430	294	18	-	-	-	66	161	-	45	4
WOLVERHAMPTON - - - - -	95,725	89	-	-	-	-	37	32	-	19	1
WALSALL - - - - -	94,093	68	2	-	-	-	26	17	-	23	-
WEST BROMWICH - - - - -	69,430	75	-	-	-	-	47	15	-	13	-
DUDLEY - - - - -	51,895	75	1	-	-	-	67	2	-	5	-
BIRMINGHAM - - - - -	868,430	1,372	15	-	-	-	775	368	-	173	41
SMETHWICK - - - - -	76,314	90	-	-	-	-	60	15	-	12	3
COVENTRY - - - - -	119,003	202	4	-	-	-	152	24	-	20	2
LEICESTER - - - - -	232,664	209	3	-	-	-	106	40	-	54	6
LINCOLN - - - - -	60,243	72	1	-	-	-	34	21	-	16	-
GRIMSBY - - - - -	78,667	41	3	-	-	-	17	15	-	6	-
NOTTINGHAM - - - - -	266,918	407	6	-	-	-	296	47	-	56	2
DERBY - - - - -	126,389	254	2	-	-	-	160	57	-	34	1
STOCKPORT - - - - -	126,040	153	2	-	-	-	109	26	-	15	1
BIRKENHEAD - - - - -	137,710	111	4	-	-	-	55	21	-	30	1
WALLASEY - - - - -	87,175	99	9	-	-	-	49	36	-	5	-
LIVERPOOL - - - - -	767,992	1,366	20	-	-	-	745	353	-	231	17
BOOTLE - - - - -	73,230	102	5	-	-	-	70	20	-	5	2
ST. HELENS - - - - -	100,775	157	10	-	-	-	71	50	-	24	2
SOUTHPORT - - - - -	71,747	155	2	-	-	-	122	14	-	14	3
WIGAN - - - - -	91,491	263	12	-	-	-	214	11	-	25	1
WARRINGTON - - - - -	74,923	297	4	-	-	-	250	31	-	10	2
BOLTON - - - - -	185,247	292	21	-	-	-	184	56	-	31	-
BURY - - - - -	59,213	53	3	-	-	-	21	17	-	11	1
MANCHESTER - - - - -	738,538	1,255	49	-	-	-	827	231	-	116	32
SALFORD - - - - -	234,975	491	20	-	-	-	343	74	-	48	6

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† See Note * to Table II.

‡ The figures for Southsea District of Portsmouth are—population (1911), 25,380; enteric fever, 2; typhus nil; continued fever, nil; small-pox, nil; scarlet fever, 10; diphtheria (including membranous croup), 14; erysipelas, 3; and puerperal fever, nil.

§ One of these cases was subsequently found not to be one of small-pox.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	151,044	209	3	-	-	18	124	22	-	37	5
ROCHDALE - - - -	94,320	188	10	-	-	-	49	105	-	24	-
BURNLEY - - - -	110,040	143	10	-	-	-	68	28	-	34	3
BLACKBURN - - - -	134,387	180	25	-	-	-	122	14	-	17	2
PRESTON - - - -	118,514	296	12	-	-	-	198	59	-	25	2
BLACKPOOL - - - -	62,206	98	11	-	-	-	62	8	-	14	3
BARROW IN FURNESS -	65,921	88	1	-	-	-	34	34	-	19	-
HUDDERSFIELD - - -	112,265	120	2	-	-	-	65	34	-	19	-
HALIFAX - - - -	100,373	196	7	-	1	-	134	38	-	16	-
BRADFORD - - - -	291,482	372	25	-	-	-	141	130	-	66	10
LEEDS - - - -	459,260	634	25	-	-	-	372	121	-	107	9
DEWSBURY - - - -	54,983	58	4	-	-	-	43	2	-	8	1
WAKEFIELD - - - -	52,643	56	4	-	-	-	14	27	-	9	2
BARNLEY - - - -	53,929	86	2	-	-	-	60	11	-	13	-
SHEFFIELD - - - -	477,228	1,047	20	-	-	-	617	270	-	118	22
ROTHERHAM - - - -	65,313	143	5	-	-	-	93	22	-	17	6
YORK - - - -	83,802	117	4	-	-	-	71	31	-	10	1
HULL - - - -	291,118	292	23	-	-	-	134	77	-	53	5
MIDDLESBROUGH - - -	126,452	222	5	-	-	-	119	85	-	13	-
DARLINGTON - - - -	59,500	126	4	-	-	-	54	55	-	13	-
STOCKTON ON TEES - -	59,311	68	8	-	-	-	22	28	-	7	3
WEST HARTLEPOOL - -	64,374	53	8	-	-	-	23	9	-	13	-
SUNDERLAND - - - -	152,927	163	-	-	-	-	103	38	-	19	3
SOUTH SHIELDS - - -	111,357	173	4	-	-	-	147	9	-	11	2
GATESHEAD - - - -	119,362	157	9	-	-	-	95	25	-	27	1
NEWCASTLE ON TYNE -	273,415	459	37	-	-	-	299	74	-	43	6
TYNEMOUTH - - - -	61,408	82	6	-	-	-	45	17	-	14	-
CARLISLE - - - -	52,813	60	1	-	-	-	32	15	-	12	-
NEWPORT (MON.) - - -	89,404	99	4	-	-	-	58	22	-	12	3
CARDIFF - - - -	188,495	398	4	-	1	-	212	151	-	25	5
RHONDDA - - - -	166,365	264	3	-	-	-	166	70	-	21	4
MERTHYR TYDFIL - - -	85,082	68	-	-	-	-	23	16	-	26	3
ABERDARE - - - -	53,427	59	2	-	-	-	27	16	-	13	1
SWANSEA - - - -	121,665	192	1	-	-	-	137	37	-	16	1
Smaller Towns.											
SURREY—											
BARNES - - - -	34,745	36	2	-	-	-	25	8	-	1	-
GUILDFORD - - - -	24,927	43	-	-	-	-	37	5	-	1	-
KINGSTON ON THAMES -	39,227	52	-	-	1	-	36	2	-	11	2
REIGATE - - - -	29,375	92	-	-	-	-	85	4	-	3	-
RICHMOND - - - -	33,760	29	1	-	-	-	9	17	-	2	-
SUTTON - - - -	22,678	16	-	-	-	-	10	5	-	-	1
WOKING - - - -	27,055	13	1	-	-	-	8	1	-	3	-
KENT—											
BECKENHAM - - - -	33,572	33	-	-	-	-	10	20	-	3	-
BROMLEY - - - -	35,820	60	1	-	-	-	31	22	-	5	1
CANTERBURY - - - -	24,531	53	2	-	-	-	34	14	-	3	-
CHATHAM - - - -	44,057	92	2	-	-	-	35	47	-	8	-
DARTFORD - - - -	25,336	45	2	-	-	-	34	7	-	2	-
DOVER - - - -	43,984	33	3	-	-	-	14	9	-	7	-
ERITH - - - -	28,604	106	-	-	-	-	83	14	-	9	-
FOLKESTONE - - - -	33,968	51	4	-	-	1	31	7	-	7	1
GRAVESEND - - - -	28,435	61	5	-	-	1	30	9	-	16	-
MAIDSTONE - - - -	36,157	50	6	-	-	-	20	13	-	11	-
MARGATE - - - -	29,965	27	1	-	-	-	6	17	-	3	-
PENGE (Surrey Reg. Co.)	22,283	29	-	-	-	-	20	8	-	1	-
RAMSGATE - - - -	30,254	44	-	-	-	-	24	12	-	8	-
ROCHESTER - - - -	31,660	41	1	-	-	-	21	13	-	6	-
TUNBRIDGE WELLS - -	36,506	31	1	-	-	-	5	19	-	4	2

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST— HOVE - - - -	44,134	30	-	-	-	-	15	7	-	7	1
SUSSEX WEST— WORTHING - - -	32,997	39	-	-	-	-	25	9	-	4	1
SOUTHAMPTON— ALDERSHOT (Surrey Reg. Co.)	36,637	48	1	-	-	-	32	14	-	1	-
GOSPORT & ALVERSTOKE	34,838	60	-	-	-	-	14	41	-	5	-
WINCHESTER - - -	24,230	23	2	-	-	-	10	10	-	-	1
MIDDLESEX— CHISWICK - - -	41,858	41	-	-	-	-	24	9	-	8	-
FINCHLEY - - -	45,435	75	1	-	-	-	48	16	-	8	2
HENDON - - - -	44,496	72	1	-	-	-	54	10	-	7	-
HESTON & ISLEWORTH	47,644	77	-	-	-	1	29	38	-	9	2
SOUTHALL NORWOOD -	30,889	47	1	-	-	-	37	8	-	1	-
SOUTHGATE - - -	40,090	48	-	-	-	-	26	15	-	7	-
TWICKENHAM - - -	32,281	29	-	-	-	-	6	19	-	4	-
WOOD GREEN - - -	54,635	93	1	-	-	-	55	24	-	13	-
HERTFORDSHIRE— ST. ALBANS - - -	26,203	65	-	-	-	-	56	4	-	5	-
WATFORD - - - -	44,943	70	-	-	-	-	48	16	-	3	3
BUCKINGHAMSHIRE— CHEPPING WYCOMBE -	21,328	11	-	-	-	-	10	1	-	-	-
NORTHAMPTONSHIRE— KETTERING - - -	30,431	69	2	-	-	-	19	38	-	8	2
SOKE OF PETER- BOROUGH— PETERBOROUGH - - -	34,514	42	-	-	-	-	33	3	-	6	-
BEDFORDSHIRE— BEDFORD - - - -	40,588	67	-	-	-	-	44	21	-	2	-
LUTON - - - - -	54,700	115	5	-	-	-	23	77	-	8	2
ESSEX— BARKING TOWN - - -	34,685	102	2	-	-	-	61	22	-	17	-
COLCHESTER - - -	45,219	132	-	-	-	-	108	12	-	12	-
SUFFOLK EAST— LOWESTOFT - - -	35,143	46	5	-	-	-	12	23	-	6	-
NORFOLK— KING'S LYNN - - -	20,171	44	2	-	-	-	34	5	-	2	1
WILTSHIRE— SALISBURY - - -	21,576	36	1	-	-	-	23	7	-	4	1
DORSETSHIRE— POOLE - - - - -	42,826	38	-	-	-	-	20	8	-	7	3
WEYMOUTH AND MELCOMBE REGIS.	23,187	10	-	-	-	-	2	4	-	1	3
DEVONSHIRE— TORQUAY - - - -	40,561	53	1	-	-	-	14	38	-	-	-
SOMERSETSHIRE— TAUNTON - - - -	23,074	13	-	-	-	-	8	5	-	-	-
WESTON SUPER MARE -	24,414	19	-	-	-	-	13	4	-	2	-
GLOUCESTERSHIRE— CHELTENHAM - - -	48,769	111	1	-	-	-	79	19	-	10	2
HEREFORDSHIRE— HEREFORD - - - -	22,981	44	-	-	-	-	26	9	-	9	-

* The figures in this table, excepting those for London, which are derived from Table XI, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	29,735	32	-	-	-	-	6	18	-	8	-
STAFFORDSHIRE—											
BILSTON - - - -	26,254	22	-	-	-	-	13	4	-	5	-
BURTON UPON TRENT - -	47,528	74	-	-	-	-	45	16	-	12	1
CANNOCK - - - -	30,191	54	-	-	-	-	39	12	-	3	-
COSELEY - - - -	23,048	10	2	-	-	-	3	2	-	3	-
NEWCASTLE UNDER LYME.	20,301	77	-	-	-	-	50	24	-	1	2
ROWLEY REGIS - - -	37,811	58	-	-	-	-	50	3	-	5	-
STAFFORD - - - -	24,249	15	1	-	-	-	8	-	-	6	-
TIPTON - - - -	32,178	17	2	-	-	-	9	3	-	3	-
WEDNESBURY - - -	28,642	17	-	-	-	-	6	4	-	4	3
WOLSTANTON UNITED -	28,967	38	1	-	-	-	24	10	-	2	1
WORCESTERSHIRE—											
KIDDERMINSTER - -	27,583	14	-	-	-	-	4	3	-	7	-
OLDBURY (Staffordshire Reg. Co.).	34,682	36	1	-	-	-	25	3	-	5	2
WORCESTER - - - -	49,735	50	1	-	-	-	19	20	-	8	2
WARWICKSHIRE—											
NUNEATON - - - -	41,275	36	-	-	-	-	31	1	-	4	-
ROYAL LEAMINGTON SPA	26,652	22	1	-	-	-	15	2	-	4	-
RUGBY - - - -	23,472	28	3	-	-	1	14	4	-	5	1
SUTTON COLDFIELD (Staffs. Reg. Co.).	22,173	39	-	-	-	-	28	7	-	3	1
LEICESTERSHIRE—											
LOUGHBOROUGH - -	23,506	65	1	-	-	-	53	2	-	9	-
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM - - - -	20,932	29	3	-	-	-	12	12	-	2	-
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	24,492	21	-	-	-	-	6	12	-	3	-
GAINSBOROUGH - -	21,605	22	-	-	-	-	12	-	-	10	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	42,261	95	-	-	-	-	65	21	-	7	2
SUTTON IN ASHFIELD -	24,090	35	2	-	-	-	28	1	-	4	-
WORKSOP - - - -	21,874	12	-	-	-	-	6	5	-	1	-
DERBYSHIRE—											
CHESTERFIELD - - -	39,170	78	2	-	-	-	41	28	-	7	-
GLOSSOP - - - -	21,744	37	-	-	-	-	30	2	-	5	-
ILKESTON (Nottingham- shire Reg. Co.).	33,839	41	-	-	-	-	21	18	-	2	-
CHESHIRE—											
CHESTER - - - -	39,278	36	-	-	-	-	16	16	-	4	-
CREWE - - - -	45,964	73	-	-	-	-	28	34	-	9	2
HYDE - - - -	33,670	73	-	-	-	-	56	7	-	10	-
MACCLESFIELD - - -	34,857	51	-	-	-	-	34	11	-	6	-
STALYBRIDGE (Lanca- shire Reg. Co.).	26,109	33	3	-	-	-	24	-	-	5	1
LANCASHIRE—											
ACCINGTON - - - -	45,692	57	3	-	-	-	32	6	-	14	2
ASHTON IN MAKERFIELD	22,537	66	2	-	-	-	50	9	-	5	-
ASHTON UNDER LYNE -	45,618	81	4	-	-	-	59	9	-	9	-
BACUP - - - -	22,253	39	-	-	-	-	32	3	-	4	-
CHADDERTON - - -	29,484	35	1	-	-	-	26	3	-	3	2
CHORLEY - - - -	31,520	15	-	-	-	-	12	-	-	3	-
COLNE - - - -	26,625	69	2	-	-	-	60	2	-	3	2
DARWEN - - - -	41,070	71	2	-	-	-	57	3	-	9	-
ECCLES - - - -	44,579	73	3	-	-	-	57	9	-	3	1
FARNWORTH - - - -	28,898	33	2	-	-	-	19	7	-	5	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
HEYWOOD - - -	27,128	111	1	-	-	-	95	5	-	10	-
HINDLEY - - -	24,307	70	1	-	-	-	53	8	-	7	1
INCE IN MAKERFIELD -	22,303	81	3	-	-	-	66	5	-	6	1
LANCASTER - - -	41,786	44	8	-	-	-	15	11	-	10	-
LEIGH - - -	45,530	148	8	-	-	-	118	13	-	9	-
MIDDLETON - - -	28,955	49	4	-	-	-	31	12	-	2	-
NELSON - - -	41,797	71	1	-	-	-	50	14	-	6	-
RADCLIFFE - - -	25,984	25	1	-	-	-	16	3	-	5	-
RAWTENSTALL - - -	30,329	23	-	-	-	-	11	4	-	7	1
STRETFORD - - -	46,692	81	3	-	-	-	63	5	-	9	1
SWINTON AND PENDLEBURY.	32,065	75	7	-	-	-	47	8	-	13	-
WATERLOO WITH SEAFORTH.	27,542	38	2	-	1	-	18	11	-	6	-
WIDNES - - -	32,571	36	1	-	-	-	24	9	-	2	-
YORKSHIRE (WEST RIDING)—											
BATLEY - - -	36,949	58	4	-	-	-	34	15	-	5	-
BRIGHOUSE - - -	20,533	43	1	-	-	-	27	10	-	3	2
CASTLEFORD - - -	25,074	32	5	-	-	-	17	1	-	9	-
DONCASTER - - -	51,591	119	10	-	-	-	61	32	-	15	1
GOOLE - - -	21,639	32	-	-	-	-	6	21	-	5	-
HARROGATE - - -	35,540	32	-	-	-	-	19	9	-	4	-
KEIGHLEY - - -	44,156	27	-	-	-	-	1	23	-	3	-
MORLEY - - -	24,507	31	9	-	-	-	7	6	-	9	-
SHIPLEY - - -	28,448	7	-	-	-	-	4	2	-	1	-
TODMORDEN - - -	25,399	28	4	-	-	-	14	5	-	4	1
YORKSHIRE (NORTH RIDING)—											
SCARBOROUGH - - -	36,890	72	2	-	-	-	55	12	-	3	-
DURHAM—											
BLAYDON - - -	35,086	51	2	-	-	-	31	13	-	5	-
FELLING - - -	25,916	54	-	-	-	-	52	1	-	1	-
HARTLEPOOL - - -	19,882	14	-	-	-	-	2	6	-	6	-
HEBBURN - - -	22,063	37	1	-	-	-	27	2	-	7	-
JARROW - - -	33,528	61	4	-	-	-	40	14	-	3	-
STANLEY - - -	26,683	50	-	-	-	-	30	20	-	-	-
NORTHUMBERLAND—											
ASHINGTON - - -	28,275	62	-	-	-	-	42	16	-	3	1
BEDLINGTONSHIRE -	27,762	18	1	-	-	-	7	8	-	2	-
BLYTH - - -	32,411	38	3	-	-	-	23	5	-	7	-
WALLSEND - - -	44,891	88	2	-	-	-	64	18	-	4	-
CUMBERLAND—											
WORKINGTON - - -	24,726	27	1	-	-	-	8	12	-	6	-
MONMOUTHSHIRE—											
ABERSYCHAN - - -	27,052	33	1	-	-	-	16	5	-	10	1
ABERTILLERY - - -	40,101	92	3	-	-	-	65	16	-	7	1
BEDWELLTY - - -	26,916	57	-	-	-	-	39	13	-	4	1
EBBW VALE - - -	33,862	492	2	-	-	-	472	2	-	15	1
TREDEGAR - - -	25,377	111	10	-	-	-	50	42	-	8	1
GLAMORGANSHIRE—											
BARRY - - -	36,105	131	4	-	-	-	69	47	-	11	-
CAERPHILLY - - -	38,761	70	-	-	-	-	40	28	-	1	1
GELLIGAER - - -	41,880	60	8	-	-	-	34	13	-	4	1
MAESTEG - - -	28,444	112	-	-	-	-	101	7	-	4	-
MOUNTAIN ASH - - -	46,126	75	3	-	-	-	44	13	-	14	1
OGMORE AND GARW -	29,119	95	1	-	-	-	81	7	-	6	-
PONTYPRIDD - - -	47,001	42	-	-	-	-	27	12	-	3	-
CARMARTHENSHIRE—											
LLANELLY - - -	34,316	96	-	-	-	-	81	4	-	8	3

* The figures in this table excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

XI.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd April, 1915.*

BOROUGHs.	Estimated Population in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.	Varicella.‡
WEST.																	
Acton - - -	142,055	231	3	-	-	18	106	58	-	36	9	-	-	-	9	-	9
Barnet - - -	170,817	216	3	-	1	1	108	53	-	20	11	3	-	-	8	-	8
Brentford - -	124,750	266	3	-	-	-	162	40	-	27	16	1	-	-	4	-	13
Camden - - -	158,849	337	5	-	-	6	192	46	-	30	7	10	-	-	3	-	38
Chelsea - - -	63,791	75	1	-	-	-	38	19	-	11	2	-	-	-	2	-	2
St. James's -	152,346	296	6	-	-	-	171	87	-	16	9	2	-	-	3	-	2
NORTH.																	
City of London -	112,892	183	2	-	-	-	111	30	-	20	3	2	-	-	3	-	12
Islington - -	86,731	121	3	-	-	-	52	35	-	11	5	2	-	-	5	-	8
St. Pancras -	212,497	413	8	-	-	-	190	112	-	48	16	5	-	-	8	-	26
St. Mary - - -	324,764	625	10	-	-	-	289	146	-	74	12	6	-	-	13	2	73
St. Newington -	50,454	94	1	-	-	-	55	29	-	7	1	1	-	-	-	-	-
St. Pancras -	223,724	342	7	-	-	-	130	111	-	70	8	4	1	-	6	-	5
CENTRAL.																	
St. Mary - - -	45,861	80	1	-	-	-	39	25	-	7	3	1	-	-	-	-	4
St. Mary - - -	83,212	173	1	-	-	-	76	36	-	13	1	3	-	-	10	-	33
St. Mary - - -	17,129	35	-	-	-	-	13	20	-	1	-	-	-	-	-	-	1
EAST.																	
St. Mary - - -	108,869	218	3	-	-	-	83	57	-	48	8	5	-	-	2	-	12
St. Mary - - -	127,662	404	8	-	-	1	174	138	-	52	7	4	1	-	5	1	13
St. Mary - - -	273,265	747	7	2	-	-	306	266	-	72	4	5	-	-	18	1	66
St. Mary - - -	160,222	229	4	-	-	-	76	55	-	46	8	2	-	-	14	1	23
SOUTH.																	
St. Mary - - -	186,941	334	4	-	-	-	121	91	-	63	6	4	-	-	12	-	33
St. Mary - - -	124,213	204	7	-	-	-	91	69	-	26	3	3	1	-	4	-	-
St. Mary - - -	296,724	563	10	-	-	-	257	135	-	51	12	6	-	-	19	2	71
St. Mary - - -	167,338	318	6	-	-	-	157	78	-	45	7	2	-	-	8	1	14
St. Mary - - -	338,998	514	18	1	-	-	255	136	-	57	17	3	-	-	7	3	17
St. Mary - - -	262,020	418	4	-	-	-	221	105	-	44	9	8	-	-	9	-	18
St. Mary - - -	109,182	269	22	-	-	-	133	67	-	34	5	-	-	-	3	-	5
St. Mary - - -	96,037	313	2	-	-	2	213	40	-	31	11	1	-	-	2	-	11
St. Mary - - -	172,433	323	5	-	-	-	154	93	-	20	6	-	-	-	5	-	40
St. Mary - - -	122,836	374	22	-	-	-	180	79	-	43	36	-	-	-	7	-	7
St. Mary - - -	?	3	3	-	-	-	-	-	-	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.																	
4,516,612		8,718	179	3	1	11	4,153	2,256	-	1,023	242	83	3	-	189	11	564
AGES.																	
Ages 0-1 - - -	407	-	-	-	-	-	58	56	-	29	25	-	-	-	189	2	48
„ 1-5 - - -	2,134	4	-	-	1	-	1,017	818	-	42	49	-	-	-	-	6	197
„ 5- - - -	2,627	13	-	-	1	-	1,562	764	-	27	28	-	-	-	-	2	230
„ 10- - - -	1,200	22	-	-	-	-	786	293	-	33	20	-	-	-	-	-	46
„ 15- - - -	519	22	1	-	-	-	272	86	-	66	42	4	2	-	-	-	24
„ 20- - - -	459	32	-	-	1	-	188	92	-	78	32	25	-	-	-	-	11
„ 25- - - -	513	47	1	1	4	-	196	92	-	106	26	36	-	-	-	-	4
„ 35- - - -	310	20	-	-	-	-	57	34	-	167	11	18	-	-	-	1	2
„ 45- - - -	233	10	-	-	2	-	13	14	-	187	6	-	1	-	-	-	-
„ 55- - - -	178	8	1	-	2	-	2	5	-	156	2	-	-	-	-	-	2
„ 65- - - -	95	1	-	-	-	-	-	1	-	92	1	-	-	-	-	-	-
„ 75 and upwards -	42	-	-	-	-	-	2	-	-	40	-	-	-	-	-	-	-
Age not stated - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

* See Note* to Table II.

† The notification of Varicella was, by an order of the London County Council, dated 10th March last, made compulsory from 1st March to 30th June inclusive.

‡ This was subsequently found not to be a case of small-pox.

TABLE XII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	6·84	0·16	0·00	0·00	0·01	3·69	2·00	-	0·91	0·07
240 Provincial Towns - - - -	6·21	0·19	-	0·00	0·00	3·72	1·48	-	0·74	0·08
95 Great Towns - - - -	6·03	0·19	-	0·00	0·01	3·51	1·48	-	0·76	0·08
145 Smaller Towns - - - -	6·75	0·19	-	0·00	0·00	4·35	1·46	-	0·69	0·06
Great Towns.										
CROYDON - - - -	5·00	0·07	-	-	-	3·44	0·90	-	0·46	0·13
WIMBLEDON - - - -	6·53	-	-	-	-	4·04	2·09	-	0·40	-
EALING - - - -	7·73	0·17	-	-	-	6·32	0·90	-	0·34	-
ACTON - - - -	4·48	0·12	-	-	-	2·24	1·62	-	0·50	-
WILLESDEN - - - -	4·35	0·05	-	-	-	2·53	1·15	-	0·62	-
HORNSEY - - - -	3·83	0·09	-	-	-	2·34	0·90	-	0·41	0·09
TOTTENHAM - - - -	6·23	-	-	-	-	3·84	1·69	-	0·70	-
EDMONTON - - - -	10·00	0·06	-	-	-	5·03	2·65	-	2·15	0·11
ENFIELD - - - -	5·91	-	-	-	-	4·47	1·05	-	0·39	-
WEST HAM - - - -	5·09	0·16	-	-	-	2·70	1·54	-	0·69	-
EAST HAM - - - -	5·06	-	-	-	-	3·20	1·20	-	0·63	0·03
LEYTON - - - -	4·95	0·03	-	-	-	3·33	0·99	-	0·60	-
WALTHAMSTOW - - - -	4·14	0·09	-	-	-	1·93	1·55	-	0·51	0·06
ILFORD - - - -	3·88	-	-	-	-	2·29	1·15	-	0·44	-
GILLINGHAM - - - -	5·34	-	-	-	-	2·67	1·95	-	0·72	-
HASTINGS - - - -	3·90	-	-	-	-	2·29	1·21	-	0·40	-
EASTBOURNE - - - -	5·04	0·07	-	-	-	2·74	1·80	-	0·43	-
BRIGHTON - - - -	2·79	0·06	-	-	-	1·50	0·78	-	0·45	-
PORTSMOUTH - - - -	7·02	0·31	-	-	-	2·69	3·38	-	0·59	0·05
BOURNEMOUTH - - - -	3·13	0·05	-	-	-	1·49	1·17	-	0·42	-
SOUTHAMPTON - - - -	7·02	0·19	-	-	-	3·14	3·30	-	0·36	0·03
READING - - - -	4·23	0·31	-	-	-	2·67	0·71	-	0·27	0·27
OXFORD - - - -	1·26	0·07	-	-	-	0·15	0·52	-	0·37	0·15
NORTHAMPTON - - - -	8·15	0·22	-	-	-	3·13	3·39	-	1·32	0·09
CAMBRIDGE - - - -	2·64	-	-	-	-	1·11	1·11	-	0·28	0·14
SOUTHEND ON SEA - - - -	4·16	0·10	-	-	-	3·30	0·33	-	0·38	0·05
IPSWICH - - - -	14·63	0·05	-	-	-	12·64	0·94	-	0·84	0·16
GREAT YARMOUTH - - - -	4·04	-	-	-	-	1·46	2·02	-	0·56	-
NORWICH - - - -	6·15	0·23	-	-	-	2·65	2·62	-	0·55	0·10
SWINDON - - - -	10·57	0·23	-	-	-	7·45	1·37	-	1·52	-
EXETER - - - -	2·90	0·20	-	-	-	0·79	1·25	-	0·66	-
PLYMOUTH - - - -	4·56	0·45	-	0·02	-	1·53	1·59	-	0·91	0·06
BATH - - - -	4·44	0·11	-	-	-	2·62	0·68	-	0·86	0·17
BRISTOL - - - -	7·01	0·12	-	-	-	4·22	1·68	-	0·89	0·10
GLOUCESTER - - - -	5·70	-	-	-	-	2·77	1·90	-	0·87	0·16
STOKE ON TRENT - - - -	4·89	0·30	-	-	-	1·10	2·67	-	0·75	0·07
WOLVERHAMPTON - - - -	3·73	-	-	-	-	1·55	1·34	-	0·80	0·04
WALSALL - - - -	2·90	0·09	-	-	-	1·11	0·72	-	0·98	-
WEST BROMWICH - - - -	4·34	-	-	-	-	2·72	0·87	-	0·75	-
DUDLEY - - - -	5·81	0·03	-	-	-	5·18	0·16	-	0·39	-
BIRMINGHAM - - - -	6·34	0·07	-	-	-	3·58	1·70	-	0·80	0·19
SMETHWICK - - - -	4·73	-	-	-	-	3·15	0·79	-	0·63	0·16
COVENTRY - - - -	6·80	0·13	-	-	-	5·12	0·81	-	0·67	0·07
LEICESTER - - - -	3·60	0·05	-	-	-	1·83	0·69	-	0·93	0·10
LINCOLN - - - -	4·80	0·07	-	-	-	2·26	1·40	-	1·07	-
GRIMSBY - - - -	2·09	0·15	-	-	-	0·87	0·76	-	0·31	-
NOTTINGHAM - - - -	6·12	0·09	-	-	-	4·45	0·71	-	0·84	0·03
DERBY - - - -	8·06	0·06	-	-	-	5·08	1·81	-	1·08	0·03
STOCKPORT - - - -	4·87	0·06	-	-	-	3·47	0·83	-	0·48	0·03
BIRKENHEAD - - - -	3·23	0·12	-	-	-	1·60	0·61	-	0·87	0·03
WALLASEY - - - -	4·56	0·41	-	-	-	2·26	1·66	-	0·23	-
LIVERPOOL - - - -	7·13	0·10	-	-	-	3·89	1·84	-	1·21	0·09
BOOTLE - - - -	5·58	0·27	-	-	-	3·83	1·10	-	0·27	0·11
ST. HELENS - - - -	6·26	0·40	-	-	-	2·83	1·99	-	0·96	0·08
SOUTHPORT - - - -	8·66	0·11	-	-	-	6·82	0·78	-	0·78	0·17
WIGAN - - - -	11·52	0·52	-	-	-	9·38	0·48	-	1·10	0·04
WARRINGTON - - - -	15·90	0·21	-	-	-	13·38	1·66	-	0·54	0·11
BOLTON - - - -	6·31	0·45	-	-	-	3·98	1·21	-	0·67	-
BURY - - - -	3·59	0·20	-	-	-	1·42	1·15	-	0·75	0·07
MANCHESTER - - - -	6·81	0·27	-	-	-	4·49	1·25	-	0·63	0·17
SALFORD - - - -	8·37	0·34	-	-	-	5·85	1·26	-	0·82	0·10

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - - -	5.54	0.08	-	-	0.48	3.29	0.58	-	0.98	0.13
ROCHDALE - - - - -	8.00	0.43	-	-	-	2.08	4.47	-	1.02	-
BURNLEY - - - - -	5.21	0.36	-	-	-	2.48	1.02	-	1.24	0.11
BLACKBURN - - - - -	5.38	0.75	-	-	-	3.64	0.42	-	0.51	0.06
PRESTON - - - - -	10.02	0.40	-	-	-	6.70	2.00	-	0.85	0.07
BLACKPOOL - - - - -	6.32	0.71	-	-	-	4.00	0.52	-	0.90	0.19
BARROW IN FURNESS - -	5.36	0.06	-	-	-	2.07	2.07	-	1.16	-
HUDDERSFIELD - - - - -	4.28	0.07	-	-	-	2.32	1.21	-	0.68	-
HALIFAX - - - - -	7.83	0.28	-	0.04	-	5.35	1.52	-	0.64	-
BRADFORD - - - - -	5.12	0.34	-	-	-	1.94	1.79	-	0.91	0.14
LEEDS - - - - -	5.54	0.22	-	-	-	3.25	1.06	-	0.93	0.08
DEWSBURY - - - - -	4.30	0.30	-	-	-	3.19	0.15	-	0.69	0.07
WAKEFIELD - - - - -	4.27	0.30	-	-	-	1.07	2.06	-	0.69	0.15
BARNSELY - - - - -	6.40	0.15	-	-	-	4.46	0.82	-	0.97	-
SHEFFIELD - - - - -	8.80	0.17	-	-	-	5.19	2.27	-	0.99	0.18
ROTHERHAM - - - - -	8.78	0.31	-	-	-	5.71	1.35	-	1.04	0.37
YORK - - - - -	5.60	0.19	-	-	-	3.40	1.48	-	0.48	0.05
HULL - - - - -	4.02	0.31	-	-	-	1.85	1.06	-	0.73	0.07
MIDDLESBROUGH - - - -	7.05	0.16	-	-	-	3.78	2.70	-	0.41	-
DARLINGTON - - - - -	8.50	0.27	-	-	-	3.64	3.71	-	0.88	-
STOCKTON ON TEES - - -	4.69	0.54	-	-	-	1.49	1.89	-	0.47	0.20
WEST HARTLEPOOL - - -	3.30	0.50	-	-	-	1.43	0.56	-	0.81	-
SUNDERLAND - - - - -	4.28	-	-	-	-	2.70	1.00	-	0.50	0.08
SOUTH SHIELDS - - - -	6.22	0.14	-	-	-	5.29	0.32	-	0.40	0.07
GATESHEAD - - - - -	5.27	0.30	-	-	-	3.19	0.84	-	0.91	0.03
NEWCASTLE ON TYNE - -	6.74	0.54	-	-	-	4.39	1.09	-	0.63	0.09
TYNEMOUTH - - - - -	5.35	0.39	-	-	-	2.94	1.11	-	0.91	-
CARLISLE - - - - -	4.56	0.08	-	-	-	2.43	1.14	-	0.91	-
NEWPORT (MON.) - - - -	4.44	0.18	-	-	-	2.60	0.99	-	0.54	0.13
CARDIFF - - - - -	8.47	0.09	-	0.02	-	4.51	3.21	-	0.53	0.11
RHONDDA - - - - -	6.37	0.07	-	-	-	4.00	1.69	-	0.51	0.10
MERTHYR TYDFIL - - - -	3.20	-	-	-	-	1.08	0.75	-	1.23	0.14
ABERDARE - - - - -	4.44	0.15	-	-	-	2.03	1.20	-	0.98	0.08
SWANSEA - - - - -	6.33	0.03	-	-	-	4.52	1.22	-	0.53	0.03
Smaller Towns.										
SURREY—										
BARNES - - - - -	4.16	0.23	-	-	-	2.89	0.92	-	0.12	-
GUILDFORD - - - - -	6.91	-	-	-	-	5.95	0.80	-	0.16	-
KINGSTON ON THAMES - -	5.30	-	-	0.10	-	3.68	0.20	-	1.12	0.20
REIGATE - - - - -	12.57	-	-	-	-	11.61	0.55	-	0.41	-
RICHMOND - - - - -	3.45	0.12	-	-	-	1.07	2.02	-	0.24	-
SUTTON - - - - -	2.83	-	-	-	-	1.77	0.88	-	-	0.18
WOKING - - - - -	1.93	0.15	-	-	-	1.19	0.15	-	0.44	-
KENT—										
BECKENHAM - - - - -	3.94	-	-	-	-	1.19	2.39	-	0.36	-
BROMLEY - - - - -	6.71	0.11	-	-	-	3.47	2.46	-	0.56	0.11
CANTERBURY - - - - -	8.67	0.33	-	-	-	5.56	2.29	-	0.49	-
CHATHAM - - - - -	8.38	0.18	-	-	-	3.19	4.28	-	0.73	-
DARTFORD - - - - -	7.13	0.32	-	-	-	5.33	1.11	-	0.32	-
DOVER - - - - -	3.01	0.27	-	-	-	1.28	0.82	-	0.64	-
ERITH - - - - -	14.86	-	-	-	-	11.64	1.96	-	1.26	-
FOLKESTONE - - - - -	6.03	0.47	-	-	0.12	3.66	0.83	-	0.83	0.12
GRAVESEND - - - - -	8.61	0.71	-	-	0.14	4.23	1.27	-	2.26	-
MAIDSTONE - - - - -	5.55	0.67	-	-	-	2.22	1.44	-	1.22	-
MARGATE - - - - -	3.61	0.13	-	-	-	0.80	2.28	-	0.40	-
PENGE (Surrey Reg. Co.) -	5.22	-	-	-	-	3.60	1.44	-	0.18	-
RAMSGATE - - - - -	5.83	-	-	-	-	3.18	1.59	-	1.06	-
ROCHESTER - - - - -	5.20	0.13	-	-	-	2.66	1.65	-	0.76	-
TUNBRIDGE WELLS - - -	3.41	0.11	-	-	-	0.55	2.09	-	0.44	0.22

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE - - - - -	2·73	-	-	-	-	1·36	0·64	-	0·64	0·09
SUSSEX WEST—										
WORTHING - - - - -	4·74	-	-	-	-	3·04	1·09	-	0·49	0·12
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	5·25	0·11	-	-	-	3·50	1·53	-	0·11	-
GOSPORT & ALVERSTOKE	6·91	-	-	-	-	1·61	4·72	-	0·58	-
WINCHESTER - - - - -	3·82	0·33	-	-	-	1·66	1·66	-	-	0·17
MIDDLESEX—										
CHISWICK - - - - -	3·93	-	-	-	-	2·30	0·86	-	0·77	-
FINCHLEY - - - - -	6·63	0·09	-	-	-	4·24	1·41	-	0·71	0·18
HENDON - - - - -	6·49	0·09	-	-	-	4·87	0·90	-	0·63	-
HESTON & ISLEWORTH	6·48	-	-	-	0·08	2·44	3·03	-	0·76	0·17
SOUTHALL NORWOOD	6·10	0·13	-	-	-	4·80	1·04	-	0·13	-
SOUTHGATE - - - - -	4·80	-	-	-	-	2·60	1·50	-	0·70	-
TWICKENHAM - - - - -	3·61	-	-	-	-	0·75	2·36	-	0·50	-
WOOD GREEN - - - - -	6·82	0·07	-	-	-	4·04	1·76	-	0·95	-
HERTFORDSHIRE—										
ST. ALBANS - - - - -	9·94	-	-	-	-	8·56	0·61	-	0·77	-
WATFORD - - - - -	6·25	-	-	-	-	4·23	1·43	-	0·27	0·27
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE - -	2·07	-	-	-	-	1·88	0·19	-	-	-
NORTHAMPTONSHIRE—										
KETTERING - - - - -	9·09	0·26	-	-	-	2·50	5·01	-	1·05	0·27
SOKE OF PETERBOROUGH—										
PETERBOROUGH - - - -	4·88	-	-	-	-	3·83	0·35	-	0·70	-
BEDFORDSHIRE—										
BEDFORD - - - - -	6·63	-	-	-	-	4·35	2·08	-	0·20	-
LUTON - - - - -	8·45	0·37	-	-	-	1·69	5·65	-	0·59	0·15
ESSEX—										
BARKING TOWN - - - -	11·79	0·23	-	-	-	7·05	2·54	-	1·97	-
COLCHESTER - - - - -	11·70	-	-	-	-	9·58	1·06	-	1·06	-
SUFFOLK EAST—										
LOWESTOFT - - - - -	5·24	6·57	-	-	-	1·37	2·62	-	0·68	-
NORFOLK—										
KING'S LYNN - - - - -	8·75	0·40	-	-	-	6·76	0·99	-	0·40	0·20
WILTSHIRE—										
SALISBURY - - - - -	6·70	0·19	-	-	-	4·28	1·30	-	0·74	0·19
DORSETSHIRE—										
POOLE - - - - -	3·56	-	-	-	-	1·87	0·75	-	0·66	0·28
WEYMOUTH AND MELCOMBE REGIS.	1·73	-	-	-	-	0·35	0·69	-	0·17	0·52
DEVONSHIRE—										
TORQUAY - - - - -	5·24	0·10	-	-	-	1·38	3·76	-	-	-
SOMERSETSHIRE—										
TAUNTON - - - - -	2·26	-	-	-	-	1·39	0·87	-	-	-
WESTON SUPER MARE - -	3·13	-	-	-	-	2·14	0·66	-	0·33	-
GLOUCESTERSHIRE—										
CHELTENHAM - - - - -	9·12	0·08	-	-	-	6·50	1·56	-	0·82	0·16
HEREFORDSHIRE—										
HEREFORD - - - - -	7·68	-	-	-	-	4·54	1·57	-	1·57	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	4·32	-	-	-	-	0·81	2·43	-	1·08	-
STAFFORDSHIRE—										
BILSTON - - -	3·36	-	-	-	-	1·99	0·61	-	0·76	-
BURTON UPON TRENT - -	6·24	-	-	-	-	3·80	1·35	-	1·01	0·08
CANNOCK - - -	7·17	-	-	-	-	5·18	1·59	-	0·40	-
COSELEY - - -	1·74	0·35	-	-	-	0·52	0·35	-	0·52	-
NEWCASTLE UNDER LYME	15·22	-	-	-	-	9·88	4·74	-	0·20	0·40
ROWLEY REGIS - - -	6·15	-	-	-	-	5·30	0·32	-	0·53	-
STAFFORD - - -	2·48	0·17	-	-	-	1·32	-	-	0·99	-
TIPTON - - -	2·11	0·25	-	-	-	1·12	0·37	-	0·37	-
WEDNESBURY - - -	2·38	-	-	-	-	0·84	0·56	-	0·56	0·42
WOLSTANTON UNITED -	5·25	0·13	-	-	-	3·32	1·38	-	0·28	0·14
WORCESTERSHIRE—										
KIDDERMINSTER - - -	2·04	-	-	-	-	0·58	0·44	-	1·02	-
OLDBURY (Staffs. Reg. Co.).	4·17	0·12	-	-	-	2·89	0·35	-	0·58	0·23
WORCESTER - - -	4·03	0·08	-	-	-	1·53	1·61	-	0·65	0·16
WARWICKSHIRE—										
NUNEATON - - -	3·50	-	-	-	-	3·01	0·10	-	0·39	-
ROYAL LEAMINGTON SPA-	3·31	0·15	-	-	-	2·26	0·30	-	0·60	-
RUGBY - - -	4·77	0·51	-	-	0·17	2·39	0·68	-	0·85	0·17
SUTTON COLDFIELD (Staffs. Reg. Co.).	7·06	-	-	-	-	5·07	1·27	-	0·54	0·18
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	11·09	0·17	-	-	-	9·04	0·34	-	1·54	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	5·55	0·57	-	-	-	2·30	2·30	-	0·38	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	3·44	-	-	-	-	0·98	1·97	-	0·49	-
GAINSBOROUGH - - -	4·09	-	-	-	-	2·23	-	-	1·86	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	9·01	-	-	-	-	6·17	1·99	-	0·66	0·19
SUTTON IN ASHFIELD -	5·83	0·33	-	-	-	4·66	0·17	-	0·67	-
WORKSOP - - -	2·20	-	-	-	-	1·10	0·92	-	0·18	-
DERBYSHIRE—										
CHESTERFIELD - - -	7·99	0·20	-	-	-	4·20	2·87	-	0·72	-
GLOSSOP - - -	6·82	-	-	-	-	5·53	0·37	-	0·92	-
ILKESTON (Notts. Reg. Co.).	4·86	-	-	-	-	2·49	2·13	-	0·24	-
CHESHIRE—										
CHESTER - - -	3·87	-	-	-	-	1·63	1·63	-	0·41	-
CREWE - - -	6·37	-	-	-	-	2·44	2·97	-	0·79	0·17
HYDE - - -	8·69	-	-	-	-	6·67	0·83	-	1·19	-
MACCLESFIELD - - -	5·87	-	-	-	-	3·91	1·27	-	0·69	-
STALYBRIDGE (Lancs. Reg. Co.).	5·07	0·46	-	-	-	3·69	-	-	0·77	0·15
LANCASHIRE—										
ACCRINGTON - - -	5·01	0·26	-	-	-	2·81	0·53	-	1·23	0·18
ASHTON IN MAKERFIELD	11·75	0·36	-	-	-	8·90	1·60	-	0·89	-
ASHTON UNDER LYNE -	7·12	0·35	-	-	-	5·19	0·79	-	0·79	-
BACUP - - -	7·03	-	-	-	-	5·77	0·54	-	0·72	-
CHADDERTON - - -	4·77	0·14	-	-	-	3·54	0·41	-	0·41	0·27
CHORLEY - - -	1·91	-	-	-	-	1·53	-	-	0·38	-
COLNE - - -	10·39	0·30	-	-	-	9·04	0·30	-	0·45	0·30
DARWEN - - -	6·94	0·20	-	-	-	5·57	0·29	-	0·88	-
ECCLES - - -	6·57	0·27	-	-	-	5·13	0·81	-	0·27	0·09
FARNWORTH - - -	4·58	0·28	-	-	-	2·64	0·97	-	0·69	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd April, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD - - - -	16·41	0·15	-	-	-	14·04	0·74	-	1·48	-
HINDLEY - - - -	11·57	0·17	-	-	-	8·75	1·32	-	1·16	0·17
INCE IN MAKERFIELD - - - -	14·57	0·54	-	-	-	11·87	0·90	-	1·08	0·18
LANCASTER - - - -	4·23	0·77	-	-	-	1·44	1·06	-	0·96	-
LEIGH - - - -	13·04	0·70	-	-	-	10·40	1·15	-	0·79	-
MIDDLETON - - - -	6·78	0·55	-	-	-	4·29	1·66	-	0·28	-
NELSON - - - -	6·82	0·10	-	-	-	4·80	1·34	-	0·58	-
RADCLIFFE - - - -	3·85	0·15	-	-	-	2·47	0·46	-	0·77	-
RAWTENSTALL - - - -	3·04	-	-	-	-	1·45	0·53	-	0·93	0·13
STRETFORD - - - -	6·96	0·26	-	-	-	5·41	0·43	-	0·77	0·09
SWINTON AND PENDLEBURY.	9·39	0·88	-	-	-	5·88	1·00	-	1·63	-
WATERLOO WITH SEAFORTH	5·53	0·29	-	0·15	-	2·62	1·60	-	0·87	-
WIDNES - - - -	4·44	0·12	-	-	-	2·96	1·11	-	0·25	-
YORKSHIRE (WEST RIDING)—										
BATLEY - - - -	6·29	0·43	-	-	-	3·69	1·63	-	0·54	-
BRIGHOUSE - - - -	8·40	0·20	-	-	-	5·27	1·95	-	0·59	0·39
CASTLEFORD - - - -	5·12	0·80	-	-	-	2·72	0·16	-	1·44	-
DONCASTER - - - -	9·26	0·78	-	-	-	4·74	2·49	-	1·17	0·06
GOOLE - - - -	5·93	-	-	-	-	1·11	3·89	-	0·93	-
HARROGATE - - - -	3·61	-	-	-	-	2·14	1·02	-	0·45	-
KEIGHLEY - - - -	2·45	-	-	-	-	0·09	2·09	-	0·27	-
MORLEY - - - -	5·07	1·47	-	-	-	1·15	0·98	-	1·47	-
SHIPLEY - - - -	0·98	-	-	-	-	0·56	0·28	-	0·14	-
TODMORDEN - - - -	4·42	0·63	-	-	-	2·21	0·79	-	0·63	0·16
YORKSHIRE (NORTH RIDING)—										
SCARBOROUGH - - - -	7·83	0·22	-	-	-	5·98	1·30	-	0·33	-
DURHAM—										
BLAYDON - - - -	5·83	0·23	-	-	-	3·54	1·49	-	0·57	-
FELLING - - - -	8·35	-	-	-	-	8·05	0·15	-	0·15	-
HARTLEPOOL - - - -	2·82	-	-	-	-	0·40	1·21	-	1·21	-
HEBBURN - - - -	6·72	0·18	-	-	-	4·91	0·36	-	1·27	-
JARROW - - - -	7·30	0·48	-	-	-	4·79	1·67	-	0·36	-
STANLEY - - - -	7·52	-	-	-	-	4·51	3·01	-	-	-
NORTHUMBERLAND—										
ASHINGTON - - - -	8·80	-	-	-	-	5·96	2·27	-	0·43	0·14
BEDLINGTONSHIRE - - - -	2·60	0·14	-	-	-	1·01	1·16	-	0·29	-
BLYTH - - - -	4·71	0·37	-	-	-	2·85	0·62	-	0·87	-
WALLSEND - - - -	7·87	0·18	-	-	-	5·72	1·61	-	0·36	-
CUMBERLAND—										
WORKINGTON - - - -	4·38	0·16	-	-	-	1·30	1·95	-	0·97	-
MONMOUTHSHIRE—										
ABERSYCHAN - - - -	4·89	0·15	-	-	-	2·37	0·74	-	1·48	0·15
ABERTILLERY - - - -	9·20	0·30	-	-	-	6·50	1·60	-	0·70	0·10
BEDWELLTY - - - -	8·50	-	-	-	-	5·81	1·94	-	0·60	0·15
EBBW VALE - - - -	58·29	0·24	-	-	-	55·91	0·24	-	1·78	0·12
TREDEGAR - - - -	17·54	1·58	-	-	-	7·90	6·64	-	1·26	0·16
GLAMORGANSHIRE—										
BARRY - - - -	14·55	0·44	-	-	-	7·67	5·22	-	1·22	-
CAERPHILLY - - - -	7·24	-	-	-	-	4·14	2·90	-	0·10	0·10
GELLIGAER - - - -	5·76	0·77	-	-	-	3·26	1·25	-	0·38	0·10
MAESTEG - - - -	15·79	-	-	-	-	14·24	0·99	-	0·56	-
MOUNTAIN ASH - - - -	6·53	0·26	-	-	-	3·83	1·13	-	1·22	0·09
OGMORE AND GARW - - - -	13·09	0·14	-	-	-	11·16	0·96	-	0·83	-
PONTYPRIDD - - - -	3·58	-	-	-	-	2·30	1·02	-	0·26	-
CARMARTHENSHIRE—										
LLANELLY - - - -	11·23	-	-	-	-	9·47	0·47	-	0·94	0·35

TABLE XIII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd April, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

BOROUGHs	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - -	5·76	0·08	-	-	0·03	2·99	1·64	-	1·02	-
Kensington - - -	4·43	0·07	-	0·02	0·02	2·54	1·24	-	0·47	0·07
Hammersmith - - -	7·50	0·10	-	-	-	5·21	1·29	-	0·87	0·03
Fulham - - -	7·30	0·13	-	-	0·15	4·85	1·16	-	0·76	0·25
Chelsea - - -	4·33	0·06	-	-	-	2·39	1·19	-	0·69	-
City of Westminster -	7·42	0·16	-	-	-	4·50	2·29	-	0·42	0·05
NORTH.										
St. Marylebone - - -	5·86	0·07	-	-	-	3·94	1·07	-	0·71	0·07
Hampstead - - -	4·76	0·14	-	-	-	2·40	1·62	-	0·51	0·09
St. Pancras - - -	6·84	0·15	-	-	-	3·59	2·10	-	0·91	0·09
Islington - - -	6·47	0·12	-	-	-	3·57	1·80	-	0·91	0·07
Stoke Newington - - -	7·40	0·08	-	-	-	4·37	2·31	-	0·56	0·08
Hackney - - -	5·78	0·13	-	-	-	2·33	1·99	-	1·26	0·07
CENTRAL.										
Holborn - - -	6·39	0·09	-	-	-	3·41	2·19	-	0·61	0·09
Finsbury - - -	6·22	0·05	-	-	-	3·66	1·74	-	0·63	0·14
City of London - - -	7·95	-	-	-	-	3·04	4·68	-	0·23	-
EAST.										
Shoreditch - - -	7·22	0·11	-	-	-	3·06	2·10	-	1·77	0·18
Bethnal Green - - -	11·85	0·25	-	-	0·03	5·47	4·34	-	1·63	0·13
Stepney - - -	9·65	0·10	0·03	-	-	4·49	3·90	-	1·06	0·07
Poplar - - -	4·58	0·10	-	-	-	1·90	1·38	-	1·15	0·05
SOUTH.										
Southwark - - -	6·08	0·09	-	-	-	2·60	1·95	-	1·35	0·09
Bermondsey - - -	6·34	0·23	-	-	-	2·94	2·23	-	0·84	0·10
Lambeth - - -	6·20	0·14	-	-	-	3·47	1·82	-	0·69	0·08
Battersea - - -	6·90	0·14	-	-	-	3·76	1·87	-	1·08	0·05
Wandsworth - - -	5·56	0·21	0·01	-	-	3·02	1·61	-	0·67	0·04
Camberwell - - -	5·84	0·06	-	-	-	3·38	1·61	-	0·67	0·12
Deptford - - -	9·41	0·81	-	-	-	4·89	2·46	-	1·25	-
Greenwich - - -	12·06	0·08	-	-	0·08	8·90	1·67	-	1·29	0·04
Lewisham - - -	6·33	0·12	-	-	-	3·58	2·16	-	0·47	-
Woolwich - - -	10·58	0·72	-	-	-	5·88	2·58	-	1·40	-
Port of London - - -	?	?	-	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON										
	6·84	0·16	0·00	0·00	0·01	3·69	2·00	-	0·91	0·07
AGES.										
Ages 0-1 - - -	5·89	-	-	-	-	2·39	2·31	-	1·19	-
" 1-5 - - -	20·43	0·04	-	-	0·01	11·04	8·88	-	0·46	-
" 5- - - -	21·91	0·12	-	-	0·01	14·46	7·07	-	0·25	-
" 10- - - -	11·33	0·22	-	-	-	7·85	2·93	-	0·33	-
" 15- - - -	4·46	0·22	0·01	-	-	2·69	0·85	-	0·65	0·04
" 20- - - -	3·89	0·30	-	-	0·01	1·76	0·86	-	0·73	0·23
" 25- - - -	2·44	0·24	0·01	0·01	0·02	0·99	0·46	-	0·53	0·18
" 35- - - -	1·91	0·13	-	-	-	0·37	0·22	-	1·07	0·12
" 45- - - -	1·99	0·09	-	-	0·02	0·11	0·12	-	1·65	-
" 55- - - -	2·45	0·11	0·01	-	0·03	0·03	0·07	-	2·20	-
" 65- - - -	2·34	0·02	-	-	-	-	0·02	-	2·30	-
" 75 and upwards -	2·80	-	-	-	-	0·13	-	-	2·67	-
Age not stated - -	?	-	-	-	-	-	?	-	-	-

TABLE XIV.—COUNTRY OF LONDON.—Births, Deaths, and Death-Rates in London, and in the Metropolitan Boroughs during the 13 WEEKS ended 3rd April, 1915. (The births in this table are those actually registered in the several Metropolitan Boroughs. The Deaths are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table VII. As between individual boroughs, however, correction is complete. The Old Estimates of population in the middle of 1911 have been used in the calculation of the rates.)

BOROUGH.	Estimated Population in the middle of 1914. (Old Estimates.)*	Births.	Deaths from										ANNUAL DEATH-RATES PER 1000 LIVING.										RATE PER 1000 BIRTHS.	
			Deaths of Infants under 1 Year of Age.										ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 years).	Total deaths under 1 Year.		
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	Deaths of Infants under 1 Year of Age.												
County of London -	4,516,612	28,240	23,159	37	3	1,120	100	378	199	234	2,089	3,142	20.6	0.03	0.00	0.99	0.09	0.34	0.18	1.86	8.29	111		
WEST.																								
PADDINGTON -	142,055	697	774	3	-	67	3	10	8	6	52	106	21.9	0.08	-	1.89	0.08	0.28	0.23	1.47	8.61	152		
KENSINGTON -	170,817	811	868	1	-	68	5	10	10	6	61	126	20.4	0.02	-	1.60	0.12	0.23	0.23	1.43	7.40	155		
HAMMERSMITH -	124,750	696	653	-	-	34	6	13	4	10	58	103	21.0	-	-	1.09	0.19	0.42	0.13	1.86	14.37	148		
FULHAM -	158,849	1,086	740	3	3	63	8	11	6	10	69	139	18.7	0.08	0.08	1.59	0.20	0.28	0.15	1.74	9.21	128		
CHILSEA -	63,791	293	378	-	-	4	1	1	1	3	35	29	23.8	-	-	0.25	0.06	0.06	0.06	2.20	10.24	99		
CITY OF WESTMINSTER -	152,346	491	762	1	-	16	4	5	2	8	61	53	20.1	0.03	-	0.42	0.11	0.13	0.05	1.61	16.29	108		
NORTH.																								
ST. MARYLEBONE -	112,892	996	555	-	-	22	2	3	3	5	35	50	19.7	-	-	0.78	0.07	0.11	0.11	1.24	5.02	50		
HAMPSTEAD -	86,731	318	320	-	-	11	-	3	2	3	11	32	14.8	-	-	0.51	-	0.14	0.09	0.51	9.43	101		
ST. PANCRAS -	212,497	1,259	1,171	-	-	24	5	18	14	11	128	153	22.1	-	-	0.45	0.09	0.34	0.26	2.42	8.74	122		
ISLINGTON -	324,764	1,936	1,777	2	-	56	7	35	20	14	176	246	21.9	0.02	-	0.69	0.09	0.43	0.25	2.17	7.23	127		
STOKE NEWINGTON -	50,454	236	265	-	-	15	2	-	2	1	17	25	21.1	-	-	1.19	0.16	-	0.16	1.35	4.24	106		
HACKNEY -	223,724	1,397	1,075	2	-	38	1	12	8	15	90	139	19.3	0.04	-	0.68	0.02	0.22	0.14	1.61	10.74	99		
CENTRAL.																								
HOLBORN -	45,861	163	236	-	-	10	1	8	3	3	27	21	20.6	-	-	0.87	0.09	0.70	0.26	2.36	18.40	129		
FINSBURY -	83,212	846	501	-	-	6	1	15	2	6	57	68	24.1	-	-	0.29	0.05	0.72	0.10	2.75	7.09	80		
CITY OF LONDON -	17,129	109	99	-	-	3	-	-	1	1	6	4	23.2	-	-	0.70	-	-	0.23	1.40	8.17	37		
EAST.																								
SHOREDITCH -	108,869	849	557	1	-	11	1	8	3	10	82	95	20.5	0.04	-	0.41	0.04	0.29	0.11	3.02	11.78	112		
BETHNAL GREEN -	127,662	957	692	2	-	60	4	19	11	14	58	125	21.7	0.06	-	1.89	0.13	0.60	0.35	1.82	14.63	131		
STEPNEY -	273,265	2,182	1,332	-	-	45	9	5	17	9	155	185	19.6	-	-	0.66	0.13	0.07	0.25	2.28	4.12	85		
POPLAR -	160,222	1,267	958	3	-	55	5	14	6	11	75	167	24.0	0.08	-	1.38	0.05	0.35	0.15	1.88	8.68	132		
SOUTH.																								
SOUTHWARK -	186,941	1,311	1,165	1	-	78	1	14	9	16	109	178	25.0	0.02	-	1.67	0.02	0.30	0.19	2.34	12.20	136		
BERMONDSEY -	124,213	973	811	-	-	53	3	47	5	9	77	145	26.2	-	-	1.71	0.10	1.52	0.16	2.49	9.25	149		
LAMBETH -	296,724	2,172	1,522	2	-	64	6	16	12	15	143	187	21.2	0.03	-	0.87	0.08	0.67	0.16	1.93	6.91	86		
BATTERSEA -	167,338	993	859	3	-	68	4	28	11	9	73	127	20.6	0.07	-	1.63	0.10	0.67	0.26	1.75	9.06	128		
WANDSWORTH -	338,998	1,615	1,410	2	-	98	7	25	9	9	93	161	16.7	0.02	-	1.16	0.08	0.30	0.11	1.10	5.57	100		
CAMBERWELL -	262,020	1,632	1,236	2	-	66	5	11	10	9	118	150	18.9	0.03	-	1.01	0.08	0.17	0.15	1.81	5.51	92		
DEPTFORD -	109,182	727	586	2	-	22	4	21	5	4	56	103	21.5	0.07	-	0.81	0.15	0.77	0.18	2.06	5.50	142		
GREENWICH -	96,037	589	489	2	-	21	1	17	3	4	52	59	20.4	0.08	-	0.88	0.04	0.71	0.13	2.17	6.79	100		
LEWISHAM -	172,433	847	714	2	-	19	1	6	3	4	55	74	16.6	0.05	-	0.44	0.09	0.14	0.09	1.96	4.72	87		
	193,823	792	694	3	-	23	3	3	8	9	60	92	19.7	0.10	-	0.75	0.10	0.10	0.26	1.96	11.36	116		

TABLE XV.—**Births and Deaths in the First Quarter (13 weeks) of 1915 in certain Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 years) †	Total Deaths under 1 yr.
					All Causes.	Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whoop- ing Cough.	Diph- theria and Croup.*			
LONDON - -	4,516,612‡	28,240	23,159	25·1	20·6	0·03	0·00	0·99	0·09	0·34	0·18	8·29	111	
CALCUTTA - -	896,067	—	8,527§	—	38·2	0·21	8·43	0·13	—	0·01	0·04	—	—	
BOMBAY - -	979,445	4,525	5,517§	18·5	22·6	0·09	0·36	0·11	—	0·02	0·00	88·62	286	
MADRAS - -	518,660	4,384	5,222§	33·9	40·4	0·18	0·06	0·10	?	?	?	101·51	—	
PARIS - -	2,847,229	11,456	12,793	16·1	18·0	0·11	—	0·56	0·04	0·07	0·05	21·21	110	
BRUSSELS - -	780,852	—	—	—	—	—	—	—	—	—	—	—	—	
ANTWERP - -	313,833	—	—	—	—	—	—	—	—	—	—	—	—	
AMSTERDAM - -	610,976	3,579	1,957	23·5	12·	0·01	—	0·15	—	0·20	0·09	5·03	61	
COPENHAGEN - -	492,000	2,952	1,942	24·1	15·8	0·02	—	0·07	0·14	0·02	0·11	9·15	106	
STOCKHOLM - -	382,085	1,892	1,486	19·9	15·6	—	—	0·09	0·10	0·12	0·19	5·29	95	
GÖTEBORG - -	181,503	—	688	—	15·2	0·07	—	—	0·02	0·27	0·46	—	—	
CHRISTIANIA - -	251,446	1,455	882	23·2	14·1	0·03	—	—	0·11	0·13	0·05	11·00	96	
PETROGRAD - -	1,728,200	—	—	—	—	—	—	—	—	—	—	—	—	
MOSCOW - -	1,694,000	—	—	—	—	—	—	—	—	—	—	—	—	
BERLIN - -	1,982,154	—	—	—	—	—	—	—	—	—	—	—	—	
HAMBURG - -	1,038,460	—	—	—	—	—	—	—	—	—	—	—	—	
LEIPZIG - -	637,622	—	—	—	—	—	—	—	—	—	—	—	—	
MUNICH - -	665,988	—	—	—	—	—	—	—	—	—	—	—	—	
DRESDEN - -	567,378	—	—	—	—	—	—	—	—	—	—	—	—	
COLOGNE - -	642,848	—	—	—	—	—	—	—	—	—	—	—	—	
BRESLAU - -	521,278	—	—	—	—	—	—	—	—	—	—	—	—	
FRANKFORT ON MAIN.	460,175	—	—	—	—	—	—	—	—	—	—	—	—	
VIENNA - -	2,167,287	—	—	—	—	—	—	—	—	—	—	—	—	
PRAGUE - -	500,926	—	—	—	—	—	—	—	—	—	—	—	—	
BUDAPEST - -	950,784	—	—	—	—	—	—	—	—	—	—	—	—	
TRIESTE - -	244,655	—	—	—	—	—	—	—	—	—	—	—	—	
ROME - -	591,943	—	—	—	—	—	—	—	—	—	—	—	—	
BUCAREST - -	340,052	—	—	—	—	—	—	—	—	—	—	—	—	
NEW YORK - -	5,806,532	—	—	—	—	—	—	—	—	—	—	—	—	
CHICAGO - -	2,447,045	—	—	—	—	—	—	—	—	—	—	—	—	
NEW ORLEANS - -	373,000	—	—	—	—	—	—	—	—	—	—	—	—	
RIO DE JANEIRO	964,201	7,343	5,460	30·5	22·7	0·25	0·38	0·19	—	0·17	0·04	?	178	
CAIRO :—														
Egyptians - -	659,372	—	—	—	—	—	—	—	—	—	—	—	—	
Foreigners - -	71,913	—	—	—	—	—	—	—	—	—	—	—	—	
ALEXANDRIA :—														
Egyptians - -	340,742	—	—	—	—	—	—	—	—	—	—	—	—	
Foreigners - -	76,699	—	—	—	—	—	—	—	—	—	—	—	—	

* Excluding deaths from Croup in the Indian Cities.

† The death-rates in this column relate to *children under 1 year of age* for Copenhagen and Stockholm.

‡ Old estimate. See note * to Table II.

§ Including 37 deaths from Plague in Calcutta, 106 in Bombay; and 644 deaths from Cholera in Calcutta, 3 in Bombay and 20 in Madras.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
18	Erysipelas ... { M	183	7	8	6	2	23	3	1	—	—	27	2
	... { F	120	6	5	4	5	20	1	—	—	—	21	1
19	Other epidemic diseases. { M	23	—	1	1	9	11	6	1	1	2	21	1
	... { F	38	1	1	1	6	9	8	5	3	4	29	5
	A. Mumps ... { M	7	—	—	—	4	4	—	—	1	1	6	—
	... { F	13	—	—	—	—	—	2	1	—	2	5	4
	B. German measles. { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	4	—	—	—	—	—	2	1	—	1	4	—
	C. Varicella ... { M	16	—	1	1	5	7	6	1	—	1	15	1
	... { F	21	1	1	1	6	9	4	3	3	1	20	1
	D. Other diseases included under 19. { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia. { M	114	4	3	1	3	11	1	—	—	1	13	10
	... { F	59	1	4	1	—	6	4	—	1	1	12	—
	A. Pyæmia ... { M	17	—	2	1	—	3	—	—	—	—	3	3
	... { F	12	1	3	1	—	5	1	—	—	—	6	—
	B. Septicæmia ... { M	97	4	1	—	3	8	1	—	—	1	10	7
	... { F	47	—	1	—	—	1	3	—	1	1	6	—
	C. Vaccinia ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
21	Glanders ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever.) { M	4	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
23	Rabies ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus ... { M	29	5	—	—	—	5	—	—	—	—	5	1
	... { F	4	—	—	—	—	—	—	—	—	—	—	1
25	Mycoses ... { M	6	—	—	—	—	—	—	—	—	—	—	—
	... { F	2	—	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis { M	6	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	—	—	—	—	—	—	—	—	—	—
26	Pellagra ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri ... { M	3	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). { M	5,557	—	1	5	22	28	32	23	15	12	110	3
	... { F	4,061	—	—	4	13	17	20	17	14	4	72	7
	A. Pulmonary tuberculosis. { M	3,755	—	—	5	18	23	28	19	11	11	92	3
	... { F	2,695	—	—	4	12	16	17	14	11	3	61	5
	B. Phthisis (not defined as tuberculous). { M	1,802	—	1	—	4	5	4	4	4	1	18	—
	... { F	1,366	—	—	—	1	1	3	3	3	1	11	2

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	2	3	11	11	18	11	13	10	18	17	17	11	8	3	}	18
—	—	3	6	3	6	6	10	7	6	6	17	7	13	4	4		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	19
2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	A
2	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
7	6	8	3	3	10	6	9	9	7	11	6	3	2	1	—	}	20
3	3	1	4	5	—	7	3	4	4	7	2	1	—	2	1		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
2	1	1	—	1	—	—	—	2	1	2	1	—	—	—	—		
—	1	—	—	—	—	1	—	2	—	1	1	—	—	—	—	}	B
5	5	7	3	2	10	6	9	7	6	9	5	3	2	1	—		
3	2	1	4	5	—	6	3	2	4	6	1	1	—	2	1	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	21
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	1	1	—	2	—	—	—	—	—	—	}	22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	—	2	1	1	2	6	2	—	2	3	1	1	—	—	—	}	24
—	—	—	—	—	—	1	—	—	—	—	—	2	—	—	—		
—	—	—	—	—	1	1	—	3	1	—	—	—	—	—	—	}	25
—	1	—	—	—	—	—	—	—	—	—	1	—	—	—	—		
—	—	—	—	—	1	1	—	3	1	—	—	—	—	—	—	}	A
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	}	26
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	1	—	—	—	1	—	—	—	—	—	—	—	—	}	27
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
85	290	502	560	701	666	651	582	483	373	284	135	56	33	7	—	}	28
176	408	499	499	500	434	380	338	227	158	131	82	52	23	6	1		
66	198	335	371	476	442	442	376	318	244	201	95	39	23	5	—	}	A
131	254	329	331	330	284	265	217	138	107	81	59	34	14	4	1		
19	92	167	189	225	224	209	206	165	129	83	40	17	10	2	—	}	B
45	154	170	168	170	150	115	121	89	51	50	23	18	9	2	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
29	Acute phthisis, Acute miliary tuberculosis ...	M	555	—	1	7	10	18	25	12	9	8	72	23
		F	487	—	—	6	6	12	15	12	8	7	54	29
	A. Acute phthisis	M	440	—	—	3	2	5	10	6	3	4	28	8
		F	377	—	—	2	3	5	4	5	5	1	20	12
	B. Acute miliary tuberculosis.	M	115	—	1	4	8	13	15	6	6	4	44	15
		F	110	—	—	4	3	7	11	7	3	6	34	17
30	Tuberculous menin- gitis.	M	705	—	11	43	101	155	122	74	53	42	446	119
		F	554	—	5	23	61	89	82	74	38	34	317	117
31	Tuberculosis of peritoneum and intestines.	M	439	3	28	45	69	145	73	36	16	14	284	45
		F	409	—	15	37	42	94	49	33	13	18	207	48
	A. Tabes mesenterica	M	69	1	8	10	14	33	13	3	3	2	54	9
		F	42	—	3	9	5	17	11	3	—	3	34	3
	B. Other peri- toneal and intestinal tubercle.	M	370	2	20	35	55	112	60	33	13	12	230	36
		F	367	—	12	28	37	77	38	30	13	15	173	45
32	Tuberculosis of spinal column	M	96	—	—	—	1	1	—	2	—	1	4	8
		F	76	—	—	—	—	—	1	1	—	2	4	3
33	Tuberculosis of joints	M	49	—	—	—	2	2	1	—	—	—	3	3
		F	24	—	—	—	—	—	—	—	—	—	—	2
34	Tuberculosis of other organs	M	106	1	1	4	7	13	4	3	3	—	23	3
		F	69	—	2	3	4	9	3	1	—	—	13	1
	A. Lupus ...	M	5	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula ...	M	2	—	—	—	1	1	—	—	—	—	1	—
		F	5	—	2	1	—	3	—	—	—	—	3	—
C. Other tuber- culosis in- cluded under 34.	M	99	1	1	4	6	12	4	3	3	—	22	3	
	F	54	—	—	2	4	6	3	1	—	—	10	1	
35	Disseminated tuberculosis	M	292	—	11	18	21	50	28	25	15	11	129	24
		F	221	2	3	7	18	30	29	13	8	6	86	30
28-35	Tuberculosis (all forms)	M	7,799	4	53	122	233	412	285	175	111	88	1,071	264
		F	5,901	2	25	80	144	251	199	151	81	71	753	305
36	Rickets, Softening of bones.	M	175	—	4	9	45	58	81	21	3	1	164	4
		F	114	—	4	11	27	42	46	17	1	—	106	1
	A. Rickets ...	M	168	—	4	9	45	58	80	21	3	1	163	4
		F	108	—	4	11	27	42	46	17	1	—	106	1
	B. Other forms of bone soften- ing.	M	7	—	—	—	—	—	1	—	—	—	1	—
		F	6	—	—	—	—	—	—	—	—	—	—	—
37	Syphilis ...	M	345	65	78	40	26	209	14	1	—	1	225	3
		F	250	48	46	25	26	145	15	7	3	1	171	2

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—*continued*.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
20 32	49 57	48 62	52 42	51 44	58 43	64 37	39 18	33 26	21 16	9 11	7 6	8 8	1 2	— —	— —	}	29
11 22	42 47	42 54	45 36	46 41	54 37	59 32	33 15	30 24	18 13	8 9	7 6	8 8	1 1	— —	— —		A
9 10	7 10	6 8	7 6	5 3	4 6	5 5	6 3	3 2	3 3	1 2	— —	— —	— 1	— —	— —	}	B
61 60	30 29	9 8	11 5	9 2	5 4	5 5	7 2	2 1	— 3	— —	1 —	— 1	— —	— —	— —		30
24 33	24 22	15 19	7 16	8 14	6 15	2 10	2 5	11 7	3 4	5 4	2 4	1 1	— —	— —	— —	}	31
2 1	3 1	— 2	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
22 32	21 21	15 17	7 16	8 14	5 15	2 9	2 5	11 7	3 4	5 4	2 4	1 1	— —	— —	— —	}	B
13 7	4 7	14 6	6 7	11 8	8 5	7 6	3 2	6 4	3 5	4 6	5 3	— —	— 1	— 1	— 1		32
9 1	8 5	3 2	7 2	5 1	3 2	— 1	1 1	2 1	2 3	— —	2 —	— 2	1 —	— 1	— —	}	33
5 3	7 6	6 2	5 4	8 6	4 4	6 2	13 5	7 2	4 6	6 3	2 2	3 8	3 1	— 1	1 —		34
— —	— 1	— —	— —	— 1	— 1	— —	— —	1 —	1 3	— —	— 1	— 2	2 1	— —	1 —	}	A
— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— —		B
5 3	6 5	6 2	5 4	8 5	4 3	6 2	13 4	6 2	3 3	6 3	2 1	3 5	1 —	— 1	— —	}	C
14 22	16 15	18 17	14 7	19 5	9 12	17 3	7 4	5 6	7 3	3 5	7 5	2 1	1 —	— —	— —		35
231 334	428 549	615 615	662 582	812 580	759 519	752 444	654 375	549 274	413 198	311 160	161 102	70 73	39 27	7 9	1 2	}	28-35
— —	2 1	1 —	— 1	— 1	1 1	— 1	1 —	1 2	— —	— —	— —	1 —	— —	— —	— —		36
— —	— —	1 —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	}	A
— —	2 1	— —	— 1	— 1	1 1	— 1	1 —	1 1	— —	— —	— —	1 —	— —	— —	— —		B
— 3	— 1	6 8	4 5	10 3	13 10	11 11	22 10	11 9	16 7	9 5	6 3	5 2	4 —	— —	— —	}	37

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	—	—	1	—	—	2	—	1	—	—	—	—	—	}	38
—	1	1	—	—	1	1	—	—	1	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	1	—	—	2	—	1	—	—	—	—	—	}	B
—	1	1	—	—	1	1	—	—	1	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	—	1	3	24	40	65	97	94	86	72	29	14	10	}	39
1	—	1	1	—	3	5	7	10	12	13	16	11	4	8	3		
—	2	1	3	19	31	69	126	186	255	257	288	216	140	32	13	}	40
—	—	—	8	16	40	62	109	168	205	264	278	223	167	69	35		
—	3	3	9	10	21	41	41	82	137	141	174	147	91	32	10	}	41
—	2	2	8	10	35	39	66	105	123	142	179	145	122	47	27		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
—	3	2	12	25	59	121	154	180	175	167	140	105	45	14	11		
—	—	—	—	—	—	—	—	—	4	—	2	1	—	1	—	}	43
—	—	—	2	16	44	72	94	118	103	120	100	111	83	44	26		
—	1	1	—	—	2	6	8	13	12	17	19	25	18	10	11	}	44
—	—	—	—	—	—	1	—	4	8	9	11	10	19	12	15		
6	12	17	16	13	30	49	63	115	121	150	174	126	49	27	9	}	45
5	6	11	10	16	29	27	38	45	53	65	69	50	54	15	11		
6	19	22	28	43	87	189	278	461	626	659	743	587	327	116	53	}	39-45
6	11	16	41	83	210	327	468	630	679	780	793	655	494	209	128		
—	1	—	1	1	—	5	—	3	2	2	2	1	—	1	—	}	46
1	—	—	—	—	2	2	—	4	2	3	3	4	3	2	1		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	1	1	—	5	—	3	2	2	2	1	—	1	—	}	C
1	—	—	—	—	2	2	—	4	2	3	3	4	3	2	1		
33	35	17	17	18	12	18	10	20	13	8	10	2	1	—	—	}	47
41	34	20	18	18	20	17	9	13	17	7	2	3	2	1	—		
—	1	1	1	2	2	1	13	9	23	33	52	44	22	13	5	}	48
1	—	—	2	1	7	10	11	20	26	45	59	61	57	26	9		
—	1	—	—	—	—	1	1	1	4	9	10	11	5	5	3	}	A
—	—	—	—	—	2	1	1	6	1	12	11	13	9	5	2		
—	—	1	1	1	1	—	9	4	12	7	26	18	8	4	—	}	B
1	—	—	2	1	4	9	10	13	21	32	46	46	45	19	4		
—	—	—	—	1	1	—	3	4	7	17	16	15	9	4	2	}	C
—	—	—	—	—	1	—	—	1	4	1	2	2	3	2	3		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
49	Scurvy ... { M	2	—	—	1	—	1	1	—	—	—	2	—
	... { F	5	—	1	—	—	1	1	—	1	—	3	—
50	Diabetes ... { M	632	—	—	1	1	2	4	4	—	—	10	3
	... { F	630	—	—	—	—	—	—	—	—	1	1	4
51	Exophthalmic goitre. { M	9	—	—	—	—	—	—	—	—	—	—	—
	... { F	105	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease ... { M	25	—	—	—	—	—	—	—	—	—	—	—
	... { F	30	—	—	—	—	—	—	—	—	—	—	1
53	Leucocythæmia, Lymphadenoma. { M	104	—	—	1	1	2	1	—	3	4	10	12
	... { F	73	—	—	—	1	1	—	1	1	2	5	1
	A. Leucocythæmia (Leuchæmia). { M	55	—	—	1	1	2	1	—	3	4	10	3
	... { F	47	—	—	—	—	—	—	1	1	2	4	1
	B. Lymphadenoma. { M	49	—	—	—	—	—	—	—	—	—	—	9
	... { F	26	—	—	—	1	1	—	—	—	—	1	—
54	Anæmia, Chlorosis { M	273	—	—	2	4	6	2	4	1	2	15	6
	... { F	341	1	—	2	2	5	3	2	1	—	11	2
55	Other general diseases. { M	71	11	3	1	3	18	2	1	2	1	24	4
	... { F	77	13	4	1	2	20	2	1	2	2	27	3
	A. Diabetes insipidus { M	5	—	—	—	—	—	—	—	—	—	—	1
	... { F	8	—	—	—	—	—	—	—	—	—	—	1
	B. Purpura ... { M	38	3	3	1	3	10	1	—	1	—	12	2
	... { F	50	8	3	1	2	14	1	1	2	2	20	2
	C. Hæmophilia ... { M	21	8	—	—	—	8	1	1	1	1	12	—
	... { F	12	5	1	—	—	6	1	—	—	—	7	—
	D. Other diseases included under 55. { M	7	—	—	—	—	—	—	—	—	—	—	1
	... { F	7	—	—	—	—	—	—	—	—	—	—	—
56	Alcoholism (acute or chronic). { M	129	—	—	—	—	—	—	—	—	—	—	—
	... { F	58	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning. { M	29	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poisoning. { M	25	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupational lead poisoning. { M	4	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occupational poisonings. { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings. { M	2	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
60	Encephalitis ... { M	49	1	2	—	2	5	2	1	1	2	11	—
	... { F	35	—	—	2	1	3	—	—	—	1	4	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	}	49
12 16	24 9	25 16	35 26	26 18	24 30	34 18	30 33	47 41	56 70	82 96	94 103	68 78	43 41	14 23	5 7		}
— 1	— 7	1 4	— 7	1 13	1 16	— 9	1 10	2 13	1 10	1 3	— 9	— 3	— —	1 —	— —	}	
— 1	3 —	— 2	1 5	3 2	5 1	3 4	3 —	2 6	3 2	— 1	1 4	1 1	— —	— —	— —		}
5 3	7 5	6 2	6 4	6 3	8 7	7 4	5 4	7 6	4 9	6 8	8 6	7 3	— 3	— —	— —	}	
2 2	2 3	2 —	3 2	6 3	5 5	3 3	3 3	4 3	2 5	3 5	4 4	3 2	— 2	— —	— —		}
3 1	5 2	4 2	3 2	— —	3 2	4 1	2 1	3 3	2 4	3 3	4 2	4 1	— 1	— —	— —	}	
2 5	3 4	7 10	6 8	8 18	13 20	15 31	22 29	40 28	40 40	38 46	21 42	29 32	6 9	2 6	— —		}
3 9	7 4	5 3	— 2	1 3	3 4	3 2	2 2	3 3	2 8	2 2	4 2	5 1	2 1	— 1	1 —	}	
— —	— 1	— —	— —	— —	— —	— —	— —	1 1	— 4	— 1	— —	2 —	1 —	— —	— —		}
1 8	4 1	2 3	— 2	1 1	2 1	2 1	2 2	— 1	1 2	1 1	4 2	2 1	1 1	— 1	1 —	}	
2 1	3 1	2 —	— —	— 1	1 1	— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —		}
— —	— 1	1 —	— —	— 1	— 2	1 1	— —	2 1	1 1	1 —	— —	— —	— —	— —	— —	}	
— —	— —	1 —	1 —	13 1	17 4	15 11	22 7	22 13	15 11	13 6	5 —	4 2	1 3	— —	— —		}
— —	— —	1 —	1 —	2 —	3 —	6 —	4 —	4 —	3 —	4 —	1 —	— —	— —	— —	— —	}	
— —	— —	1 —	1 —	1 —	2 —	5 —	4 —	3 —	3 —	4 —	1 —	— —	— —	— —	— —		}
— —	— —	— —	— —	1 —	1 —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	}	
4 2	5 2	2 2	2 1	6 1	5 3	3 1	— 2	3 5	2 5	2 1	1 2	— 2	1 1	— —	— —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
41 35	28 22	7 7	15 7	7 7	11 8	7 10	5 6	3 8	1 8	5 3	3 5	3 5	8 4	1 5	1 1	}	61
5 3	5 1	1 —	1 —	1 —	— 1	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —		A
2 2	1 2	1 —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
34 30	22 19	5 7	14 6	6 7	11 7	7 10	4 6	3 8	1 7	5 3	3 5	3 5	8 4	1 5	1 1		}
— —	— —	— —	1 1	3 1	3 —	18 2	32 3	24 9	31 5	23 4	14 4	7 6	5 —	2 —	— —	}	
4 4	6 9	7 5	10 7	14 8	21 21	21 18	23 22	38 26	37 31	46 45	62 44	70 38	41 34	11 10	6 3		}
1 —	2 —	1 2	1 2	— 1	1 3	3 2	3 3	7 4	7 7	20 18	29 21	43 19	28 16	6 6	5 1	}	
3 4	4 9	6 3	9 5	14 7	20 18	18 16	20 19	31 22	30 24	26 27	33 23	27 19	13 18	5 4	1 2		}
1 3	1 4	7 4	11 8	21 12	44 57	70 85	117 185	197 243	274 318	401 425	492 552	551 638	457 563	242 393	122 176	}	
— 1	— —	— 1	1 3	4 4	6 13	14 17	19 33	47 53	61 61	78 85	117 110	111 130	97 112	53 89	32 33		}
— —	— —	— —	— —	— —	2 1	3 —	— —	2 2	— 4	3 3	1 1	3 3	3 1	3 2	2 3	}	
— —	— —	— —	— —	— —	— 1	— 1	1 —	— 1	1 —	2 —	— 4	1 2	3 1	2 2	1 —		}
— —	— —	— —	— —	— —	— —	3 —	1 1	4 1	4 —	8 5	12 3	12 9	8 9	7 6	4 6	}	
1 2	1 4	7 3	10 5	17 8	36 42	50 67	96 151	144 186	208 253	310 332	382 434	424 494	346 440	177 294	83 134		}
— —	— —	— 2	3 —	2 1	2 3	1 2	5 2	12 12	16 13	26 20	37 29	52 39	26 41	21 29	9 24	}	
1 —	— —	1 —	2 1	2 1	2 5	3 6	10 10	15 22	31 29	40 45	49 51	64 70	56 70	18 55	23 31		}
1 —	— —	— —	2 1	1 1	2 2	2 5	8 7	15 21	25 21	36 38	43 45	53 65	51 63	14 51	18 25	}	
— —	— —	— —	— —	— —	— 1	— 1	— 2	— —	4 4	2 3	2 —	4 2	2 3	2 2	2 —		}
— —	— —	1 —	— —	1 —	— 2	1 —	2 1	— 1	2 4	2 4	4 6	7 3	3 4	2 2	3 6	}	
— 3	2 2	6 2	12 6	59 6	97 18	106 23	87 27	80 24	49 15	26 6	14 8	11 4	6 2	— —	— 1		}
— —	1 1	3 3	2 4	3 6	8 14	9 10	11 20	9 13	15 13	19 17	14 22	22 15	6 6	3 2	1 2	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
69	Epilepsy ... { M F	421 339	1 3	2 2	4 —	5 2	12 7	6 4	3 2	1 6	1 2	23 21	19 7	
70	Convulsions (non- puerperal; 5 { M years and over). { F	12 15	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	6 6	
	A. Epileptiform { M convulsions. { F	6 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	
	B. Others in- { M cluded under 70 { F	6 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	5 6	
71	Infantile convul- sions (under 5 { M years). { F	1,446 993	429 287	293 183	240 164	293 212	1,255 846	147 114	30 20	9 7	5 6	1,446 993	— —	
	A. Convulsions { M with teething. { F	224 176	— —	1 1	30 24	122 96	153 121	67 51	4 4	— —	— —	224 176	— —	
	B. Other infantile { M convulsions. { F	1,222 817	429 287	292 182	210 140	171 116	1,102 725	80 63	26 16	9 7	5 6	1,222 817	— —	
72	Chorea ... { M F	4 43	— —	— —	1 —	— 1	1 1	— 1	— —	— —	— 1	1 3	2 6	
73	Hysteria, Neuralgia, { M Neuritis. { F	38 99	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	
	A. Hysteria, Neu- { M ralgia, Sciatica. { F	5 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	
	B. Neuritis ... { M F	33 95	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
74	Other diseases of the { M nervous system. { F	264 306	2 —	2 1	5 3	3 9	12 13	5 2	3 6	7 8	1 2	28 31	14 15	
	A. Idiocy, Im- { M becility. { F	41 35	— —	— —	1 1	1 3	2 4	1 1	1 3	3 2	— 1	7 11	4 6	
	B. Cretinism ... { M F	6 10	— —	— —	— 1	1 1	1 2	2 1	1 1	— —	1 —	5 4	— —	
	C. Cerebral { M tumour. { F	95 113	— —	— —	— —	1 1	1 1	— —	1 2	1 2	— —	3 5	— —	
	D. Other diseases { M included under { F	122 148	2 —	2 1	4 1	— 4	8 6	2 —	— —	3 4	— 1	13 11	— —	
75	Diseases of the eyes { M and annexa. { F	5 7	— —	— 1	— —	1 —	1 1	— —	— —	— 1	— —	1 2	— —	
76	Diseases of the ears { M F	197 153	2 2	4 3	11 8	21 13	38 26	20 13	10 5	5 3	5 6	78 53	24 27	
	A. Mastoid disease { M F	43 41	— 1	1 —	4 1	2 3	7 5	6 3	5 1	1 1	2 1	21 11	— —	
	B. Other diseases { M of the ears. { F	154 112	2 1	3 3	7 7	19 10	31 21	14 10	5 4	4 2	3 5	57 42	24 19	
77	Pericarditis ... { M F	79 67	1 —	1 —	1 —	3 1	6 1	4 1	1 2	1 1	5 1	17 6	— —	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
16 18	33 19	31 18	31 17	37 29	41 26	31 26	32 26	26 31	30 24	24 18	17 18	16 21	6 8	7 8	1 4	}	69
1 1	— 1	— —	— 1	— —	1 —	— 1	1 —	1 —	— —	— 1	1 1	— 1	1 1	— 1	— —		}
1 —	— —	— —	— 1	— —	— —	— —	1 —	1 —	— —	— 1	1 1	— 1	1 —	— 1	— —	}	
— 1	— 1	— —	— —	— —	1 —	— 1	— —	— —	— —	— —	— —	— —	— 1	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 12	— 10	— 2	— 1	— —	— 2	— 1	— —	— —	— 2	— —	— —	— 3	— —	— 1	— —		}
— 1	— —	— 1	— 1	1 2	4 13	4 11	6 17	4 12	5 8	5 12	2 8	4 5	2 5	— 2	— 1	}	
— —	— —	— —	— —	— —	— 1	— —	— 1	— —	1 —	1 —	1 1	1 1	1 —	— —	— —		}
— 1	— —	— 1	— 1	1 2	4 12	4 11	6 16	4 12	4 8	4 12	1 7	3 4	1 5	— 2	— 1	}	
15 7	12 7	9 12	14 12	9 10	13 15	10 19	19 22	11 26	24 27	31 27	23 24	14 15	9 19	6 8	3 10		}
7 —	2 2	4 1	2 —	3 3	3 —	1 2	2 3	1 3	2 2	1 1	1 —	1 —	— 1	— —	— —	}	
1 —	— 1	— 2	— 1	— —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
7 6	9 3	4 8	5 7	4 4	10 10	6 10	12 10	6 13	4 9	9 6	5 9	4 4	— 2	— —	— —	}	
— 1	1 1	1 1	7 4	2 3	— 3	3 7	5 9	4 10	18 16	21 20	17 15	9 11	9 16	6 8	3 10		}
— —	1 —	— 1	— —	— —	— —	— 1	— —	— —	— —	— 2	1 —	— —	1 —	— —	— 1	}	
12 22	14 10	14 6	14 7	10 4	7 5	6 2	5 2	5 4	1 3	2 2	1 4	4 2	— —	— —	— —		}
5 7	— 3	3 2	4 2	1 —	2 2	1 —	1 —	1 3	— —	1 1	— 1	1 1	— —	— —	— —	}	
7 15	14 7	11 4	10 5	9 4	5 3	5 2	4 2	4 1	1 3	1 1	1 3	3 1	— —	— —	— —		}
3 3	6 7	1 4	2 1	3 3	7 3	4 4	7 4	2 2	4 2	5 3	7 5	3 3	1 2	1 4	— 1	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
13 26	10 28	12 21	19 14	22 17	20 14	27 27	24 18	17 32	32 35	5 5	3 5	— 3	1 2	— —	— —	}	78
1 2	— 2	1 —	— 1	7 3	4 2	5 5	6 8	7 9	19 12	— —	1 2	— —	1 1	— —	— —		A
7 6	5 17	4 16	7 6	12 8	7 3	11 8	9 2	3 3	3 6	3 4	1 1	— —	— 2	— —	— —	}	B
5 18	5 9	7 5	12 7	3 6	9 9	11 14	9 8	7 20	10 17	2 1	1 2	— 3	— —	— —	— —		C
84 86	103 97	76 97	68 122	138 161	187 227	249 319	356 391	521 572	662 662	866 954	1,003 1,124	958 1,331	674 938	308 481	144 261	}	79
55 55	69 59	49 74	48 83	81 95	113 142	150 176	190 223	256 287	288 302	352 422	408 444	377 532	220 347	97 164	38 83		A
1 2	— —	3 —	2 2	6 10	11 11	9 16	27 20	34 50	60 70	69 81	84 100	63 93	42 56	13 26	6 14	}	B
28 29	34 38	24 23	18 37	51 56	63 74	90 127	139 148	231 235	314 290	445 451	511 580	518 706	412 535	198 291	100 164		C
— —	— 1	— —	1 —	2 —	2 2	4 3	5 5	24 6	31 17	38 12	39 27	29 18	19 14	12 5	5 2	}	80
— 1	1 —	— 1	3 2	14 2	25 3	40 7	64 20	79 25	117 46	172 78	216 118	303 169	236 187	140 136	92 118		81
— 1	1 —	— 1	3 2	8 2	20 3	27 4	40 11	32 5	29 8	32 6	18 5	15 3	13 9	— 2	2 1	}	A
— —	— —	— —	— —	6 —	5 —	10 2	21 7	44 19	86 36	138 70	195 108	281 164	222 177	138 132	89 116		B
— —	— —	— —	— —	— —	— —	3 1	3 2	3 1	2 2	2 2	3 5	7 2	1 1	2 2	1 1	}	C
— 2	2 3	1 7	— 5	7 6	2 9	8 25	15 14	24 36	34 42	45 52	61 61	58 95	65 94	31 49	17 45		82
— 2	— 1	1 6	— 4	4 5	1 6	4 17	10 8	18 29	27 37	41 48	55 58	53 90	63 92	30 47	17 44	}	A
— —	2 2	— 1	— 1	3 1	1 3	4 8	5 6	6 7	7 5	4 4	6 3	5 5	2 2	1 2	— 1		B
1 1	— 2	1 1	1 3	2 2	1 4	— 8	1 9	3 4	5 12	5 8	4 7	4 4	2 6	— —	— 3	}	83
— —	— —	1 1	— —	1 1	— —	— 2	— 6	2 1	1 5	4 5	3 3	3 3	2 3	— —	— 1		A
— 1	— 2	— —	1 3	1 1	1 4	— 6	1 3	1 3	3 7	— 3	1 4	1 1	— 3	— —	— 2	}	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	— —		C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	D

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.).	M 55	3	3	14	9	29	4	1	3	—	37	6
		F 42	4	5	3	7	19	6	—	2	—	27	2
	A. Status lymphaticus.	M 44	3	3	14	7	27	4	—	3	—	34	5
		F 27	2	4	3	4	13	5	—	2	—	20	2
	B. Other diseases of the lymphatic system.	M 11	—	—	—	2	2	—	1	—	—	3	1
		F 15	2	1	—	3	6	1	—	—	—	7	—
85	Hæmorrhage, other dis. of the circulatory system.	M 28	—	—	—	—	—	—	—	—	1	1	—
		F 34	1	—	—	—	1	—	—	—	—	1	1
	A. Functional disease of the heart.	M 16	—	—	—	—	—	—	—	—	—	—	—
		F 29	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	M 4	—	—	—	—	—	—	—	—	1	1	—
		F 3	1	—	—	—	1	—	—	—	—	1	1
86	Diseases of the nasal fossæ.	M 14	2	2	—	1	5	1	—	1	—	7	—
		F 17	3	2	2	—	7	1	—	1	—	9	—
	Diseases of the larynx	M 220	2	3	14	38	57	29	23	28	19	156	4
		F 173	1	5	6	27	39	42	20	13	13	127	2
	A. Laryngismus stridulus	M 45	2	—	8	16	26	2	4	5	5	42	—
		F 32	1	3	2	5	11	11	3	1	1	27	—
87	B. Laryngitis ...	M 169	—	3	6	22	31	27	19	23	13	113	3
		F 139	—	2	4	22	28	31	17	12	12	100	1
	C. Other diseases of larynx.	M 6	—	—	—	—	—	—	—	—	1	1	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
	Diseases of the thyroid body	M 16	—	—	—	—	—	2	—	—	—	2	—
		F 76	—	—	—	—	—	—	—	—	—	—	—
88	Bronchitis...	M 7,555	190	453	443	587	1,673	383	76	41	16	2,189	4
		F 8,627	138	373	325	502	1,338	373	88	41	19	1,859	4
	A. Bronchiectasis, Bronchial catarrh, &c.	M 132	7	13	5	6	31	7	1	—	—	39	—
		F 95	2	9	2	5	18	5	1	1	1	26	—
	B. Other bronchitis	M 7,423	183	440	438	581	1,642	376	75	41	16	2,150	—
		F 8,532	136	364	323	497	1,320	368	87	40	18	1,833	—
89 & 90	Broncho-pneumonia	M 3,756	49	283	425	975	1,732	859	268	99	56	3,014	—
		F 3,270	72	219	295	662	1,248	746	237	110	72	2,413	—
91	Pneumonia, lobar and undefined	M 3,923	16	60	104	218	398	242	76	61	36	813	—
		F 2,650	14	46	70	179	309	220	76	53	43	701	—
	A. Lobar pneumonia	M 1,649	5	13	18	53	89	68	25	23	13	218	—
		F 1,067	3	6	17	51	77	59	23	17	18	194	—
	B. Pneumonia (type not stated).	M 2,274	11	47	86	165	309	174	51	38	23	595	—
		F 1,583	11	40	53	128	232	161	53	36	25	507	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
3 2	2 2	— —	— 2	— 1	1 —	1 —	— 1	— 1	1 —	— —	— 1	2 1	1 —	1 2	— —	}	84
3 2	2 2	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
— —	— —	— —	— 2	— —	1 —	1 —	— 1	— 1	1 —	— —	— 1	2 1	1 —	1 2	— —	}	B
— —	— —	— —	1 —	— —	1 1	1 1	1 2	2 3	4 5	4 5	4 5	4 4	2 6	3 —	— —		85
— —	— —	— —	1 —	— —	1 1	— 1	1 2	1 2	3 4	2 5	1 5	3 3	1 6	2 —	— —	}	A
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	1 —	— —	— —	1 —	— —		B
— —	— —	— —	— —	— —	— —	1 —	— —	1 —	1 1	1 —	2 —	1 1	1 —	— —	— —	}	C
2 3	— 1	2 1	— —	— —	— 1	— 1	— —	— —	— —	1 —	— —	1 —	— 1	— —	— —		86
1 3	— 1	— 2	1 1	2 1	3 4	1 2	— —	3 2	3 1	1 —	2 2	4 1	1 1	— 1	— —	}	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
1 3	— 1	— 1	— 1	2 1	2 3	1 2	— —	3 2	3 1	1 —	2 2	2 1	— 1	— 1	— —	}	B
— —	— —	— 1	1 —	— —	1 1	— —	— —	— —	— —	— —	— —	2 —	1 —	— —	— —		C
— 1	4 1	2 3	— 3	2 —	— 2	1 3	1 5	2 8	— 8	— 8	— 13	— 13	2 4	— 2	— 1	}	88
9 18	9 20	16 13	26 22	42 27	70 86	111 104	157 159	338 274	427 348	595 642	752 889	952 1,286	893 1,259	570 891	356 689		89 & 90
2 2	1 2	1 2	4 1	1 —	4 2	6 —	10 2	13 1	4 7	7 2	7 4	8 8	4 6	9 10	9 17	}	A
7 16	8 18	15 11	22 21	41 27	66 84	105 104	147 157	325 273	423 341	588 640	745 885	944 1,278	889 1,253	561 881	347 672		B
12 21	7 11	13 6	19 8	19 16	29 14	30 24	44 32	52 37	58 57	66 81	96 109	97 122	63 107	33 86	27 42	}	91
49 55	86 54	150 65	137 80	244 103	258 117	293 132	301 150	279 122	278 137	281 164	240 224	195 179	124 139	51 82	38 46		92
18 27	39 28	79 31	65 45	120 56	139 59	145 70	152 76	134 54	136 72	120 68	108 92	70 58	35 49	14 28	9 14	}	A
31 28	47 26	71 34	72 35	124 47	119 58	148 62	149 74	145 68	142 65	161 96	132 132	125 121	89 90	37 54	29 32		B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
93	Pleurisy ... {	M 239	—	4	2	4	10	17	7	3	2	39	9
		F 177	—	—	—	2	2	7	6	3	3	21	3
	A. Empyema ... {	M 76	—	2	2	3	7	14	6	3	1	31	6
		F 44	—	—	—	2	2	7	6	3	3	21	2
	B. Other pleurisy {	M 163	—	2	—	1	3	3	1	—	1	8	3
	F 133	—	—	—	—	—	—	—	—	—	—	1	
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M 228	6	11	8	12	37	4	6	—	1	48	2
		F 277	3	2	10	12	27	10	1	2	—	40	2
	A. Pulmonary apoplexy and infarction. {	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
	B. Pulmonary œdema and congestion. {	M 188	6	11	6	12	35	4	6	—	1	46	2
		F 234	3	2	10	12	27	10	1	2	—	40	2
	C. Hypostatic pneumonia. {	M 34	—	—	—	—	—	—	—	—	—	—	—
		F 40	—	—	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (three months and over). {	M 3	—	—	2	—	2	—	—	—	—	2	—
		F —	—	—	—	—	—	—	—	—	—	—	—
95	Gangrene of the lung. {	M 17	—	—	—	—	—	—	—	—	—	—	1
		F 11	—	—	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M 375	—	—	—	1	1	1	1	1	—	4	1
		F 287	—	—	—	1	1	—	1	2	—	4	1
97	Pulmonary emphysema. {	M 104	—	—	—	—	—	—	—	—	—	—	—
		F 37	—	—	—	—	—	—	—	—	—	—	—
98	Other diseases of the respiratory system. {	M 115	—	—	1	2	3	—	2	—	2	7	—
		F 54	—	1	1	1	3	—	1	—	—	4	—
	A. Fibroid disease of lung. {	M 80	—	—	—	1	1	—	—	—	1	2	—
		F 25	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 98. {	M 35	—	—	1	1	2	—	2	—	1	5	—
		F 29	—	1	1	1	3	—	1	—	—	4	—
99	Diseases of the mouth and annexa. {	M 68	15	8	4	2	29	7	1	1	1	39	—
		F 60	9	9	3	8	29	4	—	1	—	34	—
	A. Diseases of the teeth and gums. {	M 39	5	1	—	2	8	6	1	1	1	17	—
		F 33	3	2	1	3	9	4	—	—	—	13	—
	B. Thrush, Aphthous stomatitis. {	M 20	10	5	4	—	19	1	—	—	—	20	—
		F 16	4	7	2	3	16	—	—	—	—	16	—
	C. Parotitis ... {	M 5	—	2	—	—	2	—	—	—	—	2	—
		F 8	2	—	—	1	3	—	—	1	—	4	—
	D. Other diseases of mouth and annexa. {	M 4	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	1	1	—	—	—	—	1	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
3 6	6 6	6 6	10 1	16 13	16 8	12 11	10 12	19 5	19 10	24 11	19 23	19 18	6 10	4 8	2 5	}	93
— 3	1 2	2 3	3 1	4 4	5 —	6 3	5 2	4 —	3 2	3 —	2 1	1 —	— —	— —	— —		}
3 3	5 4	4 3	7 —	12 9	11 8	6 8	5 10	15 5	16 8	21 11	17 22	18 18	6 10	4 8	2 5	}	
1 3	1 1	— 1	2 4	3 3	3 9	7 4	11 6	4 7	12 8	11 12	25 22	27 23	25 41	21 44	25 47		}
— —	— —	— —	— —	1 —	— —	— —	1 —	— —	— —	— —	1 1	— —	— 1	— —	— 1	}	
1 3	1 1	— 1	2 4	2 3	3 9	7 3	9 6	4 7	11 6	10 10	18 19	19 22	18 30	15 32	20 36		}
— —	— —	— —	— —	— —	— —	— 1	— —	— —	1 2	1 2	6 2	8 1	7 10	6 12	5 10	}	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	1 —	1 1	2 —	— 3	2 1	3 —	1 2	2 —	2 —	1 1	— 2	1 —	— —	— 1	— —	}	
1 1	3 3	2 2	5 8	7 9	12 15	21 10	38 29	36 22	36 32	47 40	68 36	55 39	25 23	9 11	5 2		}
— —	— —	— —	3 —	1 1	3 2	5 —	5 2	9 3	13 2	12 1	18 10	18 6	10 4	6 2	1 4	}	
— —	1 —	3 2	2 2	6 2	9 1	10 5	9 4	13 3	15 4	15 4	14 8	6 5	3 5	2 3	— 2		}
— —	— —	2 1	— —	4 —	3 1	7 4	8 1	12 1	12 3	12 4	11 3	2 1	3 4	2 2	— —	}	
— —	1 —	1 1	2 2	2 2	6 —	3 1	1 3	1 2	3 1	3 —	3 5	4 4	— 1	— 1	— 2		}
— 2	1 3	3 1	5 1	— —	2 1	1 1	4 1	2 3	— —	3 2	2 2	1 2	1 4	2 1	— 1	}	
— 2	1 3	2 1	4 1	— —	2 1	1 1	3 1	2 3	— —	3 1	— 2	1 1	1 —	— 1	— 1		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— 1	— 3	2 —	— —		}
— —	— —	1 —	1 —	— —	— —	— —	1 —	— —	— —	— 1	1 —	— —	— 1	— —	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
100	Diseases of the pharynx, Tonsillitis.	M 134	3	2	3	11	19	12	5	7	11	54	28	
		F 104	—	1	2	8	11	4	6	3	4	28	25	
	A. Tonsillitis ...	M 99	1	2	2	6	11	8	5	6	9	39	27	
		F 72	—	—	—	2	2	3	5	2	1	13	22	
	B. Ludwig's angina.	M 2	—	—	—	—	—	—	—	—	—	—	—	
		F 5	—	—	—	2	2	—	—	—	—	2	—	
	C. Other diseases of the pharynx.	M 33	2	—	1	5	8	4	—	1	2	15	1	
		F 27	—	1	2	4	7	1	1	1	3	13	3	
101	Diseases of the œsophagus	M 11	—	—	—	—	—	—	—	—	—	—	—	
		F 5	—	—	—	—	—	—	—	—	—	—	—	
102	Perforating ulcer of stomach.	M 248	1	—	—	—	1	—	1	—	—	2	1	
		F 279	1	—	—	—	1	1	—	1	—	3	1	
103	Other diseases of the stomach.	M 514	32	103	74	48	257	24	11	2	1	295	6	
		F 554	22	57	55	48	182	20	12	4	7	225	9	
	A. Inflammation of stomach.	M 399	28	99	63	41	231	21	8	2	1	263	6	
		F 452	18	51	51	44	164	16	9	4	7	200	8	
	B. Other diseases included under 103.	M 115	4	4	11	7	26	3	3	—	—	32	—	
		F 102	4	6	4	4	18	4	3	—	—	25	1	
104 & 105	Diarrhœa and enteritis	M 1,519	115	257	300	215	887	147	40	16	2	1,092	15	
		F 1,180	58	188	213	190	649	132	35	11	4	831	17	
	A. Infective enteritis.	M 143	10	30	30	30	100	18	11	1	1	131	1	
		F 142	7	25	29	33	94	21	6	2	—	123	1	
	B. Diarrhœa—not returned as infective.	M 309	26	49	71	49	195	37	5	4	1	242	1	
		F 258	11	35	46	44	136	28	9	2	1	176	3	
	C. Enteritis—not returned as infective.	M 387	28	69	78	57	232	50	11	4	—	297	5	
		F 301	16	36	59	45	156	30	8	2	1	197	2	
	D. Gastro-enteritis—not returned as infective.	M 415	37	88	104	75	304	38	13	7	—	362	6	
		F 342	13	66	64	65	208	48	12	5	2	275	1	
	E. Dyspepsia—under 2 years.	M 49	10	16	17	3	46	3	—	—	—	49	—	
		F 53	7	25	13	3	48	5	—	—	—	53	—	
	F. Colic ...	M 11	2	5	—	—	7	—	—	—	—	7	—	
		F 17	3	1	2	—	6	—	—	—	—	6	—	
	G. Ulceration of intestines.	M 46	2	—	—	—	2	1	—	—	—	3	—	
		F 45	1	—	—	—	1	—	—	—	—	1	—	
	H. Duodenal ulcer.	M 159	—	—	—	1	1	—	—	—	—	1	—	
		F 22	—	—	—	—	—	—	—	—	—	—	—	
106	Ankylostomiasis ...	M —	—	—	—	—	—	—	—	—	—	—	—	
	F —	—	—	—	—	—	—	—	—	—	—	—	—	
107	Other intestinal parasites.	M 2	—	—	—	—	—	—	—	—	1	1	—	
	F 4	—	—	—	—	—	—	3	—	—	—	3	—	
108	Appendicitis ...	M 346	—	—	—	1	1	2	1	4	8	16	8	
		F 268	—	—	—	1	1	—	3	3	1	8	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
109	Hernia, Intestinal obstruction.	M 502	14	12	34	32	92	15	4	3	6	120	11
		F 559	4	6	9	14	33	5	—	1	6	45	2
	A. Hernia ...	M 186	6	8	10	5	29	6	1	—	2	38	1
		F 261	—	—	2	1	3	—	—	—	—	3	—
	B. Intestinal obstruction.	M 316	8	4	24	27	63	9	3	3	4	82	10
		F 293	4	6	7	13	30	5	—	1	6	42	2
110	Other diseases of the intestines.	M 61	2	2	1	3	8	3	—	—	—	11	—
		F 92	2	2	4	4	12	1	1	—	—	14	—
111	Acute yellow atrophy of the liver.	M 5	—	—	—	—	—	—	—	1	—	1	—
		F 13	—	—	—	1	1	—	—	—	1	2	—
112	Hydatid of liver ...	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver	M 592	—	—	—	1	1	—	—	—	—	1	2
		F 473	—	—	—	1	1	—	—	—	—	1	1
	A. Cirrhosis of the liver not ret'd alcoholic.	M 526	—	—	—	1	1	—	—	—	—	1	1
		F 415	—	—	—	1	1	—	—	—	—	1	1
	B. Cirrhosis of the liver ret'd as alcoholic.	M 48	—	—	—	—	—	—	—	—	—	—	—
		F 47	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gallbladder."	M 18	—	—	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi ...	M 57	—	—	—	—	—	—	—	—	—	—	—
		F 159	—	—	—	—	—	—	—	1	—	1	—
115	Other diseases of the liver.	M 115	—	2	2	4	8	1	3	1	1	14	—
		F 125	—	—	2	1	3	2	3	—	—	8	—
116	Diseases of the spleen.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—
	A. Infarction of spleen.	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M 7	—	—	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M 57	1	3	1	3	8	3	2	1	1	15	—
		F 68	1	—	1	1	3	—	1	6	3	13	—
118	Other diseases of the digestive system.	M 29	—	—	—	—	—	—	—	—	—	—	—
		F 21	—	—	—	—	—	—	—	—	—	—	—
	A. Abdominal abscess, Subphrenic absces.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 118.	M 29	—	—	—	—	—	—	—	—	—	—	—
		F 17	—	—	—	—	—	—	—	—	—	—	—
119	Acute Nephritis	M 292	—	6	5	5	16	15	10	5	6	52	—
		F 252	—	6	7	4	17	22	10	6	8	63	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
9 4	7 4	13 6	9 8	12 12	23 16	14 33	19 28	25 35	28 56	36 66	51 62	49 71	41 60	25 36	10 15	}	109
— —	2 —	5 1	— 1	3 2	6 6	4 11	7 14	9 19	16 28	16 46	28 41	21 38	16 29	9 20	5 2		}
9 4	5 4	8 5	9 7	9 10	17 10	10 22	12 14	16 16	12 28	20 20	23 21	28 33	25 31	16 16	5 13	}	
— 2	1 1	2 1	— 2	1 4	4 4	4 5	1 1	6 5	4 7	9 4	2 11	7 9	6 12	2 6	1 4		}
— 1	— —	— 3	2 1	— —	— 1	1 2	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —	}	
— —	— —	— —	— —	— 1	— —	— 2	— 1	— —	1 —	— —	— —	— —	— —	— —	— —		}
1 2	— —	3 —	6 2	10 8	33 31	48 43	79 70	99 66	92 75	85 65	63 54	43 37	19 13	6 4	2 1	}	
1 2	— —	2 —	5 1	9 6	29 25	41 36	70 60	87 60	82 64	79 59	57 50	39 33	17 13	5 3	1 1		}
— —	— —	— —	— 1	1 2	3 5	6 6	8 9	10 4	8 9	5 5	4 3	2 3	1 —	— —	— —	}	
— —	— —	1 —	1 —	— —	1 1	1 1	1 1	2 2	2 2	1 1	2 1	2 1	1 —	1 1	1 —		}
— —	— —	— —	— —	— 1	1 4	2 5	7 9	5 16	6 19	13 25	7 29	5 26	5 13	5 9	1 2	}	
3 1	— 2	— 3	1 1	— 3	11 4	10 11	7 5	6 7	6 13	11 10	11 10	16 15	8 16	7 10	3 4		}
— 1	— —	— —	— —	— 1	2 —	— 2	1 —	— 1	1 1	— 3	— 2	— —	2 —	1 —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— 1	— —	— —	— —	— 1	2 —	— 2	1 —	— 1	1 1	— 3	— 2	— —	2 —	1 —	— —	}	
3 2	5 1	— 2	— 7	4 6	2 5	3 6	5 4	— 1	5 —	3 5	3 1	5 5	1 —	— 1	— —		}
1 —	— —	— —	— —	1 1	5 1	2 2	2 3	3 3	3 4	5 2	4 1	1 3	— 1	1 —	— —	}	
— —	— —	— —	— —	— —	— —	— 1	— 1	— 1	— —	— 1	— —	— —	— —	— —	— —		}
1 —	— —	— —	— —	1 1	5 1	2 1	2 2	3 2	3 4	5 1	4 1	1 3	— 1	1 —	— —	}	
11 7	9 17	16 6	13 9	15 15	20 30	18 15	25 16	26 19	19 8	24 13	11 11	8 5	4 2	3 —	1 —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— —	— —	— —	— 3	— 4	— 7	— 5	— 9	— 3	— 5	— 1	— 1	— 1	— 2	— 2	— —	}	130
— —	— —	— —	— —	— —	— —	— 2	— 3	— 1	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— 3	— 4	— 7	— 3	— 6	— 2	— 5	— 1	— 1	— 1	— 2	— 2	— —	}	B
— —	— —	— 1	— 5	— 6	— 7	— 4	— 8	— 6	— 6	— 7	— 10	— 11	— 8	— 3	— 1		
— 1	— 3	— 5	— 12	— 9	— 17	— 3	— 3	— 1	— 1	— —	— —	— —	— —	— —	— —	}	132
— —	— 2	— 1	— —	— —	— 2	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —		
— 1	— 1	— 4	— 12	— 9	— 15	— 3	— 3	— 1	— —	— —	— —	— —	— —	— —	— —	}	B
— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —		
— —	— —	— 9	— 16	— 25	— 40	— 15	— 3	— —	— —	— —	— —	— —	— —	— —	— —	}	134
— —	— —	— 1	— 6	— 5	— 14	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— 1	— 4	— 11	— 9	— 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
— —	— —	— 2	— 2	— 1	— 6	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— 4	— 2	— 7	— 7	— 3	— 2	— —	— —	— —	— —	— —	— —	— —	— —	}	D
— —	— —	— 1	— 2	— 1	— 4	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— 1	— 9	— 19	— 32	— 29	— 18	— 2	— —	— —	— —	— —	— —	— —	— —	— —	}	135
— —	— 2	— 18	— 23	— 30	— 26	— 13	— 2	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— 12	— 57	— 97	— 95	— 80	— 26	— 2	— —	— —	— —	— —	— —	— —	— —	— —	}	137

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
138	Puerperal albumi- nuria and con- vulsions.	M — F 163	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal ne- phritis and uræmia.	M — F 49	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal albuminuria and Bright's disease.	M — F 10	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Puerperal convulsions.	M — F 104	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M — F 97	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Puerperal phlegmasia alba dolens and phlebitis.	M — F 23	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Puerperal em- bolism and sudden death.	M — F 74	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
140	Puerperal insanity	M — F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
141	Puerperal diseases of the breast.	M — F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
142	Gangrene ...	M 242 F 195	1 1	— 1	— —	— 1	1 3	— 4	1 —	1 3	— —	3 10	1 1
	A. Senile gangrene.	M 219 F 174	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Noma, Gan- grene of mouth.	M 4 F 9	— —	— —	— —	— 1	— 1	— 3	1 —	1 3	— —	2 7	1 1
	C. Noma pudendi	M 7 F 2	— —	— 1	— —	— —	— 1	— 1	— —	— —	— —	— 2	— —
	D. Other gan- grene.	M 12 F 10	1 1	— —	— —	— —	1 1	— —	— —	— —	— —	1 1	— —
143	Carbuncle, Boil ...	M 57 F 25	— —	— —	1 —	1 —	2 —	1 —	— —	— —	— —	3 —	— —
144	Phlegmon, Acute abscess.	M 114 F 89	4 8	5 6	6 5	7 5	22 24	4 6	3 1	— —	1 —	30 31	— 2
	A. Phlegmon ...	M 83 F 60	3 5	2 3	3 4	2 2	10 14	2 4	3 1	— —	1 —	16 19	— 2
	B. Acute Abscess	M 31 F 29	1 3	3 3	3 1	5 3	12 10	2 2	— —	— —	— —	14 12	— —

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	138
—	9	27	42	44	23	15	3	—	—	—	—	—	—	—	—		
—	3	4	11	12	11	6	2	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	1	6	1	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	6	21	30	26	11	9	1	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	10	24	28	23	11	—	—	—	—	—	—	—	—	—	}	139
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	3	5	6	6	2	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	7	19	22	17	9	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	3	1	1	1	—	—	—	—	—	—	—	—	—	}	140
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	}	141
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	1	—	1	3	1	6	14	31	49	59	44	28	}	142
—	—	—	—	1	1	1	—	1	5	13	14	32	43	38	35		
—	—	—	—	—	—	—	—	—	1	14	28	47	58	44	27	}	A
—	—	—	—	—	—	—	—	—	2	11	14	32	43	37	35		
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
—	—	—	—	—	—	1	—	—	1	—	2	1	1	—	1	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	—	3	1	4	—	1	1	—	—	—	}	D
—	—	—	—	1	1	1	—	1	3	2	—	—	—	—	—		
—	2	3	1	—	6	5	2	7	6	7	7	4	3	—	1	}	143
—	2	—	1	3	1	2	1	1	1	2	4	4	1	1	1		
4	5	—	1	1	2	8	6	10	13	6	10	11	3	2	2	}	144
3	1	1	4	1	2	3	3	6	3	9	3	7	4	6	—		
3	1	—	1	1	2	5	5	10	10	5	9	9	3	1	2	}	A
3	1	—	3	—	1	3	2	4	1	8	2	6	2	3	—		
1	4	—	—	—	—	3	1	—	3	1	1	2	—	1	—	}	B
—	—	1	1	1	1	—	1	2	2	1	1	1	2	3	—		

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
145	Diseases of the integumentary system. { M	153	26	12	11	13	62	11	1	—	1	75	—
	F	175	12	9	5	3	29	5	3	3	1	41	1
	A. Ulcer, Bed sore { M	65	1	—	—	—	1	2	—	—	—	3	—
	F	102	—	—	—	—	—	1	—	1	—	2	—
	B. Eczema ... { M	39	7	8	8	8	31	3	—	—	—	34	—
	F	22	3	4	5	—	12	3	2	1	—	18	1
	C. Pemphigus ... { M	14	8	—	—	1	9	2	—	—	1	12	—
	F	13	5	2	—	1	8	—	—	—	—	8	—
	D. Other Dis. of the integumentary system. { M	35	10	4	3	4	21	4	1	—	—	26	—
	F	38	4	3	—	2	9	1	1	1	1	13	—
146	Diseases of the bones. { M	92	—	1	1	4	6	1	2	—	1	10	18
	F	59	—	2	1	—	3	2	2	—	2	9	6
147	Diseases of the joints. { M	18	—	—	1	2	3	—	—	—	1	4	1
	F	18	—	1	2	—	3	—	—	—	—	3	1
148	Amputations ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system. { M	7	—	—	—	—	—	—	—	—	—	1	—
	F	4	—	—	—	1	1	—	—	—	—	—	—
150	Congenital malformations. { M	594	313	101	50	37	501	37	9	9	2	558	12
	F	442	251	68	33	37	339	15	5	4	—	413	7
	A. Congenital hydrocephalus. { M	55	5	3	8	10	26	16	2	3	1	48	5
	F	25	5	6	1	6	18	1	1	1	—	21	1
	B. Phimosis ... { M	10	3	5	—	1	9	1	—	—	—	10	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart. { M	237	139	28	16	15	198	13	5	3	1	220	8
	F	180	100	15	15	19	149	8	3	2	—	162	8
	D. Other congenital malformations. { M	292	166	65	26	11	268	7	2	3	—	280	9
	F	237	146	47	17	12	222	6	1	1	—	230	9
151	Premature birth, Infantile debility, Icterus and Sclerema. { M	4,420	3,395	636	261	128	4,420	—	—	—	—	4,420	—
	F	3,276	2,542	464	174	96	3,276	—	—	—	—	3,276	—
	A. Premature birth. { M	2,677	2,428	207	39	3	2,677	—	—	—	—	2,677	—
	F	2,062	1,863	177	16	6	2,062	—	—	—	—	2,062	—
	B. Infant. atrophy, debility and marasmus. { M	1,615	873	409	217	116	1,615	—	—	—	—	1,615	—
	F	1,127	625	264	152	86	1,127	—	—	—	—	1,127	—
	C. Icterus neonatorum. { M	93	84	8	—	1	93	—	—	—	—	93	—
	F	59	49	10	—	—	59	—	—	—	—	59	—
	D. Sclerema and oedema neonatorum. { M	5	2	3	—	—	5	—	—	—	—	5	—
	F	4	2	2	—	—	4	—	—	—	—	4	—
	E. Want of breast milk. { M	30	8	9	5	8	30	—	—	—	—	30	—
	F	24	3	11	6	4	24	—	—	—	—	24	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1 2	1 2	— —	1 2	1 1	— 1	1 4	3 6	4 5	3 12	10 14	15 12	16 20	5 24	12 9	5 19	145
— 1	— 1	— —	1 1	— 1	— 1	— 4	2 5	2 4	3 8	10 12	14 9	13 18	3 19	11 7	3 9	
— —	— —	— —	— 1	— —	— —	1 —	— —	— —	— —	— —	1 —	1 —	— 1	1 1	1 —	
— —	1 —	— —	— —	— —	— —	— —	1 —	1 —	— 1	— —	— —	— —	— —	— —	3 —	
1 1	— 1	— —	— —	1 —	— —	— —	1 —	1 1	— 3	— 2	— 3	2 2	2 4	— 1	1 7	146
11 11	8 4	4 1	4 2	3 1	5 2	4 3	7 3	1 2	2 3	4 4	2 2	6 3	2 2	1 —	— 1	
1 1	1 —	— —	— 2	2 —	— —	2 1	— 1	— —	1 1	1 —	3 4	2 2	— 1	— 1	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	1 —	— —	— —	— —	1 —	1 —	— —	1 —	1 —	— —	1 2	— 1	1 —	— —	149
7 4	6 4	3 5	— 1	1 1	1 2	3 2	1 1	2 2	— —	— —	— —	— —	— —	— —	— —	
1 1	1 1	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
4 2	4 2	2 3	— 1	1 1	— 2	1 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	150
2 1	1 1	1 2	— —	— —	1 —	2 1	1 —	2 1	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	151
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	152
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
152	Other diseases peculiar to early infancy.	M 496	471	25	—	—	496	—	—	—	—	496	—
		F 313	295	18	—	—	313	—	—	—	—	313	—
	A. Diseases of umbilicus, &c.	M 51	46	5	—	—	51	—	—	—	—	51	—
		F 46	41	5	—	—	46	—	—	—	—	46	—
	B. Atelectasis ...	M 267	251	16	—	—	267	—	—	—	—	267	—
		F 160	148	12	—	—	160	—	—	—	—	160	—
	C. Injuries at birth.	M 172	168	4	—	—	172	—	—	—	—	172	—
		F 107	106	1	—	—	107	—	—	—	—	107	—
	D. Cyanosis neonatorum.	M 6	6	—	—	—	6	—	—	—	—	6	—
		F —	—	—	—	—	—	—	—	—	—	—	—
153	Lack of care ...	M 27	26	1	—	—	27	—	—	—	—	27	—
		F 32	31	1	—	—	32	—	—	—	—	32	—
154	Old age ...	M 3,903	—	—	—	—	—	—	—	—	—	—	—
		F 5,251	—	—	—	—	—	—	—	—	—	—	—
	A. Senile dementia.	M 153	—	—	—	—	—	—	—	—	—	—	—
		F 157	—	—	—	—	—	—	—	—	—	—	—
	B. Senile decay...	M 3,750	—	—	—	—	—	—	—	—	—	—	—
		F 5,094	—	—	—	—	—	—	—	—	—	—	—
155	Suicide by poison...	M 65	—	—	—	—	—	—	—	—	—	—	—
		F 55	—	—	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia	M 29	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M 194	—	—	—	—	—	—	—	—	—	—	—
		F 33	—	—	—	—	—	—	—	—	—	—	—
158	Suicide by drowning.	M 116	—	—	—	—	—	—	—	—	—	—	—
		F 78	—	—	—	—	—	—	—	—	—	—	—
159	Suicide by firearms	M 72	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M 127	—	—	—	—	—	—	—	—	—	—	—
		F 29	—	—	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M 13	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
162	Suicide by crushing	M 45	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	—
163	Other suicides ...	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
164	Poisoning by food	M 17	—	—	—	—	—	—	1	—	—	1	2
		F 4	—	—	—	—	—	—	—	—	—	—	—
165	Other acute poisonings.	M 32	—	—	—	—	—	—	3	—	1	—	4
		F 27	—	1	—	—	1	—	—	—	—	1	—
166	Conflagration ...	M 12	—	—	—	1	—	1	3	—	—	—	4
		F 7	—	—	—	—	1	1	1	1	—	—	3
167	Burns (conflagration excepted).	M 263	2	2	1	16	21	45	57	37	19	179	2
		F 464	2	—	3	10	15	32	51	39	50	187	8

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	9	11	45	175	694	987	1,070	912	} 154
—	—	—	—	—	—	—	1	5	11	48	136	822	1,267	1,389	1,572	
—	—	—	—	—	—	—	—	2	1	10	26	44	33	29	8	} A
—	—	—	—	—	—	—	—	—	—	8	13	36	44	31	25	
—	—	—	—	—	—	—	—	7	10	35	149	650	954	1,041	904	} B
—	—	—	—	—	—	—	1	5	11	40	123	786	1,223	1,358	1,547	
—	2	3	11	2	5	7	8	7	7	5	6	—	1	1	—	} 155
—	4	5	9	6	6	9	4	6	2	2	2	—	—	—	—	
—	1	—	3	2	4	4	2	2	4	4	3	—	—	—	—	} 156
—	—	—	—	1	1	2	1	1	—	—	—	—	—	—	—	
1	5	5	8	13	12	18	22	25	25	25	18	10	6	1	—	} 157
—	1	1	2	2	4	4	4	4	4	4	2	1	—	—	—	
1	3	8	8	12	13	7	10	11	16	12	7	7	1	—	—	} 158
—	11	10	7	5	4	7	9	7	5	3	5	4	1	—	—	
—	3	10	3	10	12	7	7	7	5	4	1	3	—	—	—	} 159
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	
1	1	1	9	12	12	19	11	18	7	14	11	7	3	1	—	} 160
—	1	4	1	3	2	5	8	1	1	—	1	1	1	—	—	
—	—	—	—	—	1	1	1	2	5	1	—	1	—	1	—	} 161
—	—	—	—	—	—	1	—	—	—	1	2	—	—	—	—	
1	4	5	5	5	5	7	5	3	—	2	2	1	—	—	—	} 162
—	1	1	2	1	—	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	1	} 163
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	
2	—	1	2	—	1	—	2	2	1	2	—	—	1	—	—	} 164
1	—	1	—	—	1	—	—	—	—	—	—	—	—	—	—	
—	1	2	1	1	1	3	1	4	6	3	1	1	1	—	1	} 165
—	1	1	2	1	3	3	2	3	1	4	—	—	1	2	1	
—	1	1	1	—	—	1	1	—	—	1	—	1	1	—	—	} 166
—	—	1	—	—	—	—	—	—	—	—	—	—	—	3	—	
2	2	1	3	2	1	3	5	7	5	5	3	7	6	4	4	} 167
21	14	9	9	7	8	8	12	8	10	11	16	14	23	13	11	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
168	Absorption of dele- terious gases { (conflagration ex- cepted). M	238	77	71	46	10	204	2	—	—	—	206	—
	F	209	59	71	50	11	191	2	—	—	—	193	—
169	Accidental drown- ing. { M	351	1	—	—	—	1	8	6	3	4	22	18
	F	85	3	—	1	—	4	3	5	—	1	13	3
170	Injury by firearms { M	28	—	—	—	—	—	—	—	—	—	—	1
	F	1	—	—	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing in- struments. { M	6	—	—	—	—	—	—	1	—	—	1	—
	F	3	—	—	1	—	1	—	—	—	—	1	—
172	Injury by fall ... { M	512	1	—	—	6	7	7	5	5	1	25	11
	F	423	—	—	—	—	—	1	6	1	2	10	5
173	Injury in mines { M	745	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
174	Injury by machines { M	62	—	—	—	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehi- cles, railways, landslides, &c.) { M	632	—	—	1	—	1	3	8	9	11	32	40
	F	99	—	—	—	—	—	3	7	2	1	13	14
176	Injury by animals { M	22	—	—	—	—	—	—	1	—	—	1	1
	F	2	—	—	—	—	—	—	—	—	—	—	1
177	Starvation... { M	6	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	—	—	—	—	—	—	—	—	—
178	Excessive cold ... { M	35	—	—	—	—	—	—	—	—	—	—	—
	F	11	—	—	—	—	—	—	—	—	—	—	—
179	Effects of heat ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
180	Lightning ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
181	Electricity (light- ning excepted). { M	3	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
182	Homicide by fire- arms. { M	5	—	—	—	—	—	—	1	—	—	1	—
	F	3	—	—	—	—	—	—	—	1	—	1	—
183	Homicide by cut- ting or piercing instruments. { M	4	—	—	—	—	—	1	—	—	—	1	—
	F	10	1	—	—	1	2	—	1	1	—	4	—
184	Homicide by other means. { M	26	4	—	1	2	7	1	1	1	—	10	—
	F	42	7	—	1	3	11	1	—	2	—	14	—
185	Fractures (cause not specified). { M	11	—	—	—	—	—	—	—	—	—	—	—
	F	3	—	—	1	—	1	—	—	—	—	1	—
186	Other violence ... { M	126	—	1	2	6	9	4	3	3	1	20	—
	F	46	2	6	2	2	12	4	—	1	1	18	—
187	Dropsy ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	2	—	2	—	—	—	—	2	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																85 years and upwards.	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—			
—	1	2	2	3	3	—	2	3	3	3	4	2	2	2	—	}	168
—	3	—	2	—	—	1	1	—	3	2	1	—	—	2	1		
10	18	33	20	28	28	33	28	36	23	20	19	10	1	4	—	}	169
—	8	7	3	6	8	12	5	12	4	2	2	—	—	—	—		
2	5	3	4	3	1	—	4	—	2	1	—	2	—	—	—	}	170
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	1	—	—	1	—	—	—	—	—	1	—	1	—	—	—	}	171
—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—		
6	15	14	11	22	32	36	37	39	43	39	41	45	50	24	22	}	172
3	—	2	3	2	7	10	7	21	21	26	41	53	78	71	63		
18	101	136	113	91	66	76	59	39	25	12	7	2	—	—	—	}	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	6	10	6	6	8	8	7	4	3	1	2	—	—	—	—	}	174
—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	—		
24	44	40	51	31	54	52	37	62	55	34	33	22	9	8	4	}	175
7	1	3	2	5	4	2	4	8	10	5	7	6	6	1	1		
—	1	2	—	3	2	2	1	1	3	1	2	2	—	—	—	}	176
—	—	—	—	—	—	—	—	—	—	—	—	—	—	1	—		
—	—	—	—	—	—	—	1	—	—	2	1	2	—	—	—	}	177
—	—	—	—	—	—	—	—	—	—	—	1	—	—	2	—		
—	2	1	—	1	—	5	3	3	3	5	2	5	4	1	—	}	178
—	—	—	—	—	—	1	2	1	2	5	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	179
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	}	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	}	182
—	—	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	—	}	183
—	1	1	—	—	1	—	—	3	—	—	—	—	—	—	—		
—	1	1	1	3	1	1	1	1	1	—	2	—	—	—	—	}	184
1	—	2	4	6	8	2	—	1	1	1	—	1	—	—	1		
—	1	—	—	1	2	—	1	—	1	1	3	—	—	—	—	}	185
—	—	—	—	—	—	—	—	1	—	—	1	—	—	—	—		
6	5	11	9	12	8	7	5	8	7	8	8	4	2	3	—	}	186
—	1	—	2	1	1	2	5	3	3	1	4	1	—	1	—		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	187
—	—	—	—	—	—	—	—	—	—	3	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
188	Syncope, Sudden death. {	M 28	—	—	—	—	—	—	—	—	—	—	—
		F 34	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years). {	M 28	—	—	—	—	—	—	—	—	—	—	—
		F 34	—	—	—	—	—	—	—	—	—	—	—
189	B. Sudden death (not otherwise defined). {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	Ill-defined causes... {	M 287	9	3	5	5	22	51	9	3	1	86	9
		F 286	5	2	8	6	21	53	5	2	1	82	3
	A. Heart failure (aged 1 year and under 70). {	M 169	—	—	—	—	—	1	—	—	1	2	5
		F 156	—	—	—	—	—	1	—	—	—	1	2
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 65	—	—	—	—	—	46	8	3	—	57	1
		F 69	—	—	—	—	—	49	5	2	1	57	1
	C. Teething ... {	M 8	—	—	1	4	5	3	—	—	—	8	—
		F 5	—	—	—	2	2	3	—	—	—	5	—
	D. Pyrexia ... {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	1	—	1	—	—	—	—	1	—
	E. Other ill-defined deaths. {	M 32	5	2	3	1	11	1	1	—	—	13	3
		F 46	4	2	5	2	13	—	—	—	—	13	—
	F. Cause not specified. {	M 12	4	1	1	—	6	—	—	—	—	6	—
		F 8	1	—	2	2	5	—	—	—	—	5	—

GE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1914—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	1	1	1	—	1	2	1	2	6	5	8	—	—	—	—	} 188
—	—	2	1	1	4	1	3	4	8	3	7	—	—	—	—	
—	1	1	1	—	1	2	1	2	6	5	8	—	—	—	—	} A
—	—	2	1	1	4	1	3	4	8	3	7	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	5	2	2	9	7	17	9	21	35	37	42	2	3	—	—	} 189
2	4	4	9	4	12	18	10	17	25	40	42	8	3	—	3	
—	3	2	2	8	6	15	7	20	31	32	36	—	—	—	—	} A
—	3	1	6	3	9	14	8	15	21	34	39	—	—	—	—	
—	1	—	—	—	—	1	—	1	2	—	2	—	—	—	—	} B
1	—	1	2	—	—	2	1	—	1	1	2	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
1	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} D
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
—	1	—	—	1	1	1	1	—	1	5	2	1	2	—	—	} E
1	1	2	1	1	2	1	1	2	3	4	1	8	3	—	2	
—	—	—	—	—	—	—	1	—	1	—	2	1	1	—	—	} F
—	—	—	—	—	1	—	—	—	—	1	—	—	—	—	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
18	Erysipelas ...	M 144	5	16	4	3	28	1	—	1	—	30	—
		F 123	3	13	5	7	28	—	1	1	—	30	1
19	Other epidemic diseases.	M 24	1	—	2	6	9	9	2	2	—	22	1
		F 29	—	1	1	6	8	6	6	1	2	23	5
	A. Mumps ...	M 6	—	—	—	2	2	2	—	1	—	5	1
		F 9	—	—	—	—	—	2	2	—	2	6	2
	B. German measles.	M 5	—	—	—	1	1	2	1	—	—	4	—
		F 4	—	—	—	—	—	—	2	—	—	2	2
	C. Varicella ...	M 13	1	—	2	3	6	5	1	1	—	13	—
		F 16	—	1	1	6	8	4	2	1	—	15	1
	D. Other diseases included under 19.	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia.	M 98	3	3	2	1	9	2	1	1	—	13	6
		F 60	5	3	2	1	11	1	1	—	2	15	4
	A. Pyæmia ...	M 18	2	1	2	—	5	—	—	—	—	5	—
		F 12	1	1	—	—	2	1	—	—	—	3	2
	B. Septicæmia ...	M 80	1	2	—	1	4	2	1	1	—	8	6
		F 48	4	2	2	1	9	—	1	—	2	12	2
	C. Vaccinia ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
21	Glanders ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever).	M 3	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
23	Rabies ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus ...	M 55	6	—	—	—	6	—	—	—	1	7	9
		F 14	3	—	—	—	3	—	—	—	—	3	1
25	Mycoses ...	M 5	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
26	Pellagra ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri ...	M 4	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuber- culosis(notacute).	M 5,019	—	1	9	23	33	30	24	18	13	118	53
		F 3,779	1	1	3	19	24	35	15	12	9	95	82
	A. Pulmonary tuberculosis.	M 3,405	—	1	9	22	32	29	23	14	13	111	35
		F 2,529	1	1	3	18	23	29	13	9	9	83	56
	B. Phthisis (not defined as tu- berculous).	M 1,614	—	—	—	1	1	1	1	4	—	7	18
		F 1,250	—	—	—	1	1	6	2	3	—	12	26

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—*continued.*

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
— 1	3 3	1 4	5 3	1 2	4 2	6 3	14 9	12 5	12 11	16 8	9 8	14 13	7 11	9 4	1 5	}	18
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		19
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		D
2 1	8 1	4 2	5 1	4 3	5 6	8 6	10 2	11 8	7 —	5 6	2 2	3 1	4 1	1 1	—	}	20
—	1	2	—	—	1	—	2	3	1	—	—	—	2	1	—		A
2 1	7 1	2 2	5 1	4 1	4 5	8 5	8 2	8 6	6 —	5 6	2 2	3 1	2 —	— 1	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	21
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		22
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	23
6 4	4 1	1 —	3 1	2 3	7 —	4 1	3 —	3 —	1 —	1 —	2 —	— —	2 —	— —	— —		24
—	1 1	—	—	—	1 —	—	1 —	1 —	—	—	—	—	—	1 —	—	}	25
—	1 1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		26
—	1	2	1	—	—	—	—	—	—	—	—	—	—	—	—	}	27
68 178	318 415	469 464	510 500	579 444	617 399	566 354	497 246	463 198	294 143	256 107	127 73	59 42	17 23	8 12	— 4		28
53 131	215 255	303 309	339 330	404 309	394 270	380 224	344 171	319 132	182 95	183 69	89 45	39 24	13 14	2 10	— 2	}	A
15 47	103 160	166 155	171 170	175 135	223 129	186 130	153 75	144 66	112 48	73 38	38 28	20 18	4 9	6 2	— 2		B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
29	Acute phthisis, { M	567	—	1	6	10	17	21	10	7	13	68	30
	Acute miliary { F	467	—	—	4	14	18	22	10	12	4	66	35
	tuberculosis ...												
	A. Acute phthisis { M	459	—	—	—	2	2	6	2	3	8	21	17
	{ F	348	—	—	3	4	7	9	2	2	—	20	18
	B. Acute miliary { M	108	—	1	6	8	15	15	8	4	5	47	13
	tuberculosis. } F	119	—	—	1	10	11	13	8	10	4	46	17
30	Tuberculous menin- { M	697	1	16	25	74	116	115	75	54	57	417	130
	gitis. } F	685	1	5	24	83	113	117	65	51	43	389	137
31	Tuberculosis of { M	458	2	30	37	62	131	69	55	15	18	288	44
	peritoneum and { F	425	2	10	26	53	91	56	25	19	11	202	43
	intestines.												
	A. Tabes { M	68	1	13	7	14	35	13	9	—	1	58	5
	mesenterica { F	52	1	2	—	15	18	16	3	2	—	39	6
	B. Other peri- { M	390	1	17	30	48	96	56	46	15	17	230	39
	toneal and { F	373	1	8	26	38	73	40	22	17	11	163	37
	intestinal { M												
	tubercle. } F												
32	Tuberculosis of { M	86	—	—	—	—	—	1	3	5	1	10	8
	spinal column { F	62	—	—	1	—	1	1	1	2	2	7	5
33	Tuberculosis of { M	49	—	1	—	—	1	—	—	—	1	2	5
	joints { F	38	—	1	—	—	1	—	—	—	1	2	2
34	Tuberculosis of { M	90	1	2	2	5	10	4	3	2	2	21	4
	other organs { F	69	—	—	—	2	2	5	1	3	1	12	1
	A. Lupus ... { M	5	—	—	—	—	—	—	—	—	—	—	—
	{ F	11	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula ... { M	2	—	—	1	—	1	1	—	—	—	2	—
	{ F	1	—	—	—	—	—	—	—	—	—	—	—
	C. Other tuber- { M	83	1	2	1	5	9	3	3	2	2	19	4
	culosis in { F	57	—	—	—	2	2	5	1	3	1	12	1
	cluded under { M												
	34. } F												
35	Disseminated { M	293	2	9	8	21	40	33	22	14	5	114	36
	tuberculosis { F	239	1	3	7	23	34	26	22	3	6	91	35
28-35	Tuberculosis { M	7,259	6	60	87	195	348	273	192	115	110	1,038	310
	(all forms) { F	5,764	5	20	65	194	284	262	139	102	77	864	340
36	Rickets, Softening { M	142	1	3	10	48	62	42	22	5	3	134	3
	of bones. { F	118	—	3	7	30	40	47	10	1	—	98	3
	A. Rickets ... { M	137	1	3	10	48	62	42	21	5	3	133	3
	{ F	102	—	3	7	30	40	47	10	1	—	98	2
	B. Other forms of { M	5	—	—	—	—	—	—	1	—	—	1	—
	bone soften- { F	16	—	—	—	—	—	—	—	—	—	—	1
	ing.												
37	Syphilis ... { M	288	67	63	32	17	179	12	—	—	2	193	1
	{ F	223	47	50	32	15	144	9	1	—	—	154	3

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
24 36	49 64	54 43	55 35	50 54	52 40	48 27	60 22	30 18	18 9	11 6	15 6	3 4	— 2	—	—	}	29
14 24	40 49	47 37	51 30	48 49	49 34	45 25	57 19	28 17	16 9	10 6	14 5	2 4	— 2	—	—		A
10 12	9 15	7 6	4 5	2 5	3 6	3 2	3 3	2 1	2 —	1 —	1 1	1 —	— —	— —	— —	}	B
66 61	36 47	15 15	7 7	4 8	5 6	6 7	5 4	3 1	2 1	— 1	— 1	1 —	— —	— —	— —		}
32 40	13 37	20 20	10 19	8 21	15 11	4 10	8 7	3 5	6 5	4 3	2 1	— —	1 1	— —	— —	}	
3 2	1 1	1 1	— 1	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		}
29 38	12 36	19 19	10 18	8 21	15 10	4 10	8 6	3 5	6 5	4 3	2 1	— —	1 1	— —	— —	}	
8 5	5 5	7 3	10 7	9 3	2 7	5 3	5 1	5 3	2 4	6 2	2 3	2 2	— —	— 2	— —		}
4 5	10 5	5 4	1 3	6 —	2 3	2 1	— —	2 2	3 1	1 3	3 4	2 1	1 —	— 2	— —	}	
4 2	3 2	6 8	5 6	6 5	9 4	7 3	6 4	6 4	6 6	2 3	3 4	1 2	— —	1 2	— 1		}
— —	— —	— —	2 —	— 1	— 1	— 1	— —	2 1	— 3	— —	— 1	— —	— —	1 2	— 1	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —		}
4 2	3 2	6 8	3 6	6 4	9 3	7 2	6 4	4 3	6 3	2 3	3 2	1 2	— —	— —	— —	}	
19 28	23 16	16 11	15 10	13 8	17 9	9 4	5 7	8 4	8 6	9 6	1 2	— —	— 1	— 1	— —		}
225 355	457 591	592 568	613 587	675 543	719 479	647 409	586 291	520 235	339 175	289 131	153 94	68 51	19 27	9 19	— 5	}	
1 1	1 1	— 2	— 2	— 1	— 4	1 1	— —	— 2	— 1	1 —	— 2	— —	1 —	— —	— —		}
1 —	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— 1	1 —	— 1	— 2	— 1	— 4	1 1	— —	— 2	— 1	1 —	— 2	— —	1 —	— —	— —		}
— 2	4 3	4 9	7 5	11 2	13 12	15 8	6 8	5 5	6 5	10 3	7 2	3 1	3 —	— 1	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	}	38
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	—	—	—	—	—	1	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	1	—	3	8	15	49	66	76	92	84	67	50	18	8	}	39
—	—	4	1	3	2	1	9	14	11	11	7	8	4	6	2		
—	—	3	5	15	35	77	121	188	255	305	317	257	134	51	15	}	40
1	1	—	8	11	42	66	83	158	201	271	275	245	154	71	33		
—	—	3	6	19	22	28	57	70	120	144	163	121	94	39	10	}	41
—	1	—	7	14	17	37	60	98	107	151	172	173	104	53	20		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
1	—	4	13	27	61	121	141	185	178	128	130	89	48	15	12		
—	—	—	—	—	1	—	1	2	—	2	1	1	—	—	1	}	43
—	—	2	2	19	39	64	94	109	139	123	97	99	65	43	20		
—	—	—	2	—	1	6	6	9	16	19	24	21	32	15	9	}	44
—	—	—	—	2	1	1	2	3	9	11	10	14	12	12	9		
8	16	15	9	12	34	48	73	108	126	146	141	92	69	23	9	}	45
5	7	10	6	15	22	36	49	68	82	69	64	60	37	22	13		
9	17	22	22	49	101	174	307	443	593	708	730	559	379	146	52	}	39-45
7	9	20	37	91	184	326	438	635	727	764	755	688	424	222	109		
—	—	1	1	1	1	1	3	4	1	3	1	1	2	2	—	}	46
—	—	—	—	1	3	3	2	2	3	1	2	1	3	2	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	1	1	1	3	4	1	3	1	1	2	2	—	}	C
—	—	—	—	1	3	3	2	2	3	1	2	1	3	2	—		
38	28	20	19	15	17	15	13	15	13	7	8	4	—	—	—	}	47
43	39	26	18	18	16	13	14	11	16	11	9	8	1	1	—		
—	1	1	1	5	1	8	6	8	23	29	28	32	23	10	3	}	48
—	—	—	1	3	3	5	6	13	30	44	42	54	46	33	24		
—	—	1	—	1	—	1	—	2	1	6	8	10	6	2	1	}	A
—	—	—	—	—	—	—	3	1	3	11	4	12	12	7	4		
—	1	—	1	4	1	4	2	2	11	16	10	13	6	7	1	}	B
—	—	—	1	3	3	5	2	10	25	32	37	37	33	20	20		
—	—	—	—	—	—	3	4	4	11	7	10	9	11	1	1	}	C
—	—	—	—	—	—	—	1	2	2	1	1	5	1	6	—		

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
49	Scurvy ... { M F	4 1	— —	1 —	— —	1 —	2 —	1 1	1 —	— —	— —	4 1	— —
50	Diabetes ... { M F	552 546	1 —	— —	— —	— 1	1 1	— 1	2 1	— 1	— 2	3 6	7 4
51	Exophthalmic goitre. { M F	15 103	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	26 45	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	96 75	— 1	1 1	— —	2 —	3 2	4 1	1 —	1 —	— —	9 3	10 3
	A. Leucocythæ- mia (Leuchæ- mia). { M F	59 44	— 1	1 1	— —	2 —	3 2	4 1	1 —	1 —	— —	9 3	6 2
	B. Lymphade- noma. { M F	37 31	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 1
54	Anæmia, Chlorosis { M F	258 323	1 1	— 1	— 1	2 2	3 5	6 4	2 1	3 —	1 —	15 10	2 1
55	Other general diseases. { M F	58 52	5 8	2 2	3 1	3 2	13 13	1 2	1 1	3 —	— —	18 16	9 1
	A. Diabetes insipidus. { M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Purpura ... { M F	35 33	2 3	2 1	1 1	2 2	7 7	1 2	— —	1 —	— —	9 9	8 1
	C. Hæmophilia... { M F	13 11	3 5	— 1	2 —	1 —	6 6	— —	— 1	1 —	— —	7 7	1 —
	D. Other diseases included under 55. { M F	10 5	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	2 —	— —
56	Alcoholism (acute or chronic). { M F	115 55	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning. { M F	19 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
	A. Occupational lead poison- ing. { M F	18 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Non-occupa- tional lead poisoning. { M F	1 1	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
58	Other chronic occu- pational poison- ings. { M F	2 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings. { M F	3 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	50 29	1 —	— —	— —	1 2	3 —	5 2	1 —	2 1	2 2	1 2	11 7

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																	International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
8	13	12	15	20	28	24	32	42	60	91	85	54	36	16	6	}	50
7	13	18	10	11	18	24	34	45	62	80	82	59	47	19	7		
—	1	2	1	—	—	1	3	1	2	2	1	1	—	—	—	}	51
—	3	1	4	9	13	12	12	12	13	15	4	5	—	—	—		
—	—	3	3	1	7	2	2	3	2	2	1	—	—	—	—	}	52
—	1	3	2	9	4	3	8	1	6	4	1	1	2	—	—		
2	6	5	4	7	5	7	7	11	3	10	5	3	2	—	—	}	53
6	1	5	1	4	11	4	6	6	5	9	6	4	—	1	—		
1	4	1	2	3	3	2	3	10	3	6	3	3	—	—	—	}	A
4	—	2	1	1	6	3	3	6	3	5	3	2	—	—	—		
1	2	4	2	4	2	5	4	1	—	4	2	—	2	—	—	}	B
2	1	3	—	3	5	1	3	—	2	4	3	2	—	1	—		
—	3	1	5	10	17	24	29	31	27	29	37	18	9	1	—	}	54
3	6	12	8	15	18	27	39	26	44	35	36	29	13	1	—		
5	4	2	2	2	2	2	2	1	1	4	1	—	1	2	—	}	55
5	3	3	1	2	—	1	3	4	—	2	3	3	2	2	1		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	2	1	—	—	—		
4	3	1	1	1	1	1	2	—	1	1	1	—	1	—	—	}	B
5	2	2	—	2	—	—	1	3	—	1	1	2	2	1	1		
1	—	1	—	1	—	—	—	—	—	1	—	—	—	1	—	}	C
—	1	1	1	—	—	—	1	—	—	—	—	—	—	—	—		
—	1	—	1	—	1	1	—	1	—	2	—	—	—	1	—	}	D
—	—	—	—	—	—	1	1	1	—	1	—	—	—	1	—		
—	—	2	3	14	19	17	18	18	10	5	4	4	1	—	—	}	56
—	—	—	1	3	4	10	16	8	5	3	3	—	2	—	—		
—	—	—	—	—	2	6	3	2	2	2	1	—	—	—	—	}	57
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	2	6	3	2	2	2	1	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	2	—	—	—	—	—	—	—	}	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	2	1	—	—	—	—	—	}	59
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—		
2	6	5	3	1	2	4	3	—	5	1	1	—	2	—	—	}	60
2	2	—	3	3	4	1	4	—	1	1	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
61	Meningitis ... { M	597	6	16	47	81	150	91	55	30	21	347	80	
	{ F	566	7	19	31	79	136	82	47	24	22	311	88	
	A. Cerebro-spinal fever. { M	31	—	1	2	3	6	1	2	5	1	15	2	
	{ F	20	—	1	1	2	4	1	1	2	1	9	4	
	B. Posterior basal meningitis. { M	32	—	—	4	12	16	4	1	6	—	27	2	
	{ F	30	—	1	3	9	13	7	1	—	1	22	3	
	C. Meningitis— other forms. { M	534	6	15	41	66	128	86	52	19	20	305	76	
	{ F	516	7	17	27	68	119	74	45	22	20	280	81	
62	Locomotor ataxy ... { M	149	—	—	—	—	—	—	—	—	—	—	—	
	{ F	34	—	—	—	—	—	—	—	—	—	—	—	
63	Other diseases of the spinal cord. { M	364	—	—	2	4	6	7	2	1	—	16	7	
	{ F	320	—	1	1	—	2	4	3	1	2	12	5	
	A. Diseases formerly classed to "Other nervous affectns." { M	125	—	—	—	1	1	—	—	—	—	1	—	
	{ F	109	—	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included under 63. { M	239	—	—	2	3	5	7	2	1	—	15	7	
	{ F	211	—	1	1	—	2	4	3	1	2	12	5	
64	Cerebral hæmorrhage, Apoplexy. { M	2,682	—	—	—	—	—	2	—	1	—	3	4	
	{ F	3,205	1	—	1	—	2	3	—	—	—	5	2	
	A. Apoplexy ... { M	560	—	—	—	—	—	—	—	—	—	—	—	
	{ F	647	—	—	—	—	—	—	—	—	—	—	—	
	B. Serous apoplexy and (Edema of brain. { M	19	—	—	—	—	—	1	—	—	—	1	—	
	{ F	19	—	—	—	—	—	—	—	—	—	—	1	
	C. Cerebral congestion. { M	7	—	—	—	—	—	1	—	—	—	1	—	
	{ F	12	1	—	—	—	1	1	—	—	—	2	—	
	D. Cerebral atheroma. { M	41	—	—	—	—	—	—	—	—	—	—	—	
	{ F	42	—	—	—	—	—	—	—	—	—	—	—	
	E. Cerebral hæmorrhage. { M	2,055	—	—	—	—	—	—	—	1	—	1	4	
	{ F	2,485	—	—	1	—	1	2	—	—	—	3	1	
65	Softening of brain { M	182	—	—	—	—	—	—	—	—	—	—	—	
	{ F	187	—	—	—	—	—	—	—	—	—	—	—	
66	Paralysis without specified cause. { M	285	—	—	—	—	—	1	—	—	—	1	1	
	{ F	342	—	—	—	1	1	—	—	—	—	1	2	
	A. Hemiplegia ... { M	227	—	—	—	—	—	1	—	—	—	—	—	
	{ F	296	—	—	—	—	—	—	—	—	—	—	—	
	B. Paraplegia .. { M	19	—	—	—	—	—	—	—	—	—	—	—	
	{ F	18	—	—	—	—	—	—	—	—	—	—	—	
	C. Other forms of paralysis. { M	39	—	—	—	—	—	—	—	—	—	—	—	
	{ F	28	—	—	—	1	1	—	—	—	—	1	—	
67	General paralysis of the insane. { M	442	—	—	—	—	—	—	—	—	—	—	—	
	{ F	108	—	—	—	—	—	—	—	—	—	—	—	
68	Other forms of mental alienation. { M	101	—	—	—	—	—	—	—	—	—	—	—	
	{ F	140	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards		
38 47	34 23	10 10	11 10	13 12	10 8	9 7	10 8	8 7	6 9	11 8	6 5	2 6	— 2	1 1	1 4	}	61
6 —	4 1	1 2	— 1	3 1	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— —	— —		A
— 2	1 1	— —	— 1	— 1	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
32 45	29 21	9 8	11 8	10 10	9 8	9 7	9 8	8 6	6 8	11 8	6 5	2 6	— 2	1 1	1 4		}
— —	1 —	1 —	1 1	5 1	6 —	13 2	24 4	29 6	17 6	26 6	19 3	4 3	2 2	1 —	— —	}	
6 2	13 8	6 4	9 14	15 7	16 17	14 19	20 19	35 37	41 25	47 30	45 36	41 48	20 20	5 10	8 7		}
3 —	7 3	— —	— 3	— 1	2 —	1 2	2 1	10 11	13 12	14 13	25 13	26 22	13 14	2 7	6 7	}	
3 2	6 5	6 4	9 11	15 6	14 17	13 17	18 18	25 26	28 13	33 17	20 23	15 26	7 6	3 3	2 —		}
1 3	2 5	11 7	13 4	16 17	37 44	78 64	108 149	201 231	259 286	356 408	412 443	528 581	359 518	186 268	108 170	}	
— —	— 1	— —	1 3	1 —	6 9	13 14	25 26	45 41	44 74	73 89	87 82	125 119	80 112	37 51	23 26		}
— 1	— —	1 —	— —	— —	— 2	2 —	— —	— 1	3 —	3 3	3 2	— 2	2 2	2 2	2 3	}	
1 —	— —	— —	— —	— —	— 2	— —	— 1	1 —	2 —	— —	1 4	— —	1 2	— 1	— —		}
— —	— —	— —	— —	— —	1 1	— —	— 1	4 1	3 2	5 7	5 5	12 6	7 10	3 7	1 2	}	
— 2	2 4	10 7	12 1	15 17	30 30	63 50	83 121	151 188	207 210	275 309	316 350	391 454	269 392	144 207	82 139		}
— —	— —	1 —	2 —	1 3	1 2	2 7	6 8	11 6	20 12	21 22	34 29	35 32	28 34	14 25	6 7	}	
— —	1 —	— 3	1 3	3 3	2 1	5 2	9 12	16 18	23 20	45 39	41 54	48 77	39 49	38 39	12 19		}
— —	1 —	— 2	— 3	3 2	1 1	5 1	8 9	11 17	14 19	39 33	36 45	36 66	29 47	31 33	12 18	}	
— —	— —	— —	— —	— —	1 —	— 1	— 3	2 1	2 —	3 3	2 3	5 —	2 2	1 3	— —		}
— —	— —	— 1	— —	— 1	— —	— —	1 —	3 —	7 1	3 3	3 6	7 11	8 —	6 3	— 1	}	
1 —	2 3	9 3	17 5	54 6	74 15	89 21	68 20	54 9	42 8	15 6	9 6	4 4	3 2	— —	— —		}
— —	2 2	2 —	5 1	5 10	7 14	3 9	8 8	10 26	15 17	14 17	17 14	8 15	5 5	— 2	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
69	Epilepsy ... { M F	400 323	3 1	1 1	— 1	2 1	6 4	2 3	5 —	2 1	1 1	16 9	11 20
70	Convulsions (non- puerperal; 5 { M F	15 17	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 11
	A. Epileptiform { M convulsions. { F	6 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 1
	B. Others in- { M cluded under 70. { F	9 15	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	7 10
71	Infantile convul- sions (under 5 { M years). { F	1,157 897	419 267	214 153	153 136	203 179	994 735	129 124	22 26	8 7	4 5	1,157 897	— —
	A. Convulsions { M with teething. { F	171 156	— —	2 —	12 19	91 80	105 99	61 50	5 6	— 1	— —	171 156	— —
	B. Other infantile { M convulsions. { F	986 741	419 267	212 153	141 117	117 99	889 636	68 74	17 20	8 6	4 5	986 741	— —
72	Chorea ... { M F	13 39	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— 2	1 7
73	Hysteria, Neuralgia, { M Neuritis. { F	33 89	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Hysteria, Neu- { M ralgia, Sciatica. { F	2 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Neuritis ... { M F	31 84	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
74	Other diseases of the { M nervous system. { F	248 279	2 3	1 —	1 4	6 2	10 9	8 11	3 3	1 3	3 3	25 29	11 14
	A. Idiocy, Im- { M becility. { F	25 28	— 2	— —	— 1	2 —	2 3	3 2	— 1	1 1	2 1	8 8	3 5
	B. Cretinism ... { M F	4 8	— —	— —	— —	— —	— —	2 1	— 1	— 1	— —	2 2	— 1
	C. Cerebral { M tumour. { F	117 112	— —	— —	— 2	1 1	1 3	1 2	1 1	— 1	1 —	4 7	6 6
	D. Other diseases { M included under { F	102 131	2 1	1 —	1 1	3 1	7 3	2 6	2 —	— 1	— 2	11 12	2 2
75	Diseases of the eyes { M and annexa. { F	5 11	— —	— 1	— —	— 1	— 2	1 —	— —	— 2	— —	1 4	1 —
76	Diseases of the ears { M F	160 136	— —	4 4	7 7	17 8	28 19	20 12	3 8	4 3	2 7	57 49	22 21
	A. Mastoid disease { M F	40 38	— —	1 —	— 3	4 3	5 6	6 3	— 1	— 1	1 1	12 12	10 9
	B. Other diseases { M of the ears. { F	120 98	— —	3 4	7 4	13 5	23 13	14 9	3 7	4 2	1 6	45 37	12 12
77	Pericarditis ... { M F	66 50	— —	1 —	— —	2 2	3 2	2 1	1 1	1 2	1 1	8 7	3 4

GE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—*continued.*

AGES AT DEATH.																	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
13 15	38 23	30 20	28 29	30 32	43 31	32 18	29 13	31 30	24 20	22 18	19 15	17 14	11 9	2 2	4 5	}	69
2 2	— 1	1 1	— —	— —	1 —	— —	— 1	1 —	— 1	— —	— —	1 —	— —	— —	1 —		
1 —	— —	1 —	— —	— —	— —	— —	— —	1 —	— 1	— —	— —	1 —	— —	— —	1 —	}	A
1 2	— 1	— 1	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	71
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
4 6	4 7	2 3	— 4	— 2	— 1	— —	— 1	— 2	1 2	— 1	— —	— —	1 —	— 1	— —	}	72
— 1	— 1	— —	1 3	3 4	1 12	2 11	6 18	4 9	3 8	5 9	6 2	2 6	— 2	— 3	— —		
— 1	— —	— —	— 1	— —	— —	— —	— 1	1 —	— 1	— —	1 1	— —	— —	— —	— —	}	A
— —	— 1	— —	1 2	3 4	1 12	2 11	6 17	3 9	3 7	5 9	5 1	2 6	— 2	— 3	— —		
12 7	9 7	8 6	15 17	9 12	17 16	16 18	18 21	22 32	12 25	16 10	22 17	19 21	14 17	3 6	— 4	}	74
2 3	2 —	1 —	2 5	2 2	— 2	1 —	2 1	1 1	— —	— —	— —	1 —	— 1	— —	— —		
— 2	2 —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	}	B
7 1	4 6	5 5	11 6	5 4	15 6	11 15	13 12	15 15	5 10	5 5	5 8	4 3	2 3	— —	— —		
3 1	1 1	2 1	2 5	2 6	2 7	4 3	3 8	6 16	7 15	11 5	17 9	14 18	12 12	3 6	— 4	}	D
1 2	— —	— 1	— —	— —	1 —	— —	— —	— —	— 2	1 —	— 1	— 1	— —	— —	— —		
12 19	16 14	8 7	10 4	12 1	1 5	4 3	5 3	1 3	1 1	5 1	2 2	1 3	3 —	— —	— —	}	76
3 5	6 4	3 4	— 1	2 —	— 1	— —	2 1	1 —	— —	1 —	— 1	— —	— —	— —	— —		
9 14	10 10	5 3	10 3	10 1	1 4	4 3	3 2	— 3	1 1	4 1	2 1	1 3	3 —	— —	— —	}	B
5 4	3 7	3 2	4 3	3 1	4 5	5 —	3 2	4 5	7 1	3 1	3 4	4 1	2 1	— 2	2 —		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.																			
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—								
78	Acute endocarditis { M 244 — — — 1 1 4 3 2 2 12 9 F 234 — 1 — — — 1 — — — 6 14	{ M 39 — — — — — — — 1 — — 1 — F 31 — — — — — — — — — — —	{ M 81 — — — — — — — 1 1 1 3 2 F 84 — — — — — — — — 1 — 1 6	{ M 124 — — — 1 1 4 1 1 1 8 7 F 119 — 1 — — 1 — — 2 2 5 8	{ M 5,871 — — 2 1 3 4 — 3 1 11 32 F 6,589 — — — 1 1 2 4 1 6 14 49	{ M 2,563 — — — 1 1 1 — 1 — 3 24 F 2,961 — — — — — — 1 2 — 3 6 33	{ M 376 — — 1 — 1 — — — — 1 — F 447 — — — — — — — — — — —	{ M 2,932 — — 1 — 1 3 — 2 1 7 8 F 3,181 — — — — 1 1 2 1 3 8 16	{ M 192 — — — — — — — — — — — F 105 — — — — — — — — — — —	{ M 1,437 — — — — — — — — — — — F 825 — — — — — — — — — — —	{ M 233 — — — — — — — — — — — F 57 — — — — — — — — — — —	{ M 1,174 — — — — — — — — — — — F 756 — — — — — — — — — — —	{ M 30 — — — — — — — — — — — F 12 — — — — — — — — — — —	{ M 338 1 — — — 1 — 1 1 — 2 — F 505 — 1 1 1 3 1 — — 1 5 4	{ M 308 — — — — — — — — 1 — 1 — F 449 — — — — — — — — — — —	{ M 30 1 — — — 1 — 1 — — 2 — F 56 — 1 1 1 3 1 — — — 4 —	{ M 30 1 — — — 1 — — — — 1 — F 54 — — — — — — — — — — —	{ M 19 — — — — — — — — — — — F 26 — — — — — — — — — — —	{ M 9 — — — — — — — — — — — F 28 — — — — — — — — — — —	{ M 2 1 — — — 1 — — — — 1 — F — — — — — — — — — — —	{ M — — — — — — — — — — — F — — — — — — — — — — —

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																	International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
11 25	22 27	15 22	23 15	24 13	24 13	20 19	21 20	26 21	29 21	3 7	— 2	2 3	1 4	2 2	— —	}	78
—	2 —	— —	1 —	2 2	2 1	1 5	6 5	11 7	12 8	— 2	— 1	1 —	— —	— —	— —		
4 9	9 14	6 13	11 10	9 7	9 4	8 7	5 2	6 3	4 1	1 2	— 1	1 1	1 3	2 —	— —	}	B
7 6	11 13	9 9	11 5	13 4	13 8	11 7	10 13	9 11	13 12	2 3	— —	— 2	— 1	— 2	— —		
61 3	79 109	77 108	72 122	154 160	174 205	245 292	337 379	499 428	603 538	753 729	891 961	864 942	603 777	293 415	123 248	}	79
3 4	57 68	45 74	49 80	90 96	107 117	141 157	178 194	261 216	262 248	321 349	350 356	305 395	209 272	92 133	26 83		
— —	— —	— 2	— 4	6 6	11 10	17 15	34 30	38 43	48 51	57 58	75 85	52 55	25 55	10 21	2 12	}	B
8 9	22 41	32 32	23 38	58 58	56 78	87 120	125 155	200 169	293 239	375 322	466 520	507 492	369 450	191 261	95 153		
— —	— 1	— —	— —	1 —	6 —	6 2	15 3	13 8	29 8	35 19	32 23	32 28	17 8	6 3	— 2	}	80
— —	— —	3 3	2 2	6 3	25 3	41 4	57 22	85 30	129 45	166 63	230 107	252 187	231 162	138 100	72 94		
— —	— —	3 3	1 2	5 1	22 2	30 2	38 9	37 4	26 7	33 5	12 11	11 5	11 5	3 —	1 1	}	A
— —	— —	— —	1 —	— 2	2 —	10 2	17 12	46 25	101 37	128 55	211 95	236 182	218 155	134 99	70 92		
— —	— —	— —	— —	1 —	1 1	1 —	2 1	2 1	2 1	5 3	7 1	5 —	2 2	1 1	1 1	}	C
1 —	2 3	4 4	3 12	3 4	6 9	10 14	17 21	26 31	28 41	42 57	63 62	44 77	40 70	37 58	11 32		
— —	2 —	2 2	2 9	3 2	5 7	7 11	13 17	23 29	25 35	41 51	61 53	41 74	38 68	35 54	10 32	}	A
1 —	— 3	2 2	1 3	— 2	1 2	3 3	4 4	3 2	3 6	1 6	2 9	3 3	2 2	2 4	1 —		
— —	1 —	— —	— 2	— 2	— 4	2 1	2 6	6 5	4 5	2 8	7 6	2 8	3 3	— 2	— 2	}	83
— —	— —	— —	— 1	— 1	— 3	1 1	1 1	5 1	2 4	1 4	5 4	2 4	2 1	— —	— 1		
— —	1 —	— —	— 1	— 1	— 1	— —	1 5	1 4	1 1	1 4	2 2	— 4	1 2	— 2	— 1	}	B
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	D

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
84	Dis. of the lymphatic system) Lymphangitis, &c.	{ M 49	3	4	8	7	22	2	3	1	2	30	6
		{ F 39	1	5	4	9	19	6	2	—	—	27	2
	A. Status lymphaticus.	{ M 37	3	4	8	5	20	2	2	1	—	25	6
		{ F 28	—	4	3	9	16	5	1	—	—	22	2
	B. Other diseases of the lymphatic system.	{ M 12	—	—	—	2	2	—	1	—	2	5	—
		{ F 11	1	1	1	—	3	1	1	—	—	5	—
85	Hæmorrhage, other dis. of the circulatory system.	{ M 36	2	1	—	—	3	—	—	—	—	3	—
		{ F 31	—	—	—	—	—	—	—	—	—	—	—
	A. Functional disease of the heart.	{ M 23	—	—	—	—	—	—	—	—	—	—	—
		{ F 21	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	{ M 5	2	1	—	—	3	—	—	—	—	3	—
		{ F 4	—	—	—	—	—	—	—	—	—	—	—
86	Diseases of the nasal fossæ.	{ M 11	2	1	1	—	4	—	—	1	—	5	—
		{ F 12	1	1	—	2	4	1	—	—	—	5	2
87	Diseases of the larynx.	{ M 155	6	2	5	24	37	25	13	17	15	107	17
		{ F 121	7	4	3	12	26	17	18	16	10	87	15
	A. Laryngismus stridulus.	{ M 37	3	—	3	11	17	11	2	4	3	37	—
		{ F 25	3	—	3	4	10	3	4	2	2	21	4
	B. Laryngitis ...	{ M 115	3	2	2	13	20	13	11	13	12	69	17
		{ F 91	4	4	—	8	16	14	14	14	7	65	10
88	Diseases of the thyroid body.	{ M 3	—	—	—	—	—	1	—	—	—	1	—
		{ F 5	—	—	—	—	—	—	—	—	1	1	1
89 & 90	Bronchitis...	{ M 4,331	65	175	159	306	705	193	57	24	18	997	24
		{ F 4,314	40	135	139	274	588	179	45	20	12	844	18
	A. Bronchiectasis, Bronchial catarrh, &c.	{ M 100	—	1	2	5	8	2	2	1	1	14	—
		{ F 70	2	5	—	3	10	1	1	—	—	12	1
	B. Other bronchitis.	{ M 4,231	65	174	157	301	697	191	55	23	17	983	24
		{ F 4,244	38	130	139	271	578	178	44	20	12	832	17
91	Broncho-pneumonia.	{ M 2,349	42	118	195	564	919	611	157	82	40	1,809	71
		{ F 2,057	26	71	128	432	657	535	175	78	61	1,506	63
92	Pneumonia, lobar and undefined.	{ M 3,714	16	34	49	126	225	200	75	50	40	590	111
		{ F 2,210	11	14	30	114	169	136	64	29	34	432	86
	A. Lobar pneumonia.	{ M 1,698	4	10	12	27	53	61	33	23	20	190	48
		{ F 942	—	3	9	30	42	27	19	6	13	107	37
	B. Pneumonia (type not stated).	{ M 2,016	12	24	37	99	172	139	42	27	20	400	63
		{ F 1,268	11	11	21	84	127	109	45	23	21	325	49

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 1	— 2	1 1	2 —	1 —	1 —	1 —	— 1	2 —	— 1	2 —	— 2	1 —	— —	— 2	— —	}	84
2 1	— 2	1 1	1 —	— —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
— —	— —	— —	1 —	1 —	— —	— —	— 1	2 —	— 1	2 —	— 2	1 —	— —	— 2	— —	}	B
— —	1 —	1 —	1 1	1 —	2 —	1 1	2 1	2 2	1 3	5 5	2 7	7 1	2 3	3 5	2 2		85
— —	1 —	1 —	— —	— —	1 —	1 1	2 1	1 1	— 2	4 3	— 5	6 —	2 2	3 4	1 2	}	A
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	1 —	— 1	— 1	— —	1 —		B
— —	— —	— —	1 1	1 —	1 —	— —	— —	1 —	1 1	1 1	1 2	1 —	— —	— 1	— —	}	C
2 —	1 —	— —	— —	1 —	1 —	1 2	— —	— —	— —	— 1	— 1	— 1	— —	— —	— —		86
— 2	3 1	1 —	— 1	1 —	1 1	2 3	3 —	1 1	6 —	2 3	4 3	2 —	1 3	2 —	2 1	}	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
— 2	3 1	1 —	— 1	1 —	1 —	2 3	3 —	1 1	5 —	2 2	3 2	2 —	1 3	2 —	2 1	}	B
— —	— —	— —	— —	— —	— 1	— —	— —	— —	1 —	— 1	1 1	— —	— —	— —	— —		C
— 1	1 —	1 1	— 2	— 4	— 1	— 4	1 7	1 4	2 5	— 10	— 8	— 6	1 4	— 3	— 1	}	88
4 7	4 6	6 8	15 12	25 15	50 28	67 38	96 87	166 164	238 207	399 336	507 450	641 672	537 651	347 429	208 342		89 & 90
— —	— —	2 2	3 3	1 2	8 2	6 3	7 4	7 5	4 1	12 3	4 5	8 4	10 6	5 6	9 11	}	A
4 7	4 6	4 6	12 9	24 13	42 26	61 35	89 83	159 159	234 206	387 333	503 445	633 668	527 645	342 423	199 331		B
7 12	10 9	9 8	9 10	14 11	18 22	20 16	28 26	41 30	44 26	63 44	54 63	67 74	44 62	25 44	16 31	}	91
44 49	104 54	105 73	170 75	235 94	279 116	288 114	305 131	320 135	293 144	258 152	255 166	187 150	104 149	49 58	17 32		92
22 18	50 29	56 45	94 38	121 52	146 60	168 60	154 62	149 65	140 68	121 73	115 79	63 62	36 55	17 21	8 11	}	A
22 31	54 25	49 28	76 37	114 42	133 56	120 54	151 69	171 70	153 76	137 79	140 87	124 88	63 94	32 37	9 21		B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
93	Pleurisy ... { M	244	1	—	—	3	4	17	7	4	3	35	10
	... { F	155	—	3	2	3	8	10	1	3	7	29	4
	A. Empyema ... { M	97	—	—	—	2	2	15	5	3	3	28	8
	... { F	50	—	1	1	—	2	8	1	3	5	19	4
	B. Other pleurisy { M	147	1	—	—	1	2	2	2	1	—	7	2
94	... { F	105	—	2	1	3	6	2	—	—	2	10	—
	Pulmonary conges- { M	184	2	6	5	13	26	5	3	1	—	35	1
	tion, Pulmonary { F	244	4	3	3	8	18	6	1	1	—	26	1
	apoplexy. { M	2	—	—	—	—	—	—	—	—	—	—	—
	... { F	2	—	—	—	—	—	—	—	—	—	—	—
	A. Pulmonary { M	161	2	6	4	13	25	5	3	1	—	34	1
	apoplexy and { F	204	4	3	3	8	18	6	1	1	—	26	1
	infarction. { M	20	—	—	—	—	—	—	—	—	—	—	—
	... { F	38	—	—	—	—	—	—	—	—	—	—	—
	B. Pulmonary { M	20	—	—	—	—	—	—	—	—	—	—	—
	œdema and { F	38	—	—	—	—	—	—	—	—	—	—	—
	congestion. { M	1	—	—	1	—	1	—	—	—	—	1	—
	C. Hypostatic { F	—	—	—	—	—	—	—	—	—	—	—	—
	pneumonia. { M	1	—	—	1	—	1	—	—	—	—	1	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
95	D. Collapse of { M	16	—	—	—	—	—	—	—	—	—	—	—
	lung (three { F	9	—	—	—	—	—	—	—	—	—	—	—
96	Gangrene of the { M	236	—	—	—	—	—	—	—	—	—	—	1
	lung. { F	163	—	—	1	—	1	1	—	—	—	2	1
97	Asthma ... { M	74	—	—	—	—	—	1	—	—	—	1	—
	... { F	30	—	—	—	—	—	—	—	—	—	—	—
98	Pulmonary { M	123	—	—	2	—	2	—	—	—	1	3	3
	emphysema. { F	45	—	—	4	1	5	—	—	—	1	6	—
	Other diseases of { M	69	—	—	—	—	—	—	—	—	—	—	2
	the respiratory { F	15	—	—	—	—	—	—	—	—	—	—	—
	system. { M	54	—	—	2	—	2	—	—	—	1	3	1
	A. Fibroid disease { F	30	—	—	4	1	5	—	—	—	1	6	—
	of lung. { M	54	—	—	2	—	2	—	—	—	1	3	1
	... { F	30	—	—	4	1	5	—	—	—	1	6	—
99	B. Other diseases { M	54	—	—	2	—	2	—	—	—	1	3	1
	included { F	30	—	—	4	1	5	—	—	—	1	6	—
	under 98. { M	66	10	7	2	4	23	5	1	—	—	29	4
	Diseases of the { F	53	6	8	2	2	18	2	2	1	—	23	1
	mouth and { M	44	3	2	—	4	9	4	1	—	—	14	4
	annexa. { F	40	2	4	1	2	9	1	2	1	—	13	1
	A. Diseases of the { M	14	7	5	2	—	14	—	—	—	—	14	—
	teeth and { F	40	2	4	1	2	9	1	2	1	—	13	1
	gums. { M	14	7	5	2	—	14	—	—	—	—	14	—
	... { F	8	3	4	1	—	8	—	—	—	—	8	—
	B. Thrush, { M	14	7	5	2	—	14	—	—	—	—	14	—
	Aphthous { F	8	3	4	1	—	8	—	—	—	—	8	—
stomatitis. { M	5	—	—	—	—	—	—	—	—	—	—	—	
99	C. Parotitis ... { F	4	1	—	—	—	1	1	—	—	—	2	—
	D. Other diseases { M	3	—	—	—	—	—	1	—	—	—	1	—
	of mouth and { F	1	—	—	—	—	—	—	—	—	—	—	—
	annexa. { M	3	—	—	—	—	—	—	—	—	—	—	—

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 1	6 4	3 4	9 1	10 8	12 11	15 8	12 1	25 12	28 12	25 12	18 11	14 16	11 12	7 7	2 2	}	93
1 —	5 3	3 4	3 1	5 3	4 4	9 4	3 1	8 1	9 4	9 2	2 —	— —	— —	— —	— —		A
1 1	1 1	— —	6 —	5 5	8 7	6 4	9 —	17 11	19 8	16 10	16 11	14 16	11 12	7 7	2 2	}	B
1 1	1 —	— 2	2 1	4 4	3 5	5 6	6 8	8 6	10 12	8 12	13 23	35 30	17 37	17 43	18 27		94
— —	— —	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	1 —	1 —	— —	— —	— —	}	A
1 1	1 —	— 2	2 1	3 3	3 3	5 6	6 8	8 6	9 11	8 8	11 18	29 25	15 30	11 31	14 24		B
— —	— —	— —	— —	1 —	— 2	— —	— —	— —	1 —	— 4	1 5	5 5	2 7	6 12	4 3	}	C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		D
— —	— —	3 —	— 2	— 1	2 1	2 2	2 —	4 —	— 1	1 1	2 —	— —	— 1	— —	— —	}	95
1 1	2 1	— 4	2 2	5 2	9 11	15 7	19 8	17 12	29 22	32 24	36 20	45 24	14 13	6 5	3 4		96
— —	— —	— —	— —	1 1	4 —	3 1	3 1	13 2	7 1	13 4	9 7	6 6	6 4	7 1	1 2	}	97
1 1	1 2	4 1	3 1	4 3	4 1	14 —	14 5	15 5	12 5	19 4	16 4	5 3	2 —	2 1	1 3		98
— 1	— —	— —	1 1	3 1	3 —	8 —	8 1	7 1	10 4	13 4	12 1	1 1	1 —	— —	— —	}	A
1 —	1 2	4 1	2 —	1 2	1 1	6 —	6 4	8 4	2 1	6 —	4 3	4 2	1 —	2 1	1 3		B
— 1	1 1	3 3	2 1	2 4	6 3	1 2	3 —	— 4	4 1	1 5	1 1	6 1	2 2	— —	1 —	}	99
— 1	1 1	3 3	2 1	2 4	6 3	1 2	2 —	— 4	4 1	1 5	1 —	1 —	2 1	— —	— —		A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— 1	3 —	— 1	— —	1 —		C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 1	— —	— —	— —	}	D

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.													
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—		
100	Diseases of the pharynx, Tonsillitis.	M	82	1	6	—	6	13	5	4	2	3	27	12	
		F	78	1	1	3	3	8	8	4	4	4	28	8	
	A. Tonsillitis ...	M	56	—	1	—	3	4	4	4	2	3	17	9	
		F	49	1	—	1	2	4	3	2	4	3	16	6	
	B. Ludwig's angina.	M	5	—	—	—	1	1	—	—	—	—	1	—	
		F	2	—	—	—	—	—	1	—	—	—	1	—	
	C. Other diseases of the pharynx.	M	21	1	5	—	2	8	1	—	—	—	9	3	
		F	27	—	1	2	1	4	4	2	—	1	11	2	
	101	Diseases of the œsophagus.	M	9	—	—	—	—	—	—	—	—	—	—	—
			F	7	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach.	M	267	2	—	—	—	2	—	—	—	—	2	1	
		F	222	—	—	1	—	1	—	—	—	—	1	1	
103	Other diseases of the stomach.	M	431	40	85	35	20	180	14	3	4	5	206	9	
		F	478	23	43	49	31	146	31	3	5	3	193	16	
	A. Inflammation of stomach.	M	347	36	81	32	18	167	13	3	4	2	189	5	
		F	398	19	40	44	30	133	31	7	5	3	179	12	
	B. Other diseases included under 103.	M	84	4	4	3	2	13	1	—	—	3	17	4	
		F	80	4	3	5	1	13	—	1	—	—	14	4	
	104 & 105	Diarrhœa and enteritis.	M	1,409	103	243	237	210	798	128	35	19	6	986	19
			F	1,081	55	146	162	186	549	107	28	15	12	711	22
		A. Infective enteritis.	M	187	14	36	44	40	134	24	10	2	1	171	7
			F	168	4	29	39	41	113	21	4	4	2	144	4
B. Diarrhœa—not returned as infective.		M	261	20	53	48	42	163	31	5	3	—	202	3	
		F	207	6	28	35	42	111	24	6	2	3	146	2	
C. Enteritis—not returned as infective.		M	334	29	57	68	46	200	30	6	5	2	243	2	
		F	288	25	29	30	38	122	26	9	4	3	164	7	
D. Gastro-enteritis—not returned as infective		M	381	33	78	65	78	254	40	14	9	3	320	6	
		F	308	15	49	47	59	170	34	9	5	4	222	9	
E. Dyspepsia—under 2 years.		M	40	10	15	8	4	37	3	—	—	—	40	—	
		F	29	5	10	9	4	28	1	—	—	—	29	—	
F. Colic ...		M	13	1	3	2	—	6	—	—	—	—	6	—	
		F	9	—	1	1	1	3	1	—	—	—	4	—	
G. Ulceration of intestines.	M	32	1	1	2	—	4	—	—	—	—	4	—		
	F	42	—	—	1	1	2	—	—	—	—	2	—		
H. Duodenal ulcer.	M	161	—	—	—	—	—	—	—	—	—	—	—		
	F	30	—	—	—	—	—	—	—	—	—	—	—		
106	Ankylostomiasis ...	M	—	—	—	—	—	—	—	—	—	—	—	—	
		F	—	—	—	—	—	—	—	—	—	—	—	—	
107	Other intestinal parasites.	M	3	—	—	—	—	—	—	1	1	—	2	—	
		F	3	—	—	—	—	—	2	—	—	—	2	—	
108	Appendicitis ...	M	358	1	—	—	—	1	1	1	3	7	13	3	
		F	291	—	—	—	—	—	1	1	3	4	7	15	2

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
6 7	3 4	4 2	4 1	8 —	6 5	1 2	3 1	3 3	1 4	— 5	— 3	1 —	2 4	1 1	— —	}	100
5 5	2 4	3 1	3 —	5 —	3 4	1 —	2 1	2 3	1 2	— 3	— 2	— —	2 2	1 —	— —		A
— —	— —	— —	1 —	1 —	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
1 2	1 —	1 1	— 1	2 —	1 —	— 2	1 —	1 —	— 2	— 2	— 1	1 —	— 2	— 1	— —		}
— —	— —	— —	— —	— —	— 1	1 1	— —	3 —	— —	3 —	— 4	1 1	— —	— —	1 —	}	
1 5	6 14	13 25	18 24	18 14	30 23	34 28	25 19	36 10	25 18	16 10	23 13	10 7	5 7	3 2	1 1		}
3 5	4 4	4 3	7 7	6 4	11 9	12 15	12 24	15 18	16 18	31 14	32 28	27 37	16 40	13 20	7 23	}	
3 5	2 4	2 1	6 6	5 3	8 7	8 12	6 19	11 17	11 13	24 13	21 18	20 24	12 36	8 12	6 17		}
— —	2 —	2 2	1 1	1 1	3 2	4 3	6 5	4 1	5 5	7 1	11 10	7 13	4 4	5 8	1 6	}	
13 9	12 10	9 7	12 24	19 27	35 11	30 13	28 13	39 22	34 24	36 26	30 33	54 44	28 44	16 26	9 15		}
— 3	— —	— —	— 1	— 2	— 1	1 2	— —	— 1	1 1	2 5	1 1	1 2	3 —	— 1	— —	}	
1 1	3 —	— —	— 2	1 3	— —	— 1	2 1	2 —	3 6	7 —	6 5	14 14	10 11	3 7	4 8		}
5 —	— 5	1 1	3 12	1 6	8 3	4 3	5 5	8 6	7 7	8 10	8 14	16 17	5 17	8 9	2 2	}	
7 3	6 3	1 1	— 1	1 8	2 —	— 1	2 2	4 7	2 8	6 6	5 9	9 8	5 12	3 4	2 4		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— 1	— —	1 —	1 —	1 —	— —	2 —	1 1	1 2	— 1		}
— 1	2 —	1 4	— 4	3 3	1 6	4 3	2 2	3 6	2 2	3 1	2 3	3 1	— 3	1 1	1 —	}	
— 1	1 2	6 1	9 4	13 5	24 1	21 2	17 3	21 2	18 —	9 4	8 1	9 2	4 —	— 2	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		}
55 35	50 28	27 37	24 17	27 17	25 20	24 16	18 15	16 10	18 17	12 13	5 8	4 8	2 4	— 2	1 —	}	

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
109	Hernia, Intestinal obstruction.	M 493	12	8	25	40	85	15	4	2	2	108	10
		F 472	5	3	14	12	34	7	1	3	4	49	9
	A. Hernia ...	M 182	4	1	3	4	12	3	—	—	—	15	2
		F 201	1	1	—	1	3	1	—	—	—	4	—
	B. Intestinal obstruction.	M 311	8	7	22	36	73	12	4	2	2	93	8
		F 271	4	2	14	11	31	6	1	3	4	45	9
110	Other diseases of the intestines.	M 55	2	4	2	1	9	—	1	1	1	12	—
		F 65	1	—	6	4	11	2	—	—	—	13	1
111	Acute yellow atrophy of the liver.	M 10	—	—	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	1	—	1	—	2	1
112	Hydatid of liver ...	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver	M 573	—	—	—	—	—	—	—	—	—	—	1
		F 412	—	—	—	—	—	—	—	—	—	—	2
	A. Cirrhosis of the liver not ret'd alcoholic.	M 513	—	—	—	—	—	—	—	—	—	—	—
		F 372	—	—	—	—	—	—	—	—	—	—	2
	B. Cirrhosis of the liver ret'd as alcoholic.	M 42	—	—	—	—	—	—	—	—	—	—	—
		F 30	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gall bladder."	M 18	—	—	—	—	—	—	—	—	—	—	1
		F 10	—	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi	M 69	—	—	—	—	—	—	—	—	—	—	—
		F 145	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver.	M 94	—	—	—	2	2	1	1	2	1	7	2
		F 133	—	—	2	2	4	3	2	—	1	10	2
116	Diseases of the spleen.	M 12	—	—	—	—	—	—	2	—	—	2	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
	A. Infarction of spleen.	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M 12	—	—	—	—	—	—	2	—	—	2	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M 60	3	5	1	1	10	1	2	3	1	17	3
		F 71	—	1	2	1	4	1	3	4	3	15	16
118	Other diseases of the digestive system.	M 31	—	1	—	—	1	—	—	1	—	2	—
		F 18	—	—	1	—	1	—	—	—	—	1	—
	A. Abdominal abscess, Sub-phrenic absces.	M 7	—	1	—	—	1	—	—	—	—	1	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 118.	M 24	—	—	—	—	—	—	—	1	—	1	—
		F 18	—	—	1	—	1	—	—	—	—	1	—
119	Acute nephritis ...	M 274	2	2	6	9	19	13	4	7	5	48	24
		F 214	—	4	1	7	12	6	7	5	7	37	10

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
10 2	4 3	12 3	9 8	15 10	13 13	15 25	23 19	36 33	28 40	42 54	35 53	52 59	47 46	26 25	8 21	}	109
1 —	1 —	1 —	1 2	3 4	6 5	9 15	10 10	12 17	20 24	17 29	17 34	26 25	27 18	10 7	4 7		}
9 2	3 3	11 3	8 6	12 6	7 8	6 10	13 9	24 16	8 16	25 25	18 19	26 34	20 28	16 18	4 14	}	
1 —	— 1	1 2	1 3	1 9	2 1	1 5	2 4	3 —	7 2	4 4	6 2	7 5	4 1	2 8	1 4		}
— —	— —	1 1	1 1	1 1	— 2	1 1	— —	1 1	2 —	2 —	— —	— —	— —	1 —	— —	}	
— —	— —	— —	— 1	— 1	— —	— 1	— —	— —	— —	— —	1 1	— —	— —	— —	— —		}
1 1	1 —	1 2	1 1	12 6	34 24	51 43	78 62	97 59	89 65	85 51	68 40	33 28	17 15	4 11	— 2	}	
1 1	— —	— 2	— —	11 3	27 22	43 36	73 54	90 54	84 61	79 49	57 36	31 26	13 14	4 10	— 2		}
— —	— —	— —	1 1	1 3	5 2	7 7	2 8	7 4	4 2	4 1	10 2	— —	1 —	— —	— —	}	
— —	1 —	1 —	— —	— —	2 —	1 —	3 —	— 1	1 2	2 1	1 2	2 2	3 1	— 1	— —		}
— —	— —	— —	— —	2 3	— 3	— 3	5 6	6 9	8 22	7 23	20 28	10 24	7 14	3 8	1 2	}	
2 2	2 1	— 1	5 1	6 3	3 5	2 4	5 8	5 8	9 9	7 22	12 15	14 17	10 15	3 5	— 5		}
— —	— —	2 —	1 1	— —	— —	1 —	1 1	— —	2 —	1 1	2 —	— 1	— —	— 1	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	2 —	1 1	— —	— —	1 —	1 1	— —	2 —	1 1	2 —	— 1	— —	— 1	— —	}	
2 6	4 3	1 4	1 4	4 4	4 2	2 3	5 —	7 3	4 1	2 3	2 3	— 1	1 3	— —	1 —		}
— —	— —	1 —	2 1	3 1	4 —	3 4	2 6	5 1	4 1	3 —	— —	1 3	— —	1 —	— —	}	
— —	— —	1 —	— —	— —	1 —	1 —	1 —	— —	1 —	— —	— —	— —	— —	1 —	— —		}
— —	— —	— —	2 1	3 1	3 —	2 4	1 6	5 1	3 1	3 —	— —	1 3	— —	— —	— —	}	
5 3	10 12	12 9	13 14	8 7	13 13	14 18	25 18	26 14	22 17	12 11	11 14	10 4	8 1	3 1	— 1		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

GE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
15 12	19 15	23 25	23 26	50 45	87 70	121 85	155 136	183 143	233 162	268 194	242 208	223 186	114 125	48 63	16 26	}	120
12 8	12 12	17 21	17 22	39 39	70 58	100 69	132 105	162 115	201 146	236 168	216 186	184 167	97 110	37 55	16 25		}
3 4	7 3	6 4	6 4	11 6	17 12	21 16	23 31	21 28	32 16	32 26	26 22	39 19	17 15	11 8	— 1	}	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		}
1 2	1 1	4 2	— 1	3 5	4 10	4 4	2 6	6 7	4 4	5 9	9 5	5 5	5 5	3 2	2 1	}	
— 1	— —	— —	— —	— —	2 2	— —	— 1	— —	— 2	— 1	— —	— —	1 1	— —	— —		}
— 1	— —	1 —	— —	1 —	— —	— —	— 1	1 1	— —	1 —	1 —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	2 —	— 1	1 1	— —	1 —		}
1 —	1 1	3 2	— 1	2 5	2 8	4 4	2 4	5 6	4 2	4 8	6 5	5 4	3 3	3 2	1 1	}	
— —	— —	2 —	1 3	1 3	1 2	4 1	7 —	4 —	3 1	2 1	7 —	4 2	3 1	— —	1 —		}
— —	— 1	1 1	— —	2 —	4 2	4 —	5 1	7 5	7 3	33 11	35 12	36 4	40 8	27 7	14 6	}	
— —	— —	1 —	— —	1 —	3 —	9 —	12 —	9 —	13 1	16 2	16 1	13 —	5 —	1 —	— —		}
— —	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	1 —	— —	1 —	— —	— —	— —	}	
— —	— —	1 —	— —	1 —	3 —	9 —	11 —	8 —	13 1	15 2	16 1	12 —	5 —	1 —	— —		}
— —	— —	— —	1 —	— —	— —	2 —	— —	9 —	11 —	35 —	67 —	84 —	74 —	64 —	30 —	}	
— —	1 —	— —	— —	— —	— —	— —	1 —	— —	2 —	— —	1 —	2 —	1 —	— —	1 —		}
— —	— —	1 —	— —	— —	2 —	3 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	2 —	2 —	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	1 —	1 —	8 —	11 —	14 —	7 —	4 —	3 —	1 —	9 —	4 —	2 —	— —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— —	— 1	— —	— 3	— 6	— 5	— 7	— 5	— 5	— 2	— 2	— 1	— 3	— —	— —	— 1	} 130
— —	— 1	— —	— —	— —	— —	— 3	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— 3	— 6	— 5	— 4	— 4	— 5	— 2	— 2	— 1	— 3	— —	— —	— 1	} B
— —	— —	— —	— 1	— 7	— 3	— 6	— 7	— 11	— 8	— 4	— 6	— 5	— 7	— 2	— —	
— —	— —	— 4	— 10	— 11	— 4	— 5	— 3	— 4	— 1	— 1	— —	— —	— —	— 1	— —	} 132
— —	— —	— —	— —	— 4	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— 4	— 10	— 7	— 4	— 5	— 3	— 3	— 1	— 1	— —	— —	— —	— 1	— —	} B
— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	
— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— —	— —	— 1	— —	— —	— 1	— —	} 133
— —	— 2	— 6	— 17	— 27	— 28	— 19	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	
— —	— 2	— 1	— 3	— 7	— 5	— 7	— —	— —	— —	— —	— —	— —	— —	— —	— —	} A
— —	— —	— 2	— 6	— 13	— 14	— 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— 2	— 2	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} C
— —	— —	— —	— 4	— 6	— 5	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— 1	— 2	— 1	— 3	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	} E
— —	— 3	— 4	— 24	— 40	— 31	— 16	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— 3	— 16	— 17	— 24	— 31	— 9	— 1	— —	— —	— —	— —	— —	— —	— —	— —	} 136
— —	— 11	— 65	— 100	— 86	— 62	— 24	— 1	— —	— —	— —	— —	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} 137
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
138	Puerperal albumi- nuria and con- vulsions.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 175	—	—	—	—	—	—	—	—	—	—	—
	A. Puerperal ne- phritis and uræmia.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 37	—	—	—	—	—	—	—	—	—	—	—
	B. Puerperal albuminuria and Bright's disease.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 8	—	—	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 130	—	—	—	—	—	—	—	—	—	—	—
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 90	—	—	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens and phlebitis.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 13	—	—	—	—	—	—	—	—	—	—	—
	B. Puerperal em- bolism and sudden death	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 77	—	—	—	—	—	—	—	—	—	—	—
140	Puerperal insanity.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 10	—	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 2	—	—	—	—	—	—	—	—	—	—	—
142	Gangrene ...	{ M 211	—	—	1	1	2	—	1	3	—	6	2
		{ F 186	1	1	2	—	4	2	4	3	—	13	1
	A. Senile gangrene.	{ M 181	—	—	—	—	—	—	—	—	—	—	—
		{ F 162	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	{ M 13	—	—	—	1	1	—	1	2	—	4	2
		{ F 10	—	—	2	—	2	2	3	1	—	8	1
	C. Noma pudendi	{ M 7	—	—	—	—	—	—	—	1	—	1	—
		{ F 3	—	—	—	—	—	—	1	2	—	3	—
	D. Other gan- grene.	{ M 10	—	—	1	—	1	—	—	—	—	1	—
		{ F 11	1	1	—	—	2	—	—	—	—	2	—
143	Carbuncle, Boil ...	{ M 49	1	—	—	—	1	—	—	—	—	1	—
		{ F 18	—	1	—	—	1	—	—	—	—	1	—
144	Phlegmon, Acute abscess.	{ M 124	7	9	2	5	23	4	1	1	1	30	2
		{ F 90	8	6	4	6	24	2	2	3	1	32	2
	A. Phlegmon ...	{ M 87	4	5	1	3	13	2	—	1	1	17	2
		{ F 51	5	2	1	1	9	1	—	3	—	13	1
	B. Acute Abscess	{ M 37	3	4	1	2	10	2	1	—	—	13	—
		{ F 39	3	4	3	5	15	1	2	—	1	19	1

AGE-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	138
—	11	36	45	29	34	19	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	2	3	10	9	10	3	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	1	1	—	3	3	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	9	32	34	20	21	13	1	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	139
—	—	7	23	24	17	17	2	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	1	4	2	1	5	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	6	19	22	16	12	2	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	140
—	—	1	3	1	3	2	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	141
—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—		
—	1	1	1	1	1	3	1	3	6	11	23	46	46	41	18	}	142
—	1	—	—	—	—	—	2	2	2	10	10	39	41	36	29		
—	—	—	—	—	—	—	—	—	3	7	22	45	46	40	18	}	A
—	—	—	—	—	—	—	—	—	1	10	10	38	40	35	28		
—	1	—	1	—	1	1	—	—	1	1	—	—	—	1	—	}	B
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	—	—	1	1	1	1	1	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	2	1	2	1	2	—	—	—	—	—	}	D
—	—	—	—	—	—	—	2	2	1	—	—	1	1	1	1		
—	1	3	1	2	—	2	3	5	6	9	4	7	5	—	—	}	143
1	—	—	—	1	—	2	3	1	1	4	—	—	3	1	—		
1	3	4	2	6	2	9	9	6	10	10	10	10	6	2	2	}	144
1	1	1	1	2	2	5	5	8	5	7	5	6	4	3	—		
1	2	4	2	3	—	9	7	4	8	8	7	6	6	1	—	}	A
1	1	—	—	2	2	3	3	8	5	2	5	4	1	—	—		
—	1	—	—	3	2	—	2	2	2	2	3	4	—	1	2	}	B
—	—	1	1	—	—	2	2	—	—	5	—	2	3	3	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
145	Diseases of the integumentary system.	M 134	30	12	5	12	59	3	—	2	—	64	4
		F 160	17	13	5	4	39	4	2	1	1	47	—
	A. Ulcer, Bedsore	M 50	—	2	—	—	2	—	—	—	—	2	1
		F 78	—	1	1	—	2	1	—	—	—	3	—
	B. Eczema ...	M 30	7	3	4	9	23	2	—	—	—	25	3
		F 24	4	4	2	2	12	3	1	1	1	18	—
	C. Pemphigus ...	M 25	14	3	—	1	18	—	—	1	—	19	—
		F 16	7	2	—	—	9	—	1	—	—	10	—
	D. Other dis. of the integumentary system.	M 29	9	4	1	2	16	1	—	1	—	18	—
		F 42	6	6	2	2	16	—	—	—	—	16	—
146	Diseases of the bones.	M 98	1	3	2	—	6	3	2	5	4	20	10
		F 44	—	—	1	—	1	3	2	1	1	8	4
147	Diseases of the joints.	M 15	—	—	—	2	2	—	1	—	—	3	—
		F 18	—	—	—	1	1	1	—	—	—	2	1
148	Amputations ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M 7	—	—	—	—	—	—	1	—	—	1	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
150	Congenital malformations.	M 532	313	74	45	33	465	28	12	5	—	510	5
		F 412	241	65	25	35	366	10	7	2	4	389	12
	A. Congenital hydrocephalus.	M 56	12	3	8	12	35	11	2	3	—	51	1
		F 33	8	4	5	8	25	3	1	—	1	30	2
	B. Phimosi ...	M 5	1	—	2	1	4	1	—	—	—	5	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M 224	152	23	12	11	198	10	7	—	—	215	4
		F 161	94	24	5	11	134	3	4	1	2	144	9
	D. Other congenital malformations.	M 247	148	48	23	9	228	6	3	2	—	239	—
		F 218	139	37	15	16	207	4	2	1	1	215	1
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 3,908	3,101	504	210	93	3,908	—	—	—	—	3,908	—
		F 2,940	2,385	326	144	85	2,940	—	—	—	—	2,940	—
	A. Premature birth.	M 2,459	2,266	167	22	4	2,459	—	—	—	—	2,459	—
		F 1,915	1,776	124	11	4	1,915	—	—	—	—	1,915	—
	B. Infantile atrophy, debility and marasmus.	M 1,309	727	318	178	86	1,309	—	—	—	—	1,309	—
		F 926	540	184	123	79	926	—	—	—	—	926	—
	C. Icterus neonatorum.	M 116	105	7	3	1	116	—	—	—	—	116	—
		F 66	59	7	—	—	66	—	—	—	—	66	—
	D. Sclerema and œdema neonatorum.	M 2	2	—	—	—	2	—	—	—	—	2	—
		F 6	4	2	—	—	6	—	—	—	—	6	—
	E. Want of breast milk.	M 22	1	12	7	2	22	—	—	—	—	22	—
		F 27	6	9	10	2	27	—	—	—	—	27	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
152	Other diseases peculiar to early infancy.	{ M 431	411	20	—	—	431	—	—	—	—	431	—
		{ F 315	304	10	1	—	315	—	—	—	—	315	—
	A. Diseases of umbilicus, &c.	{ M 41	34	7	—	—	41	—	—	—	—	41	—
		{ F 47	41	6	—	—	47	—	—	—	—	47	—
	B. Atelectasis ...	{ M 215	204	11	—	—	215	—	—	—	—	215	—
		{ F 166	162	4	—	—	166	—	—	—	—	166	—
	C. Injuries at birth.	{ M 170	169	1	—	—	170	—	—	—	—	170	—
		{ F 100	99	—	1	—	100	—	—	—	—	100	—
	D. Cyanosis neonatorum.	{ M 5	4	1	—	—	5	—	—	—	—	5	—
		{ F 2	2	—	—	—	2	—	—	—	—	2	—
153	Lack of care ...	{ M 27	26	1	—	—	27	—	—	—	—	27	—
		{ F 29	29	—	—	—	29	—	—	—	—	29	—
154	Old age ...	{ M 2,945	—	—	—	—	—	—	—	—	—	—	—
		{ F 4,267	—	—	—	—	—	—	—	—	—	—	—
	A. Senile dementia.	{ M 110	—	—	—	—	—	—	—	—	—	—	—
		{ F 188	—	—	—	—	—	—	—	—	—	—	—
	B. Senile decay...	{ M 2,835	—	—	—	—	—	—	—	—	—	—	—
		{ F 4,079	—	—	—	—	—	—	—	—	—	—	—
155	Suicide by poison...	{ M 94	—	—	—	—	—	—	—	—	—	—	—
		{ F 75	—	—	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia	{ M 37	—	—	—	—	—	—	—	—	—	—	—
		{ F 16	—	—	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	{ M 204	—	—	—	—	—	—	—	—	—	—	—
		{ F 42	—	—	—	—	—	—	—	—	—	—	—
158	Suicide by drowning.	{ M 175	—	—	—	—	—	—	—	—	—	—	—
		{ F 77	—	—	—	—	—	—	—	—	—	—	—
159	Suicide by firearms	{ M 71	—	—	—	—	—	—	—	—	—	—	—
		{ F 5	—	—	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	{ M 161	—	—	—	—	—	—	—	—	—	—	—
		{ F 48	—	—	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	{ M 22	—	—	—	—	—	—	—	—	—	—	—
		{ F 8	—	—	—	—	—	—	—	—	—	—	—
162	Suicide by crushing	{ M 47	—	—	—	—	—	—	—	—	—	—	—
		{ F 8	—	—	—	—	—	—	—	—	—	—	—
163	Other suicides ...	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 1	—	—	—	—	—	—	—	—	—	—	—
164	Poisoning by food	{ M 18	—	—	—	—	—	—	—	—	—	—	—
		{ F 9	—	—	—	—	—	—	—	—	—	—	—
165	Other acute poisonings.	{ M 30	—	—	—	—	—	—	—	1	1	2	—
		{ F 22	—	2	—	—	2	—	2	—	1	5	—
166	Conflagration ...	{ M 11	—	—	—	1	1	—	—	—	1	2	—
		{ F 8	—	1	—	—	1	1	1	1	—	4	—
167	Burns (conflagration excepted).	{ M 173	1	1	2	6	10	35	26	28	8	107	1
		{ F 257	—	3	—	10	13	28	24	24	30	119	3

E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	6	7	47	127	558	778	773	649	}	154
—	—	—	—	—	—	—	1	3	13	60	156	669	1,045	1,154	1,166		
—	—	—	—	—	—	—	—	1	—	15	13	32	25	15	9	}	A
—	—	—	—	—	—	—	1	—	4	15	21	41	41	42	23		
—	—	—	—	—	—	—	—	5	7	32	114	526	753	758	640	}	B
—	—	—	—	—	—	—	—	3	9	45	135	628	1,004	1,112	1,143		
6	4	3	11	10	15	12	8	10	8	5	1	1	—	—	—	}	155
6	7	8	8	9	10	7	13	1	1	4	1	—	—	—	—		
—	—	2	6	3	2	7	7	4	3	2	1	—	—	—	—	}	156
—	—	1	4	2	3	2	—	2	1	1	—	—	—	—	—		
1	3	5	7	10	12	32	19	24	25	35	19	8	4	—	—	}	157
—	1	2	—	3	2	4	6	6	4	5	4	3	—	1	1		
—	2	10	19	14	21	22	19	12	16	14	15	7	2	1	1	}	158
1	5	9	5	10	11	7	3	11	5	6	3	—	1	—	—		
—	3	6	6	10	6	5	4	10	6	5	3	4	3	—	—	}	159
—	—	1	2	—	—	1	—	1	—	—	—	—	—	—	—		
—	1	5	10	15	23	10	19	19	16	12	15	13	1	1	1	}	160
—	—	2	3	6	3	14	1	8	5	1	3	2	—	—	—		
—	—	—	2	2	1	4	4	3	3	—	2	1	—	—	—	}	161
—	1	1	1	—	1	—	1	—	1	1	1	—	—	—	—		
—	4	1	7	8	2	10	3	2	3	3	2	1	1	—	—	}	162
—	1	1	—	1	2	1	1	—	1	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	163
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	—		
1	4	1	2	—	1	3	2	1	—	2	—	—	—	—	—	}	164
—	—	1	1	2	1	—	—	2	—	—	1	—	—	—	—		
—	1	2	1	4	3	—	6	3	6	—	1	—	1	—	—	}	165
1	—	1	1	2	—	2	4	2	2	—	1	1	—	—	—		
—	1	1	2	1	1	—	—	—	—	—	—	1	—	—	—	}	166
—	—	—	—	—	1	1	—	—	—	—	1	—	1	—	—		
4	2	1	3	3	6	3	1	10	4	4	1	6	4	—	3	}	167
10	12	2	2	6	7	9	11	3	3	10	7	11	7	7	1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
168	Absorption of dele- terious gases (conflagration ex- cepted).	M 169 F 157	55 46	48 47	30 39	9 11	142 143	2 4	— —	3 —	— 1	147 148	— —
169	Accidental drown- ing.	M 610 F 94	3 2	1 1	1 —	— —	5 3	21 4	23 8	17 3	25 3	91 21	85 9
170	Injury by firearms	M 20 F 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 2
171	Injury by cutting or piercing in- struments.	M 9 F 2	— —	— —	— —	— —	— —	— —	1 —	1 —	— —	2 —	— —
172	Injury by fall ...	M 457 F 326	1 —	1 1	— —	2 4	4 5	8 3	5 2	5 1	4 —	26 11	12 4
173	Injury in mines and quarries.	M 305 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
174	Injury by machines	M 53 F 2	— —	— —	— —	— —	— —	— —	1 —	— —	— —	1 —	— —
175	Injury by other crushing (vehi- cles, railways, landslides, &c.)	M 705 F 148	1 —	— —	— 2	1 —	2 2	6 8	10 7	12 6	11 8	41 31	70 24
176	Injury by animals	M 18 F 3	— —	— —	— —	— —	— —	— 1	1 —	— —	1 1	2 2	— —
177	Starvation ...	M 5 F 2	— —	— —	1 —	— 1	1 1	— —	— —	— —	— —	1 1	— —
178	Excessive cold ...	M 5 F 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
179	Effects of heat ...	M 18 F 12	— —	— —	— —	— —	— —	1 1	— 1	— —	1 2	2 4	— —
180	Lightning ...	M 14 F 4	— —	— —	— —	— —	— —	— —	— —	1 2	— 1	1 3	— —
181	Electricity (light- ning excepted).	M 2 F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
182	Homicide by fire- arms.	M 5 F 6	— —	— —	— —	1 —	1 —	— —	1 —	— —	— —	2 —	— —
183	Homicide by cut- ting or piercing instruments.	M 4 F 7	1 1	— —	— —	— —	1 1	— 2	— 1	— 1	— —	1 4	— —
184	Homicide by other means.	M 16 F 17	7 2	2 —	— —	— 2	9 4	1 1	— —	— —	— 1	10 6	— —
185	Fractures (cause not specified).	M 18 F 4	— —	— 1	— 1	— —	— 2	— —	1 —	— —	— —	1 2	— —
186	Other violence ...	M 97 F 49	5 4	5 6	2 2	6 3	18 15	3 4	2 1	— 4	2 2	25 26	— —
187	Dropsy ...	M — F 7	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— 1	— —


E-PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—*continued.*

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
—	—	4 1	2 —	3 —	1 1	6 1	— —	2 —	1 1	— —	2 1	1 2	— 2	— —	— —	}	168
7 8	33 10	42 5	38 6	36 3	41 5	43 4	30 10	34 5	24 2	22 2	23 2	13 1	3 1	5 —	— —		}
2 —	4 —	2 —	3 2	— —	2 —	1 —	1 —	2 —	2 —	— —	— —	— —	— —	— —	— —	}	
2 —	1 —	1 1	1 —	— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —		}
9 4	9 2	10 2	16 2	22 4	23 7	27 10	38 10	45 18	40 19	39 19	39 33	33 40	33 55	20 49	16 37	}	
2 —	44 —	40 —	31 —	44 —	32 —	27 —	26 —	19 —	22 —	6 —	4 —	4 —	— —	— —	— —		}
3 —	11 —	4 1	4 —	6 —	1 —	7 —	3 —	4 —	3 —	5 —	2 —	— —	— —	— —	— —	}	
2 2	47 4	54 8	60 3	42 3	61 4	52 6	57 3	39 8	38 8	34 7	27 5	24 12	6 6	8 4	3 —		}
2 —	2 —	— —	— —	2 —	— —	— —	2 —	1 —	3 —	1 —	— —	1 —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	2 —	1 —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	1 1	1 —	1 —	1 —	1 —	— —	— —	— —	}	
1 2	— 1	— —	— —	— —	— —	3 —	2 —	1 3	— 1	1 —	3 —	2 —	— —	— 1	— —		}
1 —	2 —	2 1	1 —	2 —	3 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— 1	1 2	— 1	— —	— 1	— —	1 —	— —	1 —	— 1	— —	— —	— —	— —	— —	}	
— —	— —	1 —	— 1	1 —	— 1	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	1 1	— —	1 1	1 5	— —	— —	— —	2 1	— 1	— 1	— —	1 —	— —	— —	— —	}	
— —	1 —	— —	— —	2 —	1 —	2 —	1 —	3 —	2 1	3 —	1 1	— —	1 —	— —	— —		}
8 2	3 —	4 1	6 1	6 1	5 2	7 —	4 1	6 3	5 1	3 4	2 2	2 2	3 —	1 2	— —	}	
— —	— —	— —	— —	— —	— 1	— —	— —	— 1	— 2	— —	— —	— —	— 2	— —	— —		}

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
188	Syncope, Sudden death. {	M 32	—	—	—	—	—	—	—	—	—	—	1
		F 20	—	—	—	—	—	—	—	—	1	1	—
	A. Syncope (aged 1 year and under 70 years). {	M 31	—	—	—	—	—	—	—	—	—	—	1
		F 20	—	—	—	—	—	—	—	—	1	1	—
	B. Sudden death (not otherwise defined). {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes... {	M 305	8	3	3	3	17	43	8	1	1	70	8
		F 243	6	—	—	5	11	51	9	1	2	74	4
	A. Heart failure (aged 1 year and under 70). {	M 180	—	—	—	—	—	—	—	—	—	—	3
		F 132	—	—	—	—	—	1	—	—	—	1	1
	B. Atrophy, debility, marasmus (aged 1 year and under 70). {	M 52	—	—	—	—	—	37	8	1	—	46	2
		F 73	—	—	—	—	—	48	6	1	2	57	2
	C. Teething ... {	M 9	—	—	2	3	5	4	—	—	—	9	—
		F 6	—	—	—	4	4	2	—	—	—	6	—
	D. Pyrexia ... {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths. {	M 44	4	2	1	—	7	2	—	—	—	9	3
		F 26	2	—	—	1	3	—	2	—	—	5	1
	F. Cause not specified. {	M 20	4	1	—	—	5	—	—	—	1	6	—
		F 6	4	—	—	—	4	—	1	—	—	5	—

PERIODS IN THE QUARTER ENDED 30TH JUNE, 1914—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1 —	3 —	1 —	— —	3 —	1 2	5 3	3 5	5 5	4 3	5 1	— —	— —	— —	— —	} 188	
1 —	3 —	1 —	— —	2 —	1 2	5 3	3 5	5 5	4 3	5 1	— —	— —	— —	— —		
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} B	
6 —	10 2	5 2	8 4	12 9	9 10	16 23	24 20	33 20	47 31	41 36	7 3	3 2	1 1	— —		
3 —	7 1	3 2	4 3	10 9	7 7	13 17	20 17	29 17	40 24	38 31	— —	— —	— —	— —	} A	
1 —	1 —	— —	— —	— —	— 1	— 2	— 1	— 1	1 4	— 5	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} C	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
2 —	2 1	2 —	3 1	1 —	2 2	1 4	4 2	1 1	5 3	3 —	4 3	2 2	— 1	— —	} E	
1 —	— —	— —	1 —	1 —	— —	2 —	— —	3 1	1 —	— —	3 —	1 —	1 —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	} F	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		



QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES,
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 266.]

[Price 1s.

Marriages—January, February, March, 1915.

Births and Deaths—April, May, June, 1915.

NOTE.—The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return a table of the deaths (by sex, age, and cause) in England and Wales during the third quarter of the year 1914 is incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return. The Return also includes a list of changes of boundaries affecting administrative areas and Poor Law areas made during the first half of 1915, together with a table showing the population, distinguishing age and sex, of the transferred areas.*

General Register Office, Somerset House,
31st July, 1915.

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,968 registration sub-districts of England and Wales in the three months ended 30th June, 1915; and the MARRIAGES in 16,005 churches or chapels, in 16,694 registered places of worship unconnected with the Established Church, and in 633 Superintendent Registrars' Offices, in the three months ended 31st March, 1915.

The births registered during the three months ended 30th June, 1915, numbered 213,094 and the deaths 138,579; the number of persons married during the three months ended 31st March, 1915, was 110,812.

Marriages.

The number of persons married during the *first* quarter of 1915 corresponds to an annual rate of 12·0 per 1000 of the population, which is estimated to amount to 37,302,983 persons at the middle of

the year 1914* ; this is 0·8 per 1000 above the mean marriage-rate in the ten preceding first quarters, and 0·9 per 1000 above the rate recorded in the first quarter of 1914.

Births.

The births registered in the *second* quarter of 1915 correspond to a rate of 22·9 annually per 1000 of the population in the middle of 1914. This rate is 3·3 per 1000 below the mean birth-rate in the ten preceding second quarters, and 1·4 per 1000 below the rate in the corresponding period of 1914 ; it is the lowest birth-rate recorded in any second quarter since the establishment of civil registration.

Of the 213,094 births, 9,644 were illegitimate ; the distribution of the latter among the several registration counties is shown in Table VI*a*.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 74,515, against 102,293, 105,727, and 101,933 in the second quarters of 1912, 1913, and 1914, respectively.

Deaths.

The deaths registered in England and Wales last quarter correspond to an annual rate of 14·9 per 1000 persons living ; this rate is 1·2 per 1000 above the mean rate in the ten preceding second quarters, and 1·6 per 1000 above the rate in the second quarter of 1914.

The 138,579 registered deaths included 72,916 of males and 65,663 of females, the death-rate among males being 16·2, and that among females 13·7, per 1000 of the estimated populations of the respective sexes. Compared with the average for each sex in the ten preceding second quarters, the death-rate of males showed an increase of 1·4, and that of females an increase of 0·9. Out of equal numbers living, the deaths of males were to those of females as 119 is to 100, the mean proportion in the second quarters of the ten preceding years being 115 to 100.

Mortality at Different Ages.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 97 per 1000, being 2 per 1000 above the average in the ten preceding second quarters.

The mortality among persons aged between one year and sixty-five years was at the annual rate of 8·8 per 1000 of the estimated population at this group of ages.

* The population of England and Wales as a whole has hitherto been estimated on the assumption that the rate of increase during 1901–11 has continued, but in view of the fall in the rate of natural increase since 1911 and an increase in the loss by migration the estimate of population in the middle of 1915 will be based upon the returns of births, deaths and migration. Until this is available the old estimate for the middle of 1914 will continue in use.

The populations of parts of the country, such as counties, towns, &c., being affected by the alteration in the estimate for the country as a whole, the old estimates for 1914 are also provisionally employed in their case.

Revised estimates for England and Wales, &c., in the middle of 1914 were published in the Quarterly Return for the Fourth Quarter of 1914 (Tables XVI–XXVI) ; the revised estimate for the country as a whole is 36,960,684.

Among persons aged sixty-five years and upwards the mortality was at the annual rate of 86·2 per 1000 of the estimated population at this group of ages.

Urban and Rural Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the death-rates at certain age-groups, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions in England and Wales during the *second* quarter of 1915, compared with the corresponding average rates in the *second* quarters of the ten preceding years, and also with the rates last quarter in the 96 great towns, in the 148 smaller towns, and in the remainder of England and Wales.

In the country as a whole the mortality last quarter from measles was 95 per cent. above, that from diphtheria was slightly above, and that from scarlet fever and whooping cough was slightly below the average, while that from enteric fever was only three-fifths of the average.

The highest death-rates per 1000 persons living from the several epidemic diseases among the 96 great towns last quarter were as follows :—from *enteric fever*, 0·10 in Stoke on Trent and in Preston, 0·11 in Bolton, 0·12 in Salford, in Halifax and in Rotherham, 0·13 in Blackpool and 0·20 in Tynemouth; from *measles*, 2·60 in Sunderland, 3·04 in Northampton, 3·08 in Sheffield, 3·87 in West Bromwich, 4·39 in Walsall and 4·66 in Middlesbrough; from *scarlet fever*, 0·21 in Ipswich, 0·24 in Willesden, in Leyton and in Gateshead, 0·28 in Edmonton and 0·31 in Wigan; from *whooping cough*, 0·71 in Bootle and in Merthyr Tydfil, 0·72 in Tynemouth, 0·84 in Carlisle, 1·00 in St. Helens and 3·20 in Wigan; and from *diphtheria*, 0·38 in Aberdare, 0·42 in Cambridge, 0·43 in Rochdale and 0·62 in Northampton. The highest death-rates per 1000 births from *diarrhœa and enteritis* among children under 2 years of age were 16·03 in Barrow in Furness, 16·08 in Norwich, 16·43 in Darlington, 18·79 in Smethwick, 22·17 in Barnsley, 23·11 in Middlesbrough, and 29·80 in Burnley.

UNITED KINGDOM.

The POPULATION of the UNITED KINGDOM in the middle of 1914 is estimated at 46,431,548 persons; that of England and Wales at 37,302,983, that of Scotland at 4,747,167, and that of Ireland at 4,381,398.*

In the United Kingdom 278,228 *births* and 226,376 *deaths* were registered in the three months ended 31st March, 1915. The natural increase of population was, therefore, 51,852. The number of *persons married* in the United Kingdom during the quarter was 139,348.

The birth-rate in the United Kingdom in the *first* quarter of 1915 was 24·3, the death-rate 19·8, and the marriage-rate 12·2 per 1,000 of the estimated population.

* The revised estimates of population in the middle of 1914 are as follows :—United Kingdom 46,089,249, England and Wales 36,960,684 (see page ii) Scotland 4,747,167 (as above), Ireland 4,381,398 (as above).

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

Passenger Movement.

According to a Return issued by the Board of Trade it appears that with respect to the passenger movement between the United Kingdom and places out of Europe in the three months ended 30th June, 1915, the arrivals of passengers stated to be of British nationality exceeded the departures by 8,583 persons, compared with an excess of 6,967 departures in the corresponding period of the previous year. Of aliens those leaving exceeded those arriving by 431, the balance in the corresponding period of the previous year having been 12,755 inwards.

The passenger movement between the United Kingdom and the Continent of Europe or the Mediterranean Sea showed a balance outward of 1,572 persons, British and aliens,* in the second quarter of the year, the balance in the corresponding period of the previous year having been 34,636 inward.

Thus the balance of the aggregate passenger movement in the quarter to and from all Countries was 6,580 inward.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 3rd July, 1915 (Table XV).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 3rd July, 1915 (*see* pages 22-27); and in the two following tables, these numbers have been reduced to rates per 1000 living in the several populations (*see* pages 28-33).

METEOROLOGY.†

April.

The general condition of the weather was dry except in the north-west, while the temperature as a whole differed little from the normal, and the duration of sunshine exceeded the normal except in the south-west. The wind was more often from some point between South-West and West than from any other direction, but there was a considerable percentage of winds from between East and North.

* The number of aliens included in this total is not available.

† Furnished by the Director of the Meteorological Office.

Temperature.—Temperature reached its highest point during very bright weather late in the month, when the wind was Easterly and North-Easterly or variable. Readings of 70° or a little higher were recorded in many localities, but earlier in the month the maximum readings were seldom at all high. On the 13th the maxima at several stations in the east and south of England were below 45° . The mean diurnal range of temperature varied from 13° in the south-western and north-western counties to nearly 18° in the midland counties. In the Channel Islands the mean maximum was $52^{\circ}7$ and the mean minimum $43^{\circ}2$, showing a diurnal range of only $9^{\circ}5$.

Rainfall.—In all parts of the country except the north-west there was less rain than usual, the deficit being as much as 20 mm. in England South-West and North-East, and 16 mm. in England East. In the wettest district, England North-West, the aggregate fall was 57 mm., or 4 mm. in excess of the normal, while in the driest district, England North-East, it was only 18 mm., or 22 mm. less than the normal. Over a large area in the midland counties, south-western, and north-eastern England, the percentage of the average was less than 50; at Durham it was only 30. Nearly all the rain in the southern and eastern districts occurred before the 8th, the subsequent weather being very dry generally, although it was not bright until towards the end of the month.

Bright Sunshine.—In most parts of the country the mean daily duration was at least half an hour in excess of the average, but in the midland counties the excess was very slight, and in England South-East there was a mean daily deficiency of more than half an hour. Over the country generally the sunshine was above the average during the first and last weeks and below it during the intervening period. The last week was unusually bright, the mean daily excess varying from 1 hour to 2 hours. For the whole month the mean daily duration varied from 6.1 hours in the English Channel district and 5.9 hours in England South-East and East to 5 hours in the midland counties and England North-West.

May.

The weather of May was remarkable for the persistency with which the wind clung to the East and North-East, the days with winds from those points far outnumbering those from other directions. Temperature was a little below the average except in the southern districts of England, but the duration of sunshine was everywhere in excess. The total rainfall, owing to local thunderstorms, varied greatly, being above the normal at most places in the south and south-east, and below it in the north.

Temperature.—Temperature underwent several and considerable fluctuations. After being fairly high for a time it fell to a low figure, and during the second week it was below the average. The lowest of the minimum readings were some degrees below the freezing point, and much damage was done locally to tender vegetation. The warmest period of the month was between the 21st and 26th, when the thermometer rose to about 80° in several places. On the 13th the maximum readings were unusually low for the time of year. The mean temperature was higher in the

south-west and south-east than elsewhere, the value being 53° , about 5° higher than in the north-east, which was the coldest district. In the midland counties the mean diurnal range was 20° , while in the English Channel it was only $11^{\circ}7$. For the month as a whole the temperature was 1° above the average in England South-West and $0^{\circ}6$ above it in the South-East. In all other districts it was below it, the greatest deficit being 1° in England North-East.

Rainfall.—During the second week and after the 19th there was scarcely any rain, but in consequence of very heavy falls on the 12th, 13th, and 17th the total in the south-east and south-west was much in excess of the average. In the north-west there was a considerable deficit. In spite of the large quantity of rain in the south and south-east the month was dry as a whole. At many places rain fell on only 7 or 8 days, and at Southend-on-Sea on only 5 days. A heavy local thunderstorm gave more than 50 mm. of rain to some parts of the metropolis on the 6th.

Bright Sunshine.—Over the whole country sunshine was abundant, and the average was exceeded in all districts. In the north-western counties the excess was as much as $1\frac{1}{2}$ hours per day. The brightest days were towards the end of the month, when the greater part of the country had an excess of more than $4\frac{1}{2}$ hours per day. During the third week there was relatively little sunshine; about 3 hours less than usual in the south-west and south-east.

June.

The month generally was very dry. Over a large portion of southern and south-eastern England the drought that began on the 19th or 20th of May continued for two weeks or longer in June, while in many localities where rain fell early in the month there was no further rain for two or three weeks. Temperature differed little from the normal, but was rather above it except in the south-east. Over the country generally the weather was bright, but in the south-east the sunshine was a little below the normal, and in the south-west much below it. Winds from between North and East were again very common.

Temperature.—The readings were rather low early in the month, but they soon increased decidedly, and by the eighth the thermometer reached a maximum of 85° or above in many parts of the east and south, and touched 90° at Cromer and Norwich. The subsequent fall was brisk, and during the remainder of the month the temperature was about equal to or a little below the normal. The mean diurnal range was large.

Rainfall.—A partial or absolute drought was experienced over the greater part of the country for more than two weeks. Over a large area the total fall was only about 30 per cent of the average; at Durham it was only 18 per cent, at Whitby 16, Hull 14, and at Dover 13. Locally, however, the fall exceeded the average, especially at Great Yarmouth, Pembroke, and in the west of Cornwall. Until the 26th the rainfall was partial and generally very slight, although some thunderstorms in the west were accompanied by heavy local downpours between the 8th and 10th. From the 25th till the end of the month the weather was very unsettled, and substantial or heavy falls of rain became the rule, while thunderstorms were very general.

Bright Sunshine.—Until late in the month the weather was mostly bright, except in the south-east and south-west. In the midlands and north the excess was about an hour per day. In the south-east the deficiency was very slight, but in the south-west it amounted to three quarters of an hour per day. In the Channel Islands the month was unusually dull, the sunshine being nearly three hours per day less than the average.

For the quarter as a whole the temperature differed little from the average, but in the Channel Islands it was a degree above it. The rainfall was considerably below the average except in the south-east, and the duration of sunshine above the normal except in the south and south-west. In every district the temperature was lower than the corresponding value for the second quarter of last year, the difference being nearly 2° in the north-east and about 1° elsewhere. In all districts except the north-west the sunshine was less than during the corresponding quarter of last year ; in the south-east and the English Channel the difference exceeded an hour per day.

T A B L E S.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1905-1915**, and in each Quarter of those Years.

YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
Marriages- - -	260,742	270,038	276,421	264,940	260,544	267,721	274,943	283,834	286,583	294,087	—
Births - - -	929,293	935,081	918,042	940,383	914,472	896,962	881,138	872,737	881,890	878,822	—
Deaths - - -	520,031	531,281	524,221	520,456	518,003	483,247	527,810	486,939	504,975	516,778	—
MARRIAGES.											
Quarter ended the last day of											
March- - -	45,173	45,478	53,017	47,548	45,094	56,432	44,808	44,737	60,926	51,016	55,406
June - - -	70,954	74,420	69,782	73,502	71,829	61,036	75,656	74,619	65,904	81,096	—
September- -	72,811	75,949	79,129	73,785	73,843	76,545	77,873	83,505	83,636	82,024	—
December - -	71,804	74,191	74,493	70,105	69,778	73,708	76,606	80,973	76,117	79,951	—
BIRTHS.											
March- - -	237,826	237,427	229,287	240,112	228,787	221,684	223,585	222,600	216,629	217,357	221,442
June - - -	236,702	237,168	238,535	243,834	237,220	234,825	225,774	218,070	227,470	226,967	213,092
September- -	235,352	234,663	230,528	237,229	228,840	227,146	222,506	219,232	225,501	227,122	—
December - -	219,413	225,823	219,692	219,208	219,625	213,307	209,273	212,835	212,290	208,276	—
DEATHS.											
March- - -	148,291	140,451	160,020	156,328	160,506	136,400	143,128	144,642	146,541	146,217	177,222
June - - -	123,078	125,370	127,337	121,052	125,233	115,671	119,966	115,777	121,743	124,134	138,572
September- -	120,882	129,397	106,813	113,929	104,786	104,149	140,949	101,680	113,446	115,545	—
December - -	127,780	136,063	130,051	129,147	127,478	127,027	123,767	124,840	123,245	130,882	—

TABLE II.—**Annual Rate** per 1000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1905-1915**, and in each Quarter of those Years.

Estimated Population of England and Wales, in thousands, in the middle of each Year.*	33,989	34,342	34,699	35,059	35,424	35,792	36,164	36,540	36,919	37,303	—	*
YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	Mean 1905-1914.	1915
Persons married -	15·3	15·7	15·9	15·1	14·7	15·0	15·2	15·5	15·5	15·8†	15·4	—
Births - - -	27·3	27·2	26·5	26·7	25·8	25·1	24·4	23·8	23·9	23·6†	25·4	—
Deaths - - -	15·3	15·5	15·1	14·8	14·6	13·5	14·6	13·3	13·7	13·9†	14·4	—
PERSONS MARRIED.												
Quarter ended the last day of												
March - - -	10·8	10·7	12·4	10·9	10·3	12·8	10·0	9·8	13·4	11·1	11·2	12·1
June - - -	16·7	17·4	16·1	16·8	16·3	13·7	16·8	16·4	14·3	17·4	16·2	—
September - -	17·0	17·5	18·1	16·7	16·5	17·0	17·1	18·1	18·0	17·4	17·3	—
December - -	16·8	17·1	17·0	15·9	15·6	16·3	16·8	17·6	16·4	17·0	16·7	—
BIRTHS.												
March - - -	28·4	28·0	26·8	27·5	26·2	25·1	25·1	24·4	23·8	23·6	25·9	24·1
June - - -	27·9	27·7	27·6	27·9	26·9	26·3	25·0	23·9	24·7	24·3	26·2	—
September - -	27·5	27·1	26·4	26·8	25·6	25·2	24·4	23·8	24·2	24·2	25·5	—
December - -	25·6	26·1	25·1	24·8	24·6	23·6	23·0	23·1	22·8	22·2	24·1	—
DEATHS.												
March - - -	17·7	16·6	18·7	17·9	18·4	15·5	16·1	15·9	16·1	15·9	16·9	14·0
June - - -	14·5	14·6	14·7	13·8	14·2	13·0	13·3	12·7	13·2	13·3	13·7	—
September - -	14·1	14·9	12·2	12·9	11·7	11·5	15·5	11·0	12·2	12·3	12·8	—
December - -	14·9	15·7	14·9	14·6	14·3	14·1	13·6	13·6	13·2	13·9	14·3	—

* The estimated populations shown in this Return are based on the Censuses of 1901 and 1911. For the middle of 1915, however, estimates will be based upon the returns of births, deaths and migration. Until these are available the old estimates for 1914 will continue in use. The revised estimate for England and Wales in the middle of 1914 is 36,960,684. Revised estimates for each of the registration counties, the 242 towns and the Metropolitan Boroughs in the middle of 1914 will be found in Quarterly Return No. 264 (Tables XV, XVIII., XIX. and XXI.).

† The rates based upon the revised estimate of population are :—persons married 15·9, births 23·8, deaths 14·0.

ANNUAL RATE PER 1000 LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.				
Birth-rate.	Death-rate.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 years).	Total deaths under one year.	Aged 1 Years. to 65 Years.	Aged 65 Years and upwards.	Deaths in Public Institutions.	Certified causes.	Inquest Cases.	Uncertified Causes of Death.	
	Crude.	Standardized.*																
England and Wales { 1905-14 - - - { 1915 - - -	26·2	13·7	13·4	0·05	0·00	0·37	0·07	0·29	0·11	0·55	?	95	?	?	20·4	91·6	7·1	1·3
	22·9	14·9	14·6	0·03	0·00	0·72	0·06	0·28	0·13	0·66	7·02	97	8·8	86·2	22·7	92·0	6·8	1·2
96 Great Towns - - - - -	24·2	15·1	15·4	0·03	0·00	0·80	0·07	0·31	0·13	0·64	8·15	99	9·4	88·6	29·2	91·8	7·4	0·8
148 Smaller Towns - - - - -	22·7	14·0	14·2	0·04	-	0·82	0·06	0·32	0·13	0·49	6·53	102	8·2	86·3	15·7	93·4	5·2	1·4
England and Wales, less the 244 Towns.	21·3	14·9	13·7	0·03	-	0·60	0·05	0·22	0·12	0·74	5·56	93	8·4	84·0	16·7	92·0	6·4	1·6

* The Standardized Death-rates represent the Crude Death-rates multiplied by the respective Standardizing Factors in order to make correction for differences of sex- and age- constitution of the several populations in 1911 as compared with that of England and Wales in 1901. A description of the method of constructing these Factors is to be found in the Annual Report for 1911, p. xxix.

TABLE IV.—Commercial Statistics and Pauperism, 1914-1915.

QUARTER ended	AVERAGE PRICES.										PAUPERISM.			
	2½% per Cent. CONSOLS (for Money) per £100 Stock.*	Average Minimum Rate per cent. of DISCOUNT charged by the Bank of England.*	British WHEAT per Quarter.†	Price per lb. at the Metropolitan Cattle Market (sinking the offal).‡						Average Price of Sea-borne COAL per Ton in the London Market.§	Average Number of PAUPERS relieved on the last day of each week.		Rate per 1,000 total population.	
				BEEF.			MUTTON.				In-door.	Out-door.		
				Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.					
£ s. d.	£	s. d.	d.	d.	d.	d.	d.	s. d.	265,791	377,982	7.1	10.1		
1914:														
Mar. 31 -	74 15 8	3.47	31 1	5½	6½	8	6¼	9½	10½	21 0	252,721	372,559	6.8	10.0
June 30 -	74 18 0	3.00	32 9	5¼	6½	7½	6½	8½	10	21 0	249,484	383,627	6.7	10.3
Sept. 30 -	74 16 2½	4.66	36 3	4½	7½	8½	7	9½	10½	¶	256,057	379,437	6.9	10.2
Dec. 31 -	—	5.00	39 11	5½	7½	8½	7½	8½	10½	¶				
1915:														
Mar. 31 -	68 5 5	5.00	52 5	5½	8½	9½	7½	9½	11½	¶	255,818	379,469	6.9	10.2
June 30 -	66 8 4	5.00	58 1	7½	9½	10½	8½	10½	11½	¶	234,944	366,057	6.3	9.8
Sept. 30 -	—	—	—	—	—	—	—	—	—	—	—	—	—	—
Dec. 31 -	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* The Price of Consols and the Rate of Discount are furnished by the Chief Cashier of the Bank of England.
† Furnished by the Board of Agriculture.
‡ Furnished by the Mining Statistics Branch of the Home Office.
§ Furnished by the Board of Agriculture.
¶ No quotations during the quarter.
|| This amount relates to the month of July only, no official quotation having been obtainable since the Stock Exchange was closed on 31st July. The Stock Exchange remained closed during the quarter ended 31st December, 1914, and no official prices were therefore recorded, but the minimum price at which transactions in this security were allowed by the Stock Exchange Committee was £68 10s. 0d.

TABLE V.—England and Wales and Registration Counties.—ESTIMATED POPULATION: MARRIAGES registered in the Quarter ended 31st March, 1915: BIRTHS and DEATHS registered in the Quarter ended 30th June, 1915.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The numbers of marriages, births, and deaths, are the numbers actually registered in each case.

The DEATHS registered include																						
REGISTRATION COUNTIES.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	MAR- RIAGES in Quarter ended 31st Mar., 1915.	BIRTHS in Quarter ended 30th June, 1915.	DEATHS in Quarter ended 30th June, 1915.	Deaths of										Deaths from				Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
					Deaths of		Deaths from															
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.								
England and Wales	37,302,983	55,406	213,094	138,579	20,735	41,749	311	6	6,724	590	2,589	1,176	1,496	6,126	9,412	31,465	1,677	England and Wales.				
LONDON†	-	8,653	26,871	17,420	2,649	4,685	20	-	1,000	77	435	139	204	910	1,785	7,602	9	LONDON.†				
SURREY	-	1,216	4,577	3,268	308	1,147	6	-	137	25	34	21	20	135	256	1,173	10	SURREY.				
KENT	-	1,539	5,041	3,808	362	1,352	17	-	100	11	49	23	23	331	308	961	110	KENT.				
SUSSEX	-	896	2,737	2,417	217	1,014	3	-	46	6	36	14	11	114	161	507	11	SUSSEX.				
HAMPSHIRE	-	1,491	4,409	3,385	361	1,103	16	-	119	11	72	36	18	264	261	963	32	HAMPSHIRE.				
BERKSHIRE	-	459	1,531	992	102	406	3	-	8	4	18	6	3	41	68	240	27	BERKSHIRE.				
MIDDLESEX	-	1,590	6,788	3,511	526	1,051	5	-	230	37	89	45	36	125	246	920	6	MIDDLESEX.				
HERTFORDSHIRE	-	373	1,383	959	79	389	2	-	30	3	7	11	5	34	56	301	17	HERTFORDSHIRE.				
BUCKINGHAMSHIRE	-	198	981	628	76	254	1	-	18	2	6	3	5	18	27	101	11	BUCKINGHAMSHIRE.				
OXFORDSHIRE	-	231	903	604	51	276	1	-	7	1	2	1	3	49	33	157	15	OXFORDSHIRE.				
NORTHAMPTONSHIRE	-	369,037	1,787	1,289	169	438	2	-	98	3	32	30	10	51	66	204	20	NORTHAMPTONSHIRE.				
HUNTINGDONSHIRE	-	48,571	218	170	12	97	-	-	4	-	-	1	-	6	8	20	5	HUNTINGDONSHIRE				
BEDFORDSHIRE	-	205,505	990	707	79	265	1	-	27	-	2	20	1	22	37	123	13	BEDFORDSHIRE.				
CAMBRIDGESHIRE	-	220,129	1,096	858	86	344	2	-	37	3	5	12	4	23	30	182	16	CAMBRIDGESHIRE.				
ESSEX	-	1,421,997	7,828	4,252	613	1,304	7	-	199	17	98	49	45	184	266	1,093	67	ESSEX.				
SUFFOLK	-	389,979	2,012	1,393	165	617	1	-	20	9	6	15	9	87	109	276	20	SUFFOLK.				
NORFOLK	-	495,983	2,473	1,700	212	806	2	-	12	2	14	14	17	70	102	326	19	NORFOLK.				
WILTSHIRE	-	284,696	1,358	967	94	410	-	-	5	2	15	6	3	48	77	182	11	WILTSHIRE.				
DORSETSHIRE	-	227,635	1,024	709	68	298	-	-	17	1	9	2	2	23	26	105	7	DORSETSHIRE.				
DEVONSHIRE	-	714,902	3,133	2,682	268	1,099	6	-	57	5	30	18	12	93	179	400	17	DEVONSHIRE.				
CORNWALL	-	327,611	1,517	1,237	125	537	-	-	42	3	10	18	2	52	94	141	8	CORNWALL.				
SOMERSETSHIRE	-	499,979	2,125	1,632	168	727	1	-	13	1	23	4	11	65	108	264	13	SOMERSETSHIRE.				
GLOUCESTERSHIRE	-	680,900	3,459	2,333	272	888	6	6	21	6	39	15	17	102	187	591	3	GLOUCESTERSHIRE.				
HEREFORDSHIRE	-	113,276	584	413	39	188	1	-	2	5	2	1	2	19	26	82	14	HEREFORDSHIRE.				
SHROPSHIRE	-	268,475	1,376	961	105	413	-	-	16	1	12	5	5	42	64	147	19	SHROPSHIRE.				
STAFFORDSHIRE	-	1,419,136	9,640	5,741	1,047	1,485	13	-	512	18	112	43	73	201	342	951	92	STAFFORDSHIRE.				
WORCESTERSHIRE	-	336,881	1,805	1,219	178	452	1	-	20	-	20	20	9	49	75	254	20	WORCESTERSHIRE.				
WARWICKSHIRE.	-	1,990,598	8,229	4,671	786	1,314	1	-	255	22	48	39	69	186	210	1,145	133	WARWICKSHIRE.				

REGISTRATION COUNTIES.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	MAR-RIAGES in Quarter ended 31st Mar., 1915.	BIRTHS in Quarter ended 30th June, 1915.	DEATHS in Quarter ended 30th June, 1915.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-Pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
LEICESTERSHIRE -	495,022	597	2,711	1,638	230	553	1	-	49	2	7	12	19	62	79	301	11	LEICESTERSHIRE.
RUTLANDSHIRE -	21,315	24	94	64	12	32	-	-	-	-	2	-	1	2	3	8	-	RUTLANDSHIRE.
LINCOLNSHIRE -	579,921	817	3,308	2,060	297	747	4	-	60	7	23	15	11	93	109	294	26	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	758,202	1,003	4,658	2,552	460	690	7	-	160	14	55	23	23	106	125	423	51	NOTTINGHAMSHIRE.
DERBYSHIRE -	567,354	721	3,305	1,843	282	581	2	-	121	7	11	17	18	49	89	265	49	DERBYSHIRE.
CHESHIRE -	937,209	1,313	5,169	3,236	441	1,029	8	-	66	13	48	26	39	124	229	674	6	CHESHIRE.
LANCASHIRE -	4,959,966	7,855	29,047	20,395	3,396	4,991	80	-	1,000	114	441	146	304	758	1,181	4,689	330	LANCASHIRE.
WEST RIDING -	3,141,373	4,369	18,256	12,749	2,000	3,437	48	-	663	57	236	111	161	520	851	2,425	65	WEST RIDING.
EAST RIDING (WITH YORK).	525,512	827	3,151	1,903	288	568	2	-	26	5	25	13	17	99	192	448	5	EAST RIDING. (WITH YORK)
NORTH RIDING -	431,317	610	2,686	1,964	314	570	4	-	132	10	62	18	31	62	103	223	6	NORTH RIDING.
DURHAM -	1,440,495	2,341	11,045	6,353	1,356	1,368	11	-	742	38	116	56	101	251	319	676	196	DURHAM.
NORTHUMBERLAND -	729,517	1,277	4,997	2,987	553	712	7	-	171	19	75	21	21	146	228	465	49	NORTHUMBERLAND.
CUMBERLAND -	265,333	400	1,649	1,140	185	319	1	-	90	2	33	7	15	49	61	125	24	CUMBERLAND.
WESTMORLAND -	63,285	74	269	216	14	119	-	-	1	-	2	1	-	6	7	21	5	WESTMORLAND.
MONMOUTHSHIRE -	448,691	662	3,193	1,583	331	350	7	-	101	7	40	14	22	84	98	187	17	MONMOUTHSHIRE.
GLAMORGANSHIRE -	1,222,659	1,924	8,636	4,177	884	818	6	-	139	13	129	59	68	235	368	547	6	GLAMORGANSHIRE.
CARMARTHENSHIRE -	160,610	226	1,095	630	109	195	1	-	11	5	17	3	7	29	34	50	15	CARMARTHENSHIRE.
PEMBROKESHIRE -	85,726	124	473	358	38	143	2	-	1	-	4	2	1	15	19	11	20	PEMBROKESHIRE.
CARDIGANSHIRE -	80,095	78	346	367	39	173	-	-	1	-	4	2	-	8	10	8	11	CARDIGANSHIRE.
BRECKNOCKSHIRE -	57,212	76	321	214	34	69	1	-	6	1	2	2	-	4	11	20	1	BRECKNOCKSHIRE.
RADNORSHIRE -	16,553	19	104	64	8	28	-	-	1	-	1	-	-	1	1	5	4	RADNORSHIRE.
MONTGOMERYSHIRE -	61,577	67	323	265	26	128	-	-	1	-	5	2	-	7	9	18	6	MONTGOMERYSHIRE.
FLINTSHIRE -	72,918	89	415	260	29	95	-	-	1	-	4	3	1	12	14	17	8	FLINTSHIRE.
DENBIGHSHIRE -	140,411	189	805	622	81	230	-	-	10	1	4	9	9	25	27	92	10	DENBIGHSHIRE.
MERIONETHSHIRE -	58,900	67	267	243	32	102	-	-	5	-	2	-	1	2	4	11	1	MERIONETHSHIRE.
CARNARVONSHIRE -	143,343	196	689	614	60	270	1	-	14	-	10	2	7	23	29	48	4	CARNARVONSHIRE.
ANGLESEY -	35,551	37	207	151	19	73	-	-	-	-	6	-	-	5	5	3	6	ANGLESEY.

* See note * to Table II.

TABLE VI.—England and Wales and Registration Counties.—MARRIAGE-RATE in the Quarter ended 31st March 1915; BIRTH-RATE and DEATH-RATE in the Quarter ended 30th June, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.						RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.		REGISTRATION COUNTIES.					
	PERSONS MARRIED in the Quarter ended 31st Mar., 1915.	BIRTHS in the Quarter ended 30th June, 1915.	DEATHS in the Quarter ended 30th June, 1915.	Deaths from					Diar- rhoea and Enter- itis (under one year).	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.			
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.						Diphtheria.	Violence.	
England and Wales	12'0	22'9	14'9	0'03	0'00	0'72	0'06	0'28	0'13	0'66	7'02	97	6'8	22'7	1'2	England and Wales.
LONDON*	-	15'5	24'1	0'02	-	0'84	0'08	0'37	0'12	0'77	7'42	93	9'9	44'6	0'1	LONDON.*
SURREY	-	10'0	18'5	0'02	-	0'56	0'10	0'14	0'09	0'55	4'37	67	7'8	35'9	0'3	SURREY.
KENT	-	11'9	19'3	0'06	-	0'38	0'04	0'19	0'09	1'27	4'56	72	8'1	25'2	2'9	KENT.
SUSSEX	-	10'6	16'0	0'02	-	0'27	0'03	0'21	0'08	0'66	4'02	79	6'7	21'0	0'5	SUSSEX.
HAMPSHIRE	-	12'5	18'3	0'07	-	0'49	0'05	0'30	0'15	1'10	4'08	82	7'7	28'4	0'9	HAMPSHIRE.
BERKSHIRE	-	11'6	19'1	0'04	-	0'10	0'05	0'22	0'07	0'51	1'96	67	6'9	24'2	2'7	BERKSHIRE.
MIDDLESEX	-	10'2	21'6	0'02	-	0'89	0'12	0'28	0'14	0'40	5'30	77	7'0	26'2	0'2	MIDDLESEX.
HERTFORDSHIRE	-	10'0	18'3	0'03	-	0'40	0'04	0'09	0'15	0'45	3'62	57	5'8	31'4	1'8	HERTFORDSHIRE.
BUCKINGHAMSHIRE	-	8'0	19'6	0'02	-	0'36	0'04	0'12	0'06	0'36	5'10	77	4'3	16'1	1'8	BUCKINGHAMSHIRE.
OXFORDSHIRE	-	9'8	18'9	0'02	-	0'15	0'02	0'04	0'02	1'03	3'32	56	5'5	26'0	2'5	OXFORDSHIRE.
NORTHAMPTONSHIRE	-	9'7	19'4	0'02	-	1'07	0'03	0'35	0'33	0'55	5'60	95	5'1	15'8	1'6	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE	-	7'2	18'0	-	-	0'33	-	-	0'08	0'50	-	55	4'7	11'8	2'9	HUNTINGDONSHIRE.
BEDFORDSHIRE	-	10'9	19'3	0'02	-	0'53	-	0'04	0'39	0'43	1'01	80	5'2	17'4	1'8	BEDFORDSHIRE.
CAMBRIDGESHIRE	-	9'8	20'0	0'04	-	0'67	0'05	0'09	0'24	0'42	3'65	78	3'5	21'2	1'9	CAMBRIDGESHIRE.
ESSEX	-	11'4	22'1	0'02	-	0'56	0'05	0'28	0'14	0'52	5'75	78	6'3	25'7	1'6	ESSEX.
SUFFOLK	-	9'8	20'7	0'01	-	0'21	0'09	0'06	0'15	0'89	4'47	82	7'8	19'8	1'4	SUFFOLK.
NORFOLK	-	10'5	20'0	0'02	-	0'10	0'02	0'11	0'11	0'57	6'87	86	6'0	19'2	1'1	NORFOLK.
WILTSHIRE	-	11'2	19'1	-	-	0'07	0'03	0'21	0'08	0'68	2'21	69	8'0	18'8	1'1	WILTSHIRE.
DORSETSHIRE	-	11'8	18'0	-	-	0'30	0'02	0'16	0'04	0'41	1'95	66	3'7	14'8	1'0	DORSETSHIRE.
DEVONSHIRE	-	13'1	17'6	0'03	-	0'32	0'03	0'17	0'10	0'52	3'83	83	6'7	14'9	0'6	DEVONSHIRE.
CORNWALL	-	11'3	18'6	-	-	0'51	0'04	0'12	0'22	0'64	1'32	82	7'6	11'4	0'6	CORNWALL.
SOMERSETSHIRE	-	9'6	17'0	0'01	-	0'10	0'01	0'18	0'03	0'52	5'18	79	6'6	16'2	0'8	SOMERSETSHIRE.
GLOUCESTERSHIRE	-	11'9	20'4	0'04	0'04	0'12	0'04	0'23	0'09	0'60	4'91	79	8'0	25'3	0'1	GLOUCESTERSHIRE.
HEREFORDSHIRE	-	9'0	20'7	0'04	-	0'07	0'18	0'07	0'04	0'67	3'42	67	3	19'9	3'4	HEREFORDSHIRE.
SHROPSHIRE	-	8'3	20'6	-	-	0'24	0'01	0'18	0'07	0'63	3'63	76	6'7	15'3	2'0	SHROPSHIRE.
STAFFORDSHIRE	-	11'0	27'2	0'04	-	1'45	0'05	0'32	0'12	0'57	7'57	109	6'0	16'6	1'6	STAFFORDSHIRE.
WORCESTERSHIRE	-	10'5	21'5	0'01	-	0'24	-	0'24	0'24	0'58	4'99	99	6'2	20'8	1'6	WORCESTERSHIRE.
WARWICKSHIRE	-	12'3	25'6	0'00	-	0'79	0'07	0'15	0'12	0'58	8'38	96	4'5	24'5	2'8	WARWICKSHIRE.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.						RATE PER 1000 BIRTHS.		PROPORTION of Total Deaths.		REGISTRATION COUNTIES.				
	PERSONS MARRIED in the Quarter ended 31st Mar., 1915.	BIRTHS in the Quarter ended 30th June, 1915.	DEATHS in the Quarter ended 30th June, 1915.	Deaths from					Total Deaths under one year.	Inquest Cases.		Deaths in Public Institutions.	Uncertified (Causes of Death.		
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.						Diphtheria.	Violence.
LEICESTERSHIRE -	9.8	22.0	13.3	0.01	-	0.40	0.02	0.06	0.10	0.50	7.01	4.8	18.4	0.7	LEICESTERSHIRE.
RUTLANDSHIRE -	9.1	17.7	12.0	-	-	-	-	0.38	-	0.38	10.64	4.7	12.5	-	RUTLANDSHIRE.
LINCOLNSHIRE -	11.4	22.9	14.2	0.03	-	0.42	0.05	0.16	0.10	0.68	3.33	5.3	14.3	1.3	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	10.7	24.6	13.5	0.04	-	0.85	0.07	0.29	0.12	0.56	4.94	4.9	16.6	2.0	NOTTINGHAMSHIRE.
DERBYSHIRE -	10.3	23.4	13.1	0.01	-	0.86	0.05	0.08	0.12	0.35	5.45	4.8	14.3	2.7	DERBYSHIRE.
CHESHIRE -	11.4	22.1	13.8	0.03	-	0.28	0.06	0.21	0.11	0.53	7.54	7.1	26.8	0.2	CHESHIRE.
LANCASHIRE -	12.8	23.5	16.5	0.06	-	0.81	0.09	0.36	0.12	0.61	10.47	5.8	23.0	1.6	LANCASHIRE.
WEST RIDING -	11.3	23.3	16.3	0.06	-	0.85	0.07	0.30	0.14	0.66	8.82	6.7	19.0	0.5	WEST RIDING.
EAST RIDING (WITH YORK).	12.8	24.1	14.5	0.02	-	0.20	0.04	0.19	0.10	0.76	5.40	10.1	23.5	0.3	EAST RIDING (WITH YORK).
NORTH RIDING -	11.5	25.0	18.3	0.04	-	1.69	0.09	0.58	0.17	0.58	11.54	5.2	11.4	0.3	NORTH RIDING.
DURHAM- -	13.2	30.8	17.7	0.03	-	2.07	0.11	0.32	0.16	0.70	9.14	5.0	10.6	3.1	DURHAM.
NORTHUMBERLAND -	14.2	27.5	16.4	0.04	-	0.94	0.10	0.41	0.12	0.80	4.20	7.6	15.6	1.6	NORTHUMBERLAND.
CUMBERLAND -	12.2	24.9	17.2	0.02	-	1.36	0.03	0.50	0.11	0.74	9.10	5.4	11.0	2.1	CUMBERLAND.
WESTMORLAND -	9.5	17.1	13.7	-	-	0.06	-	0.13	0.06	0.38	-	3.2	9.7	2.3	WESTMORLAND.
MONMOUTHSHIRE -	12.0	28.5	14.2	0.06	-	0.90	0.06	0.36	0.13	0.75	6.89	6.2	11.8	1.1	MONMOUTHSHIRE.
GLAMORGANSHIRE -	12.8	28.3	13.7	0.02	-	0.46	0.04	0.42	0.19	0.77	7.87	8.8	13.1	0.1	GLAMORGANSHIRE.
CARMARTHENSHIRE -	11.4	27.3	15.7	0.02	-	0.27	0.12	0.42	0.07	0.72	6.39	5.4	7.9	2.4	CARMARTHENSHIRE.
PEMBROKESHIRE -	11.7	22.1	16.8	0.09	-	0.05	-	0.19	0.09	0.70	2.11	5.3	3.1	5.6	PEMBROKESHIRE.
CARDIGANSHIRE -	7.9	17.3	18.4	-	-	0.05	-	0.20	0.10	0.40	-	2.7	2.2	3.0	CARDIGANSHIRE.
BRECKNOCKSHIRE -	10.8	22.5	15.0	0.07	-	0.42	0.07	0.14	0.14	0.28	-	5.1	9.3	0.5	BRECKNOCKSHIRE.
RADNORSHIRE -	9.3	25.2	15.5	-	-	0.24	-	0.24	-	0.24	-	1.6	7.8	6.3	RADNORSHIRE.
MONTGOMERYSHIRE -	8.8	21.0	17.3	-	-	0.07	-	0.33	0.13	0.46	-	3.4	6.8	2.3	MONTGOMERYSHIRE.
FLINTSHIRE -	9.9	22.8	14.3	-	-	0.06	-	0.22	0.17	0.66	2.41	5.4	6.5	3.1	FLINTSHIRE.
DENBIGHSHIRE -	10.9	23.0	17.8	-	-	0.29	0.03	0.11	0.26	0.71	1.12	4.3	14.8	1.6	DENBIGHSHIRE.
MERIONETHSHIRE -	9.2	18.2	16.5	-	-	0.34	-	0.14	-	0.14	3.75	1.6	4.5	0.4	MERIONETHSHIRE.
CARNARVONSHIRE -	11.1	19.3	17.2	0.03	-	0.39	-	0.28	0.06	0.64	10.16	4.7	7.8	0.7	CARNARVONSHIRE.
ANGLESEY -	8.4	23.4	17.0	-	-	-	-	0.68	-	0.56	-	3.3	2.0	4.0	ANGLESEY.

TABLE VIa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 30th June of the
 Years 1914 and 1915.

REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended	
	30th June, 1914.	30th June, 1915.		30th June, 1914.	30th June, 1915.
England and Wales.	3, 97	3,644	Leicestershire	123	116
London	1,380	1,351	Rutlandshire	7	6
Surrey	209	205	Lincolnshire	202	160
Kent	219	259	Nottinghamshire	264	232
Sussex	176	183	Derbyshire	149	125
Hampshire	248	193	Cheshire	185	193
Berkshire	73	87	Lancashire	1,359	1,230
Middlesex	234	260	Yorkshire (West Riding)	931	857
Hertfordshire	59	56	Yorkshire (East Riding	192	178
Buckinghamshire	43	54	with York).		
Oxfordshire	48	58	Yorkshire (North Riding)	152	133
Northamptonshire	83	87	Durham	432	402
Huntingdonshire	11	14	Northumberland	217	194
Bedfordshire	53	56	Cumberland	101	99
Cambridgeshire	64	59	Westmorland	20	15
Essex	241	288	Monmouthshire	89	102
Suffolk	122	139	Glamorganshire	274	261
Norfolk	170	163	Carmarthenshire	41	35
Wiltshire	49	66	Pembrokeshire	29	22
Dorsetshire	62	49	Cardiganshire	26	30
Devonshire	165	175	Brecknockshire	17	18
Cornwall	87	83	Radnorshire	9	5
Somersetshire	99	89	Montgomeryshire	19	23
Gloucestershire	161	159	Flintshire	21	27
Herefordshire	41	41	Denbighshire	41	53
Shropshire	94	83	Merionethshire	22	27
Staffordshire	417	383	Carnarvonshire	46	52
Worcestershire	83	94	Anglesey	27	15
Warwickshire	311	300			

The deaths in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (De- grees Fahr.). +	RAIN- FALL (Milli- metres). +	TOWNS.		
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
96 Towns	18,136,180	109,648	68,338	10,841	18,006	144	6	3,609	336	1,408	605	894	2,902	5,039	19,923	565	52·3	124	96 Towns.
LONDON -	4,516,612	27,095	17,120	2,516	4,743	24	-	946	90	417	136	201	870	1,687	7,633	11	53·4	129	LONDON.
(CROYDON -	181,956	983	599	61	209	1	-	62	2	5	5	6	14	55	162	-	-	-	(CROYDON.
WIMBLEDON -	59,598	255	149	13	58	1	-	2	-	3	1	1	8	18	38	-	-	-	WIMBLEDON.
EALING -	71,030	275	190	26	80	1	-	6	2	4	1	2	7	12	40	-	-	-	EALING.
ACTON -	64,369	384	204	38	48	-	-	10	-	10	4	2	9	14	60	-	-	-	ACTON.
WILLESDEN -	167,922	931	473	76	111	2	-	35	10	11	7	6	15	32	168	-	-	-	WILLESDEN.
HORNSEY -	88,953	365	240	17	81	1	-	26	-	2	3	-	8	17	52	-	-	-	HORNSEY.
TOTTENHAM	149,495	937	485	82	130	-	-	50	2	13	5	6	15	47	155	-	54·3	147	TOTTENHAM.
† EDMONTON -	71,024	433	208	37	35	-	-	15	5	5	-	6	21	16	72	-	-	-	† EDMONTON.
ENFIELD -	61,069	344	155	28	43	-	-	6	-	7	4	1	5	16	40	1	53·2	147	ENFIELD.
WEST HAM -	296,570	2,147	1,073	184	221	3	-	76	-	16	19	18	57	101	370	1	-	-	WEST HAM.
EAST HAM -	146,526	865	380	65	104	1	-	8	1	11	2	4	15	28	112	-	-	-	EAST HAM.
LEYTON -	133,719	707	340	41	109	1	-	15	8	4	10	2	12	27	126	-	-	-	LEYTON.
WALTHAMSTOW	134,825	744	339	56	74	-	-	13	2	18	3	5	8	21	112	-	-	-	WALTHAMSTOW.
ILFORD -	91,041	410	221	35	65	-	-	6	-	8	2	3	8	14	42	-	-	-	ILFORD.
GILLINGHAM\$ -	55,559	289	236	20	44	-	-	2	1	3	1	2	86	56	31	38	-	-	GILLINGHAM.\$
HASTINGS -	59,620	212	184	7	99	-	-	7	-	-	-	-	6	8	31	1	52·2	134	HASTINGS.
EASTBOURNE -	55,662	213	164	15	50	-	-	1	-	1	1	1	9	6	50	-	52·4	173	EASTBOURNE.
BRIGHTON -	133,936	627	485	49	167	1	-	7	1	8	2	2	24	47	144	-	53·2	146	BRIGHTON.
PORTSMOUTH -	245,827	1,225	786	111	210	3	-	54	5	10	16	6	38	69	195	6	54·3	140	PORTSMOUTH.
BOURNEMOUTH	85,904	295	273	23	119	-	-	-	1	4	-	-	19	19	50	1	52·9	127	BOURNEMOUTH.
SOUTHAMPTON	123,948	731	408	49	138	-	-	18	1	17	10	3	17	31	129	-	54·2	159	SOUTHAMPTON.
READING -	90,083	466	246	32	77	1	-	1	-	8	3	1	12	16	56	6	52·4	132	READING.
OXFORD -	54,339	250	139	11	62	-	-	2	-	-	-	1	8	12	35	1	53·0	143	OXFORD.
NORTHAMPTON	91,123	434	374	59	94	1	-	69	2	10	14	3	8	15	59	3	-	-	NORTHAMPTON.
CAMBRIDGE -	57,676	252	257	16	83	-	-	8	2	1	6	-	6	9	93	2	52·6	106	CAMBRIDGE.

* See note to Table II.

† The values for Mean Temperature and Rainfall relate to the calendar quarter.

‡ These towns are included within the Metropolitan Outer Ring.
§ Including 38 deaths due to the explosion on H.M.S. Bulwark and 36 due to the Princess Irene disaster. Many of these deaths were registered as from uncertified causes.

TABLE VII. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 3rd July, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).				Violence.			
SOUTHEND ON SEA	83,908	366	235	29	75	-	-	5	-	3	3	1	19	12	40	4	99	SOUTHEND ON SEA.	
IPSWICH	76,472	440	290	39	116	-	-	-	4	1	3	3	19	26	73	-	98	IPSWICH.	
GREAT YARMOUTH	57,502	303	182	24	86	-	-	-	-	2	5	1	9	22	39	-	147	GREAT YARMOUTH.	
NORWICH	124,107	684	429	75	154	-	-	7	1	7	5	11	21	25	121	1	106	NORWICH.	
SWINDON	52,750	305	175	25	60	-	-	-	1	4	2	-	2	4	22	-	-	SWINDON.	
EXETER	60,788	315	197	27	84	1	-	6	-	1	-	-	5	13	26	-	-	EXETER.	
PLYMOUTH	212,421	1,107	844	102	278	5	-	10	1	8	11	7	31	70	172	-	162	PLYMOUTH.	
BATH	70,292	263	228	15	112	-	-	-	1	4	-	1	9	16	60	1	138	BATH.	
BRISTOL	363,312	1,959	1,222	162	404	6	6	11	2	19	8	10	62	114	367	-	137	BRISTOL.	
GLOUCESTER	50,759	312	173	25	72	-	-	-	1	-	2	3	8	12	40	-	-	GLOUCESTER.	
STOKE ON TRENT	241,430	1,768	1,057	222	217	6	-	48	6	19	17	18	40	61	209	24	-	STOKE ON TRENT.	
WOLVERHAMPTON	95,725	618	440	84	103	1	-	59	1	3	5	2	10	26	92	-	-	WOLVERHAMPTON.	
WALSALL	94,093	708	450	88	98	2	-	103	-	6	4	11	5	25	57	1	-	WALSALL.	
WEST BROMWICH	69,430	558	320	69	63	-	-	67	-	3	1	7	17	25	53	11	-	WEST BROMWICH.	
DUDLEY	51,895	381	226	34	73	-	-	4	-	-	-	1	4	4	33	12	-	DUDLEY.	
BIRMINGHAM	868,430	5,671	3,059	533	830	-	-	113	14	39	29	45	121	131	867	102	116	BIRMINGHAM.	
SMETHWICK	76,314	479	264	54	56	-	-	24	-	-	4	9	6	14	36	2	-	SMETHWICK.	
COVENTRY	119,003	782	413	71	91	-	-	67	5	-	3	4	11	16	68	6	99	COVENTRY.	
LEICESTER	232,664	1,305	746	99	228	1	-	-	1	4	6	14	37	43	189	2	-	LEICESTER.	
LINCOLN	60,243	284	155	15	56	-	-	-	1	-	-	-	5	8	28	3	112	LINCOLN.	
GRIMSBY	78,667	567	273	37	65	1	-	6	-	3	1	1	16	23	52	1	-	GRIMSBY.	
NOTTINGHAM	266,918	1,492	936	149	282	2	-	6	7	25	2	9	43	50	245	5	83	NOTTINGHAM.	
DERBY	126,389	742	446	50	132	-	-	47	2	1	6	4	10	36	116	-	-	DERBY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.	
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.							
STOCKPORT -	126,040	625	465	67	140	1	-	1	1	9	5	6	10	16	116	1	51.7	138	STOCKPORT.
BIRKENHEAD	137,710	1,022	483	92	121	-	-	2	2	10	5	14	19	36	145	-	-	-	BIRKENHEAD.
WALLASEY	87,175	460	239	22	71	-	-	1	1	3	3	2	8	13	51	-	-	-	WALLASEY.
LIVERPOOL -	767,992	5,808	3,410	609	721	7	-	121	19	99	24	53	138	228	1,284	71	52.0	87	LIVERPOOL.
BOOTLE -	73,230	509	272	54	62	-	-	3	-	13	-	3	9	11	66	15	52.3†	92†	BOOTLE.
ST. HELENS	100,775	773	457	99	67	2	-	36	1	25	5	3	11	14	125	18	-	-	ST. HELENS.
SOUTHPORT	71,747	265	233	22	96	-	-	-	3	3	1	-	7	8	36	8	51.6	133	SOUTHPORT.
WIGAN -	91,491	606	435	106	65	1	-	22	7	73	1	4	5	16	43	-	-	-	WIGAN.
WARRINGTON	74,923	521	255	39	46	-	-	9	3	3	4	2	7	11	63	18	-	-	WARRINGTON.
BOLTON -	185,247	914	643	100	184	5	-	17	1	23	6	8	20	46	115	5	51.7	170	BOLTON.
BURY -	59,213	289	232	26	67	-	-	3	1	-	2	4	12	16	56	6	-	-	BURY.
MANCHESTER	738,538	4,469	3,138	518	691	17	-	226	19	24	16	52	134	212	952	12	53.6	129	MANCHESTER.
SALFORD -	234,975	1,457	1,090	190	238	7	-	114	11	20	7	20	33	72	259	1	-	-	SALFORD.
OLDHAM -	151,044	782	598	81	164	1	-	15	7	6	3	9	17	44	129	-	-	-	OLDHAM.
ROCHDALE -	94,320	433	368	46	114	1	-	-	1	2	10	5	8	18	85	4	-	-	ROCHDALE.
BURNLEY -	110,040	537	374	79	98	-	-	-	2	1	2	16	12	25	54	-	49.5	121	BURNLEY.
BLACKBURN	134,387	670	479	82	115	2	-	7	3	15	2	10	9	27	74	5	-	-	BLACKBURN.
PRESTON -	118,514	690	467	83	130	3	-	14	2	9	6	10	17	20	97	12	-	-	PRESTON.
BLACKPOOL	62,206	259	231	23	81	2	-	-	-	1	1	-	6	9	28	4	51.0	116	BLACKPOOL.
BARROW IN FURNESS	65,921	499	295	66	57	-	-	35	-	3	1	8	9	11	42	9	-	-	BARROW IN FURNESS.
HUDDERSFIELD -	112,265	520	452	47	154	-	-	6	-	2	1	4	15	25	78	4	50.8	110	HUDDERSFIELD.
HALIFAX -	100,373	414	431	39	130	3	-	11	2	-	1	4	11	22	115	3	-	-	HALIFAX.
BRADFORD -	291,482	1,336	1,226	137	412	3	-	10	9	24	13	9	37	102	328	1	50.0	159	BRADFORD.
LEEDS -	459,260	2,624	1,755	263	477	8	-	8	11	48	13	18	91	140	404	1	-	-	LEEDS.
DEWSBURY -	54,083	308	229	34	63	1	-	2	-	7	3	3	7	12	26	-	-	-	DEWSBURY.
WAKEFIELD	52,643	271	182	31	59	-	-	-	-	7	1	3	5	7	40	-	51.3	106	WAKEFIELD.
BARNSELEY -	53,929	406	207	54	39	-	-	6	-	6	-	9	9	18	23	-	-	-	BARNSELEY.

The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Means of daily observations made at Blundellsands.

TABLE VII. (continued).—96 Great Towns, &c.—Population, Births, Deaths, and Meteorology in the 13 Weeks ended 3rd July, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres.) *	TOWNS,		
				Deaths of		Deaths from							Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).						
SHEFFIELD	477,228	3,108	2,264	428	442	4	-	366	12	30	20	32	79	135	539	7	SHEFFIELD	
ROTHERHAM	65,313	485	278	49	58	2	-	6	1	11	3	4	13	48	58	4	ROTHERHAM.	
YORK	83,802	478	300	42	108	1	-	1	2	1	1	4	11	23	78	-	YORK.	
HULL	291,118	1,872	1,036	182	240	-	-	17	1	19	9	7	54	110	247	4	HULL.	
MIDDLESBROUGH	126,452	952	799	145	135	-	-	147	4	19	7	22	22	38	110	-	MIDDLESBROUGH.	
DARLINGTON†	61,441	426	189	57	56	-	-	7	2	2	1	7	7	8	25	9	DARLINGTON.†	
STOCKTON ON TEES	59,311	439	223	48	47	-	-	25	2	4	2	3	7	15	33	4	STOCKTON ON TEES.	
WEST HARTLEPOOL	64,374	458	280	62	53	-	-	31	-	6	-	7	6	10	34	2	WEST HARTLEPOOL.	
SUNDERLAND	152,927	1,251	808	157	178	-	-	99	-	11	7	15	30	50	147	21	SUNDERLAND.	
SOUTH SHIELDS	111,357	917	552	119	103	-	-	38	2	19	-	6	15	15	70	20	SOUTH SHIELDS.	
GATESHEAD	119,362	985	545	118	109	-	-	36	7	7	4	14	21	26	85	27	GATESHEAD.	
NEWCASTLE ON TYNE	273,415	1,972	1,113	213	239	-	-	47	6	21	6	6	39	96	196	6	NEWCASTLE ON TYNE.	
TYNEMOUTH	61,408	408	261	56	58	3	-	10	-	11	2	2	10	15	28	3	TYNEMOUTH.	
CARLISLE	52,813	303	236	41	61	-	-	18	1	11	-	3	7	10	25	8	CARLISLE.	
NEWPORT (MON.)	89,404	562	253	41	66	1	-	2	-	2	1	6	3	10	56	-	NEWPORT (MON.).	
CARDIFF	188,495	1,149	624	95	138	1	-	6	5	9	14	11	33	64	126	1	CARDIFF.	
RHONDDA	166,365	1,330	524	120	76	1	-	10	2	11	6	9	33	40	38	5	RHONDDA	
MERTHYR TYDFIL	85,082	586	338	70	59	-	-	28	-	15	3	2	11	22	46	-	MERTHYR TYDFIL.	
ABERDARE	53,427	398	213	49	39	-	-	14	-	9	5	6	10	10	11	-	ABERDARE.	
SWANSEA	121,665	824	368	65	90	1	-	4	-	6	6	5	9	26	72	-	SWANSEA.	
GREATER LONDON	7,484,436	43,336	25,596	3,728	7,288	41	-	1,454	135	599	232	284	1,219	2,361	10,072	22	GREATER LONDON.	
OUTER RING	2,967,824	16,241	8,476	1,212	2,545	17	-	508	45	182	96	83	349	674	2,439	11	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	1,718,097	9,780	5,056	759	1,368	11	-	330	32	117	66	62	202	418	1,549	2	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	1,249,727	6,461	3,420	453	1,177	6	-	178	13	65	30	21	147	256	890	9	REMAINDER OF OUTER RING.	
EDINBURGH†	328,700																EDINBURGH.†	
GLASGOW†	1,078,400																GLASGOW.†	
DUBLIN (Registra- tion Area).§	409,000	2,876	2,082	353	481	5	-	23	4	50	17	46	46	65	819	54	DUBLIN (Registra- tion Area).§	
BELFAST§	403,000	2,712	1,683	292	287	1	-	55	10	39	5	21	26	63	424	12	BELFAST.§	

^{*} The values for Mean Temperature and Rainfall relate to the calendar quarter.

[†] Phoenix Park.

^b Fitzwilliam Square.

[‡] As extended on 1st April, 1915.
[§] The populations refer to the middle of 1915. The figures relating to births and deaths in Edinburgh and Glasgow last quarter were not available at the time of publication.

The death-rate in London has been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The death-rates in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made. The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.			
TOWNS.	Total Deaths.				Deaths from						Diar- rhea and Enter- itis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 years upwards.	Aged 65 years and upwards.	Inquest Cases.	Deaths in Public Institutions.		Causes of Death. Uncertified.		
	BIRTHS in 13 Weeks ended 3rd July, 1915.	13 Weeks ended			Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.									Violence.	
	29th June, 1912.	28th June, 1913.	4th July, 1914.	3rd July, 1915.																
96 Towns	-	24.2	13.1	13.5	13.8	15.1	0.03	0.00	0.80	0.07	0.31	3.13	0.64	99	9.4	38.6	7.4	29.2	0.8	96 Towns.
LONDON -	-	24.1	12.4	13.3	13.1	15.2	0.02	-	0.84	0.08	0.37	0.12	0.77	93	9.4	86.2	9.9	44.6	0.1	LONDON.
(CROYDON -	-	21.7	9.8	10.8	10.1	13.2	0.02	-	1.37	0.04	0.11	0.11	0.31	62	7.9	81.5	9.2	27.0	-	(CROYDON.
WIMBLEDON -	-	17.2	7.9	12.3	9.9	10.0	0.07	-	0.13	-	0.20	0.07	0.54	51	5.6	82.7	12.1	25.5	-	WIMBLEDON.
EALING -	-	15.5	8.6	8.4	8.6	10.7	0.06	-	0.34	0.11	0.23	0.06	0.40	95	5.1	83.1	6.3	21.1	-	EALING.
ACTON -	-	23.9	10.1	10.4	9.8	12.7	-	-	0.62	-	0.62	0.25	0.56	99	7.9	70.9	6.9	29.4	-	ACTON.
WILLESDEN -	-	22.2	9.0	10.1	9.0	11.3	0.05	-	0.84	0.24	0.26	0.17	0.36	82	7.3	69.6	6.8	35.5	-	WILLESDEN.
HORNSEY -	-	16.5	9.3	9.7	9.3	10.8	0.05	-	1.17	-	0.09	0.14	0.36	47	6.9	70.1	7.1	21.7	-	HORNSEY.
TOTTENHAM -	-	25.1	10.6	9.0	10.2	13.0	-	-	1.34	0.05	0.35	0.13	0.40	88	7.8	91.8	9.7	32.0	-	TOTTENHAM.*
EDMONTON -	-	24.5	8.4	10.3	9.1	11.7	-	-	0.85	0.28	0.28	-	1.19	85	8.2	46.7	7.7	34.6	-	EDMONTON.
ENFIELD -	-	22.6	8.6	9.4	8.9	10.2	-	-	0.39	-	0.46	0.26	0.33	81	5.9	65.5	10.3	25.8	0.6	ENFIELD.
WEST HAM -	-	29.0	12.2	12.4	13.3	14.5	0.04	-	1.03	-	0.22	0.26	0.77	86	9.6	83.0	9.4	34.5	0.1	WEST HAM.
EAST HAM -	-	23.7	8.9	9.4	9.0	10.4	0.03	-	0.22	0.03	0.30	0.05	0.41	75	6.1	83.5	7.4	29.5	-	EAST HAM.
LEYTON -	-	21.2	10.8	8.6	9.6	10.2	0.03	-	0.45	0.24	0.12	0.30	0.36	58	6.1	65.9	7.9	37.1	-	LEYTON.
WALTHAMSTOW -	-	22.1	9.4	9.3	9.7	10.1	-	-	0.39	0.06	0.54	0.09	0.24	75	6.6	66.5	6.2	33.0	-	WALTHAMSTOW
(ILFORD -	-	18.1	7.1	7.5	7.1	9.7	-	-	0.26	-	0.35	0.09	0.35	85	5.7	66.0	6.3	19.0	-	(ILFORD.
GILLINGHAM† -	-	20.9	9.7	10.2	10.8	17.0	-	-	0.14	0.07	0.22	0.07	6.21	69	13.2	85.3	23.7	13.1	16.1	GILLINGHAM.†
HASTINGS -	-	14.3	13.1	13.5	12.2	12.4	-	-	0.47	-	-	-	0.40	33	5.9	73.7	4.3	16.8	0.5	HASTINGS.
EASTBOURNE -	-	15.3	9.5	10.2	8.8	11.8	-	-	0.07	-	0.07	0.07	0.65	70	7.7	61.9	3.7	30.5	-	EASTBOURNE.
BRIGHTON -	-	18.8	13.0	14.6	11.7	14.5	0.03	-	0.21	0.03	0.24	0.06	0.72	78	8.8	72.0	9.7	29.7	-	BRIGHTON.
PORTSMOUTH -	-	20.0	12.8	11.0	11.6	12.8	0.05	-	0.88	0.08	0.16	0.26	0.62	91	8.2	68.5	8.8	24.8	0.8	PORTSMOUTH.
BOURNEMOUTH -	-	13.8	9.0	8.8	10.4	12.7	-	-	-	0.05	0.19	-	0.89	78	6.7	74.2	7.0	18.3	0.4	BOURNEMOUTH.
SOUTHAMPTON -	-	23.7	13.6	11.7	13.0	13.2	-	-	0.58	0.03	0.55	0.32	0.55	67	7.7	81.7	7.6	31.6	-	SOUTHAMPTON.
READING -	-	20.7	10.8	11.4	9.8	11.0	0.04	-	0.04	-	0.36	0.13	0.53	69	6.6	60.3	6.5	22.8	2.4	READING.
OXFORD -	-	18.5	11.2	11.2	12.6	10.3	-	-	0.15	-	-	-	0.59	44	5.3	68.9	8.6	25.2	0.7	OXFORD.
NORTHAMPTON -	-	19.1	11.3	11.0	11.8	16.5	0.04	-	3.04	0.09	0.44	0.62	0.35	136	10.5	77.8	4.0	15.8	0.8	NORTHAMPTON.
CAMBRIDGE -	-	17.5	11.1	11.7	11.8	17.9	-	-	0.56	0.14	0.07	0.42	0.45	63	12.0	88.9	3.5	36.2	0.8	CAMBRIDGE.

* These towns are included within the Metropolitan Outer Ring.

+ See note § to Table VII.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd July, 1915.

ANNUAL RATE PER 1000 PERSONS LIVING.																			
TOWNS.	Total Deaths.				Deaths from						RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.	
	13 Weeks ended				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.	Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.		Uncertified Causes of Death.
	29th June, 1912.	28th June, 1913.	4th July, 1914.	3rd July, 1915.															
SOUTHEOND ON SEA	17.5	7.9	9.3	11.2	-	-	0.24	-	0.14	0.14	0.91	2.73	79	6.7	68.4	5.1	17.0	1.7	SOUTHEOND ON SEA
IPSWICH - - -	23.1	15.9	12.8	13.4	-	-	-	0.21	0.05	0.16	1.00	6.82	89	7.7	101.0	9.0	25.2	-	IPSWICH.
GREAT YARMOUTH-	21.1	12.4	13.2	14.6	-	-	-	-	0.14	0.35	0.63	3.30	79	5.6	81.1	12.1	21.4	-	GREAT YARMOUTH.
NORWICH- - -	22.1	11.2	13.1	11.7	-	-	0.23	0.03	0.23	0.16	0.68	16.08	110	7.0	79.9	5.8	28.2	0.2	NORWICH.
SWINDON - - -	23.2	9.0	9.8	9.7	-	-	-	0.08	0.30	0.15	0.23	-	82	7.3	114.1	2.3	12.6	-	SWINDON.
EXETER - - -	20.8	13.1	17.8	13.6	0.07	-	0.40	-	0.07	-	0.33	-	86	6.2	78.5	6.6	13.2	-	EXETER.
PLYMOUTH - -	20.9	13.6	14.0	15.8	0.09	-	0.19	0.02	0.15	0.21	0.59	6.32	92	9.5	94.6	8.3	20.4	-	PLYMOUTH.
BATH - - -	15.0	11.2	13.0	11.1	-	-	-	0.06	0.23	-	0.51	3.80	57	6.4	76.3	7.0	26.3	0.4	BATH.
BRISTOL - - -	21.6	13.3	12.2	12.2	0.07	0.07	0.12	0.02	0.21	0.09	0.68	5.10	83	7.8	79.8	9.3	30.0	-	BRISTOL.
GLOUCESTER - -	24.7	12.5	15.1	11.9	-	-	-	0.08	-	0.16	0.63	9.62	80	6.5	97.2	6.9	23.1	-	GLOUCESTER.
STOKE ON TRENT -	29.4	14.5	18.8	17.4	-	-	0.80	0.10	0.32	0.28	0.66	10.18	126	10.9	107.6	5.8	19.8	2.3	STOKE ON TRENT.
WOLVERHAMPTON -	25.9	12.4	16.3	15.2	0.04	-	2.47	0.04	0.13	0.21	0.42	3.24	136	11.3	98.5	5.9	20.9	-	WOLVERHAMPTON.
WALSALL - - -	30.2	11.6	19.1	15.5	0.09	-	4.39	-	0.26	0.17	0.21	15.54	124	12.1	98.5	5.6	12.7	0.2	WALSALL.
WEST BROMWICH -	32.2	13.1	16.8	13.2	-	-	3.87	-	0.17	0.06	0.98	12.54	124	11.7	80.5	7.8	16.6	3.4	WEST BROMWICH.
DUDLEY - - -	29.4	12.2	14.9	17.1	-	-	0.31	-	-	-	0.31	2.62	89	9.9	126.3	1.8	14.6	5.3	DUDLEY.
BIRMINGHAM - -	26.2	12.6	13.3	14.1	-	-	0.52	0.06	0.18	0.13	0.56	7.94	94	8.4	92.0	4.3	28.3	3.3	BIRMINGHAM.
SMETHWICK - -	25.2	11.7	13.1	12.7	-	-	1.26	-	-	0.21	0.32	18.79	113	8.6	87.4	5.3	13.6	0.8	SMETHWICK.
COVENTRY - - -	26.4	10.5	10.6	11.1	-	-	2.26	0.17	-	0.16	0.37	5.12	91	9.0	83.4	3.9	16.5	1.5	COVENTRY.
LEICESTER - - -	22.5	11.6	12.8	13.6	0.02	-	-	0.02	0.07	0.10	0.64	10.73	76	7.7	85.5	5.8	25.3	0.3	LEICESTER.
LINCOLN - - -	18.9	11.3	12.4	12.9	-	-	-	0.07	-	-	0.33	-	53	6.0	70.2	5.2	18.1	1.9	LINCOLN.
GRIMSBY - - -	28.9	11.6	11.5	13.4	0.05	-	0.31	-	0.15	0.05	0.82	1.76	65	9.3	81.8	8.4	19.0	0.4	GRIMSBY.
NOTTINGHAM - -	22.4	14.6	13.8	14.3	0.03	-	0.09	0.11	0.38	0.03	0.65	6.03	100	8.2	87.5	5.3	26.2	0.5	NOTTINGHAM.
DERBY - - -	23.5	9.8	13.1	11.9	-	-	1.49	0.06	0.03	0.19	0.32	5.39	67	9.0	91.0	8.1	26.0	-	DERBY.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd July, 1915.

TOWNS.		ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.					
		Total Deaths.				Deaths from						Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.								
BIRTHS in 13 weeks ended 3rd July, 1915.		29th June, 1912.				28th June, 1913.				4th July, 1914.				3rd July, 1915.				Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Violence.	
STOCKPORT	-	19.9	15.0	13.8	12.9	14.8	0.03	-	0.03	0.03	0.03	0.03	0.03	0.03	0.16	0.32	9.60	107	8.8	192.5	3.4	24.9	0.2	STOCKPORT.
BIRKENHEAD	-	29.8	13.3	13.0	12.4	14.1	-	-	0.06	0.06	0.06	0.15	0.55	13.70	90	8.4	85.0	7.5	30.0	-	7.5	30.0	-	BIRKENHEAD.
WALLASEY	-	21.2	11.6	10.4	11.5	11.0	-	-	0.05	0.05	0.05	0.14	0.37	4.35	48	7.2	74.3	5.4	21.3	-	5.4	21.3	-	WALLASEY.
LIVERPOOL	-	30.3	17.9	16.6	18.3	17.8	0.04	-	0.63	0.10	0.63	0.13	0.72	9.13	105	11.6	93.9	6.7	37.7	2.1	6.7	37.7	2.1	LIVERPOOL.
BOOTLE	-	27.9	14.8	14.9	14.8	14.9	-	-	0.16	-	0.16	-	0.49	5.89	106	9.1	98.7	4.0	24.3	5.5	4.0	24.3	5.5	BOOTLE.
ST. HELENS	-	30.8	13.3	18.5	15.4	18.2	0.08	-	1.43	0.04	1.43	0.20	0.44	3.88	128	12.3	97.2	3.1	27.4	3.9	3.1	27.4	3.9	ST. HELENS.
SOUTHPORT	-	14.8	13.0	12.4	15.3	13.0	-	-	-	0.17	-	0.06	0.39	-	83	7.0	75.9	3.4	15.5	3.4	3.4	15.5	3.4	SOUTHPORT.
WIGAN	-	26.6	15.6	17.3	14.2	19.1	0.04	-	0.96	0.31	0.96	0.04	0.22	6.60	175	12.3	90.8	3.7	9.9	-	3.7	9.9	-	WIGAN.
WARRINGTON	-	27.9	14.4	14.9	15.8	13.7	-	-	0.48	0.16	0.48	0.21	0.37	3.84	75	9.7	78.5	4.3	24.7	7.1	4.3	24.7	7.1	WARRINGTON.
BOLTON	-	19.8	13.2	15.4	12.7	13.9	0.11	-	0.37	0.02	0.37	0.13	0.43	8.75	109	8.2	108.7	7.2	17.9	0.8	7.2	17.9	0.8	BOLTON.
BURY	-	19.6	13.4	13.4	15.8	15.7	-	-	0.20	0.07	0.20	-	0.81	13.84	90	10.1	96.5	6.9	24.1	2.6	6.9	24.1	2.6	BURY.
MANCHESTER	-	24.3	16.0	14.7	17.4	17.0	0.09	-	1.23	0.10	1.23	0.09	0.73	11.64	116	11.1	103.4	6.8	30.3	0.4	6.8	30.3	0.4	MANCHESTER.
SALFORD	-	24.9	18.4	15.9	16.3	18.6	0.12	-	1.95	0.19	1.95	0.12	0.56	13.73	130	12.0	114.1	6.6	23.8	0.1	6.6	23.8	0.1	SALFORD.
OLDHAM	-	20.8	17.0	16.1	18.6	15.9	0.03	-	0.40	0.19	0.40	0.08	0.45	11.51	104	10.0	116.6	7.4	21.6	-	7.4	21.6	-	OLDHAM.
ROCHDALE	-	18.4	13.7	14.1	17.1	15.6	0.04	-	-	0.04	-	0.43	0.34	11.55	106	9.4	116.0	4.9	23.1	1.1	4.9	23.1	1.1	ROCHDALE.
BURNLEY	-	19.6	15.1	14.5	15.1	13.6	-	-	-	0.07	-	0.07	0.44	29.80	147	7.6	98.9	6.7	14.4	-	6.7	14.4	-	BURNLEY.
BLACKBURN	-	20.0	14.7	15.2	13.9	14.3	0.06	-	0.21	0.09	0.21	0.06	0.27	14.93	122	8.9	84.7	5.6	15.4	1.0	5.6	15.4	1.0	BLACKBURN.
PRESTON	-	23.4	15.2	16.9	13.7	15.8	0.10	-	0.47	0.07	0.47	0.20	0.58	14.49	120	9.2	106.3	4.3	20.8	2.6	4.3	20.8	2.6	PRESTON.
BLACKPOOL	-	16.7	11.7	13.6	15.2	14.9	0.13	-	-	-	-	0.06	0.39	-	89	8.8	91.2	3.9	12.1	1.7	3.9	12.1	1.7	BLACKPOOL.
BARROW IN FURNESS.	-	30.4	13.0	14.0	14.0	17.9	-	-	2.13	-	2.13	0.06	0.55	16.03	132	11.1	94.1	3.7	14.2	3.1	3.7	14.2	3.1	BARROW IN FURNESS.
HUDDERSFIELD	-	18.6	14.0	14.5	13.6	16.1	-	-	0.21	-	0.21	0.07	0.54	7.69	90	9.6	121.4	5.5	17.3	0.9	5.5	17.3	0.9	HUDDERSFIELD.
HALIFAX	-	16.5	14.8	15.4	15.3	17.2	0.12	-	0.44	0.08	0.44	-	0.44	9.66	94	11.3	97.0	5.1	26.7	0.7	5.1	26.7	0.7	HALIFAX.
BRADFORD	-	18.4	14.1	14.5	16.7	16.9	0.04	-	0.14	0.12	0.14	0.33	0.51	6.74	103	10.0	118.6	8.3	26.8	0.1	8.3	26.8	0.1	BRADFORD.
LEEDS	-	22.9	14.1	15.4	14.1	15.3	0.07	-	0.07	0.10	0.07	0.42	0.79	6.86	100	9.5	99.2	8.0	23.0	0.1	8.0	23.0	0.1	LEEDS.
DEWSBURY	-	22.8	15.9	17.4	15.3	17.0	0.07	-	0.15	-	0.15	0.52	0.52	9.74	110	10.5	95.6	5.2	11.4	-	5.2	11.4	-	DEWSBURY.
WAKEFIELD	-	20.6	15.2	12.9	12.9	13.9	-	-	-	-	-	0.53	0.38	11.07	114	7.5	97.4	3.8	22.0	-	3.8	22.0	-	WAKEFIELD.
BARNSELEY	-	30.2	15.3	13.9	16.3	15.4	-	-	0.45	-	0.45	0.45	0.67	22.17	133	9.0	83.0	8.7	13.5	-	8.7	13.5	-	BARNSELEY.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 3rd July, 1915.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.				
	Total Deaths.				Deaths from						Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.					
	BIRTHS in 13 Weeks ended 3rd July, 1915.	28th June, 1913.			4th July, 1914.			3rd July, 1915.											Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.
SHEFFIELD	-	26.1	13.3	14.4	16.8	19.0	0.03	-	3.08	0.10	0.25	0.17	0.66	10.30	138	12.5	101.4	6.0	23.8	0.3	SHEFFIELD.	
ROTHERHAM	-	29.8	18.4	12.7	12.8	17.1	0.12	-	0.37	0.06	0.68	0.18	0.80	8.25	101	11.2	91.8	6.5	20.9	1.4	ROTHERHAM.	
YORK	-	22.9	13.0	13.6	12.5	14.4	0.05	-	0.05	0.10	0.05	0.05	0.53	8.37	88	7.7	101.4	7.7	26.0	-	YORK.	
HULL	-	25.8	13.1	12.9	15.3	14.3	-	-	0.23	0.01	0.26	0.12	0.74	3.74	97	9.1	75.7	10.6	23.8	0.4	HULL.	
MIDDLESBROUGH	-	30.2	15.8	17.9	19.5	25.3	-	-	4.66	0.13	0.60	0.22	0.70	23.11	152	17.5	131.5	4.8	13.8	-	MIDDLESBROUGH.	
DARLINGTON	-	27.8	12.9	14.0	13.7	12.3	-	-	0.46	0.13	0.13	0.07	0.46	16.43	87	6.7	77.5	4.2	13.2	4.8	DARLINGTON.	
STOCKTON ON TEES	-	29.7	13.7	20.1	17.2	15.1	-	-	1.89	0.14	0.27	0.14	0.47	6.83	109	9.3	76.2	6.7	14.8	1.8	STOCKTON ON TEES.	
WEST HARTLEPOOL	-	28.5	11.8	14.2	16.4	17.4	-	-	1.93	-	0.37	-	0.37	15.28	135	10.9	94.1	3.6	12.1	0.7	WEST HARTLEPOOL.	
SUNDERLAND	-	32.8	15.2	17.6	17.0	21.2	-	-	2.60	-	0.29	0.18	0.79	11.99	125	14.1	109.5	6.2	18.2	2.6	SUNDERLAND.	
SOUTH SHIELDS	-	33.0	13.6	15.5	16.8	19.9	-	-	1.37	0.07	0.68	-	0.54	6.54	130	12.7	100.4	2.7	12.7	3.6	SOUTH SHIELDS.	
GATESHEAD	-	33.1	15.4	13.8	16.4	18.3	-	-	1.21	0.24	0.24	0.13	0.71	14.21	120	11.4	99.0	4.8	15.6	5.0	GATESHEAD.	
NEWCASTLE ON TYNE	-	28.9	12.5	14.1	14.4	16.3	-	-	0.69	0.09	0.31	0.09	0.57	3.04	108	10.3	91.9	8.6	17.6	0.5	NEWCASTLE ON TYNE.	
TYNEMOUTH	-	26.6	13.1	12.6	15.0	17.0	0.20	-	0.65	-	0.72	0.13	0.65	4.90	137	10.3	88.7	5.7	10.7	1.1	TYNEMOUTH.	
CARLISLE	-	23.0	15.1	14.9	14.8	17.9	-	-	1.37	0.08	0.84	-	0.53	9.90	135	10.9	91.9	4.2	10.6	3.4	CARLISLE.	
NEWPORT (MON.)	-	25.2	12.6	11.4	12.8	11.4	0.04	-	0.09	-	0.09	0.04	0.13	10.68	73	7.0	83.3	4.0	22.1	-	NEWPORT (MON.).	
CARDIFF	-	24.4	14.8	12.7	13.2	13.3	0.02	-	0.13	0.11	0.19	0.30	0.70	9.57	83	8.9	76.9	10.3	20.2	0.2	CARDIFF.	
RHONDDA	-	32.1	11.0	11.3	11.0	12.6	0.02	-	0.24	0.05	0.27	0.14	0.80	6.77	90	8.4	81.7	7.6	7.3	1.0	RHONDDA.	
MERTHYR TYDFIL	-	27.6	14.8	12.5	14.9	15.9	-	-	1.32	-	0.71	0.14	0.52	3.41	119	10.5	84.5	6.5	13.6	-	MERTHYR TYDFIL.	
ABERDARE	-	29.9	12.6	15.3	11.5	16.0	-	-	1.05	-	0.68	0.38	0.75	15.08	123	10.0	88.6	4.7	5.2	-	ABERDARE	
SWANSEA	-	27.2	12.7	12.4	14.1	12.1	0.03	-	0.13	-	0.20	0.20	0.30	6.07	79	7.5	75.2	7.1	19.6	-	SWANSEA.	
GREATER LONDON	-	23.2	11.3	11.9	11.7	13.7	0.02	-	0.78	0.07	0.32	0.12	0.65	6.55	86	?	?	9.2	39.3	0.1	GREATER LONDON.	
OUTER RING	-	21.9	9.4	9.8	9.7	11.5	0.02	-	0.69	0.06	0.25	0.13	0.47	5.11	75	?	?	8.0	28.8	0.1	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	-	22.8	9.8	10.1	10.0	11.8	0.03	-	0.77	0.07	0.27	0.15	0.47	6.34	78	7.3	75.4	8.3	30.6	0.0	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	20.7	8.9	9.5	9.1	11.0	0.02	-	0.57	0.04	0.21	0.10	0.47	3.25	70	?	?	7.5	26.9	0.3	REMAINDER OF OUTER RING.	
EDINBURGH*	-	-	15.8†	14.2	14.6	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.*
GLASGOW*	-	-	16.5†	17.1	15.9	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.*
DUBLIN (Registra- tion Area).	-	28.1	21.6	20.4	20.9	20.4	0.05	-	0.22	0.04	0.49	0.17	0.45	15.99	123	13.2	83.3	3.1	39.3	2.6	DUBLIN (Registra- tion Area).	
BELFAST	-	26.9	17.1	17.7	17.8	16.7	0.01	-	0.55	0.10	0.39	0.05	0.26	7.74	108	11.8	62.1	3.7	25.2	0.7	BELFAST.	

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																	
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates).*	BIRTHS.	DEATHS.	Deaths of		DEATHS FROM								Deaths under 1 year to 1000 Births.	TOWNS.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
																Inquest Cases.	Deaths in Public Institutions.
148 Towns	4,838,095	27,392	16,864	2,794	4,868	51	985	67	382	152	179	594	882	2,643	243	102	148 Towns.
SURREY.																	SURREY.
Barnes†	34,745	158	94	11	36	1	6	3	-	1	-	-	10	23	-	70	Barnes.†
Guildford	24,927	93	81	8	27	-	2	-	-	-	2	6	5	26	-	86	Guildford.
Kingston on Thames†	39,227	225	111	16	43	1	7	-	-	-	-	-	11	43	-	71	Kingston on Thames.†
Mitcham†	34,682	240	116	24	26	-	-	-	4	-	1	-	5	38	-	100	Mitcham.††
Reigate	29,375	120	90	6	42	-	2	2	-	-	-	1	4	18	-	50	Reigate.
Richmond†	33,760	158	113	10	47	-	2	-	2	-	-	5	12	30	-	63	Richmond.†
Sutton†	22,678	77	56	2	25	1	1	-	1	-	-	3	9	9	-	26	Sutton.†
Woking	27,055	108	46	5	18	-	-	-	-	-	-	3	4	12	-	46	Woking.
KENT.																	KENT.
Beckenham†	33,572	141	79	7	37	1	6	-	-	-	2	-	1	8	-	50	Beckenham.†
Bromley†	35,820	165	97	5	35	-	3	-	-	3	-	5	7	24	-	30	Bromley.†
Canterbury	24,531	121	99	10	47	1	4	-	1	-	-	3	6	22	-	83	Canterbury.
Chatham	44,057	235	143	25	34	-	1	7	2	1	-	8	11	37	2	106	Chatham.
Dartford	25,336	138	76	10	22	2	-	1	1	-	-	20	14	56	7	72	Dartford.
Dover	43,984	204	163	17	32	2	-	-	1	-	-	6	8	28	-	81	Dover.
Erith†	28,604	169	103	9	40	-	4	-	-	-	-	1	5	27	-	60	Erith.†
Folkestone	33,968	150	130	9	37	-	19	-	4	-	-	3	4	28	-	41	Folkestone.
Gravesend	28,435	170	91	7	24	-	3	-	-	-	-	1	7	29	-	82	Gravesend.
Maidstone	36,157	182	131	15	65	-	-	-	2	-	-	7	7	29	-	90	Maidstone.
Margate	29,965	100	76	3	32	-	-	-	2	-	-	1	1	12	-	30	Margate.
Penge (Surrey Reg. Co.)†	22,283	99	86	11	34	-	7	-	-	-	-	-	2	32	-	111	Penge (Surrey Reg. Co.)†
Ramsgate	30,254	133	122	8	57	-	-	-	-	-	-	6	6	20	4	60	Ramsgate.
Rochester	31,660	159	111	9	34	-	8	-	1	-	-	6	9	21	1	57	Rochester.
Tunbridge Wells	36,506	127	132	12	60	-	1	-	2	3	-	3	4	23	3	94	Tunbridge Wells.
SUSSEX EAST.																	SUSSEX EAST.
Hove	44,134	155	160	13	74	-	4	-	5	1	3	5	8	23	-	84	Hove.
SUSSEX WEST.																	SUSSEX WEST.
Worthing	32,997	98	121	10	59	-	4	-	-	1	-	1	2	15	-	102	Worthing.
SOUTHAMPTON.																	SOUTHAMPTON.
Aldershot (Surrey Reg. Co.)	36,837	172	80	9	14	-	4	3	2	2	-	11	4	30	3	52	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	34,838	180	107	15	33	1	2	1	1	2	-	3	6	15	1	83	Gosport and Alverstoke.
Winchester	24,230	80	85	7	31	1	1	-	1	2	-	3	8	29	1	88	Winchester.
MIDDLESEX.																	MIDDLESEX.
Chiswick†	41,858	229	141	18	51	1	4	-	14	1	-	5	8	40	-	79	Chiswick.†
Finchley†	45,435	244	125	18	41	-	4	-	1	1	-	1	10	23	-	74	Finchley.†
Hendon†	44,496	299	108	12	38	-	9	-	2	1	-	8	14	22	-	40	Hendon.†
Heston and Isleworth†	47,644	251	127	20	44	-	16	-	1	1	-	5	5	40	-	80	Heston and Isleworth.†
Southall Norwood†	50,889	154	82	19	14	-	4	-	1	-	-	6	5	23	-	123	Southall Norwood.†

* See Note * to Table II.

† These towns are included within the Metropolitan Outer Ring.

† Constituted an Urban District on 1st April, 1915.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
GLoucestershire. Cheltenham - - -	48,769	238	171	9	80	-	-	3	1	-	-	-	1	6	44	-	38	GLoucestershire. Cheltenham.
HEREfordshire. Hereford - - -	22,981	114	76	4	41	-	-	-	1	1	-	-	2	5	23	-	35	HEREfordshire. Hereford.
SHROpshire. Shrewsbury - - -	29,735	149	129	9	54	-	-	12	-	-	-	-	9	15	28	3	60	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston - - -	26,254	219	135	28	21	-	-	32	-	6	-	1	1	4	7	-	128	STAFFORDshire. Bilston.
Burton upon Trent - - -	47,528	257	154	18	52	-	-	5	1	-	1	-	7	8	31	6	70	Burton upon Trent.
Cannock - - -	30,191	242	96	13	34	-	-	2	-	1	1	3	6	10	10	1	54	Cannock.
Coseley - - -	23,048	156	96	15	23	-	-	8	-	-	1	5	3	6	8	-	96	Coseley.
Newcastle under Lyme - - -	20,301	170	92	12	19	-	-	-	1	7	1	1	1	3	21	-	71	Newcastle under Lyme.
Rowley Regis - - -	37,811	241	115	27	38	-	-	1	2	3	-	2	4	5	9	-	112	Rowley Regis
Stafford - - -	24,249	147	70	14	24	-	-	-	-	-	1	3	2	6	17	-	95	Stafford.
Tipton - - -	32,178	257	170	39	29	-	-	49	-	3	1	3	2	7	10	1	152	Tipton.
Wednesbury - - -	28,642	200	115	21	25	-	-	12	1	2	2	2	4	9	10	-	105	Wednesbury.
Wolstanton United - - -	28,967	195	86	19	27	-	-	-	-	2	-	-	1	2	8	-	97	Wolstanton United.
WORCEstershire. Kidderminster - - -	27,583	117	84	14	31	-	-	-	-	1	1	-	9	9	19	1	120	WORCEstershire. Kidderminster
Oldbury (Staffs. Reg. Co.) - - -	34,682	258	163	39	32	-	-	31	-	8	-	1	3	4	12	8	151	Oldbury (Staffs. Reg. Co.)
Worcester - - -	49,735	273	164	18	70	-	-	1	-	1	1	2	5	11	33	2	66	Worcester.
WARWICKshire. Nuneaton - - -	41,275	265	139	36	16	-	-	12	-	3	-	1	4	8	14	3	136	WARWICKshire. Nuneaton.
Royal Leamington Spa - - -	26,652	135	124	12	58	-	-	6	-	-	1	-	2	3	22	-	89	Royal Leamington Spa.
Rugby - - -	23,472	116	72	8	25	-	-	2	1	-	1	2	3	3	22	4	69	Rugby.
Sutton Coldfield (Staffs. Reg. Co.) - - -	22,173	106	60	8	24	-	-	-	-	2	1	-	1	2	4	3	75	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough - - -	23,506	115	67	7	18	-	-	-	-	-	1	-	4	5	8	-	61	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven) Grantham - - -	20,932	126	77	16	27	-	-	5	-	2	2	2	1	1	9	4	127	LINCOLNshire (Kesteven) Grantham.
LINCOLNshire (Lindsey) Cleethorpe with Thruscoe. - - -	24,492	146	72	12	14	-	-	1	-	1	2	-	2	3	5	-	82	LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.
Gainsborough - - -	21,605	125	66	10	21	-	-	1	-	-	-	-	1	1	8	2	80	Gainsborough.
NOTTINGHAMshire. Mansfield - - -	42,261	322	131	26	33	-	-	3	-	6	5	1	10	10	28	3	81	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield - - -	24,090	173	100	23	11	-	-	36	2	1	1	2	1	1	1	3	133	Sutton in Ashfield.
Worksop - - -	21,874	171	83	16	19	-	-	-	-	5	-	-	4	4	15	1	94	Worksop.

TOWNS.	ESTIMATED POPULATION IN THE MID-OF 1914. (Old Estimates)	BIRTHS.	DEATHS.	Deaths of		DEATHS FROM								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year 1000 Births.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
YORKSHIRE (WEST RIDING)— <i>cont.</i>																		YORKSHIRE (WEST RIDING)— <i>cont.</i>	
Keighley.	44,156	209	167	24	52	-	-	-	-	-	-	2	1	3	4	30	5	115	Keighley.
Morley.	24,507	122	90	12	34	-	-	-	-	-	-	2	4	7	10	10	-	98	Morley.
Shipley.	28,448	126	101	15	35	-	-	-	-	-	-	2	-	1	2	12	-	119	Shipley.
Spenborough*.	31,750	139	98	11	37	-	-	1	1	-	-	-	-	-	5	9	-	79	Spenborough*.
Todmorden.	25,399	100	101	6	37	-	-	-	-	-	-	2	-	4	8	13	-	60	Todmorden.
YORKSHIRE (NORTH RIDING).																		YORKSHIRE (NORTH RIDING).	
Eston. [†]	29,146	213	146	48	20	1	-	5	-	15	6	-	-	5	5	13	-	225	Eston. [†]
Scarborough.	36,890	153	132	9	62	-	-	-	-	-	-	-	-	6	13	24	-	59	Scarborough.
DURHAM.																		DURHAM.	
Blaydon.	35,086	273	120	27	20	1	-	13	-	2	1	2	3	3	3	2	2	99	Blaydon.
Felling.	25,916	205	103	15	30	-	-	4	1	2	1	-	2	2	4	6	11	73	Felling.
Hartlepool.	19,882	125	82	11	22	-	-	11	1	2	-	-	1	5	5	15	1	88	Hartlepool.
Hebburn.	22,063	198	94	12	24	-	-	6	1	1	-	-	3	6	6	9	5	61	Hebburn.
Jarrow.	33,528	275	179	30	49	-	-	10	-	1	-	6	1	12	14	29	13	109	Jarrow.
Stanley.	26,683	206	127	39	12	-	-	35	-	6	1	1	1	1	1	3	2	189	Stanley.
NORTHUMBERLAND.																		NORTHUMBERLAND.	
Ashington.	28,275	242	101	23	18	-	-	4	-	11	1	3	3	1	2	2	4	95	Ashington.
Bedlingtonshire.	27,752	216	105	31	16	-	-	12	-	7	-	2	2	6	9	-	-	144	Bedlingtonshire.
Blyth.	32,411	242	122	37	24	1	-	30	-	3	-	1	1	7	6	8	2	153	Blyth.
Wallsend.	44,891	336	153	37	32	-	-	16	-	8	1	1	3	3	3	11	3	110	Wallsend.
CUMBERLAND.																		CUMBERLAND.	
Workington.	24,726	160	119	26	26	-	-	1	-	8	1	1	4	5	6	6	3	163	Workington.
MONMOUTHSHIRE.																		MONMOUTHSHIRE.	
Abersychan.	27,052	180	83	22	14	-	-	2	-	2	1	3	3	5	8	8	3	122	Abersychan.
Aberillery.	40,101	305	132	34	19	-	-	1	1	2	2	-	3	3	3	6	1	111	Aberillery.
Bedwellty.	26,916	252	82	23	13	1	-	7	-	2	2	-	9	9	4	4	1	91	Bedwellty.
Ebbw Vale.	33,852	283	165	53	21	1	-	23	3	10	-	7	7	7	7	7	-	187	Ebbw Vale.
Tredeggar.	25,377	195	94	19	18	3	-	-	-	1	2	1	3	3	3	10	4	97	Tredeggar.
GLAMORGANSHIRE.																		GLAMORGANSHIRE.	
Barry.	36,105	227	108	13	19	-	-	3	2	1	5	1	7	13	11	11	-	57	Barry.
Caerphilly.	38,761	280	103	32	18	-	-	17	-	1	1	4	8	8	7	7	-	114	Caerphilly.
Gelligaer.	41,880	343	164	45	18	1	-	17	-	5	1	3	5	7	11	11	-	131	Gelligaer.
Maesteg.	28,444	229	107	40	15	-	-	3	-	12	-	2	3	4	6	6	-	175	Maesteg.
Mountain Ash.	46,126	335	181	49	15	-	-	19	1	16	4	2	7	9	3	3	-	146	Mountain Ash.
Ogmore and Garw.	29,119	232	110	34	15	1	-	2	-	10	1	4	3	5	6	6	-	147	Ogmore and Garw.
Pontypridd.	47,001	360	149	47	21	-	-	5	-	7	-	4	14	24	22	22	-	131	Pontypridd.
CARMARTHENSHIRE.																		CARMARTHENSHIRE.	
Llanelli.	34,316	228	141	26	31	-	-	8	2	-	-	1	8	9	19	19	4	114	Llanelli.

* Constituted an Urban District on 1st April, 1915.

† As extended on 1st April, 1915.

TABLE X.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS	Estimated Popula- tion in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON - - - -	4,516,612	6,973	169	2	3	2§	4,039	1,856	-	829	73
CROYDON - - - -	181,956	151	8	-	-	-	88	30	-	21	4
WIMBLEDON - - -	59,598	76	2	-	-	-	52	16	-	6	-
EALING - - - -	71,030	141	5	-	-	-	117	12	-	6	1
ACTON - - - -	64,369	65	-	-	-	-	49	10	-	6	-
WILLESDEN - - -	167,922	227	3	-	-	-	149	51	-	21	3
HORNSEY - - - -	88,953	88	11	-	-	-	47	20	-	9	1
TOTTENHAM - - -	149,495	162	1	-	-	-	106	45	-	9	1
EDMONTON - - - -	71,024	144	5	-	-	-	96	20	-	21	2
ENFIELD - - - -	61,069	58	3	-	-	-	27	19	-	8	1
WEST HAM - - - -	296,570	391	20	-	-	-	208	107	-	53	3
EAST HAM - - - -	146,526	195	1	-	-	-	128	45	-	20	1
LEYTON - - - -	133,719	161	1	-	-	-	102	40	-	15	3
WALTHAMSTOW - -	134,825	161	2	-	-	-	82	61	-	15	1
ILFORD - - - -	91,041	87	-	-	-	-	58	18	-	11	-
GILLINGHAM - - -	55,559	43	1	-	-	-	22	17	-	3	-
HASTINGS - - - -	59,620	39	-	-	-	-	32	1	-	6	-
EASTBOURNE - - -	55,662	69	-	-	-	-	49	17	-	3	-
BRIGHTON - - - -	133,936	103	7	-	-	-	49	28	-	18	1
PORTSMOUTH† - -	245,827	430	19	-	-	-	177	208	-	25	1
BOURNEMOUTH - -	85,904	66	-	-	-	-	36	23	-	7	-
SOUTHAMPTON - - -	123,948	195	4	-	-	-	89	86	-	13	3
READING - - - -	90,083	86	4	-	-	-	47	18	-	15	2
OXFORD - - - -	54,339	19	1	-	-	-	13	1	-	4	-
NORTHAMPTON - - -	91,123	183	4	-	-	-	89	73	-	17	-
CAMBRIDGE - - - -	57,676	44	-	-	-	-	20	20	-	3	1
SOUTHEND ON SEA -	83,908	51	1	-	-	-	25	9	-	12	4
IPSWICH - - - -	76,472	173	2	-	-	-	142	22	-	7	-
GREAT YARMOUTH -	57,502	60	6	-	-	-	15	31	-	8	-
NORWICH - - - -	124,107	129	4	-	-	-	50	69	-	6	-
SWINDON - - - -	52,750	103	1	-	-	-	75	17	-	8	-
EXETER - - - -	60,788	60	8	-	-	-	24	20	-	7	1
PLYMOUTH - - - -	212,421	263	28	-	-	-	104	83	-	46	2
BATH - - - -	70,292	56	1	-	-	-	40	7	-	8	-
BRISTOL - - - -	363,312	408	10	-	-	29	215	99	-	47	8
GLOUCESTER - - - -	50,759	55	1	-	-	-	25	23	-	6	-
STOKE ON TRENT - -	241,430	381	11	-	-	-	159	162	-	41	8
WOLVERHAMPTON - -	95,725	96	2	-	-	-	43	41	-	10	-
WALSALL - - - -	94,093	75	5	-	-	-	36	10	-	24	-
WEST BROMWICH - -	69,430	26	-	-	-	-	10	9	-	5	2
DUDLEY - - - -	51,895	48	1	-	-	-	34	1	-	11	1
BIRMINGHAM - - -	868,430	1,219	8	-	-	-	683	317	-	173	38
SMETHWICK - - - -	76,314	85	-	-	-	-	56	15	-	12	2
COVENTRY - - - -	119,003	146	2	-	-	-	104	23	-	16	1
LEICESTER - - - -	232,664	167	1	-	-	-	69	32	-	60	5
LINCOLN - - - -	60,243	33	-	-	-	-	19	6	-	8	-
GRIMSBY - - - -	78,667	66	6	-	-	-	40	15	-	4	1
NOTTINGHAM - - -	266,918	391	4	-	1	-	289	39	-	56	2
DERBY - - - -	126,389	289	2	-	-	-	186	74	-	23	4
STOCKPORT - - - -	126,040	166	14	-	-	-	117	20	-	14	1
BIRKENHEAD - - - -	137,710	129	6	-	-	-	80	25	-	16	2
WALLASEY - - - -	87,175	74	-	-	-	-	46	16	-	10	2
LIVERPOOL - - - -	767,992	1,094	26	-	-	-	677	229	-	147	15
BOOTLE - - - -	73,230	103	4	-	-	-	71	16	-	11	1
ST. HELENS - - - -	100,775	146	6	-	-	-	75	49	-	14	2
SOUTHPORT - - - -	71,747	81	1	-	-	-	58	10	-	11	1
WIGAN - - - -	91,491	465	7	-	-	-	432	6	-	20	-
WARRINGTON - - -	74,923	244	4	-	-	-	211	21	-	7	1
BOLTON - - - -	185,247	268	11	-	-	-	191	29	-	36	1
BURY - - - -	59,213	49	1	-	-	-	31	10	-	6	1
MANCHESTER - - -	738,538	1,001	54	-	-	-	685	103	-	130	29
SALFORD - - - -	234,975	350	17	-	-	1	228	53	-	46	5

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† See Note * to Table II.

‡ The figures for Southsea District of Portsmouth are—population (1911), 25,380; enteric fever, nil; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 13; diphtheria (including membranous croup), 34; erysipelas, nil; and puerperal fever, nil.

§ One of these cases was subsequently found not to be one of small-pox.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - - -	151,044	281	4	-	-	2	232	13	-	28	2
ROCHDALE - - - - -	94,320	135	5	-	-	-	51	61	-	18	-
BURNLEY - - - - -	110,040	150	2	-	-	-	96	18	-	33	1
BLACKBURN - - - - -	134,387	107	6	-	-	-	84	4	-	12	1
PRESTON - - - - -	118,514	214	14	-	-	-	131	52	-	17	-
BLACKPOOL - - - - -	62,206	88	13	-	-	-	55	14	-	4	2
BARROW IN FURNESS -	65,921	50	-	-	-	-	19	20	-	11	-
HUDDERSFIELD - - - -	112,265	124	-	-	-	-	91	23	-	9	1
HALIFAX - - - - -	100,373	122	7	-	-	-	76	12	-	27	-
BRADFORD - - - - -	291,482	297	24	-	-	-	133	76	-	57	7
LEEDS - - - - -	459,260	618	40	-	-	1	406	85	-	82	4
DEWSBURY - - - - -	54,083	66	2	-	-	-	53	5	-	6	-
WAKEFIELD - - - - -	52,643	35	1	-	-	-	18	10	-	5	1
BARNLEY - - - - -	53,929	68	1	-	-	-	35	10	-	20	2
SHEFFIELD - - - - -	477,228	790	13	-	-	-	456	238	-	70	13
ROTHERHAM - - - - -	65,313	115	8	-	-	-	65	27	-	13	2
YORK - - - - -	83,802	74	5	-	-	-	40	19	-	9	1
HULL - - - - -	291,118	393	26	-	-	-	192	130	-	39	6
MIDDLESBROUGH - - -	126,452	169	1	-	-	-	94	53	-	19	2
DARLINGTON† - - - -	61,441	73	1	-	-	-	35	26	-	10	1
STOCKTON ON TEES - -	59,311	70	2	-	-	-	37	20	-	11	-
WEST HARTLEPOOL - -	64,374	37	1	-	-	-	15	15	-	6	-
SUNDERLAND - - - - -	152,927	105	5	-	-	-	47	27	-	25	1
SOUTH SHIELDS - - -	111,357	190	2	-	1	-	165	7	-	15	-
GATESHEAD - - - - -	119,362	144	5	-	-	-	105	10	-	22	2
NEWCASTLE ON TYNE -	273,415	434	12	-	1	-	331	50	-	36	4
TYNEMOUTH - - - - -	61,408	68	17	1	-	-	27	12	-	11	-
CARLISLE - - - - -	52,813	76	1	-	-	-	52	9	-	14	-
NEWPORT (MON.) - - -	89,404	72	1	-	-	-	43	9	-	16	3
CARDIFF - - - - -	188,495	355	4	-	-	-	177	143	-	29	2
RHONDDA - - - - -	166,365	199	6	-	-	-	126	37	-	18	12
MERTHYR TYDFIL - - -	85,082	67	1	-	-	-	41	13	-	11	1
ABERDARE - - - - -	53,427	96	1	-	-	-	73	17	-	5	-
SWANSEA - - - - -	121,665	88	3	-	-	-	50	24	-	10	1
Smaller Towns.											
SURREY—											
BARNES - - - - -	34,745	50	-	-	-	-	36	10	-	1	3
GUILDFORD - - - - -	24,927	15	-	-	-	-	9	6	-	-	-
KINGSTON ON THAMES -	39,227	23	3	-	-	-	7	3	-	9	1
MITCHAM† - - - - -	34,682	65	1	-	-	-	44	18	-	2	-
REIGATE - - - - -	29,375	52	-	-	-	-	40	7	-	5	-
RICHMOND - - - - -	33,760	52	1	-	-	-	35	11	-	4	1
SUTTON - - - - -	22,678	12	-	-	-	-	5	5	-	2	-
WOKING - - - - -	27,055	13	2	-	-	-	3	6	-	2	-
KENT—											
BECKENHAM - - - - -	33,572	27	1	-	-	-	21	3	-	2	-
BROMLEY - - - - -	35,820	82	1	-	-	-	37	36	-	7	1
CANTERBURY - - - - -	24,531	52	-	-	-	-	25	16	-	10	1
CHATHAM - - - - -	44,057	45	1	-	-	-	21	19	-	3	1
DARTFORD - - - - -	25,336	38	3	-	-	-	25	3	-	7	-
DOVER - - - - -	43,984	83	48	-	-	-	15	12	-	7	1
ERITH - - - - -	28,604	65	1	-	-	-	44	17	-	2	1
FOLKESTONE - - - - -	33,968	45	1	-	-	-	22	18	-	3	1
GRAVESEND - - - - -	28,435	31	1	-	-	-	15	11	-	4	-
MAIDSTONE - - - - -	36,157	41	6	-	-	-	25	3	-	7	-
MARGATE - - - - -	29,965	25	1	-	-	-	10	10	-	4	-
PENGE (Surrey Reg. Co.)	22,283	20	-	-	-	-	11	6	-	3	-
RAMSGATE - - - - -	30,254	63	2	-	-	-	7	29	-	25	-
ROCHESTER - - - - -	31,660	32	1	-	-	-	9	16	-	5	1
TUNBRIDGE WELLS - -	36,506	33	-	-	-	-	8	23	-	2	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† As extended 1st April, 1915.

‡ Constituted an Urban District on 1st April, 1915.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—											
HOVE - - - -	44,134	28	-	-	-	-	17	2	-	6	3
SUSSEX WEST—											
WORTHING - - -	32,997	45	-	-	-	-	11	34	-	-	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.)	36,637	109	1	-	-	-	93	12	-	3	-
GOSPORT & ALVERSTOKE	34,838	68	1	-	-	-	19	40	-	7	1
WINCHESTER - - -	24,230	26	2	-	-	-	9	14	-	1	-
MIDDLESEX—											
CHISWICK - - -	41,858	27	1	-	-	-	10	7	-	8	1
FINCHLEY - - -	45,435	64	-	-	-	-	44	11	-	7	2
HENDON - - - -	44,496	35	1	-	-	-	18	11	-	5	-
HESTON & ISLEWORTH	47,644	44	-	-	-	-	17	18	-	10	1
SOUTHALL NORWOOD -	30,889	46	-	-	-	-	40	2	-	4	-
SOUTHGATE - - -	40,090	30	-	-	-	-	20	6	-	4	-
TWICKENHAM - - -	32,281	20	-	-	-	-	4	16	-	-	-
WOOD GREEN - - -	54,635	50	1	-	-	-	26	15	-	7	1
HERTFORDSHIRE—											
ST. ALBANS - - -	26,203	32	-	-	-	-	22	7	-	2	1
WATFORD - - - -	44,943	35	-	-	-	-	19	12	-	4	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE -	21,328	9	1	-	-	-	1	3	-	3	1
NORTHAMPTONSHIRE—											
KETTERING - - - -	30,431	28	-	-	-	-	15	4	-	9	-
SOKE OF PETER- BOROUGH—											
PETERBOROUGH - - -	34,514	35	-	-	-	-	27	5	-	2	1
BEDFORDSHIRE—											
BEDFORD - - - -	40,588	82	-	-	-	-	46	31	-	5	-
LUTON - - - - -	54,700	127	1	-	-	-	26	84	-	15	1
ESSEX—											
BARKING TOWN - - -	34,685	47	2	-	-	-	27	11	-	7	-
COLCHESTER - - -	45,219	75	4	-	-	-	50	6	-	15	-
SUFFOLK EAST—											
LOWESTOFT - - - -	35,143	30	-	-	-	-	15	11	-	3	1
NORFOLK—											
KING'S LYNN - - -	20,171	90	2	-	-	-	79	2	-	7	-
WILTSHIRE—											
SALISBURY - - - -	21,576	30	1	-	-	-	20	6	-	3	-
DORSETSHIRE—											
POOLE - - - - -	42,826	28	3	-	-	-	12	9	-	4	-
WEYMOUTH AND MELCOMBE REGIS.	23,187	5	-	-	-	-	2	-	-	3	-
DEVONSHIRE—											
TORQUAY - - - -	40,561	42	-	-	-	-	19	22	-	1	-
SOMERSETSHIRE—											
TAUNTON - - - -	23,074	23	1	-	-	-	10	8	-	4	-
WESTON SUPER MARE -	24,414	26	1	-	-	-	12	10	-	3	-
GLOUCESTERSHIRE—											
CHELTENHAM - - -	48,769	110	-	-	-	-	87	10	-	13	-
HEREFORDSHIRE—											
HEREFORD - - - -	22,981	30	2	-	-	-	13	4	-	11	-

* The figures in this table, excepting those for London, which are derived from Table XI, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	29,735	28	-	-	-	-	13	14	-	1	-
STAFFORDSHIRE—											
BILSTON - - - -	26,254	29	1	-	-	-	17	5	-	6	-
BURTON UPON TRENT -	47,528	41	1	-	-	-	27	8	-	5	-
CANNOCK - - - -	30,191	43	-	-	-	-	34	4	-	3	2
COSELEY - - - -	23,048	20	4	-	-	-	5	5	-	6	-
NEWCASTLE UNDER LYME.	20,301	57	1	-	-	-	47	7	-	2	-
ROWLEY REGIS - - -	37,811	29	1	-	-	-	17	4	-	6	1
STAFFORD - - - -	24,249	16	-	-	-	-	13	-	-	3	-
TIPTON - - - -	32,178	19	1	-	-	-	3	6	-	9	-
WEDNESBURY - - -	28,642	15	1	-	-	-	6	5	-	1	2
WOLSTANTON UNITED -	28,967	74	-	-	-	-	58	10	-	5	1
WORCESTERSHIRE—											
KIDDERMINSTER - -	27,583	14	-	-	-	-	6	5	-	3	-
OLDBURY (Staffordshire Reg. Co.).	34,682	75	1	-	-	-	53	10	-	11	-
WORCESTER - - - -	49,735	41	3	-	-	-	14	19	-	4	1
WARWICKSHIRE—											
NUNEATON - - - -	41,275	22	-	-	-	-	13	3	-	5	1
ROYAL LEAMINGTON SPA	26,652	9	-	-	-	-	4	5	-	-	-
RUGBY - - - -	23,472	38	-	-	-	-	29	4	-	3	2
SUTTON COLDFIELD (Staffs. Reg. Co.).	22,173	17	-	-	-	-	14	2	-	-	1
LEICESTERSHIRE—											
LOUGHBOROUGH - -	23,506	19	1	-	-	-	9	8	-	1	-
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM - - - -	20,932	18	-	-	-	-	5	10	-	2	1
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	24,492	17	1	-	-	-	7	6	-	3	-
GAINSBOROUGH - -	21,605	22	1	-	-	-	17	-	-	4	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	42,261	71	1	-	-	-	23	38	-	7	2
SUTTON IN ASHFIELD -	24,090	20	6	-	-	-	8	4	-	2	-
WORKSOP - - - -	21,874	17	-	-	-	-	15	2	-	-	-
DERBYSHIRE—											
CHESTERFIELD - - -	39,170	61	2	-	-	-	37	16	-	4	2
GLOSSOP - - - -	21,744	24	1	-	-	-	17	4	-	2	-
ILKESTON (Nottingham- shire Reg. Co.).	33,839	43	2	-	-	-	18	20	-	2	1
CHESHIRE—											
CHESTER - - - -	39,278	34	1	-	-	-	9	22	-	2	-
CREWE - - - -	45,964	79	1	-	-	-	50	20	-	8	-
HYDE - - - -	33,670	45	2	-	-	-	18	4	-	18	3
MACCLESFIELD - - -	34,857	26	4	-	-	-	15	2	-	3	2
STALYBRIDGE (Lanca- shire Reg. Co.).	26,109	26	4	-	-	-	16	3	-	3	-
LANCASHIRE—											
ACCRINGTON - - -	45,692	35	2	-	-	-	24	3	-	6	-
ASHTON IN MAKERFIELD	22,537	80	2	-	-	-	60	8	-	8	-
ASHTON UNDER LYNE -	45,618	49	-	-	-	-	36	1	-	12	2
BACUP - - - -	22,253	15	1	-	-	-	6	2	-	5	1
CHADDERTON - - -	29,484	35	1	-	-	-	26	3	-	3	2
CHORLEY - - - -	31,520	20	-	-	-	-	17	-	-	3	-
COLNE - - - -	26,625	30	6	-	-	-	20	1	-	3	-
DARWEN - - - -	41,070	29	-	-	-	-	25	-	-	2	-
ECCLES - - - -	44,579	67	4	-	-	-	38	19	-	6	2
FARNWORTH - - - -	28,898	41	3	-	-	-	21	14	-	2	1

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X, (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.*

CITIES, BOROUGHs, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
HEYWOOD - - - -	27,128	60	1	-	-	-	42	14	-	3	-
HINDLEY - - - -	24,307	52	1	-	-	-	45	1	-	5	-
INCE IN MAKERFIELD - - -	22,303	74	-	-	-	-	64	-	-	8	2
LANCASTER - - - -	41,786	32	4	-	-	-	14	10	-	4	-
LEIGH - - - -	45,530	115	10	-	-	-	73	12	-	19	1
MIDDLETON - - - -	28,955	17	1	-	-	-	10	3	-	3	-
NELSON - - - -	41,797	124	-	-	-	-	108	10	-	6	-
RADCLIFFE - - - -	25,984	32	1	-	-	-	26	3	-	2	-
RAWTENSTALL - - - -	30,329	20	-	-	-	-	10	6	-	4	-
STRETFORD - - - -	46,692	39	2	-	-	-	30	6	-	1	-
SWINTON AND PENDLEBURY.	32,065	77	4	-	-	-	55	7	-	11	-
WATERLOO WITH SEAFORTH.	27,542	45	1	-	-	-	30	6	-	8	-
WIDNES - - - -	32,571	41	-	-	-	-	29	9	-	2	1
YORKSHIRE (WEST RIDING)—											
BATLEY - - - -	36,949	42	4	-	-	-	17	16	-	5	-
BRIGHOUSE - - - -	20,533	23	-	-	-	-	10	8	-	5	-
CASTLEFORD - - - -	25,074	38	4	-	-	-	31	-	-	3	-
DONCASTER - - - -	51,591	106	3	-	-	-	57	33	-	12	1
GOOLE - - - -	21,639	30	-	-	-	-	14	16	-	-	-
HARROGATE - - - -	35,540	25	-	-	-	-	15	6	-	4	-
KEIGHLEY - - - -	44,156	25	-	-	-	-	3	14	-	7	1
MORLEY - - - -	24,507	27	5	-	-	-	10	6	-	6	-
SHIPLEY - - - -	28,448	23	-	-	-	-	15	6	-	2	-
SPENBOROUGH† - - -	31,750	26	-	-	-	-	19	2	-	4	1
TODMORDEN - - - -	25,399	10	-	-	-	-	4	2	-	4	-
YORKSHIRE (NORTH RIDING)—											
ESTON‡ - - - -	29,146	21	1	-	2	-	11	4	-	3	-
SCARBOROUGH - - -	36,890	45	1	-	-	-	16	24	-	3	1
DURHAM—											
BLAYDON - - - -	35,086	29	1	-	-	-	19	5	-	3	1
FELLING - - - -	25,916	28	-	-	-	-	24	-	-	4	-
HARTLEPOOL - - - -	19,882	15	-	-	-	-	8	1	-	6	-
HEBBURN - - - -	22,063	36	4	-	-	-	23	3	-	6	-
JARROW - - - -	33,528	41	1	-	-	-	22	13	-	5	-
STANLEY - - - -	26,683	36	-	-	-	-	31	3	-	2	-
NORTHUMBERLAND—											
ASHINGTON - - - -	28,275	56	-	-	-	-	22	26	-	8	-
BEDLINGTONSHIRE - - -	27,762	12	-	-	-	-	3	5	-	4	-
BLYTH - - - -	32,411	24	2	-	-	-	13	5	-	4	-
WALLSEND - - - -	44,891	52	1	-	-	-	39	8	-	4	-
CUMBERLAND—											
WORKINGTON - - - -	24,726	36	1	-	-	-	26	6	-	3	-
MONMOUTHSHIRE—											
ABERSYCHAN - - - -	27,052	45	1	-	-	-	32	5	-	7	-
ABERTILLERY - - - -	40,101	76	2	-	-	-	60	12	-	2	-
BEDWELLY - - - -	26,916	54	3	-	-	-	29	21	-	1	-
EBBW VALE - - - -	33,862	100	1	-	-	-	94	-	-	4	1
TREDEGAR - - - -	25,377	82	6	-	-	-	44	20	-	8	4
GLAMORGANSHIRE—											
BARRY - - - -	36,105	88	4	-	-	-	43	34	-	7	-
CAERPHILLY - - - -	38,761	36	-	-	-	-	15	21	-	-	-
GELLIGAER - - - -	41,880	29	2	-	-	-	22	3	-	2	-
MAESTEG - - - -	28,444	117	-	-	-	-	115	2	-	-	-
MOUNTAIN ASH - - - -	46,126	73	-	-	-	-	47	12	-	13	1
OGMORE AND GARW - - -	29,119	63	1	-	-	-	52	7	-	3	-
PONTYPRIDD - - - -	47,001	20	-	-	-	-	12	7	-	1	-
CARMARTHENSHIRE—											
LLANELLY - - - -	34,316	117	2	-	-	-	100	8	-	4	3

* The figures in this table excepting those for London, which are derived from Table XI, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† Constituted an Urban District on 1st April, 1915.

‡ As extended on 1st April, 1915.

TABLE XI.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd July, 1915.*

BOROUGHs.	Estimated Population in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.	Varicella.‡
WEST.																	
Acton - - -	142,055	312	2	-	1	-	122	64	-	38	4	-	-	-	6	-	75
Barnet - - -	170,817	271	10	-	-	-	124	39	-	16	23	6	-	-	6	-	47
Brentford - -	124,750	341	1	-	-	-	119	52	-	22	12	1	-	-	6	-	128
Hampton - - -	158,849	358	2	-	-	-	142	63	-	16	6	6	-	-	14	-	109
Hammersmith -	63,791	133	11	-	-	-	50	27	-	6	5	2	-	-	4	-	28
Westminster -	152,346	378	-	-	-	-	208	53	-	17	6	2	-	-	8	-	84
NORTH.																	
Arleybone - -	112,892	320	4	-	-	-	105	42	-	22	4	1	-	-	4	-	139
Barnet - - -	86,731	132	-	-	-	-	40	38	-	10	5	-	-	-	6	1	31
Enfield - - -	212,497	564	10	-	-	-	165	97	-	44	11	4	-	-	10	2	221
Hendon - - -	324,764	876	1	-	-	-	287	129	-	26	13	7	-	-	8	4	401
Newington - -	50,451	92	1	-	-	-	41	18	-	11	2	-	-	-	2	1	16
Weybridge - -	223,724	472	19	-	-	-	170	66	-	48	20	-	-	-	10	-	139
CENTRAL.																	
St. Pancras - -	45,861	86	2	-	-	-	38	12	-	5	5	-	-	-	-	-	24
St. Mary - - -	83,212	362	2	-	-	-	118	23	-	14	5	2	1	-	6	-	191
St. James - - -	17,129	37	-	-	-	-	8	13	-	3	-	-	-	-	-	-	13
EAST.																	
St. George - -	108,869	370	1	-	1	-	110	43	-	41	14	2	-	-	5	1	152
St. Andrew - -	127,662	577	8	-	-	-	129	90	-	45	10	2	-	-	7	2	284
St. Martin - -	273,265	1,027	12	2	-	1	324	216	-	74	13	4	-	-	16	1	364
St. Mark - - -	160,222	549	7	-	-	-	118	92	-	48	9	2	-	-	17	1	255
SOUTH.																	
St. Dunstons -	186,941	630	12	-	-	-	143	79	-	58	11	9	-	-	15	-	303
St. Andrew - -	124,213	304	6	-	1	1§	85	26	-	25	11	1	-	-	5	1	142
St. George - -	296,724	837	9	-	-	-	211	102	-	51	22	5	-	-	24	2	411
St. George - -	167,338	488	9	-	-	-	171	95	-	14	13	1	-	-	13	-	172
St. George - -	338,998	711	7	-	-	-	343	109	-	32	25	5	-	-	12	2	176
St. George - -	262,020	548	10	-	-	-	219	72	-	36	15	3	-	-	2	-	191
St. George - -	109,182	341	11	-	-	-	80	32	-	28	6	1	-	-	3	1	179
St. George - -	96,037	230	4	-	-	-	92	44	-	25	9	2	-	-	2	-	52
St. George - -	172,433	398	2	-	-	-	110	53	-	21	4	2	-	-	3	-	203
St. George - -	122,836	361	6	-	-	-	165	67	-	29	10	3	-	-	8	1	72
St. George - -	?	6	-	-	-	-	2	-	-	4	-	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.																	
4,516,612		12,111	169	2	3	2	4,039	1,856	-	829	293	73	1	-	222	20	4,602
AGES.																	
Ages 0-1 - - -	694	1	-	-	-	-	35	40	-	18	52	-	-	-	222	-	326
" 1-5 - - -	3,600	5	-	-	-	-	1,049	613	-	23	63	-	-	-	-	13	1,834
" 5- - - -	4,463	19	-	-	-	-	1,645	697	-	34	57	-	-	-	-	5	2,006
" 10- - - -	1,266	21	-	-	-	-	682	225	-	25	30	-	-	-	-	1	282
" 15- - - -	495	17	-	1	-	-	249	97	-	42	21	2	-	-	-	1	65
" 20- - - -	361	24	-	1	-	-	160	68	-	42	20	15	-	-	-	-	31
" 25- - - -	446	38	-	-	-	-	153	77	-	82	22	37	1	-	-	-	36
" 35- - - -	306	30	-	1	1	-	50	30	-	153	12	16	-	-	-	-	13
" 45- - - -	215	11	-	-	1	-	12	5	-	166	10	3	-	-	-	-	7
" 55- - - -	134	3	2	-	-	-	3	1	-	120	4	-	-	-	-	-	1
" 65- - - -	86	-	-	-	-	-	1	-	-	82	2	-	-	-	-	-	1
" 75 and upwards -	44	-	-	-	-	-	-	2	-	42	-	-	-	-	-	-	-
Age not stated - -	1	-	-	-	-	-	-	1	-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

See Note* to Table II.

The notification of Varicella was, by an order of the London County Council, dated 10th March last made compulsory from 7th March to 30th June inclusive.

Subsequently found not to be a case of small-pox.

TABLE XII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - -	6'19	0'15	0'00	0'00	0'00	3'59	1'65	-	0'74	0'06
243 Provincial Towns - - -	5'28	0'18	0'00	0'00	0'01	3'22	1'19	-	0'61	0'07
95 Great Towns - - -	5'26	0'17	0'00	0'00	0'01	3'22	1'17	-	0'62	0'07
148 Smaller Towns - - -	5'29	0'19	-	0'00	-	3'21	1'24	-	0'59	0'06
Great Towns.										
CROYDON - - -	3'33	0'18	-	-	-	1'94	0'66	-	0'46	0'09
WIMBLEDON - - -	5'11	0'13	-	-	-	3'50	1'08	-	0'40	-
FALING - - -	7'97	0'28	-	-	-	6'61	0'68	-	0'34	0'06
ACTON - - -	4'04	-	-	-	-	3'05	0'62	-	0'37	-
WILLESDEN - - -	5'42	0'07	-	-	-	3'56	1'22	-	0'50	0'07
HORNSEY - - -	3'98	0'50	-	-	-	2'12	0'90	-	0'41	0'05
TOTTENHAM - - -	4'35	0'03	-	-	-	2'84	1'21	-	0'24	0'03
EDMONTON - - -	8'13	0'28	-	-	-	5'42	1'13	-	1'19	0'11
ENFIELD - - -	3'82	0'20	-	-	-	1'77	1'25	-	0'53	0'07
WEST HAM - - -	5'29	0'27	-	-	-	2'81	1'45	-	0'72	0'04
EAST HAM - - -	5'34	0'03	-	-	-	3'50	1'23	-	0'55	0'03
LEYTON - - -	4'83	0'03	-	-	-	3'06	1'20	-	0'45	0'09
WALTHAMSTOW - - -	4'79	0'06	-	-	-	2'44	1'81	-	0'45	0'03
ILFORD - - -	3'83	-	-	-	-	2'53	0'79	-	0'48	-
GILLINGHAM - - -	3'11	0'07	-	-	-	1'59	1'23	-	0'22	-
HASTINGS - - -	2'62	-	-	-	-	2'15	0'67	-	0'40	-
EASTBOURNE - - -	4'98	-	-	-	-	3'53	1'23	-	0'22	-
BRIGHTON - - -	3'09	0'21	-	-	-	1'47	0'84	-	0'54	0'03
PORTSMOUTH - - -	7'02	0'31	-	-	-	2'89	3'39	-	0'41	0'02
BOURNEMOUTH - - -	3'68	-	-	-	-	1'68	1'07	-	0'33	-
SOUTHAMPTON - - -	6'31	0'13	-	-	-	2'88	2'78	-	0'42	0'10
READING - - -	3'83	0'18	-	-	-	2'09	0'89	-	0'67	0'09
OXFORD - - -	1'40	0'07	-	-	-	0'96	0'07	-	0'30	-
NORTHAMPTON - - -	8'06	0'18	-	-	-	3'92	3'21	-	0'75	-
CAMBRIDGE - - -	3'06	-	-	-	-	1'39	1'39	-	0'21	0'07
SOUTHEND ON SEA - - -	2'44	0'05	-	-	-	1'20	0'43	-	0'57	0'19
IPSWICH - - -	9'07	0'10	-	-	-	7'45	1'15	-	0'37	-
GREAT YARMOUTH - - -	4'19	0'42	-	-	-	1'05	2'16	-	0'56	-
NORWICH - - -	4'17	0'13	-	-	-	1'62	2'23	-	0'19	-
SWINDON - - -	7'83	0'08	-	-	-	5'70	1'29	-	0'61	0'15
EXETER - - -	3'96	0'53	-	-	-	1'58	1'32	-	0'46	0'07
PLYMOUTH - - -	4'97	0'53	-	-	-	1'96	1'57	-	0'87	0'04
BATH - - -	3'20	0'06	-	-	-	2'28	0'40	-	0'46	-
BRISTOL - - -	4'50	0'11	-	-	0'32	2'37	1'09	-	0'52	0'09
GLOUCESTER - - -	4'35	0'08	-	-	-	1'98	1'82	-	0'47	-
STOKE ON TRENT - - -	6'32	0'18	-	-	-	2'64	2'69	-	0'68	0'13
WOLVERHAMPTON - - -	4'02	0'08	-	-	-	1'80	1'72	-	0'42	-
WALSALL - - -	3'19	0'21	-	-	-	1'53	0'43	-	1'02	-
WEST BROMWICH - - -	1'51	-	-	-	-	0'58	0'52	-	0'29	0'12
DUDLEY - - -	3'72	0'08	-	-	-	2'63	0'08	-	0'85	0'08
BIRMINGHAM - - -	5'63	0'04	-	-	-	3'15	1'46	-	0'80	0'18
SMETHWICK - - -	4'47	-	-	-	-	2'94	0'79	-	0'63	0'11
COVENTRY - - -	4'93	0'07	-	-	-	3'51	0'78	-	0'54	0'03
LEICESTER - - -	2'88	0'02	-	-	-	1'19	0'55	-	1'03	0'09
LINCOLN - - -	2'20	-	-	-	-	1'27	0'40	-	0'53	-
GRIMSBY - - -	3'36	0'31	-	-	-	2'04	0'76	-	0'20	0'05
NOTTINGHAM - - -	5'88	0'06	-	0'02	-	4'34	0'59	-	0'84	0'03
DERBY - - -	9'17	0'06	-	-	-	5'90	2'35	-	0'73	0'13
STOCKPORT - - -	5'29	0'45	-	-	-	3'72	0'64	-	0'45	0'03
BIRKENHEAD - - -	3'76	0'17	-	-	-	2'33	0'73	-	0'47	0'06
WALLASEY - - -	3'41	-	-	-	-	2'12	0'74	-	0'46	0'09
LIVERPOOL - - -	5'73	0'14	-	-	-	3'54	1'20	-	0'77	0'08
BOOTLE - - -	5'65	0'22	-	-	-	3'89	0'88	-	0'60	0'06
ST. HELENS - - -	5'82	0'24	-	-	-	2'99	1'95	-	0'56	0'08
SOUTHPORT - - -	4'53	0'06	-	-	-	3'24	0'56	-	0'61	0'06
WIGAN - - -	20'39	0'31	-	-	-	18'94	0'26	-	0'88	-
WARRINGTON - - -	13'05	0'21	-	-	-	11'30	1'12	-	0'37	0'05
BOLTON - - -	5'81	0'24	-	-	-	4'14	0'63	-	0'78	0'02
BURY - - -	3'33	0'07	-	-	-	2'10	0'68	-	0'41	0'07
MANCHESTER - - -	5'44	0'29	-	-	-	3'72	0'56	-	0'71	0'16
SALFORD - - -	5'98	0'29	-	-	0'02	3'89	0'90	-	0'79	0'09

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - - -	7.46	0.11	-	-	0.05	6.16	0.35	-	0.74	0.05
ROCHDALE - - - - -	5.74	0.21	-	-	-	2.17	2.59	-	0.77	-
BURNLEY - - - - -	5.47	0.07	-	-	-	3.50	0.66	-	1.20	0.04
BLACKBURN - - - - -	3.20	0.18	-	-	-	2.51	0.12	-	0.36	0.03
PRESTON - - - - -	7.24	0.47	-	-	-	4.43	1.76	-	0.58	-
BLACKPOOL - - - - -	5.68	0.84	-	-	-	3.55	0.90	-	0.26	0.13
BARROW IN FURNESS - -	3.05	-	-	-	-	1.16	1.22	-	0.67	-
HUDDERSFIELD - - - - -	4.43	-	-	-	-	3.25	0.82	-	0.32	0.04
HALIFAX - - - - -	4.88	0.28	-	-	-	3.04	0.48	-	1.08	-
BRADFORD - - - - -	4.09	0.33	-	-	-	1.83	1.05	-	0.78	0.10
LEEDS - - - - -	5.40	0.35	-	-	0.01	3.55	0.74	-	0.72	0.03
DEWSBURY - - - - -	4.89	0.15	-	-	-	3.93	0.37	-	0.44	-
WAKEFIELD - - - - -	2.67	0.08	-	-	-	1.37	0.76	-	0.38	0.08
BARNLEY - - - - -	5.05	0.07	-	-	-	2.60	0.74	-	1.49	0.15
SHEFFIELD - - - - -	6.64	0.11	-	-	-	3.83	2.00	-	0.59	0.11
ROTHERHAM - - - - -	7.06	0.49	-	-	-	3.99	1.66	-	0.80	0.12
YORK - - - - -	3.54	0.24	-	-	-	1.91	0.91	-	0.43	0.05
HULL - - - - -	5.42	0.36	-	-	-	2.65	1.79	-	0.54	0.08
MIDDLESBROUGH - - - -	5.35	0.03	-	-	-	2.98	1.68	-	0.60	0.06
DARLINGTON - - - - -	4.77	0.07	-	-	-	2.28	1.70	-	0.65	0.07
STOCKTON ON TEES - - -	4.73	0.14	-	-	-	2.50	1.35	-	0.74	-
WEST HARTLEPOOL - - -	2.29	0.06	-	-	-	0.93	0.93	-	0.37	-
SUNDERLAND - - - - -	2.76	0.13	-	-	-	1.23	0.71	-	0.66	0.03
SOUTH SHIELDS - - - -	6.84	0.07	-	0.04	-	5.94	0.25	-	0.54	-
GATESHEAD - - - - -	4.85	0.17	-	-	-	3.53	0.34	-	0.74	0.07
NEWCASTLE ON TYNE - -	6.37	0.18	-	0.01	-	4.86	0.73	-	0.53	0.06
TYNEMOUTH - - - - -	4.44	1.11	0.07	-	-	1.76	0.78	-	0.72	-
CARLISLE - - - - -	5.77	0.08	-	-	-	3.95	0.68	-	1.06	-
NEWPORT (MON.) - - - -	3.22	0.04	-	-	-	1.93	0.40	-	0.72	0.13
CARDIFF - - - - -	7.55	0.08	-	-	-	3.77	3.04	-	0.62	0.04
RHONDDA - - - - -	4.79	0.14	-	-	-	3.04	0.89	-	0.43	0.29
MERTHYR TYDFIL - - - -	3.16	0.05	-	-	-	1.93	0.61	-	0.52	0.05
ABERDARE - - - - -	7.22	0.08	-	-	-	5.48	1.28	-	0.38	-
SWANSEA - - - - -	2.90	0.10	-	-	-	1.65	0.79	-	0.33	0.03
Smaller Towns.										
SURREY—										
BARNES - - - - -	5.78	-	-	-	-	4.16	1.15	-	0.12	0.35
GUILDFORD - - - - -	2.42	-	-	-	-	1.45	0.97	-	-	-
KINGSTON ON THAMES - -	2.36	0.31	-	-	-	0.72	0.31	-	0.92	0.10
MITCHAM - - - - -	7.51	0.11	-	-	-	5.09	2.08	-	0.23	-
REIGATE - - - - -	7.10	-	-	-	-	5.46	0.96	-	0.68	-
RICHMOND - - - - -	6.19	0.12	-	-	-	4.16	1.31	-	0.48	0.12
SUTTON - - - - -	2.11	-	-	-	-	0.88	0.88	-	0.35	-
WOKING - - - - -	1.93	0.30	-	-	-	0.44	0.89	-	0.30	-
KENT—										
BECKENHAM - - - - -	3.23	0.12	-	-	-	2.51	0.36	-	0.24	-
BROMLEY - - - - -	9.17	0.11	-	-	-	4.14	4.03	-	0.78	0.11
CANTERBURY - - - - -	8.51	-	-	-	-	4.09	2.62	-	1.64	0.16
CHATHAM - - - - -	4.09	0.09	-	-	-	1.91	1.73	-	0.27	0.09
DARTFORD - - - - -	6.01	0.47	-	-	-	3.96	0.47	-	1.11	-
DOVER - - - - -	7.57	4.38	-	-	-	1.37	1.09	-	0.64	0.09
ERITH - - - - -	9.11	0.14	-	-	-	6.17	2.38	-	0.28	0.14
FOLKESTONE - - - - -	5.32	0.12	-	-	-	2.60	2.13	-	0.35	0.12
GRAVESEND - - - - -	4.37	0.14	-	-	-	2.12	1.55	-	0.56	-
MAIDSTONE - - - - -	4.55	0.67	-	-	-	2.77	0.33	-	0.78	-
MARGATE - - - - -	3.35	0.13	-	-	-	1.34	1.34	-	0.54	-
PENGE (Surrey Reg. Co.) -	3.60	-	-	-	-	1.98	1.08	-	0.54	-
RAMSGATE - - - - -	8.35	0.27	-	-	-	0.93	3.84	-	3.31	-
ROCHESTER - - - - -	4.06	0.13	-	-	-	1.14	2.03	-	0.63	0.13
TUNBRIDGE WELLS - - -	3.63	-	-	-	-	0.88	2.53	-	0.22	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE - - - -	2·55	-	-	-	-	1·55	0·18	-	0·55	0·27
SUSSEX WEST—										
WORTHING - - -	5·47	-	-	-	-	1·34	4·13	-	-	-
SOUTHAMPTON—										
ALDRSHOT (Surrey Reg. Co.).	11·93	0·11	-	-	-	10·18	1·31	-	0·33	-
GOSPORT & ALVERSTOKE	7·85	0·12	-	-	-	2·19	4·61	-	0·81	0·12
WINCHESTER - - -	4·31	0·33	-	-	-	1·49	2·32	-	0·17	-
MIDDLESEX—										
CHISWICK - - - -	2·60	0·10	-	-	-	0·96	0·67	-	0·77	0·10
FINCHLEY - - - -	5·65	-	-	-	-	3·88	0·97	-	0·62	0·18
HENDON - - - -	3·15	0·09	-	-	-	1·62	0·99	-	0·45	-
HESTON & ISLEWORTH	3·70	-	-	-	-	1·43	1·35	-	0·84	0·08
SOUTHALL NORWOOD	5·97	-	-	-	-	5·19	0·26	-	0·52	-
SOUTHGATE - - -	3·00	-	-	-	-	2·00	0·60	-	0·40	-
TWICKENHAM - - -	2·49	-	-	-	-	0·50	1·99	-	-	-
WOOD GREEN - - -	3·66	0·07	-	-	-	1·91	1·10	-	0·51	0·07
HERTFORDSHIRE—										
ST. ALBANS - - -	4·90	-	-	-	-	3·37	1·07	-	0·31	0·15
WATFORD - - - -	3·13	-	-	-	-	1·70	1·07	-	0·36	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE -	1·69	0·19	-	-	-	0·19	0·56	-	0·56	0·19
NORTHAMPTONSHIRE—										
KETTERING - - -	3·70	-	-	-	-	1·93	0·53	-	1·19	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH - -	4·07	-	-	-	-	3·14	0·58	-	0·23	0·12
BEDFORDSHIRE—										
BEDFORD - - - -	8·10	-	-	-	-	4·55	3·06	-	0·49	-
LUTON - - - -	9·31	0·07	-	-	-	1·91	6·16	-	1·10	0·07
ESSEX—										
BARKING TOWN - - -	5·43	0·23	-	-	-	3·12	1·27	-	0·81	-
COLCHESTER - - -	6·64	0·35	-	-	-	4·43	0·53	-	1·33	-
SUFFOLK EAST—										
LOWESTOFT - - -	3·42	-	-	-	-	1·71	1·26	-	0·34	0·11
NORFOLK—										
KING'S LYNN - - -	17·90	0·40	-	-	-	15·71	0·40	-	1·39	-
WILTSHIRE—										
SALISBURY - - - -	5·59	0·19	-	-	-	3·72	1·12	-	0·56	-
DORSETSHIRE—										
POOLE - - - -	2·61	0·28	-	-	-	1·12	0·84	-	0·37	-
WEYMOUTH AND MELCOMBE REGIS.	0·87	-	-	-	-	0·35	-	-	0·52	-
DEVONSHIRE—										
TORQUAY - - - -	4·16	-	-	-	-	1·88	2·18	-	0·10	-
SOMERSETSHIRE—										
TAUNTON - - - -	4·00	0·17	-	-	-	1·74	1·39	-	0·70	-
WESTON SUPER MARE -	4·26	0·16	-	-	-	1·97	1·64	-	0·49	-
GLOUCESTERSHIRE—										
CHELTENHAM - - -	9·05	-	-	-	-	7·16	0·82	-	1·07	-
HEREFORDSHIRE—										
HEREFORD - - - -	5·24	0·35	-	-	-	2·27	0·70	-	1·92	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	3·77	-	-	-	-	1·75	1·89	-	0·13	-
STAFFORDSHIRE—										
BILSTON - - - -	4·43	0·15	-	-	-	2·60	0·76	-	0·92	-
BURTON UPON TRENT - -	3·46	0·08	-	-	-	2·28	0·68	-	0·42	-
CANNOCK - - - -	5·72	-	-	-	-	4·52	0·53	-	0·40	0·27
COSELEY - - - -	3·48	0·70	-	-	-	0·87	0·87	-	1·04	-
NEWCASTLE UNDER LYME	11·27	0·20	-	-	-	9·29	1·38	-	0·40	-
ROWLEY REGIS - - -	3·08	0·11	-	-	-	1·80	0·42	-	0·64	0·11
STAFFORD - - - -	2·65	-	-	-	-	2·15	-	-	0·50	-
TIPTON - - - -	2·36	0·12	-	-	-	0·37	0·75	-	1·12	-
WEDNESBURY - - - -	2·10	0·14	-	-	-	0·84	0·70	-	0·14	0·28
WOLSTANTON UNITED -	10·24	-	-	-	-	8·03	1·38	-	0·69	0·14
WORCESTERSHIRE—										
KIDDERMINSTER - - -	2·04	-	-	-	-	0·87	0·73	-	0·44	-
OLDBURY (Staffs. Reg. Co.).	8·68	0·12	-	-	-	6·13	1·16	-	1·27	-
WORCESTER - - - -	3·30	0·24	-	-	-	1·13	1·53	-	0·32	0·08
WARWICKSHIRE—										
NUNEATON - - - -	2·14	-	-	-	-	1·26	0·29	-	0·49	0·10
ROYAL LEAMINGTON SPA-	1·35	-	-	-	-	0·60	0·75	-	-	-
RUGBY - - - -	6·49	-	-	-	-	4·96	0·68	-	0·51	0·34
SUTTON COLDFIELD (Staffs. Reg. Co.).	3·07	-	-	-	-	2·53	0·36	-	-	0·18
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	3·24	0·17	-	-	-	1·54	1·36	-	0·17	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - - -	3·45	-	-	-	-	0·96	1·92	-	0·38	0·19
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	2·78	0·16	-	-	-	1·15	0·98	-	0·49	-
GAINSBOROUGH - - -	4·09	0·19	-	-	-	3·16	-	-	0·74	-
NOTTINGHAMSHIRE—										
MANSFIELD - - - -	6·73	0·09	-	-	-	2·18	3·61	-	0·66	0·19
SUTTON IN ASHFIELD -	3·33	1·00	-	-	-	1·33	0·67	-	0·33	-
WORKSOP - - - -	3·12	-	-	-	-	2·75	0·37	-	-	-
DERBYSHIRE—										
CHESTERFIELD - - -	6·24	0·20	-	-	-	3·79	1·64	-	0·41	0·20
GLOSSOP - - - -	4·43	0·18	-	-	-	3·14	0·74	-	0·37	-
ILKESTON (Notts. Reg. Co.).	5·10	0·24	-	-	-	2·13	2·37	-	0·24	0·12
CHESHIRE—										
CHESTER - - - -	3·47	0·10	-	-	-	0·92	2·25	-	0·20	-
CREWE - - - -	6·90	0·09	-	-	-	4·36	1·75	-	0·70	-
HYDE - - - -	5·36	0·24	-	-	-	2·14	0·48	-	2·14	0·36
MACCLESFIELD - - -	3·00	0·46	-	-	-	1·73	0·23	-	0·35	0·23
STALYBRIDGE (Lancs. Reg. Co.).	3·99	0·61	-	-	-	2·46	0·46	-	0·46	-
LANCASHIRE—										
ACCINGTON - - - -	3·08	0·18	-	-	-	2·11	0·26	-	0·53	-
ASHTON IN MAKERFIELD	14·24	0·36	-	-	-	10·68	1·42	-	1·42	0·36
ASHTON UNDER LYNE -	4·31	-	-	-	-	3·17	0·09	-	1·05	-
BACUP - - - -	2·70	0·18	-	-	-	1·08	0·36	-	0·90	0·18
CHADDERTON - - - -	4·76	0·13	-	-	-	3·54	0·41	-	0·41	0·27
CHORLEY - - - -	2·54	-	-	-	-	2·16	-	-	0·38	-
COLNE - - - -	4·51	0·90	-	-	-	3·01	0·15	-	0·45	-
DARWEN - - - -	2·84	-	-	-	-	2·44	-	-	0·20	0·20
ECCLES - - - -	6·03	0·36	-	-	-	3·42	1·71	-	0·54	-
FARNWORTH - - - -	5·69	0·42	-	-	-	2·91	1·94	-	0·28	0·14

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 3rd July, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD - - - -	8·87	0·15	-	-	-	6·21	2·07	-	0·44	-
HINDLEY - - - -	8·60	0·17	-	-	-	7·43	0·17	-	0·83	-
INCE IN MAKERFIELD - - -	13·31	-	-	-	-	11·51	-	-	1·44	0·36
LANCASTER - - - -	3·06	0·38	-	-	-	1·34	0·96	-	0·38	-
LEIGH - - - -	10·13	0·88	-	-	-	6·43	1·06	-	1·67	0·09
MIDDLETON - - - -	2·37	0·14	-	-	-	1·39	0·42	-	0·42	-
NELSON - - - -	11·90	-	-	-	-	10·36	0·96	-	0·58	-
RADCLIFFE - - - -	4·93	0·15	-	-	-	4·01	0·46	-	0·31	-
RAWTENSTALL - - - -	2·64	-	-	-	-	1·32	0·79	-	0·53	-
STRETFORD - - - -	3·36	0·17	-	-	-	2·58	0·52	-	0·09	-
SWINTON AND PENDLEBURY.	9·64	0·50	-	-	-	6·88	0·88	-	1·38	-
WATERLOO WITH SEAFORTH.	6·55	0·15	-	-	-	4·37	0·87	-	1·16	-
WIDNES - - - -	5·05	-	-	-	-	3·57	1·11	-	0·25	0·12
YORKSHIRE (WEST RIDING)—										
BATLEY - - - -	4·56	0·43	-	-	-	1·85	1·74	-	0·54	-
BRIGHOUSE - - - -	4·49	-	-	-	-	1·95	1·56	-	0·98	-
CASTLEFORD - - - -	6·08	0·61	-	-	-	4·96	-	-	0·48	-
DONCASTER - - - -	8·24	0·23	-	-	-	4·43	2·57	-	0·93	0·06
GOOLE - - - -	5·56	-	-	-	-	2·59	2·97	-	-	-
HARROGATE - - - -	2·82	-	-	-	-	1·69	0·68	-	0·45	-
KEIGHLEY - - - -	2·27	-	-	-	-	0·27	1·27	-	0·64	0·09
MORLEY - - - -	4·42	0·82	-	-	-	1·64	0·98	-	0·98	-
SHIPLEY - - - -	3·24	-	-	-	-	2·11	0·85	-	0·28	-
SPENBOROUGH - - - -	3·29	-	-	-	-	2·40	0·25	-	0·51	0·13
TODMORDEN - - - -	1·58	-	-	-	-	0·63	0·32	-	0·63	-
YORKSHIRE (NORTH RIDING)—										
ESTON - - - -	2·89	0·14	-	0·28	-	1·51	0·55	-	0·41	-
SCARBOROUGH - - - -	4·90	0·11	-	-	-	1·74	2·61	-	0·33	0·11
DURHAM—										
BLAYDON - - - -	3·30	0·11	-	-	-	2·17	0·57	-	0·34	0·11
FELLING - - - -	4·33	-	-	-	-	3·71	-	-	0·62	-
HARTLEPOOL - - - -	3·02	-	-	-	-	1·61	0·20	-	1·21	-
HEBBURN - - - -	6·55	0·73	-	-	-	4·18	0·55	-	1·09	-
JARROW - - - -	4·91	0·12	-	-	-	2·63	1·56	-	0·60	-
STANLEY - - - -	5·41	-	-	-	-	4·66	0·45	-	0·30	-
NORTHUMBERLAND—										
ASHINGTON - - - -	7·94	-	-	-	-	3·12	3·69	-	1·13	-
BEDLINGTONSHIRE - - -	1·73	-	-	-	-	0·43	0·72	-	0·58	-
BLYTH - - - -	2·97	0·25	-	-	-	1·61	0·62	-	0·49	-
WALLSEND - - - -	4·64	0·09	-	-	-	3·48	0·71	-	0·36	-
CUMBERLAND—										
WORKINGTON - - - -	5·84	0·16	-	-	-	4·22	0·97	-	0·49	-
MONMOUTHSHIRE—										
ABERSYCHAN - - - -	6·67	0·15	-	-	-	4·74	0·74	-	1·04	-
ABERTILLERY - - - -	7·60	0·20	-	-	-	6·00	1·20	-	0·20	-
BEDWELLY - - - -	8·05	0·45	-	-	-	4·32	3·13	-	0·15	-
EBBW VALE - - - -	11·84	0·12	-	-	-	11·13	-	-	0·47	0·12
TREDEGAR - - - -	12·95	0·95	-	-	-	6·95	3·16	-	1·26	0·63
GLAMORGANSHIRE—										
BARRY - - - -	9·78	0·44	-	-	-	4·78	3·78	-	0·78	-
CAERPHILLY - - - -	3·72	-	-	-	-	1·55	2·17	-	-	-
GELLIGAER - - - -	2·78	0·19	-	-	-	2·11	0·29	-	0·19	-
MAESTEG - - - -	16·50	-	-	-	-	16·22	0·28	-	-	-
MOUNTAIN ASH - - - -	6·35	-	-	-	-	4·09	1·04	-	1·13	0·09
OGMORE AND GARW - - -	8·67	0·14	-	-	-	7·16	0·96	-	0·41	-
PONTYPRIDD - - - -	1·71	-	-	-	-	1·02	0·60	-	0·09	-
CARMARTHENSHIRE—										
LLANELLY - - - -	13·68	0·23	-	-	-	11·69	0·94	-	0·47	0·35

TABLE XIII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 3rd July, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

BOROUGHs	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - -	6·41	0·06	-	0·03	-	3·44	1·81	-	1·07	-
Kensington - - -	4·58	0·23	-	-	-	2·91	0·92	-	0·38	0·14
Hammersmith - - -	6·27	0·03	-	-	-	3·83	1·67	-	0·71	0·03
Fulham - - -	5·78	0·05	-	-	-	3·59	1·59	-	0·40	0·15
Chelsea - - -	6·04	0·69	-	-	-	3·14	1·70	-	0·38	0·13
City of Westminster -	7·38	-	-	-	-	5·48	1·40	-	0·45	0·05
NORTH.										
St. Marylebone - - -	6·14	0·14	-	-	-	3·73	1·49	-	0·78	-
Hampstead - - -	4·12	-	-	-	-	1·85	1·76	-	0·46	0·05
St. Pancras - - -	6·04	0·19	-	-	-	3·11	1·83	-	0·83	0·08
Islington - - -	5·55	0·01	-	-	-	3·54	1·59	-	0·32	0·09
Stoke Newington - - -	5·64	0·08	-	-	-	3·26	1·43	-	0·87	-
Hackney - - -	5·43	0·34	-	-	-	3·05	1·18	-	0·86	-
CENTRAL.										
Holborn - - -	4·98	0·17	-	-	-	3·32	1·05	-	0·44	-
Finsbury - - -	7·67	0·10	-	-	-	5·69	1·11	-	0·67	0·10
City of London - - -	5·61	-	-	-	-	1·87	3·04	-	0·70	-
EAST.										
Shoreditch - - -	7·29	0·04	-	0·04	-	4·05	1·58	-	1·51	0·07
Bethnal Green - - -	8·60	0·25	-	-	-	4·05	2·83	-	1·41	0·06
Stepney - - -	9·30	0·18	0·03	-	0·01	4·76	3·17	-	1·09	0·06
Poplar - - -	6·68	0·18	-	-	-	2·95	2·30	-	1·20	0·05
SOUTH.										
Southwark - - -	6·46	0·26	-	-	-	3·07	1·70	-	1·24	0·19
Bermondsey - - -	4·67	0·19	-	0·03	0·03	2·74	0·34	-	0·81	0·03
Lambeth - - -	5·11	0·12	-	-	-	2·85	1·38	-	0·69	0·07
Battersea - - -	6·96	0·22	-	-	-	4·10	2·28	-	0·34	0·02
Wandsworth - - -	5·87	0·08	-	-	-	4·06	1·29	-	0·38	0·06
Camberwell - - -	5·20	0·15	-	-	-	3·35	1·10	-	0·55	0·05
Deptford - - -	5·59	0·40	-	-	-	2·94	1·18	-	1·03	0·04
Greenwich - - -	6·97	0·17	-	-	-	3·84	1·84	-	1·04	0·08
Lewisham - - -	4·38	0·05	-	-	-	2·56	1·23	-	0·49	0·05
Woolwich - - -	8·83	0·20	-	-	-	5·39	2·19	-	0·95	0·10
Port of London - - -	?	-	-	-	-	?	-	-	?	-
ADMINISTRATIVE COUNTY OF LONDON }										
Ages 0-1 - - -										
" 1-5 - - -										
" 5- - - -										
" 10- - - -										
" 15- - - -										
" 20- - - -										
" 25- - - -										
" 35- - - -										
" 45- - - -										
" 55- - - -										
" 65- - - -										
" 75 and upwards -										
Age not stated - -										

TABLE XIV.—COUNTY OF LONDON.—Births, Deaths, and Death-Rates in London, and in the Metropolitan Boroughs during the 13 WEEKS ended 3rd July, 1915. (The births in this table are those actually registered in the several Metropolitan Boroughs. The Deaths are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table VII. As between individual boroughs, however, correction is complete. The Old Estimates of population in the middle of 1914 have been used in the calculation of the rates.)

BOROUGH.	Estimated Population in the middle of 1914. (Old Estimates.)	Births.	Deaths from										ANNUAL DEATH-RATES PER 1000 LIVING.							RATE PER 1000 BIRTHS.			
			Deaths of Infants under 1 Year of Age.										ALL CAUSES.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.		Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 years).	Total deaths under 1 Year.
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.												
County of London -	4,516,612	27,095	17,120	24	-	946	90	417	136	201	1,597	2,516	15.2	0.02	-	0.84	0.08	0.37	0.12	1.42	7.42	93	
WEST.																							
PADDINGTON -	142,055	657	523	2	-	25	2	14	2	11	43	57	14.8	0.06	-	0.71	0.06	0.40	0.06	1.21	16.74	87	
KENSINGTON -	170,817	773	661	1	-	41	3	7	3	11	50	101	15.5	0.02	-	0.96	0.07	0.16	0.07	1.17	14.23	131	
HAMMERSMITH -	124,750	708	479	-	-	9	3	9	4	6	46	71	15.4	-	-	0.29	0.10	0.29	0.13	1.48	8.47	100	
FULHAM -	158,849	983	566	-	-	57	7	23	6	5	44	105	14.3	-	-	1.44	0.18	0.58	0.15	1.11	5.09	107	
CHELSEA -	63,791	299	267	-	-	33	2	-	1	1	27	25	16.8	-	-	2.07	0.13	-	0.06	1.70	3.34	84	
CITY OF WESTMINSTER -	152,346	419	535	-	-	20	4	3	3	5	51	51	14.1	-	-	0.53	0.11	0.08	0.08	1.34	11.93	122	
NORTH.																							
ST. MARYLEBONE -	112,892	978	401	-	-	27	3	7	1	4	33	42	14.2	-	-	0.96	0.11	0.25	0.04	1.17	4.09	43	
HAMPSTEAD -	86,731	372	260	-	-	6	1	3	2	1	17	20	12.0	-	-	0.28	0.05	0.14	0.09	0.79	2.69	54	
ST. PANCRAS -	212,497	1,130	795	1	-	37	2	24	4	11	95	108	15.0	0.02	-	0.70	0.04	0.45	0.08	1.79	9.73	96	
ISLINGTON -	324,764	1,896	1,348	1	-	86	13	43	10	14	107	166	16.6	0.01	-	1.06	0.16	0.53	0.12	1.32	7.38	88	
STOKE NEWINGTON -	50,454	237	174	-	-	8	2	4	-	3	12	25	13.8	-	-	0.64	0.16	0.32	-	0.95	12.66	105	
HACKNEY -	223,724	1,353	759	4	-	24	2	19	3	7	66	118	13.6	0.07	-	0.43	0.04	0.34	0.05	1.18	5.17	87	
CENTRAL.																							
HOLBORN -	45,861	169	167	-	-	5	-	3	3	1	16	12	14.6	-	-	0.44	-	0.26	0.26	1.40	5.92	71	
FINSBURY -	83,212	726	360	1	-	20	4	20	2	5	38	59	17.4	0.05	-	0.96	0.19	0.96	0.10	1.83	6.89	81	
CITY OF LONDON -	17,129	106	82	-	-	1	-	-	-	1	5	4	19.2	-	-	0.23	-	-	-	1.17	9.43	33	
EAST.																							
SHOREDITCH -	108,869	822	535	1	-	47	4	17	5	7	52	104	19.7	0.04	-	1.73	0.15	0.63	0.18	1.92	8.52	127	
BETHNAL GREEN -	127,662	880	520	1	-	34	1	15	11	13	56	88	16.3	0.03	-	1.07	0.03	0.47	0.35	1.76	14.77	100	
STEPNEY -	273,265	2,044	1,047	-	-	40	7	8	13	18	123	174	15.4	-	-	0.59	0.10	0.12	0.19	1.85	8.81	85	
POPLAR -	160,222	1,176	684	1	-	50	4	15	11	13	60	128	17.1	0.03	-	1.25	0.10	0.38	0.28	1.50	11.05	109	
SOUTH.																							
SOUTHWARK -	186,941	1,319	810	2	-	30	5	11	9	9	91	152	17.4	0.04	-	0.64	0.11	0.24	0.19	1.95	6.82	115	
BERMONDSEY -	124,213	919	599	1	-	49	2	25	2	9	63	116	19.3	0.03	-	1.58	0.06	0.81	0.06	2.03	9.79	126	
LAMBETH -	296,724	1,983	1,174	1	-	26	7	16	10	11	117	147	15.9	0.01	-	0.35	0.09	0.22	0.14	1.58	5.55	74	
BATTERSEA -	167,338	968	685	-	-	87	2	31	3	6	51	110	16.4	-	-	2.09	0.05	0.74	0.07	1.22	6.20	114	
WANDSWORTH -	338,998	1,664	993	-	-	63	5	19	11	9	95	143	11.7	0.01	-	0.75	0.06	0.22	0.13	1.12	5.41	86	
CAMBERWELL -	262,020	1,575	956	1	-	27	1	16	4	6	85	140	14.6	0.05	-	0.41	0.02	0.24	0.06	1.30	3.81	89	
DEPTFORD -	109,182	751	454	3	-	29	2	30	3	6	37	85	16.7	0.04	-	1.07	0.07	1.10	0.11	1.36	7.99	113	
GREENWICH -	96,037	621	416	1	-	17	1	17	3	-	44	62	17.4	0.04	-	0.71	0.04	0.71	0.13	1.84	-	79	
LEWISHAM -	172,433	836	472	1	-	26	-	12	2	4	31	44	11.0	0.02	-	0.60	-	0.28	0.05	0.72	4.78	74	
WOOLWICH -	122,836	731	398	-	-	22	1	6	5	4	39	54	13.0	-	-	0.72	0.03	0.20	0.16	1.27	5.47	74	

TABLE XV.—**Births and Deaths in the Second Quarter (13 weeks) of 1915 in certain Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 years).†	Total Deaths under 1 yr.
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whoop- ing Cough.	Diph- theria and Croup.*			
LONDON - -	4,516,612‡	27,095	17,120	24·1	15·2	0·02	-	0·84	0·08	0·37	0·12	7·42	93	
CALCUTTA - -	896,067	—	5,862§	—	26·2	0·35	2·73	0·04	-	0·01	0·03	-	-	
BOMBAY - -	979,445	4,112	5,922§	16·8	24·3	0·13	0·66	0·07	-	0·01	-	83·90	380	
MADRAS - -	518,660	4,274	4,307§	33·1	33·3	0·09	0·07	0·09	?	?	?	101·54	-	
PARIS - -	2,847,229	7,309	11,219	10·3	15·8	0·06	-	0·57	0·06	0·09	0·04	40·36	158	
BRUSSELS - -	780,852	—	—	—	—	-	-	-	-	-	-	-	-	
ANTWERP - -	313,833	—	—	—	—	-	-	-	-	-	-	-	-	
AMSTERDAM - -	612,083	3,221	1,759	21·1	11·5	0·03	-	0·12	-	0·24	0·07	5·59	70	
COPENHAGEN - -	492,000	2,727	1,810	22·2	14·8	0·03	-	0·09	0·06	0·04	0·03	13·93	101	
STOCKHOLM - -	386,270	1,725	1,321	17·9	13·7	-	-	0·11	0·13	0·28	0·07	5·22	88	
GÖTEBORG - -	181,503	—	648	—	14·3	0·02	-	-	0·07	0·18	0·18	-	-	
CHRISTIANIA - -	250,677	1,373	787	22·0	12·6	0·02	-	-	-	0·06	0·08	14·57	74	
PETROGRAD - -	1,728,200	—	—	—	—	-	-	-	-	-	-	-	-	
MOSCOW - -	1,694,000	—	—	—	—	-	-	-	-	-	-	-	-	
BERLIN - -	1,973,293	—	—	—	—	-	-	-	-	-	-	-	-	
HAMBURG - -	1,049,620	—	—	—	—	-	-	-	-	-	-	-	-	
LEIPZIG - -	665,122	—	—	—	—	-	-	-	-	-	-	-	-	
MUNICH - -	665,988	—	—	—	—	-	-	-	-	-	-	-	-	
DRESDEN - -	572,206	—	—	—	—	-	-	-	-	-	-	-	-	
COLOGNE - -	649,522	—	—	—	—	-	-	-	-	-	-	-	-	
BRESLAU - -	517,133	—	—	—	—	-	-	-	-	-	-	-	-	
FRANKFORT ON MAIN.	460,175	—	—	—	—	-	-	-	-	-	-	-	-	
VIENNA - -	2,167,287	—	—	—	—	-	-	-	-	-	-	-	-	
PRAGUE - -	500,926	—	—	—	—	-	-	-	-	-	-	-	-	
BUDAPEST - -	950,784	—	—	—	—	-	-	-	-	-	-	-	-	
TRIESTE - -	244,655	—	—	—	—	-	-	-	-	-	-	-	-	
ROME - -	591,943	—	—	—	—	-	-	-	-	-	-	-	-	
BUCAREST - -	340,052	—	—	—	—	-	-	-	-	-	-	-	-	
NEW YORK - -	5,806,532	35,332	19,945	24·4	13·8	0·03	-	0·26	0·10	0·08	0·27	15·00	97	
CHICAGO - -	2,447,045	—	8,228	—	13·5	0·04	-	0·23	0·03	0·03	0·26	-	-	
NEW ORLEANS - -	373,000	—	1,924	—	20·7	0·25	0·04	0·01	0·01	0·13	0·13	-	-	
RIO DE JANEIRO	964,201	—	—	—	—	-	-	-	-	-	-	-	-	
CAIRO :—														
Egyptians - -	659,372	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	71,913	—	—	—	—	-	-	-	-	-	-	-	-	
ALEXANDRIA :—														
Egyptians - -	340,742	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	76,699	—	—	—	—	-	-	-	-	-	-	-	-	

* Excluding deaths from Croup in the Indian Cities.

† The death-rates in this column relate to *children under 1 year of age* for Copenhagen and Stockholm.

‡ Old estimate. See note * to Table II.

§ Including 149 deaths from Plague in Calcutta, and 310 in Bombay; and 525 deaths from Cholera in Calcutta, 6 in Bombay and 5 in Madras.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
18	Erysipelas ... { M	102	3	7	5	1	16	1	1	1	1	20	—
	... { F	117	1	5	8	4	18	2	—	—	1	21	1
19	Other epidemic diseases. { M	24	1	1	1	5	8	5	2	3	—	18	4
	... { F	17	—	1	2	3	6	5	—	—	1	12	4
	A. Mumps ... { M	4	—	—	—	—	—	—	—	2	—	2	1
	... { F	3	—	—	1	—	1	—	—	—	—	1	1
	B. German measles. { M	4	—	—	—	1	1	—	1	1	—	3	—
	... { F	1	—	—	—	—	—	1	—	—	—	1	—
	C. Varicella ... { M	16	1	1	1	4	7	5	1	—	—	13	3
	... { F	13	—	1	1	3	5	4	—	—	1	10	3
	D. Other diseases included under 19. { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia. { M	87	4	2	1	1	8	—	1	—	1	10	3
	... { F	53	—	1	1	—	2	2	2	1	—	7	2
	A. Pyæmia ... { M	19	2	—	—	—	2	—	1	—	—	3	2
	... { F	12	—	—	—	—	—	2	1	—	—	3	1
	B. Septicæmia ... { M	68	2	2	1	1	6	—	—	—	1	7	1
	... { F	40	—	—	1	—	1	—	1	1	—	3	1
	C. Vaccinia ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	1	—	—	1	—	—	—	—	1	—
21	Glanders ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever.) { M	1	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
23	Rabies ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus ... { M	37	4	—	—	—	4	—	—	1	1	6	4
	... { F	11	2	—	—	—	2	—	—	—	—	2	1
25	Mycoses ... { M	3	—	—	—	—	—	—	—	—	—	—	—
	... { F	2	—	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis { M	3	—	—	—	—	—	—	—	—	—	—	—
	... { F	2	—	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
26	Pellagra ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri ... { M	3	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis (not acute). { M	4,152	—	4	7	9	20	26	17	10	7	80	41
	... { F	3,335	—	2	6	17	25	28	15	4	13	85	56
	A. Pulmonary tuberculosis. { M	2,904	—	4	7	9	20	21	17	9	6	73	30
	... { F	2,206	—	2	6	16	24	24	11	4	10	73	42
	B. Phthisis (not defined as tuberculous). { M	1,248	—	—	—	—	—	5	—	1	1	7	11
	... { F	1,129	—	—	—	1	1	4	4	—	3	12	14

GE-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 6	6 4	1 3	6 1	5 2	3 2	7 5	5 8	6 7	8 17	7 6	12 6	4 11	5 10	4 5	1 2	}	18
— 1	—	1 —	1 —	—	—	—	—	—	—	—	—	—	—	—	—		}
— 1	—	— 1	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
9 5	5 —	1 2	2 4	4 2	9 2	4 5	3 6	5 7	9 3	12 2	5 3	5 2	1 1	—	—	}	
3 3	1 —	— 1	1 —	1 —	2 1	—	— 2	2 1	2 —	—	1 —	1 —	—	—	—		}
6 2	4 —	1 1	1 4	3 2	7 1	4 5	3 4	3 6	7 3	12 2	4 3	4 2	1 1	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
6 1	2 —	4 1	3 —	1 —	2 1	2 2	2 1	1 —	2 —	— 1	—	—	2 1	—	—		}
—	—	—	—	—	1	—	—	—	—	1	1	—	—	—	—	}	
—	1	—	—	—	—	—	—	—	—	—	1	1	—	—	—		}
—	1	—	—	—	—	—	—	—	1	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	1	—	—	1	1	—	—	—	—	—	—	}	
72 139	217 338	407 420	433 412	455 377	520 378	467 322	399 274	375 178	291 127	202 111	118 63	51 35	18 16	5 4	1 —		}
56 83	146 227	286 270	292 259	327 238	363 241	320 233	284 178	250 116	200 93	133 68	85 42	37 26	16 14	5 3	1 —	}	
16 56	71 111	121 150	141 153	128 139	157 137	147 89	115 96	125 62	91 34	69 43	33 21	14 9	2 2	— 1	—		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
29	Acute phthisis, { Acute miliary { tuberculosis ... {	M 438	—	4	3	14	21	23	6	7	5	62	21
		F 404	—	1	9	5	15	11	12	2	9	49	32
	A. Acute phthisis {	M 346	—	—	—	5	5	7	3	4	2	21	12
		F 309	—	—	—	1	1	2	8	1	5	17	19
	B. Acute miliary { tuberculosis, {	M 92	—	4	3	9	16	16	3	3	3	41	9
		F 95	—	1	9	4	14	9	4	1	4	32	13
30	Tuberculous meningitis. {	M 571	1	10	41	82	134	96	49	51	43	373	92
		F 505	—	11	27	44	82	86	53	41	38	300	88
31	Tuberculosis of { peritoneum and { intestines, {	M 449	2	39	41	73	155	72	53	19	7	306	28
		F 444	1	15	47	58	121	68	30	22	15	256	37
	A. Tabes { mesenterica {	M 81	—	14	16	19	49	15	4	1	3	72	2
		F 70	—	6	15	12	33	16	4	4	2	59	3
	B. Other peri- { toneal and { intestinal { tubercle. {	M 368	2	25	25	54	106	57	49	18	4	234	26
		F 374	1	9	32	46	88	52	26	18	13	197	34
32	Tuberculosis of { spinal column {	M 75	—	1	—	—	1	2	1	—	2	6	6
		F 62	—	—	—	—	—	1	—	4	—	5	2
33	Tuberculosis of { joints {	M 53	—	—	—	—	—	1	—	—	1	2	5
		F 32	—	1	—	—	1	2	—	—	—	3	3
34	Tuberculosis of { other organs {	M 69	—	1	2	6	9	4	3	2	—	18	4
		F 70	—	—	1	1	2	2	—	—	—	4	3
	A. Lupus ... {	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 10	—	—	—	—	—	—	—	—	—	—	—
	B. Scrofula ... {	M 2	—	—	—	2	2	—	—	—	—	2	—
		F 1	—	—	—	—	—	1	—	—	—	1	—
35	Disseminated { tuberculosis {	M 269	1	8	11	25	45	24	15	11	6	101	32
		F 209	1	4	6	12	23	18	11	6	5	63	21
28-35	Tuberculosis { (all forms) {	M 6,076	4	67	105	209	385	248	144	100	71	948	229
		F 5,061	2	34	96	137	269	216	121	79	80	765	212
36	Ricket., Softening { of bones. {	M 112	—	5	9	30	44	43	16	3	—	106	3
		F 100	—	2	8	30	40	32	12	—	2	86	1
	A. Rickets ... {	M 109	—	5	9	30	44	43	16	3	—	106	3
		F 89	—	2	8	30	40	32	12	—	2	86	1
	B. Other forms of { bone soften- { ing. {	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—
37	Syphilis ... {	M 313	77	71	36	25	209	10	2	3	—	224	2
		F 202	38	57	24	20	139	8	4	1	—	152	1

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
4 9	36 54	46 36	52 51	45 44	35 26	34 32	22 13	31 14	22 7	14 5	4 1	— —	— 1	— —	}	29
1 1	29 45	38 32	48 47	45 39	29 24	29 27	22 12	27 14	19 5	13 5	3 1	— —	— 1	— —		}
3 8	7 9	8 4	4 4	— 5	6 2	5 5	— 1	4 —	3 2	1 —	1 —	— —	— —	— —	}	
0 5	29 27	11 12	5 9	13 2	5 4	1 2	1 2	— 3	1 1	— —	— —	— —	— —	— —		}
9 2	19 22	11 20	10 16	6 15	8 9	11 11	2 5	4 8	7 3	4 4	1 3	— 2	2 —	1 1	}	
2 5	— —	1 —	1 1	1 1	1 —	— —	— 1	— —	1 —	— —	— —	— —	— —	— —		}
7 7	19 22	10 20	9 15	5 14	7 9	11 11	2 4	4 8	6 3	4 4	1 3	— 2	2 —	1 1	}	
9 7	7 8	16 9	9 1	6 3	4 2	2 5	2 4	2 8	3 2	— 5	2 —	— —	1 1	— —		}
5 6	7 7	5 1	2 3	3 1	3 2	4 —	3 —	2 1	4 1	2 —	2 —	4 2	— —	— 1	}	
4 3	3 8	3 5	6 3	5 6	6 5	4 5	6 4	1 8	2 5	2 —	4 4	— 1	1 4	— 2		}
— 1	— 1	— —	1 —	1 —	— 1	— —	— —	— 3	— 1	— —	— —	— —	— 2	— 1	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
4 2	3 7	3 5	5 3	4 6	6 4	4 5	6 4	1 5	2 4	2 —	4 4	— 1	1 2	— 1	}	
3 4	22 20	23 14	15 17	11 10	7 9	10 8	10 5	3 7	4 4	3 2	1 4	4 —	— —	— 1		}
6 5	340 484	522 517	532 512	544 458	588 435	533 385	445 307	418 227	334 150	227 128	132 75	59 40	22 22	6 9	}	
— 1	— —	— 2	1 2	— —	— 2	2 —	— —	— 1	— 5	— —	— —	— —	— —	— —		}
— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— 2	1 1	— —	— 2	2 —	— —	— 1	— 5	— —	— —	— —	— —	— —		}
1 1	— —	1 2	2 6	12 4	16 6	9 3	11 3	11 8	12 8	5 6	2 1	2 1	3 —	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	}	38
1	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	}	B
1	—	—	1	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	1	3	2	9	18	44	77	77	84	80	69	38	13	}	39
—	—	—	2	1	4	9	2	6	13	12	6	9	8	3		4
1	1	2	8	16	29	76	140	194	236	313	319	253	130	52	}	40
—	1	1	4	18	34	75	104	144	189	245	259	251	173	83		32
—	2	2	6	11	15	34	63	88	115	153	151	158	105	44	}	41
—	2	1	5	16	17	52	78	103	120	136	182	137	108	49		21
1	2	6	10	19	61	105	158	177	195	155	129	106	59	30	}	42
—	—	—	—	—	—	1	1	1	—	2	2	1	—	—		11
1	—	—	2	11	32	96	117	119	122	112	85	103	68	32	}	43
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		24
—	—	—	—	3	—	4	2	15	14	15	20	24	18	14	}	44
—	1	1	1	1	1	4	7	1	5	3	11	10	13	13		6
4	5	12	8	24	35	46	69	98	110	144	172	129	56	28	}	45
7	2	11	10	22	27	32	38	56	70	74	64	66	42	24		12
5	9	17	25	56	88	179	319	473	552	711	744	634	347	151	}	39-45
9	8	20	34	88	176	373	504	606	714	737	736	682	471	234		111
—	—	—	1	—	4	1	6	3	—	2	3	3	—	1	}	46
—	1	—	—	—	1	—	1	2	—	5	3	4	—	—		—
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		—
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		—
—	—	1	—	3	1	6	3	—	2	3	3	—	1	—	}	C
—	1	—	—	—	—	1	2	—	5	3	4	—	—	—		—
26	24	17	12	14	14	14	13	6	8	4	3	2	—	—	}	47
36	31	14	18	21	11	11	14	9	8	4	5	4	2	—		—
1	1	—	5	1	4	8	11	11	20	27	36	26	9	8	}	48
—	—	1	2	3	4	10	12	19	27	30	38	40	31	24		5
—	—	—	—	—	—	1	2	1	2	7	6	12	5	6	}	A
—	—	1	—	1	—	3	4	3	6	5	12	13	7	7		4
1	1	—	4	1	2	4	5	4	12	9	14	11	—	1	}	B
—	—	—	2	2	4	6	8	16	21	22	25	26	23	14		3
—	—	—	1	—	1	2	5	5	1	12	10	10	3	3	}	C
—	—	—	—	—	1	—	—	—	3	1	1	1	3	—		—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
49	Scurvy ... { M F	4 1	— —	1 —	— —	— 1	1 1	1 —	2 —	— —	— —	4 1	— —
50	Diabetes ... { M F	489 508	— —	— —	— —	— —	— —	— 2	— —	1 —	— —	1 2	1 11
51	Exophthalmic goitre. { M F	6 116	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
52	Addison's disease ... { M F	25 37	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
53	Leucocythæmia, Lymphadenoma. { M F	108 79	— —	— —	— 1	1 —	1 1	3 2	2 —	3 1	— —	9 4	8 7
	A. Leucocythæ- mia (Leuchæ- mia). { M F	57 50	— —	— —	— 1	— —	— 1	3 1	2 —	3 1	— —	8 3	4 —
	B. Lymphade- noma. { M F	51 29	— —	— —	— —	1 —	1 —	— 1	— —	— —	— —	1 1	4 —
54	Anæmia, Chlorosis { M F	231 326	2 1	— —	1 2	2 2	5 5	4 5	2 1	3 2	2 —	16 13	— —
55	Other general diseases. { M F	64 62	7 5	2 2	— 2	4 5	13 14	1 2	2 1	2 2	5 1	23 20	— —
	A. Diabetes insipidus { M F	3 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Purpura ... { M F	35 39	3 2	— 1	— 2	4 4	7 9	— 1	2 1	1 1	3 1	13 13	— —
	C. Hæmophilia... { M F	16 10	4 3	2 1	— —	— 1	6 5	— —	— —	1 —	1 —	8 5	— —
	D. Other diseases included under 55. { M F	10 8	— —	— —	— —	— —	— —	1 1	— —	— 1	1 —	2 2	— —
56	Alcoholism (acute or chronic). { M F	117 66	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
57	Chronic lead poisoning. { M F	21 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Occupational lead poison- ing. { M F	21 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Non-occupa- tional lead poisoning. { M F	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
58	Other chronic occu- pational poison- ings. { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
59	Other chronic poisonings. { M F	1 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
60	Encephalitis ... { M F	59 37	1 —	— 1	4 —	— 1	5 2	3 1	1 1	2 —	— 2	11 6	— —

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	49
18 10	11 12	27 15	19 32	32 24	22 24	24 22	52 46	48 62	80 64	54 55	45 55	33 42	13 19	3 5		}
9	16	3	5	1 20	1 8	1 19	2 14	— 11	1 4	— 3	— 2	— 1	—	—	}	
1 —	— 2	1 4	— 3	3 4	2 8	1 4	6 4	3 4	3 1	1 2	1 1	1 —	—	—		}
15 4	7 6	6 4	8 5	8 5	1 6	10 3	4 5	7 4	11 7	4 7	4 5	1 3	—	—	}	
7 2	4 3	2 3	5 2	7 2	— 4	3 3	1 2	4 3	6 5	3 5	— 4	1 1	—	—		}
8 2	3 3	4 1	3 3	1 3	1 2	7 —	3 3	3 1	5 2	1 2	4 1	— 2	—	—	}	
3 12	5 4	6 10	6 23	17 18	19 26	22 33	21 46	22 29	38 31	30 35	22 19	3 15	— 3	— 1		}
4 6	3 6	2 2	1 1	1 1	2 —	1 2	2 3	4 3	4 2	1 3	— 4	5 2	—	—	}	
— 1	—	—	—	— 1	—	—	—	— 1	2 —	— 1	— 1	1 —	—	—		}
4 3	1 4	1 2	—	—	—	1 1	— 1	4 —	1 2	1 2	— 3	4 1	—	—	}	
— 1	— 1	—	1 1	—	1	—	1 2	—	—	—	—	—	—	—		}
— 1	2 1	1 —	—	1 —	1 —	— 1	1 —	— 2	1 —	—	—	— 1	—	—	}	
— —	1 —	2 1	11 4	19 8	25 13	13 12	19 9	14 4	6 4	3 7	3 2	1 1	— 1	—		}
— —	— 1	—	1 —	3 —	2 —	5 1	3 —	1 —	4 —	2 —	—	—	—	—	}	
— —	—	—	1 —	3 —	2 —	5 —	3 —	1 —	4 —	2 —	—	—	—	—		}
— —	— 1	—	—	—	—	— 1	—	—	—	—	—	—	—	—	}	
— —	1 —	—	—	—	—	—	—	—	—	—	—	—	—	—		}
— —	—	1 —	—	—	—	— 1	—	—	—	—	—	—	—	—	}	
4 2	3 2	5 1	2 4	4 —	3 3	8 —	3 —	5 3	1 2	—	1 3	— 1	— 1	1 1		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
61	Meningitis ... { M F	567 485	8 4	15 17	57 48	102 78	182 147	89 64	46 46	26 32	17 19	360 308	65 55
	A. Cerebro-spinal fever. { M F	22 24	— —	1 1	2 3	5 3	8 7	— 2	1 4	1 —	1 2	11 15	3 5
	B. Posterior basal meningitis. { M F	26 15	— —	— 1	5 4	6 7	11 12	3 2	— 1	1 —	— —	15 15	3 —
	C. Meningitis— other forms. { M F	519 446	8 4	14 15	50 41	91 68	163 128	86 60	45 41	24 32	16 17	334 278	59 50
62	Locomotor ataxy { M F	142 22	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
63	Other diseases of the spinal cord. { M F	324 292	— —	— 1	1 2	2 1	3 4	9 7	3 5	2 5	2 —	19 21	8 9
	A. Diseases formerly classed to "Other nervous affectns" { M F	122 107	— —	— —	— —	— 1	— 1	1 —	— —	— —	— —	1 1	— —
	B. Other diseases included under 63. { M F	202 185	— —	— 1	1 2	2 —	3 3	8 7	3 5	2 5	2 —	18 20	8 9
64	Cerebral hæmorrhage, Apoplexy. { M F	2,369 2,787	1 —	2 1	3 1	1 2	7 4	2 3	1 1	1 1	2 1	13 10	— 4
	A. Apoplexy ... { M F	497 570	— —	— —	1 —	— —	1 —	— —	— —	— —	— —	1 —	— 1
	B. Serous apoplexy and CEdema of brain. { M F	21 25	— —	— —	— —	— 1	— 1	1 —	— 1	1 —	— —	2 2	— 1
	C. Cerebral congestion. { M F	15 16	1 —	2 1	2 —	1 1	6 2	— 2	1 —	— 1	1 —	8 5	— —
	D. Cerebral atheroma. { M F	46 45	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	E. Cerebral hæmorrhage. { M F	1,790 2,131	— —	— —	— 1	— —	— 1	1 1	— —	— —	1 1	2 3	— —
65	Softening of brain { M F	149 165	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
66	Paralysis without specified cause. { M F	249 330	— —	— —	— 1	— 1	— 2	— —	— —	— —	— 1	— 3	— —
	A. Hemiplegia ... { M F	192 287	— —	— —	— —	— 1	— 1	— —	— —	— —	— —	— 1	— —
	B. Paraplegia ... { M F	13 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Other forms of paralysis. { M F	44 35	— —	— —	— 1	— —	— 1	— —	— —	— —	— 1	— 2	— —
67	General paralysis of the insane. { M F	372 73	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
68	Other forms of mental alienation. { M F	101 152	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
22 21	13 7	6 11	12 14	7 8	5 8	12 5	10 3	8 6	6 4	3 4	— 5	2 2	1 1	— 1	}	61
3 —	— —	1 1	1 —	— 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	2 —	— —	1 —	— —	— —	2 —	— —	— —	— —	— —	— —	— —	— —	}	B
19 21	13 7	3 10	11 14	6 6	5 8	12 5	8 3	8 6	6 4	3 4	— 5	2 2	1 1	— 1		
— —	— —	1 1	2 —	10 1	18 —	13 9	21 2	27 2	22 3	13 2	7 1	8 1	— —	— —	}	62
2 6	6 4	7 5	14 10	14 11	17 20	25 19	26 23	37 29	38 25	45 34	35 35	19 24	7 8	2 3		
— 1	1 —	2 1	3 1	4 5	1 5	4 3	4 3	16 10	13 14	27 14	27 25	12 16	4 6	2 2	}	A
2 5	5 4	5 4	11 9	10 6	16 15	21 16	22 20	21 19	25 11	18 20	8 10	7 8	3 2	— 1		
3 2	7 7	9 12	22 16	26 38	56 73	102 119	174 230	237 259	348 334	408 417	421 493	308 404	158 241	76 128	}	64
1 1	1 —	2 2	4 4	7 8	5 14	15 32	39 48	52 52	69 66	86 83	101 95	63 88	36 56	15 20		
— —	— 2	— —	— —	1 1	1 —	1 2	1 —	1 —	3 5	4 4	1 4	2 2	2 1	2 1	}	B
— —	— —	1 —	— —	1 1	1 1	1 2	— —	— 1	1 —	1 3	1 2	— 1	— —	— —		
— —	— —	— —	— —	— —	2 —	— —	2 3	3 4	7 9	4 13	11 7	9 6	5 2	3 1	}	D
2 1	6 5	6 10	18 12	17 28	47 58	85 83	132 179	181 202	268 254	313 314	307 385	234 307	115 182	56 106		
— 1	— —	— 1	1 —	— 2	4 4	9 9	8 12	11 14	28 20	33 31	24 34	16 16	11 11	4 10	}	65
— 1	1 —	— 3	— —	1 4	5 5	5 10	16 15	25 26	36 32	42 43	54 66	37 64	18 35	8 22		
— 1	— —	— 2	— —	— 2	4 3	4 8	12 13	18 25	30 30	35 38	39 57	28 56	15 30	7 20	}	A
— 1	1 —	— 1	— —	— —	— —	— 1	— 1	2 —	— —	3 —	3 2	3 3	— —	— —		
— —	— —	— —	— —	1 2	1 2	1 1	4 1	5 1	6 2	4 5	12 7	6 5	3 5	1 2	}	C
2 1	1 1	11 2	44 7	73 12	61 16	69 14	42 8	32 2	17 2	12 4	4 3	2 —	1 1	— —		
1 —	2 3	3 6	6 4	8 15	2 17	6 17	12 16	22 22	19 12	7 16	8 12	4 7	1 5	— —	}	68

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
69	Epilepsy ... { M F	349 288	2 —	2 1	2 —	2 2	8 3	1 4	2 4	1 —	1 4	13 15	8 12
70	Convulsions (non- puerperal; 5 { M F	16 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 6
	A. Epileptiform { M convulsions. { F	3 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —
	B. Others in- { M cluded under 70 { F	13 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	8 5
71	Infantile convul- sions (under 5 { M years). { F	1,115 822	373 256	222 158	179 120	201 151	975 685	105 102	26 30	5 2	4 3	1,115 822	— —
	A. Convulsions { M with teething. { F	152 127	— —	1 —	17 13	79 60	97 73	52 49	3 5	— —	— —	152 127	— —
	B. Other infantile { M convulsions. { F	963 695	373 256	221 158	162 107	122 91	878 612	53 53	23 25	5 2	4 3	963 695	— —
72	Chorea ... { M F	7 23	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	3 4
73	Hysteria, Neuralgia, { M Neuritis. { F	49 89	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
	A. Hysteria, Neu- { M ralgia, Sciatica. { F	3 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Neuritis ... { M F	46 83	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
74	Other diseases of the { M nervous system. { F	235 234	2 1	1 —	— 1	2 4	5 6	5 4	3 2	2 2	10 2	25 16	12 13
	A. Idiocy, { M Imbecility. { F	19 23	— —	— —	— —	— 1	— 1	— 1	1 1	1 2	3 1	5 6	— 4
	B. Cretinism ... { M F	4 7	— 1	— —	— —	1 —	1 1	2 1	— —	— —	— —	3 2	— —
	C. Cerebral { M tumour. { F	129 113	— —	— —	— —	— 2	— 2	2 1	1 —	1 —	4 1	8 4	10 4
	D. Other diseases { M included under { F	83 91	2 —	1 —	— 1	1 1	4 2	1 1	1 1	— —	3 —	9 4	— —
75	Diseases of the eyes { M and annexa. { F	4 13	— —	— —	1 1	1 —	2 1	— 1	1 1	— —	— 2	3 5	— —
76	Diseases of the ears { M F	144 127	1 2	— 2	3 4	13 8	17 16	10 9	2 5	3 3	6 4	38 37	1 2
	A. Mastoid disease { M F	43 29	— —	— —	2 2	3 2	5 4	2 3	1 1	— 1	3 2	11 11	— —
	B. Other diseases { M of the ears. { F	101 98	1 2	— 2	1 2	10 6	12 12	8 6	1 4	3 2	3 2	27 26	1 1
77	Pericarditis ... { M F	50 34	— —	2 1	— 1	— —	2 2	2 —	— —	— —	— —	4 2	— —

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
6 7	23 18	32 20	36 25	34 22	25 24	29 32	20 26	27 22	25 16	20 12	17 14	12 11	8 7	3 3	1 2	}	69
2 —	— —	— 2	1 —	— —	1 —	— 1	1 —	— —	— —	1 —	1 —	— —	1 1	— —	— 1		
— —	— —	— 1	— —	— —	1 —	— —	1 —	— —	— —	— —	1 —	— —	— 1	— —	— —	}	A
2 —	— —	— 1	1 —	— —	— —	— 1	— —	— —	— —	1 —	— —	— —	1 —	— —	— 1		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	71
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	B
2 7	1 6	— 2	1 1	— —	— 1	— —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —		
— 1	— 1	— 2	— 2	3 5	5 7	8 14	8 14	5 12	12 8	6 9	1 4	1 5	— 2	— 1	— 1	}	73
— 1	— 1	— —	— —	— —	— —	— —	— 1	— —	— —	2 —	1 1	— —	— 1	— 1	— 1		
— 1	— —	— 2	— 2	3 5	5 7	8 14	8 13	5 12	12 8	4 9	— 3	1 5	— 1	— —	— —	}	B
3 1 1 3	7 4 2 2	8 8 1 —	15 13 2 1	11 12 2 2	14 14 — 2	13 14 1 1	22 28 3 —	22 17 — 1	18 23 — —	14 17 — —	18 13 — —	12 17 — 1	5 8 — —	3 6 — —	3 — — —		
— —	— —	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	A
— —	— —	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
0 8	5 1	5 6	10 9	8 9	13 10	8 10	13 15	16 10	10 13	7 9	5 3	— 1	— —	1 —	— —	}	C
2 —	— 1	2 1	3 2	1 —	1 2	3 3	6 13	6 6	8 10	7 8	13 10	12 15	5 8	2 6	3 —		
— —	— —	— —	1 —	— —	— —	— 1	— —	— 1	— —	— 2	— —	— 1	— 3	— —	— —	}	75
5 5	17 19	8 2	8 9	9 2	7 6	5 1	4 5	4 1	3 4	1 2	— —	3 —	1 2	1 —	1 —		
4 5	5 3	2 1	2 2	3 —	4 —	— 1	2 2	1 —	2 1	— —	— —	— —	— —	— —	— —	}	A
1 0	12 16	6 1	6 7	6 2	3 6	5 —	2 3	3 1	1 3	1 2	— —	3 —	1 2	1 —	1 —		
5 5	6 5	2 1	2 2	3 —	3 1	3 1	6 2	1 1	4 2	2 3	3 2	— 3	2 —	— 1	— 1	}	77

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
9 0 1 — 3 7 5 3 1 6 2 3 — — 9 3 — — — — 1 — 1 — 																

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.).	{ M 42	3	2	7	2	14	5	3	—	—	22	4
		{ F 34	3	1	8	2	14	6	—	2	—	22	7
	A. Status lymphaticus.	{ M 26	3	2	6	1	12	2	2	—	—	16	4
		{ F 23	3	1	8	—	12	3	—	1	—	16	5
	B. Other diseases of the lymphatic system.	{ M 16	—	—	1	1	2	3	1	—	—	6	—
		{ F 11	—	—	—	2	2	3	—	1	—	6	2
85	Hæmorrhage, other dis. of the circulatory system.	{ M 20	—	1	—	—	1	1	—	—	—	2	—
		{ F 28	1	—	—	—	1	—	—	—	—	1	—
	A. Functional disease of the heart.	{ M 12	—	—	—	—	—	—	—	—	—	—	—
		{ F 19	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	{ M 1	—	—	—	—	—	—	—	—	—	—	—
		{ F —	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases included under 85.	{ M 7	—	1	—	—	1	1	—	—	—	2	—
		{ F 9	1	—	—	—	1	—	—	—	—	1	—
	Diseases of the nasal fossæ.	{ M 15	—	3	—	—	3	—	—	1	1	5	1
		{ F 9	1	1	—	1	3	1	—	—	—	4	—
87	Diseases of the larynx	{ M 97	3	4	5	8	20	17	11	3	12	63	21
		{ F 71	2	—	2	3	7	9	12	13	8	49	13
	A. Laryngismus stridulus	{ M 27	2	1	—	4	7	7	5	—	3	22	5
		{ F 18	—	—	1	—	1	6	3	3	1	14	4
	B. Laryngitis ...	{ M 66	1	3	5	4	13	10	6	3	9	41	16
		{ F 49	2	—	1	3	6	3	9	10	7	35	9
	C. Other diseases of larynx.	{ M 4	—	—	—	—	—	—	—	—	—	—	—
		{ F 4	—	—	—	—	—	—	—	—	—	—	—
	Diseases of the thyroid body	{ M 2	—	—	—	—	—	—	—	—	—	—	—
		{ F 49	—	—	—	—	—	—	—	—	—	—	1
89 & 90	Bronchitis... ..	{ M 2,520	33	88	87	152	360	116	34	13	7	530	21
		{ F 2,153	35	78	87	133	333	110	28	13	6	490	15
	A. Bronchiectasis, Bronchial catarrh, &c.	{ M 70	2	1	3	2	8	2	—	—	—	10	1
		{ F 53	1	2	2	—	5	—	—	—	1	6	1
	B. Other bronchitis	{ M 2,450	31	87	84	150	352	114	34	13	7	520	20
91	Broncho-pneumonia	{ M 1,313	23	72	114	278	487	311	122	44	29	993	40
		{ F 1,160	20	57	79	226	382	308	100	54	23	867	56
92	Pneumonia, lobar and undefined	{ M 2,083	8	23	44	69	144	128	60	40	24	396	70
		{ F 1,318	9	12	26	85	132	110	48	31	25	346	66
	A. Lobar pneumonia	{ M 963	2	2	13	20	37	36	27	9	8	117	32
		{ F 534	1	3	4	29	37	29	17	7	13	103	28
	B. Pneumonia (type not stated).	{ M 1,120	6	21	31	49	107	92	33	31	16	279	38
		{ F 784	8	9	22	56	95	81	31	24	12	243	38

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
4 1	2 —	— 1	— —	1 —	1 —	2 —	— —	— —	1 —	1 1	— 1	1 1	— —	2 —	}	84	
4 1	1 —	— 1	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A	
— —	1 —	— —	— —	1 —	— —	2 —	— —	— —	1 —	1 1	— 1	1 1	1 1	— —	}	B	
— —	— —	— —	1 —	1 —	1 —	— 1	1 —	2 3	1 8	2 3	1 4	3 2	4 2	1 3		85	
— —	— —	— —	— —	1 —	1 —	— —	— —	— 2	1 5	2 1	1 3	2 2	3 2	1 3	}	A	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —		B	
— —	— —	— —	1 —	— —	— —	— 1	1 —	2 1	— 3	— 2	— 1	— —	1 —	— —	}	C	
1 —	2 1	— 1	— —	1 —	1 —	— 1	1 —	2 —	1 1	— —	— —	— —	— —	— —		86	
1 2	1 1	— 1	— 1	1 1	— 1	1 —	1 —	2 1	— —	3 —	1 —	1 1	— —	1 —	}	87	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A	
1 2	— 1	— 1	— 1	1 —	— —	1 —	1 —	1 —	— —	2 —	1 —	— —	— —	1 —	}	B	
— —	1 —	— —	— —	— 1	— 1	— —	— —	1 1	— —	1 —	— —	1 1	— —	— —		C	
— —	1 2	— —	— 1	— 1	— 1	— 2	— 3	— 7	1 6	— 4	— 9	— 10	— —	— —	}	88	
2 8	3 3	4 7	9 6	14 17	30 20	46 36	63 59	110 83	173 102	248 164	312 232	377 285	276 300	183 201		119 125	89 & 90
— 2	— 1	— 3	2 —	1 2	4 2	7 —	6 1	5 1	6 3	1 6	4 2	4 5	6 4	6 9	7 5	}	A
2 6	3 2	4 4	7 6	13 15	26 18	39 36	57 58	105 82	167 99	247 158	308 230	373 280	270 296	177 192	112 120		B
5 8	5 4	4 4	10 6	11 4	14 8	10 18	16 4	24 20	25 16	31 19	31 31	39 39	25 29	18 14	12 13	}	91
36 30	61 37	59 38	88 43	116 60	163 58	176 70	165 77	173 73	163 69	126 85	109 91	81 68	58 52	30 34	13 21		92
16 19	29 23	31 18	52 24	65 29	82 29	103 33	85 33	86 34	80 36	60 28	54 37	23 27	28 18	11 9	9 6	}	A
20 11	32 14	28 20	36 19	51 31	81 29	73 37	80 44	87 39	83 33	66 57	55 54	58 41	30 34	19 25	4 15		B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
93	Pleurisy ... {	M 207	—	—	—	3	3	15	8	2	5	33	2	
		F 131	—	1	1	2	4	7	8	2	2	23	3	
	A. Empyema ... {	M 72	—	—	—	2	2	13	5	2	3	25	—	
		F 43	—	—	1	2	3	6	8	1	1	19	1	
	B. Other pleurisy {	M 135	—	—	—	1	1	2	3	—	2	8	2	
	F 88	—	1	—	—	1	1	—	1	1	4	2		
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M 129	1	3	3	6	13	6	1	—	—	20	—	
		F 145	4	5	3	7	19	5	3	2	1	30	1	
	A. Pulmonary apoplexy and infarction. {	M 2	—	—	—	—	—	—	—	—	—	—	—	
		F 3	—	—	—	—	—	—	—	—	—	—	—	
	B. Pulmonary œdema and congestion. {	M 115	1	3	3	6	13	6	1	—	—	20	—	
		F 113	4	5	3	7	19	5	3	2	1	30	1	
	C. Hypostatic pneumonia. {	M 12	—	—	—	—	—	—	—	—	—	—	—	
		F 29	—	—	—	—	—	—	—	—	—	—	—	
	D. Collapse of lung (three months and over). {	M —	—	—	—	—	—	—	—	—	—	—	—	
		F —	—	—	—	—	—	—	—	—	—	—	—	
	95	Gangrene of the lung. {	M 10	—	—	—	—	—	—	—	—	1	1	—
			F 13	—	—	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M 146	—	—	—	—	—	—	—	—	—	—	—	
		F 105	—	—	—	—	—	2	1	—	1	4	—	
97	Pulmonary emphysema. {	M 50	—	—	—	1	1	—	—	—	—	1	1	
		F 24	—	—	—	—	—	—	—	—	—	—	—	
98	Other diseases of the respiratory system. {	M 79	—	—	1	—	1	—	—	—	—	1	—	
		F 47	—	—	—	1	1	—	—	1	—	2	2	
	A. Fibroid disease of lung. {	M 46	—	—	—	—	—	—	—	—	—	—	—	
		F 17	—	—	—	—	—	—	—	—	—	—	—	
	B. Other diseases included under 98. {	M 33	—	—	1	—	1	—	—	—	—	1	—	
		F 30	—	—	—	1	1	—	—	1	—	2	2	
	Diseases of the mouth and annexa. {	M 92	23	26	5	4	63	4	2	—	—	69	1	
		F 68	9	12	7	1	29	6	1	—	5	41	3	
99	A. Diseases of the teeth and gums. {	M 40	4	8	2	3	17	3	1	—	—	21	1	
		F 49	5	5	6	—	16	5	1	—	5	27	3	
	B. Thrush, Aphthous stomatitis. {	M 45	24	17	3	1	45	—	—	—	—	45	—	
		F 11	4	5	1	1	11	—	—	—	—	11	—	
	C. Parotitis ... {	M 6	—	—	—	—	—	1	1	—	—	2	—	
		F 6	—	1	—	—	1	1	—	—	—	2	—	
	D. Other diseases of mouth and annexa. {	M 1	—	1	—	—	1	—	—	—	—	1	—	
		F 2	—	1	—	—	1	—	—	—	—	1	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
100	Diseases of the pharynx, Tonsil- litis. {	M 102	1	1	1	3	6	7	6	9	3	31	11
		F 76	—	—	1	2	3	8	4	8	5	28	19
	A. Tonsillitis ... {	M 70	—	—	1	—	1	5	5	7	3	21	10
		F 55	—	—	—	1	1	5	4	5	4	19	16
	B. Ludwig's angina. {	M 9	—	—	—	1	1	1	—	—	—	2	—
		F 3	—	—	—	—	—	—	—	1	—	1	—
	C. Other diseases of the pha- rynx. {	M 23	1	1	—	2	4	1	1	2	—	8	1
		F 18	—	—	1	1	2	3	—	2	1	8	3
	Diseases of the œsophagus {	M 10	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
102	Perforating ulcer of stomach. {	M 254	—	—	—	—	—	—	—	1	—	1	2
		F 232	—	—	—	—	—	—	—	—	1	1	—
103	Other diseases of the stomach. {	M 490	29	77	45	62	213	31	14	3	6	267	6
		F 510	31	56	51	43	181	23	9	5	3	221	12
	A. Inflammation of stomach. {	M 407	25	74	44	58	201	30	14	3	4	252	5
		F 431	26	50	48	42	166	22	7	5	3	203	9
	B. Other diseases included under 103. {	M 83	4	3	1	4	12	1	—	—	2	15	1
		F 79	5	6	3	1	15	1	2	—	—	18	3
104 & 105	Diarrhœa and enteritis {	M 7,259	258	1,196	1,711	2,030	5,195	1,027	194	60	24	6,500	61
		F 6,043	158	854	1,379	1,698	4,089	931	172	68	42	5,302	79
	A. Infective enteritis. {	M 3,234	78	536	822	1,031	2,467	530	92	20	11	3,120	22
		F 2,632	51	373	667	844	1,935	434	76	27	20	2,492	33
	B. Diarrhœa—not returned as infective. {	M 1,665	59	274	412	454	1,199	243	44	22	8	1,516	10
		F 1,390	32	195	306	392	925	223	40	16	5	1,209	13
	C. Enteritis—not returned as infective. {	M 886	50	134	188	209	581	97	25	9	2	714	5
		F 774	28	94	161	164	447	105	19	12	8	591	14
	D. Gastro-enteri- tis—not re- turned as in- fective. {	M 1,269	63	231	282	330	906	157	32	9	3	1,107	24
		F 1,123	44	175	238	295	752	166	36	12	9	975	18
	E. Dyspepsia— under 2 years. {	M 36	7	20	6	3	36	—	—	—	—	36	—
		F 31	3	15	7	3	28	3	—	—	—	31	—
	F. Colic ... {	M 5	1	1	1	—	3	—	—	—	—	3	—
		F 10	—	2	—	—	2	—	—	—	—	2	—
	G. Ulceration of intestines. {	M 35	—	—	—	3	3	—	1	—	—	4	—
		F 52	—	—	—	—	—	—	1	1	—	2	1
	H. Duodenal ulcer. {	M 129	—	—	—	—	—	—	—	—	—	—	—
		F 31	—	—	—	—	—	—	—	—	—	—	—
106	Ankylostomiasis ... {	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
107	Other intestinal parasites. {	M 2	—	—	—	—	—	—	—	1	—	1	—
		F 2	—	—	—	1	1	—	—	1	—	2	—
108	Appendicitis ... {	M 405	—	—	—	—	—	—	4	10	6	20	47
		F 272	—	—	—	1	1	1	3	2	7	14	41

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
10 8	5 3	3 2	7 3	6 1	7 1	4 2	5 2	1 —	2 2	1 1	3 1	3 2	1 —	2 —	— 1	}	100
9 6	4 3	3 1	4 1	3 1	3 1	2 1	4 1	— —	2 1	— —	— 1	3 2	1 —	1 —	— 1		}
— —	— —	— 1	2 1	1 —	1 —	1 —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	}	
1 2	1 —	— —	1 1	2 —	3 —	1 1	— 1	1 —	— 1	1 1	2 —	— —	— —	1 —	— —		}
— —	— —	— —	— —	— —	2 1	— 1	2 —	1 —	1 —	3 —	— —	— 3	1 —	— —	— —	}	
3 1	4 9	9 17	14 24	25 21	30 23	24 23	28 31	29 19	21 12	22 15	14 10	17 16	6 9	2 1	3 —		}
3 4	2 4	1 2	1 4	5 8	9 8	16 25	17 15	20 19	21 19	25 29	25 31	26 35	24 36	13 25	9 13	}	
2 2	1 3	1 1	1 1	3 8	6 5	11 17	13 14	14 16	11 14	21 25	15 26	19 27	18 27	10 22	4 11		}
1 2	1 1	— 1	— 3	2 —	3 3	5 8	4 1	6 3	10 5	4 4	10 5	7 8	6 9	3 3	5 2	}	
18 20	17 10	18 24	29 15	35 27	41 32	36 22	49 37	44 38	53 39	73 59	83 64	73 93	62 84	49 63	18 35		}
3 6	4 1	2 2	3 —	6 6	3 9	2 1	5 5	4 10	7 8	10 16	13 9	12 14	12 12	6 4	— 4	}	
— 2	2 —	— 4	2 1	2 —	3 1	2 1	2 5	3 7	9 7	12 8	22 19	27 30	19 35	26 30	8 18		}
5 5	5 2	7 5	5 5	7 8	12 9	8 10	15 9	11 9	12 12	16 16	19 16	20 24	18 17	4 14	3 8	}	
10 4	4 2	1 7	2 4	4 6	5 7	5 4	11 7	9 6	14 7	13 10	20 15	12 19	10 15	11 12	7 5		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— 1	— 3	— 1	— —	— 2	1 1	— —		}
— 1	— 1	4 5	5 4	3 5	3 5	2 2	4 7	1 3	1 2	6 4	1 1	1 6	— 2	— 1	— —	}	
— 2	2 4	4 1	12 1	12 2	15 1	17 4	12 4	16 3	10 2	16 2	8 3	1 —	3 1	1 1	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
53 37	62 28	23 31	27 16	21 9	27 12	33 11	13 19	20 7	18 13	16 10	13 12	8 7	3 2	1 2	— 1	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
109	Hernia, Intestinal obstruction.	M 509	13	11	36	38	93	8	6	3	6	121	13
		F 509	3	2	12	13	35	3	—	2	5	45	8
	A. Hernia ...	M 189	5	1	7	4	17	1	1	—	—	19	—
		F 190	1	—	—	—	1	—	—	—	1	2	—
	B. Intestinal obstruction	M 320	8	10	29	34	81	7	5	3	6	102	13
		F 319	2	2	12	18	34	3	—	2	4	43	8
110	Other diseases of the intestines.	M 63	2	3	2	2	9	1	1	—	1	12	1
		F 67	—	2	2	4	8	2	2	—	1	13	1
111	Acute yellow atrophy of the liver.	M 9	—	—	—	—	—	—	—	—	—	—	—
		F 13	—	—	—	—	—	—	—	—	—	—	—
112	Hydatid of liver ...	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver	M 615	—	—	—	—	—	—	—	1	—	1	1
		F 441	—	—	—	—	—	—	—	—	—	—	2
	A. Cirrhosis of the liver not ret'd alcoholic.	M 554	—	—	—	—	—	—	—	1	—	1	1
		F 367	—	—	—	—	—	—	—	—	—	—	2
	B. Cirrhosis of the liver ret'd as alcoholic.	M 44	—	—	—	—	—	—	—	—	—	—	—
		F 58	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gallbladder."	M 17	—	—	—	—	—	—	—	—	—	—	—
		F 16	—	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi ...	M 51	—	—	—	—	—	—	—	—	—	—	—
		F 139	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver.	M 98	—	—	2	1	3	1	1	1	1	7	2
		F 137	—	—	1	3	4	3	—	2	—	9	3
116	Diseases of the spleen.	M 4	—	—	—	—	—	—	—	1	—	1	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
	A. Infarction of spleen.	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M 4	—	—	—	—	—	—	—	1	—	1	—
		F 4	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M 51	2	2	—	3	7	1	1	1	—	10	10
		F 79	2	1	1	3	7	1	3	2	5	18	14
118	Other diseases of the digestive system.	M 25	—	—	—	—	—	—	—	—	—	—	1
		F 34	1	1	—	—	2	1	—	—	—	3	—
	A. Abdominal abscess, Sub-phrenic absces.	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 9	1	1	—	—	2	1	—	—	—	3	—
	B. Other diseases included under 118.	M 22	—	—	—	—	—	—	—	—	—	—	1
		F 25	—	—	—	—	—	—	—	—	—	—	—
119	Acute Nephritis ...	M 223	—	2	10	6	18	9	4	3	8	42	16
		F 208	—	4	3	5	12	12	5	5	6	40	22

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
6 8	12 6	9 4	10 6	10 16	12 20	25 23	24 33	26 45	31 46	46 45	38 56	49 58	38 42	25 29	14 19	}	109
—	1 1	4 —	4 1	6 2	4 5	11 7	10 21	11 23	13 25	22 19	20 30	24 24	22 17	14 9	4 4		}
6 8	11 5	5 4	6 5	4 14	8 15	14 16	14 12	15 22	18 21	24 26	18 26	25 34	16 25	11 20	10 15	}	
2 —	1 —	1 1	1 —	2 4	1 1	2 4	7 6	5 5	7 3	9 3	2 4	3 6	4 7	2 8	1 1		}
—	1 —	— 2	1 2	— 1	1 4	— 2	1 —	2 1	— —	1 —	2 1	— —	— —	— —	— —	}	
—	— —	— 1	— 1	— —	— —	— —	1 1	— —	— 1	— —	— 1	— —	— —	— —	— —		}
2 2	2 1	2 1	4 2	11 8	33 23	63 49	85 65	101 76	97 58	80 54	70 44	43 35	10 17	9 4	1 —	}	
2 2	2 1	1 1	3 1	10 4	27 21	60 31	73 58	87 63	91 48	73 49	64 38	41 30	9 14	8 4	1 —		}
—	— —	— —	1 1	1 4	5 2	2 15	10 7	10 11	6 8	5 4	3 5	1 —	— 1	— —	— —	}	
—	— —	1 —	— —	— —	1 —	1 3	2 —	4 2	— 2	2 1	3 1	1 5	1 2	1 —	— —		}
—	— —	— 1	— —	— 3	2 2	4 6	4 5	7 10	5 18	7 25	8 23	5 21	5 16	4 6	— 3	}	
2 2	1 —	3 2	3 2	5 2	6 3	3 1	6 9	6 9	6 13	14 14	13 21	12 20	3 13	4 9	2 5		}
—	— —	— —	— —	— —	1 —	— 1	— 1	2 1	— —	— —	— —	— 1	— —	— —	— —	}	
—	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
—	— —	— —	— —	— —	1 —	— 1	— 1	2 1	— —	— —	— —	— 1	— —	— —	— —	}	
3 3	2 3	2 3	2 2	1 4	1 5	1 1	5 4	4 4	3 3	2 7	2 2	— —	2 5	— 1	1 —		}
—	— 1	1 —	3 —	— 3	— 3	3 3	2 3	7 7	2 3	2 2	3 2	1 1	— 1	— 1	— —	}	
1 1	— 1	— 1	— —	— —	— —	— 1	— 1	1 —	1 —	— 1	— 1	— —	— —	— —	— —		}
—	— —	— —	3 —	— 3	— 3	3 2	2 2	6 7	1 3	2 1	3 1	1 1	— 1	— 1	— —	}	
8 11	10 8	7 16	16 13	11 12	13 11	12 14	15 12	15 17	24 9	12 12	9 5	4 4	4 1	4 1	1 —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
138	Puerperal albumi- nuria and con- vulsions.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 160	—	—	—	—	—	—	—	—	—	—	—
	A. Puerperal ne- phritis and uræmia.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 33	—	—	—	—	—	—	—	—	—	—	—
	B. Puerperal albuminuria and Bright's disease.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 13	—	—	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 114	—	—	—	—	—	—	—	—	—	—	—
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 61	—	—	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens and phlebitis.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 11	—	—	—	—	—	—	—	—	—	—	—
	B. Puerperal em- bolism and sudden death.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 50	—	—	—	—	—	—	—	—	—	—	—
140	Puerperal insanity	M —	—	—	—	—	—	—	—	—	—	—	—
		F 5	—	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 1	—	—	—	—	—	—	—	—	—	—	—
142	Gangrene ...	M 182	—	—	1	1	2	1	2	—	—	5	1
		F 168	1	1	—	1	3	—	4	5	1	13	3
	A. Senile gangrene.	M 158	—	—	—	—	—	—	—	—	—	—	—
		F 138	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	M 8	—	—	1	1	2	—	2	—	—	4	1
		F 18	—	1	—	—	1	—	4	5	—	10	2
	C. Noma pudendi	M 4	—	—	—	—	—	1	—	—	—	1	—
		F 3	1	—	—	1	2	—	—	—	1	3	—
	D. Other gan- grene.	M 12	—	—	—	—	—	—	—	—	—	—	—
		F 9	—	—	—	—	—	—	—	—	—	—	1
143	Carbuncle, Boil ...	M 34	—	—	—	—	—	—	—	—	—	—	—
		F 30	—	—	—	3	3	—	—	—	—	3	—
144	Phlegmon, Acute abscess.	M 100	11	4	2	4	21	4	1	—	—	26	2
		F 66	3	3	4	5	15	4	1	1	1	22	2
	A. Phlegmon ...	M 64	4	1	1	—	6	2	1	—	—	9	1
		F 35	2	—	3	4	9	1	—	—	—	10	1
	B. Acute Abscess	M 36	7	3	1	4	15	2	—	—	—	17	1
		F 31	1	3	1	1	6	3	1	1	1	12	1

PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—*continued*.

AGES AT DEATH.															International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
14	33	39	28	25	20	1	—	—	—	—	—	—	—	—	}	138
2	4	9	7	5	6	—	—	—	—	—	—	—	—	—		}
—	—	7	2	4	—	—	—	—	—	—	—	—	—	—	}	
12	29	23	19	16	14	1	—	—	—	—	—	—	—	—		}
1	5	16	15	15	9	—	—	—	—	—	—	—	—	—	}	
1	2	2	3	1	2	—	—	—	—	—	—	—	—	—		}
—	3	14	12	14	7	—	—	—	—	—	—	—	—	—	}	
—	1	3	1	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	}	
1	2	1	2	1	1	1	3	5	13	24	30	33	42	18		}
—	—	—	—	—	—	—	1	1	8	19	24	34	23	32	}	
—	—	—	—	—	—	—	—	4	5	23	28	33	41	18		}
—	1	—	1	—	—	1	—	—	2	1	1	1	—	—	}	
—	—	—	—	—	—	1	1	—	—	—	—	—	1	—		}
1	1	1	1	1	1	—	1	4	—	1	1	—	—	—	}	
3	1	1	1	—	3	3	5	1	5	3	1	4	3	—		}
2	—	—	2	2	2	1	2	—	3	3	2	5	2	1	}	
3	2	1	2	4	2	5	8	7	10	8	6	7	4	3		}
—	1	3	4	3	4	3	5	3	3	9	1	2	1	—	}	
—	2	1	1	3	2	4	6	5	7	7	6	5	3	—		}
3	—	—	2	1	—	1	2	2	3	1	—	—	—	1	}	
—	1	—	2	2	2	1	2	—	2	3	—	2	1	—		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
145	Diseases of the integumentary system.	M 138	28	18	9	11	66	6	1	1	1	75	2
		F 168	22	15	7	1	45	8	2	2	—	57	1
	A. Ulcer, Bedsore	M 31	—	—	—	—	—	—	1	—	1	2	1
		F 79	1	1	—	—	2	2	—	—	—	4	1
	B. Eczema ...	M 45	7	8	7	8	30	2	—	—	—	32	—
		F 27	3	7	3	1	14	3	—	1	—	18	—
	C. Pemphigus ...	M 22	9	2	—	1	12	2	—	—	—	14	—
		F 25	10	3	1	—	14	—	1	—	—	15	—
	D. Other Dis. of the integumentary system.	M 40	12	8	2	2	24	2	—	1	—	27	—
		F 37	8	4	3	—	15	3	1	1	—	20	—
146	Diseases of the bones.	M 79	—	1	3	2	6	1	4	3	1	15	—
		F 51	1	—	1	1	3	2	—	4	2	11	—
147	Diseases of the joints.	M 21	—	2	—	—	2	1	—	—	1	4	—
		F 16	—	—	1	1	2	1	—	—	1	4	—
148	Amputations ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M 6	—	—	—	—	—	—	—	—	—	1	—
		F 4	—	—	—	1	1	—	—	—	—	—	—
150	Congenital malformations.	M 519	282	99	47	27	455	15	10	5	5	490	11
		F 444	256	69	42	23	390	12	5	4	2	413	11
	A. Congenital hydrocephalus.	M 56	7	6	7	9	29	10	7	—	2	48	—
		F 31	7	1	9	6	23	3	—	2	—	28	—
	B. Phimosi ...	M 11	3	6	1	1	11	—	—	—	—	11	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M 187	121	19	13	8	161	5	1	3	1	171	—
		F 169	101	20	13	4	138	6	3	1	2	150	—
	D. Other congenital malformations.	M 265	151	68	26	9	254	—	2	2	2	260	—
		F 244	148	48	20	13	229	3	2	1	—	235	—
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 3,824	2,754	602	275	193	3,824	—	—	—	—	3,824	—
		F 2,940	2,101	479	218	142	2,940	—	—	—	—	2,940	—
	A. Premature birth.	M 2,227	2,007	190	26	4	2,227	—	—	—	—	2,227	—
		F 1,783	1,582	168	27	6	1,783	—	—	—	—	1,783	—
	B. Infant. atrophy, debility and marasmus.	M 1,446	626	393	243	184	1,446	—	—	—	—	1,446	—
		F 1,059	444	296	185	134	1,059	—	—	—	—	1,059	—
	C. Icterus neonatorum.	M 122	111	10	1	—	122	—	—	—	—	122	—
		F 74	63	10	1	—	74	—	—	—	—	74	—
	D. Sclerema and oedema neonatorum.	M 3	2	1	—	—	3	—	—	—	—	3	—
		F 1	1	—	—	—	1	—	—	—	—	1	—
	E. Want of breast milk.	M 26	8	8	5	5	26	—	—	—	—	26	—
		F 23	11	5	5	2	23	—	—	—	—	23	—

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—*continued.*

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
—	—	1	—	2	2	3	7	9	9	5	6	6	6	5	}	145	
1	—	—	4	2	3	9	9	5	12	12	13	18	12	10			
—	—	1	—	1	1	2	3	4	4	2	4	3	2	1		}	A
—	—	—	1	—	2	3	5	4	10	6	11	14	11	7			
1	—	—	—	—	1	—	—	4	2	1	1	1	1	2			}
—	—	—	—	—	—	4	1	—	—	1	1	—	—	1			
—	—	—	1	—	—	1	1	1	—	2	1	—	1	1	}		
—	—	—	—	—	—	1	3	—	1	1	—	2	—	1			
—	—	—	—	1	—	—	—	—	3	—	—	2	2	1		}	
—	—	—	2	2	1	1	—	1	1	4	1	2	2	1			
13	3	2	—	5	3	3	2	3	4	1	4	2	—	—			}
1	2	1	1	5	—	1	3	2	3	2	1	1	—	—			
3	—	3	—	—	1	1	—	1	3	2	1	1	—	—	}		
1	—	—	—	—	—	—	1	1	1	—	1	3	2	1			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
1	—	—	—	3	—	—	—	—	—	2	—	—	—	—			}
—	—	—	—	1	1	—	1	1	—	—	—	—	—	—			
4	2	3	—	1	1	—	—	—	—	1	—	—	—	—	}		
6	3	—	2	—	—	1	1	—	—	—	—	—	—	—			
—	2	—	—	—	—	—	—	—	—	—	—	—	—	—		}	
—	1	—	1	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
3	—	1	—	—	1	—	—	—	—	1	—	—	—	—	}		
6	2	—	—	—	—	—	—	—	—	—	—	—	—	—			
1	—	2	—	1	—	—	—	—	—	—	—	—	—	—		}	
—	—	—	1	1	—	—	1	1	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—			

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.
152	Other diseases { peculiar to early { infancy. {	M 413 F 265	394 255	19 10	— —	— —	413 265	— —	— —	— —	— —	413 265
	A. Diseases of { umbilicus, { &c. {	M 39 F 30	31 29	8 1	— —	— —	39 30	— —	— —	— —	— —	39 30
	B. Atelectasis ... { F {	M 219 F 132	210 125	9 7	— —	— —	219 132	— —	— —	— —	— —	219 132
	C. Injuries at { birth. {	M 149 F 101	147 99	2 2	— —	— —	149 101	— —	— —	— —	— —	149 101
	D. Cyanosis { neonatorum. {	M 6 F 2	6 2	— —	— —	— —	6 2	— —	— —	— —	— —	6 2
153	Lack of care ... { F {	M 23 F 31	22 31	1 —	— —	— —	23 31	— —	— —	— —	— —	23 31
154	Old age ... { F {	M 2,656 F 3,545	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile { dementia. {	M 87 F 159	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Senile decay... { F {	M 2,569 F 3,386	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison... { F {	M 81 F 46	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia { F {	M 33 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging { or strangulation. {	M 198 F 51	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by { drowning. {	M 146 F 68	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms { F {	M 83 F 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting { or piercing { instruments. {	M 144 F 35	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping { from high place. {	M 21 F 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing { F {	M 43 F 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { F {	M 1 F 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food { F {	M 27 F 18	— —	— —	— —	— —	— —	— 1	— —	— —	1 1	1 2
165	Other acute poison- { ings. {	M 41 F 23	— —	— 1	2 —	— —	2 1	— 1	2 —	1 1	2 1	7 4
166	Conflagration ... { F {	M 6 F 10	— —	— —	— 1	— —	— 1	— 1	— —	1 —	— —	1 2
167	Burns (conflagra- { tion excepted). {	M 153 F 186	— —	1 1	2 1	10 8	13 10	36 25	35 28	11 15	8 8	103 86

-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—continued.

AGES AT DEATH.															International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	2	4	39	125	530	695	716	545	}	154
—	—	—	—	—	—	—	7	9	41	142	599	852	922	973		
—	—	—	—	—	—	—	2	2	7	11	25	18	14	8	}	A
—	—	—	—	—	—	—	—	1	8	17	40	42	28	23		
—	—	—	—	—	—	—	—	2	32	114	505	677	702	537	}	B
—	—	—	—	—	—	—	7	8	33	125	559	810	894	950		
1	3	3	11	16	6	12	5	11	7	3	3	—	—	—	}	155
4	4	5	3	5	8	—	7	2	1	5	2	—	—	—		
1	—	1	1	6	6	2	4	4	3	2	3	—	—	—	}	156
—	1	—	—	1	1	2	1	1	—	—	—	1	—	—		
6	7	10	5	16	15	16	23	35	19	27	10	8	1	—	}	157
—	2	1	5	6	7	6	5	2	6	3	6	2	—	—		
3	6	9	14	17	17	14	12	18	13	11	6	2	3	—	}	158
6	4	5	1	7	8	11	6	13	1	5	—	—	1	—		
3	11	7	13	6	6	11	12	4	2	4	2	1	—	—	}	159
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—		
—	7	14	16	12	27	18	10	16	11	5	7	—	1	—	}	160
—	1	—	4	3	1	3	4	7	5	—	5	1	—	—		
—	—	2	2	1	—	5	4	1	2	3	—	1	—	—	}	161
—	—	1	1	—	1	1	—	1	2	—	1	—	—	—		
4	4	4	7	4	4	2	4	5	3	1	1	—	—	—	}	162
—	1	1	—	—	—	1	—	1	—	—	—	1	—	—		
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—	}	163
—	—	—	1	—	—	—	2	—	—	—	—	—	—	—		
3	1	—	5	1	—	2	3	2	2	1	—	1	1	—	}	164
1	1	1	1	—	2	—	—	—	1	—	1	1	—	—		
—	5	3	5	1	3	5	2	3	1	—	1	1	1	1	}	165
—	—	2	2	—	—	5	3	3	—	1	1	1	—	—		
—	—	1	—	1	1	—	—	—	—	—	1	—	—	—	}	166
1	—	1	1	—	—	—	—	—	1	—	—	—	2	—		
2	5	2	—	2	3	2	3	4	3	2	3	1	2	—	}	167
9	5	7	3	5	7	2	3	3	1	8	2	7	3	5		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—*continued.*

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2	2	—	—	1	3	1	2	2	3	3	3	1	1	1	—	168
—	—	1	—	—	—	—	—	1	—	—	—	1	—	1	—	
34	90	71	54	45	49	38	43	38	32	17	15	12	5	5	1	169
10	9	10	6	6	8	6	5	6	7	2	3	2	1	1	—	
6	10	6	5	—	3	—	3	—	3	1	—	1	—	—	—	170
—	—	—	1	—	—	1	—	—	—	—	—	—	—	—	—	
—	—	1	1	—	—	2	—	1	—	—	—	—	—	—	—	171
—	2	—	—	—	—	—	—	—	—	—	1	—	—	1	—	
17	17	17	28	35	38	33	36	55	55	34	37	29	18	18	8	172
2	3	2	3	5	3	11	15	24	17	21	21	34	45	38	38	
10	27	37	19	28	24	27	19	27	20	8	4	2	—	—	—	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
2	7	4	4	8	6	3	4	3	2	1	—	—	—	1	—	174
—	1	1	—	—	—	—	—	—	—	—	—	—	—	—	—	
31	69	68	63	66	68	67	48	39	42	45	30	15	14	8	4	175
12	4	7	8	5	4	4	5	9	9	9	13	3	4	2	2	
1	3	—	1	3	2	5	3	2	3	2	3	2	1	—	—	176
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	1	1	1	1	—	—	—	177
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	178
—	—	—	—	—	—	—	—	—	—	1	—	—	1	—	—	
1	1	2	2	4	3	4	6	4	7	5	7	3	5	3	—	179
1	—	—	—	—	3	1	4	2	1	2	3	2	1	1	1	
—	2	1	2	1	—	—	—	—	3	1	—	—	—	—	—	180
—	—	1	—	—	—	—	—	—	—	1	—	1	—	—	—	
—	—	1	1	1	1	3	1	1	—	—	—	—	—	—	—	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	2	1	5	—	—	—	—	1	1	1	—	—	—	—	—	182
—	1	—	1	—	—	—	—	—	2	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	183
—	—	1	2	1	1	2	3	2	—	—	—	—	—	—	—	
—	1	—	4	1	4	—	2	—	—	—	1	1	—	—	—	184
—	—	1	1	2	2	1	1	—	—	1	—	—	—	—	—	
—	—	—	—	—	1	1	1	2	—	2	2	1	1	—	—	185
—	—	—	—	—	—	—	—	—	—	—	—	2	—	—	1	
2	3	23	20	20	7	5	7	6	3	7	4	4	—	—	—	186
—	—	1	—	1	1	1	1	—	1	—	1	1	1	—	1	
—	—	—	—	—	—	—	1	—	—	2	—	—	—	—	—	187
—	—	—	—	1	—	—	—	—	1	—	—	1	—	—	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
188	Syncope, Sudden death.	M	34	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	1	—	—	—	1	—
	A. Syncope (aged 1 year and under 70 years).	M	34	—	—	—	—	—	—	—	—	—	—	—
		F	18	—	—	—	—	—	1	—	—	—	1	—
	B. Sudden death (not otherwise defined).	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes...	M	289	9	2	2	5	18	52	13	4	—	87	5
		F	274	12	2	2	5	21	63	8	3	1	96	5
	A. Heart failure (aged 1 year and under 70).	M	170	—	—	—	—	—	—	1	—	—	1	3
		F	134	—	—	—	—	—	—	1	—	—	1	2
	B. Atrophy, debility, marasmus (aged 1 year and under 70).	M	68	—	—	—	—	—	49	11	2	—	62	2
		F	83	—	—	—	—	—	57	7	2	1	67	3
	C. Teething ...	M	4	—	—	—	3	3	1	—	—	—	4	—
		F	6	—	—	—	3	3	3	—	—	—	6	—
	D. Pyrexia ...	M	2	—	—	—	—	—	—	—	1	—	1	—
		F	4	1	—	—	—	1	—	—	1	—	2	—
	E. Other ill-defined deaths.	M	31	3	1	1	2	7	2	1	1	—	11	—
		F	33	6	2	2	2	12	2	—	—	—	14	—
	F. Cause not specified.	M	14	6	1	1	—	8	—	—	—	—	8	—
		F	14	5	—	—	—	5	1	—	—	—	6	—

E-PERIODS IN THE QUARTER ENDED 30TH SEPTEMBER, 1914—*continued*.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	2	1	5	1	3	5	7	6	3	—	—	—	—	}	188
—	—	—	1	4	—	1	1	1	4	4	—	—	—	—		
—	1	2	1	5	1	3	5	7	6	3	—	—	—	—	}	A
—	—	—	1	4	—	1	1	1	4	4	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2	5	10	4	8	9	15	14	17	29	35	45	1	2	1	}	189
4	2	—	4	7	5	10	24	22	21	29	36	6	2	—		
1	3	6	4	7	9	14	11	14	27	29	41	—	—	—	}	A
—	1	—	2	6	4	8	20	16	15	28	31	—	—	—		
1	—	—	—	—	—	1	—	1	—	1	—	—	—	—	}	B
1	1	—	1	—	1	—	—	3	2	1	3	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	1	—	1		
—	2	1	—	1	—	—	1	1	4	4	1	2	1	—	}	E
3	—	—	1	—	—	1	2	1	—	2	5	1	—	—		
—	—	2	—	—	—	—	2	—	1	—	—	—	—	—	}	F
—	—	—	1	—	1	2	2	1	—	—	1	—	—	—		

ALTERATIONS in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS
from 1st January, 1915, to 30th June, 1915.

Act or Order providing for the alteration.	Description of alteration, and Areas affected.	Area and Population within altered Boundaries.	
		Area in Statute Acres.	Popu- lation, 1911.
	ALTERATIONS ON 1ST APRIL.		
Order confirmed by :— L.G.B.'s P.O. Confirmation (No. 3) Act, 1914. (P. 2429.)	Wakefield M.B. constituted a County Borough.		
	Yorks, West Riding Adm. Co.	1,654,462	1,416,455
	Wakefield C.B.	4,060	51,511
L.G.B.'s P.O. Confirmation (No. 23) Act, 1915. (P. 2509.)	Darlington M.B. and C.P. extended to in- clude parts of Darlington R.D. (viz. :— part of Cockerton C.P. and part of Haughton le Skerne C.P.), and diminished by the transfer of the detached part of the M.B. and C.P. to the R.D. (and to Blackwell C.P.); Darlington M.B., thus altered, constituted a County Borough. The remaining part of Cockerton C.P. added to Archdeacon Newton C.P.		
	Durham Adm. Co.	633,058	871,886
	Darlington C.B. and C.P., including	4,614	57,328
	part transferred from Cockerton C.P.	926	1,074
	" " Haughton le	78	648
	" Skerne C.P.		
	Darlington R.D.	41,361	9,217
	Archdeacon Newton C.P., including	1,559	73
	part transferred from Cockerton C.P.	495	25
	Blackwell C.P., including	1,910	430
	part transferred from Darlington C.P.	346	25
	Haughton le Skerne C.P.	1,665	701
See below. (Orders 62,791, 62,792, 61,725, 62,598, and 62,599.)	Croydon R.D. abolished; Coulsdon and Purley U.D., Beddington and Wallington U.D. and Mitcham U.D. constituted, and its two remaining constituent parishes transferred to Godstone R.D. and Epsom R.D.		
	Coulsdon and Purley U.D. constituted; to consist of Coulsdon C.P. (extended by inclusion of parts of Beddington and Woodmansterne C.P.s) and Sanderstead C.P.		
Co. of Surrey (Coulsdon and Purley U.D.) C.O., 1914. (62,791.)	Coulsdon and Purley U.D.	8,573	18,872
	Coulsdon C.P., including	5,422	16,019
	part transferred from Beddington C.P.	909	3,937
	" " Woodmansterne C.P.	199	693
	Sanderstead C.P.	3,151	2,853
Co. of Surrey (Beddington and Wallington U.D.) C.O., 1914. (62,792.)	Beddington and Wallington U.D. con- stituted; to consist of Beddington C.P. (diminished by transfer of part to Couls- don C.P.) and Wallington C.P.		
	Beddington and Wallington U.D.	3,040	14,322
	Beddington C.P.	2,219	5,820
	Wallington C.P.	821	8,502
Co. of Surrey (Mitcham U.D.) C.O., 1914. (61,725.)	Mitcham C.P. constituted an Urban Dis- trict.	2,934	29,606

ALTERATIONS in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS
from 1st January, 1915, to 30th June, 1915—*continued*.

Act or Order providing for the alteration.	Description of alteration, and Areas affected.	Area and Population within altered Boundaries.	
		Area in Statute Acres.	Popu- lation, 1911.
	ALTERATIONS ON 1ST APRIL— <i>cont.</i>		
Order confirmed by :— Co. of Surrey (Addington) C.O., 1914. (62,598.)	Godstone R.D. extended to include Addington C.P.		
	Godstone R.D.	53,511	23,931
	Addington C.P.	3,601	614
Co. of Surrey (Woodman- sterne) C.O., 1914. (62,599.)	Epsom R.D. extended to include Wood- mansterne C.P. (diminished by transfer of part to Coulsdon C.P.).		
	Epsom R.D.	32,580	30,245
	Woodmansterne C.P.	1,392	517
Co. of the North Riding of Yorkshire (Eston U.D.) C.O., 1915. (62,276.)	Eston U.D. and C.P. extended to include South Bank in Normanby U.D. (and Normanby C.P.).		
	Eston U.D. and C.P., including ...	3,953	27,003
	<i>Normanby (former civil parish)</i> ...	1,500	14,977
Co. of the West Riding of Yorkshire (Denby and Gunthwaite) C.O., 1915. (62,539.)	Denby and Cumberworth U.D. (and Denby C.P.) extended to include part of Gun- thwaite and Ingbirchworth U.D. (and of Gunthwaite C.P.). Gunthwaite and Ingbirchworth U.D. (and Gunthwaite C.P.) extended to include part of Denby and Cumberworth U.D. (and of Denby C.P.).		
	Denby and Cumberworth U.D....	4,302	3,681
	Denby C.P., including	2,877	2,096
	<i>part transferred from Gunthwaite C.P.</i>	—*	—
	Gunthwaite and Ingbirchworth U.D....	2,057	380
	Gunthwaite C.P., including	952	68
	<i>part transferred from Denby C.P.</i> ...	—*	—
Co. of the West Riding of Yorkshire (Adwick-le- Street) C.O., 1915. (62,619.)	Adwick le Street U.D. constituted out of parts of Doncaster R.D. (viz. :—Adwick le Street C.P., part of Brodsworth C.P., part of Owston C.P., and Skellow C.P.). Adwick le Street C.P. extended to include the remainder of the new Urban district.		
	Adwick le Street U.D. and C.P., including	3,605	6,973
	<i>part transferred from Brodsworth C.P.</i>	140	5
	<i>part transferred from Owston C.P.</i>	468	485
	<i>Skellow (former civil parish)</i> ...	931	760
	Doncaster R.D.	80,150	29,580
Co. of Kent (Gravesend and Milton) C.O., 1914. (62,747.)	Gravesend C.P. extended to include Milton C.P.		
	Gravesend C.P., including	1,260	28,115
	<i>Milton (former civil parish)</i>	695	14,994
Co. of the West Riding of Yorkshire (Spenborough U.D.) C.O., 1915. (62,769.)	Cleckheaton, Gomersal, and Liversedge U.D.s united to form Spenborough U.D.		
	Spenborough U.D., including	4,992	31,320
	<i>Cleckheaton (former urban district)</i>	1,756	12,866
	<i>Gomersal (" " ")</i>	1,100	3,796
	<i>Liversedge (" " ")</i>	2,136	14,658

* As the net difference in the transfers only amounted to '22 of an acre, no alteration has been made in the areas of these civil parishes.

ALTERATIONS in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS
from 1st January, 1915, to 30th June, 1915—*continued.*

Act or Order providing for the alteration.	Description of alteration, and Areas affected.	Area and Population within altered Boundaries.	
		Area in Statute Acres.	Popu- lation, 1911.
Order confirmed by :— Co. of Devon (Axminster U.D.) C.O., 1915. (62,969.)	ALTERATIONS ON 1ST APRIL— <i>cont.</i> Axminster U.D. constituted out of part of Axminster R.D. (viz. :—part of Axminster C.P.). The part of Axminster C.P. within the new urban district constituted Axminster Town C.P., and the remaining part constituted Axminster Hamlets C.P.		
	Axminster U.D. and Axminster Town C.P.	667	2,210
Co. of Durham (Easington and Shotton) C.O., 1915. (63,059.)	Axminster R.D.	51,468	10,128
	Axminster Hamlets C.P.	6,200	799
Co. of Dorset (Iwerne Courtney and Iwerne Minster) C.O., 1915. (63,167.)	Shotton C.P. extended to include part of Easington C.P.		
	Shotton C.P., including <i>part transferred from Easington C.P.</i>	4,673 966	12,605 44
Co. of Chester (Hoylake and West Kirby, &c.) C.O., 1915. (63,198.)	Easington C.P.	4,107	2,667
	Blandford Union and R.D. (and Iwerne Courtney C.P.) extended to include parts of Shaftesbury Union and R.D. (and of Iwerne Minster C.P.).		
	Blandford Union	61,970	12,246
	Blandford R.D.	61,825	8,769
	Iwerne Courtney C.P., including ... <i>part transferred from Iwerne Minster C.P.</i>	1,980* 9	451 —
	Shaftesbury Union	43,076	12,783
	Shaftesbury R.D.	42,920	10,910
	Iwerne Minster C.P.	2,853*	531
	Hoylake and West Kirby U.D. (and Hoy- lake cum West Kirby C.P.) extended to include parts of Wirral R.D. (viz. :—part of Grange C.P. and part of Saughall Massie C.P.), and diminished by the transfer of parts of the U.D. and C.P. to the R.D. (and to Moreton and Saughall Massie C.P.s). Part of Saughall Massie C.P. transferred to Moreton C.P., and part of Moreton C.P. transferred to Saughall Massie C.P.		
	Hoylake and West Kirby U.D.... ..	2,006	14,009
	Hoylake cum West Kirby C.P., including <i>part transferred from Grange C.P....</i>	2,006 53	14,009 —
	" " " <i>Saughall Mas- sie C.P.</i>	49	19
	Wirral R.D.	36,715	19,042
	Grange C.P.	1,335	445
	Moreton C.P., including <i>part transferred from Hoylake cum West Kirby C.P.</i>	1,366 102	989 19
	" " " <i>Saughall Mas- sie C.P.</i>	69	—
	Saughall Massie C.P., including <i>part transferred from Hoylake cum West Kirby C.P.</i>	891 60	211 20
	" " " <i>Moreton C.P.</i>	7	—

* The areas shown here are those for the civil parishes as defined by the above order ; this order, as well as effecting alterations in area, also defined the boundary between the two parishes at certain disputed points.

ALTERATIONS in the BOUNDARIES of ADMINISTRATIVE AREAS and POOR LAW AREAS
from 1st January, 1915, to 30th June, 1915—*continued*.

Act or Order providing for the alteration.	Description of alteration, and Areas affected.	Area and Population within altered Boundaries.	
		Area in Statute Acres.	Popu- lation, 1911.
<p>Order confirmed by :— Co. of the West Riding of Yorkshire (Brighouse and Rastrick) C.O., 1915. (63,268.) Co. of London (Metro- politan Borough of Fins- bury) C.O., 1915. (63,338.)</p>	ALTERATIONS ON 1ST APRIL.— <i>cont.</i>		
	Brighouse C.P. extended to include Rastrick C.P.		
	Brighouse C.P., including	2,231	20,843
	<i>Rastrick (former civil parish)</i>	1,371	8,786
	The constituent parishes of Finsbury Met. B. united to form Finsbury C.P.		
	Finsbury C.P. including... ..	586·6	87,923
	<i>Charterhouse (former civil parish)</i>	10·3	171
	<i>Clerkenwell</i> („ „ „)	317·0	57,121
	<i>Glasshouse Yard</i> („ „ „)	5·6	463
	<i>St. Luke</i> („ „ „)	236·7	28,976
	<i>St. Sepulchre</i> („ „ „)	17·0	1,192
L.G.B.'s Order No. 62,240	Prestwich Union dissolved and the civil parishes therein comprised united with Manchester and South Manchester C.P.'s (each of which was administered by a separate Board of Guardians) to form Manchester Union.		
	Manchester Union	25,210	747,578
	Failsworth C.P.	1,072	15,998
	North Manchester C.P.	8,288	208,324
	Prestwich C.P.	2,448	17,195
	Manchester C.P.	1,646	113,765
	South Manchester C.P.	11,756	392,296
East Ham Corporation Act, 1914.	East Ham M.B. constituted a County Borough.		
	Essex Adm. Co.	964,443	857,688
	East Ham C.B.	3,324	133,487

Ages of Males and Females in Areas transferred															
Ages	From Doncaster R.D. to Adwick le Street U.D.		From Clecaton U.D. to Spen- borough U.D.		From Gomersal U.D. to Spenborough U.D.		From Liversedge U.D. to Spenborough U.D.		From Axminster R.D. to Axminster U.D.		From Wirral R.D. to Hoylake and West Kirby U.D.		From Hoylake and West Kirby U.D. to Wirral R.D.		Ages.
	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	Males.	Fe- males.	
All Ages ...	3,760	3,213	6,021	6,845	1,754	2,042	7,107	7,551	1,047	1,163	7	12	21	18	All Ages.
Under 1 ...	130	129	116	121	35	26	152	153	20	18	—	—	—	—	Under 1.
1— ...	119	140	112	95	33	29	140	140	14	23	1	—	—	1	1—
2— ...	112	139	103	122	34	42	159	152	24	17	—	—	—	—	2—
3— ...	101	115	134	113	30	35	133	135	16	19	—	1	—	—	3—
4— ...	109	121	97	115	38	28	161	153	24	19	—	—	—	1	4—
Under 5 ...	571	644	562	566	170	160	745	733	98	96	1	1	—	2	Under 5.
5— ...	531	479	530	562	182	171	680	715	100	99	2	1	—	2	5—
10— ...	333	349	551	585	153	161	681	700	97	87	—	1	4	1	10—
15— ...	312	200	614	674	176	184	777	694	99	121	—	2	4	5	15—
20— ...	359	251	563	641	146	184	661	702	94	126	1	1	7	1	20—
25— ...	445	334	509	630	141	210	612	655	88	109	1	1	2	2	25—
30— ...	384	287	490	571	157	185	545	615	59	85	—	—	—	—	30—
35— ...	315	261	444	547	118	149	551	572	78	71	—	—	1	2	35—
40— ...	205	151	457	484	119	125	437	450	63	68	1	—	1	—	40—
45— ...	108	75	346	415	89	117	392	475	48	63	—	1	1	2	45—
50— ...	90	58	308	352	90	100	344	346	61	52	—	1	—	1	50—
55— ...	42	39	221	272	71	96	235	284	50	53	1	1	1	—	55—
60— ...	26	30	164	211	59	70	192	225	35	38	—	—	—	—	60—
65— ...	20	29	144	156	41	55	134	159	28	34	—	—	—	—	65—
70— ...	12	11	66	102	25	43	74	127	21	23	—	—	—	—	70—
75— ...	4	11	35	47	9	21	40	63	17	25	—	—	—	—	75—
80— ...	1	4	14	21	5	9	5	27	11	8	—	—	—	—	80—
85 and upwards.	2	—	3	9	3	2	2	9	—	5	—	—	—	—	85 and upwards.

QUARTERLY RETURN
OF
MARRIAGES, BIRTHS, AND DEATHS
REGISTERED IN
ENGLAND AND WALES,
AND IN THE REGISTRATION COUNTIES;
AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

~~~~~  
Published by Authority of the Registrar-General.  
~~~~~

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 267.]

[Price 1s.

Marriages—*April, May, June, 1915.*

Births and Deaths—*July, August, September, 1915.*

NOTE.—The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return a table of the deaths (by sex, age, and cause) in England and Wales during the fourth quarter of the year 1914 is incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

*General Register Office, Somerset House,
30th October, 1915.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,964 registration sub-districts of England and Wales in the three months ended 30th September, 1915; and the MARRIAGES in 16,011 churches or chapels, in 16,746 registered places of worship unconnected with the Established Church, and in 633 Superintendent Registrars' Offices, in the three months ended 30th June, 1915.

The births registered during the three months ended 30th September, 1915, numbered 197,492 and the deaths 109,413; the number of persons married during the three months ended 30th June, 1915, was 194,076.

Marriages.

The number of persons married during the *second* quarter of 1915 corresponds to an annual rate of 20·9 per 1000 of the population, which is estimated to amount to 37,302,983 persons at the middle of

the year 1914* ; this is 4·7 per 1000 above the mean marriage-rate in the ten preceding second quarters, and 3·5 per 1000 above the rate recorded in the second quarter of 1914 ; it is the highest rate recorded in any *second* quarter since the establishment of civil registration.

Births.

The births registered in the *third* quarter of 1915 correspond to a rate of 21·0 annually per 1000 of the population in the middle of 1914. This rate is 4·5 per 1000 below the mean birth-rate in the ten preceding third quarters, and 3·2 per 1000 below the rate in the corresponding period of 1914 ; it is the lowest birth-rate recorded in any quarter since the establishment of civil registration.

Of the 197,492 births, 8,364 (or 1,027 fewer than the number in the corresponding quarter of 1914) were illegitimate ; the distribution of the latter among the several registration counties is shown in Table VI*a*.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 88,079, against 117,552, 112,055, and 111,577 in the third quarters of 1912, 1913, and 1914, respectively.

Deaths.

The deaths registered in England and Wales last quarter correspond to an annual rate of 11·6 per 1000 persons living ; this rate is 1·2 per 1000 below the mean rate in the ten preceding third quarters, and 0·7 per 1000 below the rate in the third quarter of 1914.

The 109,413 registered deaths included 58,033 of males and 51,380 of females, the death-rate among males being 12·8, and that among females 10·6, per 1000 of the estimated populations of the respective sexes. Compared with the average for each sex in the ten preceding third quarters, the death-rate of males showed a decrease of 1·1, and that of females a decrease of 1·2. Out of equal numbers living, the deaths of males were to those of females as 121 is to 100, the mean proportion in the third quarters of the ten preceding years being 118 to 100.

Mortality at Different Ages.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 98 per 1000, being 28 per 1000 below the average in the ten preceding third quarters.

* The population of England and Wales as a whole has hitherto been estimated on the assumption that the rate of increase during 1901-11 has continued, but in view of the fall in the rate of natural increase since 1911 and an increase in the loss by migration the estimate of population in the middle of 1915 will be based upon the returns of births, deaths and migration. Until this is available the old estimate for the middle of 1914 will continue in use.

The populations of parts of the country, such as counties, towns, &c., being affected by the alteration in the estimate for the country as a whole, the old estimates for 1914 are also provisionally employed in their case.

Revised estimates for England and Wales, &c., in the middle of 1914 were published in the Quarterly Return for the Fourth Quarter of 1914 (Tables XVI-XXVI) ; the revised estimate for the country as a whole is 36,960,684,

The mortality among persons aged between one year and sixty-five years was at the annual rate of 6·7 per 1000 of the estimated population at this group of ages.

Among persons aged sixty-five years and upwards the mortality was at the annual rate of 64·0 per 1000 of the estimated population at this group of ages.

Urban and Rural Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the death-rates at certain age-groups, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions in England and Wales during the *third* quarter of 1915, compared with the corresponding average rates in the *third* quarters of the ten preceding years, and also with the rates last quarter in the 96 great towns, in the 148 smaller towns, and in the remainder of England and Wales.

In the country as a whole the mortality last quarter from measles was 22 per cent. above, and that from diphtheria was equal to the average, while that from enteric fever and whooping cough was only two-thirds of the average, and that from scarlet fever was slightly below the average.

The highest death-rates per 1000 persons living from the several epidemic diseases among the 96 great towns last quarter were as follows:—from *enteric fever*, 0·11 in Ealing and in Portsmouth, 0·13 in Blackpool, 0·17 in Rhondda, 0·19 in Southampton, 0·20 in Tynemouth and 0·21 in Great Yarmouth; from *measles*, 1·08 in Bury, 1·10 in West Bromwich, 1·17 in Middlesbrough, 1·60 in Lincoln and 1·79 in Barnsley; from *scarlet fever*, 0·20 in Stockton on Tees, 0·23 in Ealing and in Carlisle, 0·25 in South Shields, 0·31 in Ipswich and 0·75 in Warrington; from *whooping cough*, 0·32 in Sheffield and in Middlesbrough, 0·33 in Lincoln, 0·34 in Edmonton, 0·37 in Rotherham, 0·41 in Birkenhead, 0·43 in South Shields and 0·56 in West Hartlepool; and from *diphtheria*, 0·30 in Coventry, 0·33 in Stoke on Trent, 0·34 in Wimbledon, 0·49 in Barrow in Furness and 0·53 in Northampton. The highest death-rates per 1000 births from *diarrhœa and enteritis* among children under 2 years of age were 91·88 in Burnley, 97·34 in Hull, 98·31 in Leicester, 100·11 in Gateshead, 109·18 in Rotherham, 116·65 in Birkenhead, 136·90 in Bootle and 147·93 in Barnsley. In accordance with precedent special tables relating to summer mortality from diarrhœa and enteritis have been inserted in the present return (Tables XIV. and XV.).

UNITED KINGDOM.

The POPULATION of the UNITED KINGDOM in the middle of 1914 is estimated at 46,431,548 persons; that of England and Wales at 37,302,983, that of Scotland at 4,747,167, and that of Ireland at 4,381,398.*

In the United Kingdom 269,563 *births* and 178,793 *deaths* were registered in the three months ended 30th June, 1915. The natural increase of population was, therefore, 90,770. The number of *persons married* in the United Kingdom during the quarter was 224,922.

* The revised estimates of population in the middle of 1914 are as follows:—United Kingdom 46,089,249, England and Wales 36,960,684 (see page ii) Scotland 4,747,167 (as above), Ireland 4,381,398 (as above).

The birth-rate in the United Kingdom in the *second* quarter of 1915 was 23·3, the death-rate 15·4, and the marriage-rate 19·4 per 1,000 of the estimated population.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

Passenger Movement.

According to a Return issued by the Board of Trade it appears that with respect to the passenger movement between the United Kingdom and places out of Europe in the three months ended 30th September, 1915, the arrivals of passengers stated to be of British nationality exceeded the departures by 7,776 persons, compared with an excess of 27,691 departures in the corresponding period of the previous year. Of aliens those leaving exceeded those arriving by 1,635, the balance in the corresponding period of the previous year having been 30,135 outwards.

The passenger movement between the United Kingdom and the Continent of Europe or the Mediterranean Sea showed a balance inward of 459 persons, British and aliens,* in the third quarter of the year, the balance in the corresponding period of the previous year having been 83,573 inward.

Thus the balance of the aggregate passenger movement in the quarter to and from all Countries was 6,600 inward.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 2nd October, 1915 (Table XVII).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 2nd October, 1915 (*see* pages 22-27); and in the two following tables, these numbers have been reduced to rates per 1000 living in the several populations (*see* pages 28-33).

METEOROLOGY.†

July.

The weather of the month as a whole was cool and unsettled. Temperature was almost uninterruptedly below the normal, rainfall generally much above it, and sunshine everywhere deficient.

* The number of aliens included in this total is not available.

† Furnished by the Director of the Meteorological Office.

Temperature.—After a few warm days at the beginning of the month, when the thermometer touched or rose above 80° over a considerable portion of the country, the highest value being about 85° in the metropolitan area, the conditions became, and continued cool for the time of year. Maximum readings as high as 75° were subsequently rarely recorded, and on the 8th, 11th and 16th many places, even in the warmer districts, had no reading as high as 65° . The nights were, as a general rule, relatively warmer than the days, minimum readings below 50° being uncommon. Early in the month the minima were as high as 60° over an extensive area. The coldest nights were generally between the 13th and 18th, and towards the end; the absolute lowest reading at any station was 34° at Garforth on the 14th. The mean temperature of the first week over the whole country was about 60° , while for the second week it was more than 3° lower. As a whole the temperature was nearly 2° below the average, the divergence ranging from -1° in England East to $-2^{\circ}\cdot3$ in the midlands and south-western counties, and $-2^{\circ}\cdot2$ in England South-East.

Rainfall and Thunderstorms.—Rain fell on at least 18 days over the country generally, but on only 14 in the south-east. In every district the total fall exceeded the average, the excess being large except in England North-West. Heavy downpours, generally, but not invariably, connected with thunderstorms, were experienced frequently over a wide area. On the 2nd and 7th large quantities fell in the Snowdon region. On the 4th between 25 mm. and 35 mm. was recorded over most of the country, while in several localities the amount was much greater—48 mm. at Llangammarch Wells and 65 mm. at Skegness. At various places in the west and south-west there was a destructive hailstorm. On the 6th Kew Observatory had 27 mm. of rain and Isleworth 35 mm. Between the 23rd and 29th thunderstorms occurred daily in some portion of the country. The 23rd gave 47 mm. of rain to Middlesbrough between 2.45 and 4 p.m. The number of thunderstorms greatly exceeded the average. At least five or six were experienced in most parts of the country, while at some stations in the centre and east there were several more. Many places in the midlands and north had more than twice the average amount of rain, but at Margate and here and there in the north the total rainfall was less than the normal.

Bright Sunshine.—The only period with the sunshine records above the average was the last week. Previously bright days had been very rare in all parts of the country. For the month generally the daily mean amount was three-quarters of an hour below the normal in England East and the Midland Counties, and very nearly as much in England North-East. In England South-East it was nearly half an hour below, and in the western districts more than a quarter of an hour. The brightest district on the mainland was the south-east, where the daily duration was 6.6 hours, but in the Channel Islands it was 8.4 hours.

August.

The earlier half of the month was very cloudy, with an unusually large number of thunderstorms, while the latter half was mostly dry, although for a time there was a good deal of cloud. The main wind current was from North-West or North, but it often shifted to West, and occasionally blew from other points.

Temperature was never very high for the season, and over the country as a whole the mean for the month only slightly exceeded the average. The second week gave the highest mean temperature, the value for the country generally being $61^{\circ}8$. This was followed by the coldest week, when the corresponding value was $58^{\circ}4$. A brief spell of heat occurred about the 10th, and furnished the maximum readings for the month. At Kew the thermometer rose to 75° , Lincoln 77° , Woking 78° , and Raunds 79° . A second brief outburst of heat occurred on the 26th, when a reading of 77° was recorded at Wilton (Salisbury) and also at Fowey. Later in the month a marked reduction of temperature accompanied an increase in force of the Northerly wind, and the maxima were below 65° generally—below 60° over a large area. The lowest night readings were also recorded about this time; on the 30th or 31st the thermometer fell to 40° or below in various parts of the country, and touched 35° at Wokingham and in Brecknockshire. Very warm nights were seldom experienced, but on the 8th, 9th and 10th minima as high as 60° were registered in many places. The north-west of England and North Wales enjoyed the most equable temperature on the mainland, the mean maximum being $64^{\circ}6$ and the mean minimum $53^{\circ}0$. A similar small diurnal range was experienced in the Channel Islands.

Rainfall and Thunderstorms.—More or less rain, generally accompanied by thunder and lightning, fell almost daily until the 15th or a little later, when a dry spell began and continued through twelve or more days in nearly the whole of the country. On many occasions the rainfall was heavy. On the 2nd as much as 45 mm. fell at Malvern, 59 mm. at Welshpool, and 66 mm. at Ruthin; on the 5th another 45 mm. fell at Malvern and 62 mm. at Cheltenham. Many other places had more than 25 mm. on the 11th and 12th, including 59 mm. at Oldham and 73 mm. at Scaleby, while from the 13th until the 17th—the most thundery period of the month—further heavy local falls occurred. Owing to the general absence of rain during the second half the aggregate of the month was slight over the country as a whole, amounting to only 72 per cent. of the average.

Bright Sunshine.—In all parts of the country except the south-west and the Channel Islands there was less sunshine than usual, the deficit ranging from 0·2 hr. per day in the north-east to 0·7 hr. in the south-east. In the Channel Islands the mean daily duration was 8 hours, and in the south-western counties 6·1 hours, whence it decreased to 5 hours in the midlands and north-east and to 4·5 hours in the north-west. Until after the 23rd the sunshine was continuously below the average except occasionally in scattered localities. The first week was especially dull, the sunshine in the country generally being only half that of the last week, and as much as 2·5 hours per day less than the normal.

September.

The weather of the month as a whole was dry and bright, while in most districts the thermometer was above the average value.

Temperature.—Both early and late in the month the temperature was very low for the time of year, but on some occasions it was very high, and the mean for the month exceeded the average in all parts of the country except the south-east, the largest excess being 1° in the north and east. The highest readings occurred during a very warm week ending on the 18th, when the thermometer rose to 80° in some parts of the metropolitan area and also at Woking, and to 78° or 79° in several other localities. The mean temperature during this week was higher than in any week in July. Early in the month the maxima were below 65° generally, and below 60° in places. The last three days of the month, owing to a gusty wind from the Northward, were abnormally cold for the time of year. A large portion of the country had maxima below 55° , and here and there, even in the south, the thermometer failed to rise to 50° .

During the warm spell the night minima were high, as high as 60° in London and some other localities, and during the month as a whole the nights were not cold. There were some exceptions early in the month, when the thermometer touched the freezing point in some widely scattered localities, and again towards the end, when a slight frost was experienced in several northern districts, and a rather sharp frost locally in Cumberland.

Rainfall.—Owing to heavy falls in the south and south-east on the 24th and 28th the total amount for the month in that part of the country was above the average. Over England generally, however, there was very little rain—only 59 per cent. of the average over England and Wales as a whole, and less than 20 per cent. in Lancashire and at Rhyl. Absolute drought continued for about 20 days over a considerable area in the north and east, and for 14 days over a much wider region. Among the heavy downpours on the 24th were 65 mm. at Totland Bay, 51 mm. at Southampton, and 41 mm. at Bucklebury. On the 28th the largest quantity in England was 60 mm. at Margate, while many places, including some parts of the metropolitan area, recorded more than 40 mm. Thunderstorms were rare, but the greater part of the country experienced the phenomenon with a Northerly wind on the 1st and 2nd, various places in the south-west between the 21st and 24th, and the west and south-west on the 29th.

Bright Sunshine.—In all parts of the country the duration of sunshine exceeded the average; by 1.5 hours per day in the North-west and by 1 hour in all other districts except the east. In England South-East the mean per day was as high as 6.2 and in the Channel Islands 6.8 hours, whence it decreased to 5.5 hours in the Midlands and North-East.

For the quarter generally the *Temperature* was appreciably lower than that of the corresponding quarter of last year, and was slightly below the average except in the north and north-east. The mean temperature ranged from 57.2° in England North-West and North-East to 59.0° in the South-East, and to 60.0° in the Channel Islands.

The Rainfall, owing chiefly to the heavy downpours in July, exceeded the average except in the North-West and South-West, where it was a little below it. The number of days with a

measurable quantity ranged from 35 in the south-eastern counties to 45 in the north-east. In the western half of the country the fall was less than during the corresponding period of last year, but in the eastern half it was greater.

Bright Sunshine.—In every district the insolation was less than during the third quarter of last year, the greatest difference being about .75 hour per day in the south-east and north-west. The total number of hours for the quarter agreed fairly well with the average. Over the eastern half of the country it was slightly below it, and elsewhere a little above it.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Years **1905-1915**, and in each Quarter of those Years.

YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
Marriages- - -	260,742	270,038	276,421	264,940	260,544	267,721	274,943	283,834	286,583	294,087	—
Births - - -	929,293	935,081	918,042	940,383	914,472	896,962	881,138	872,737	891,890	878,822	—
Deaths - - -	520,031	531,281	524,221	520,456	518,003	483,247	527,810	486,939	504,975	516,778	—
MARRIAGES.											
Quarter ended the last day of											
March- - -	45,173	45,478	53,017	47,548	45,094	56,432	44,808	44,737	60,926	51,016	55,406
June - - -	70,954	74,420	69,782	73,502	71,829	61,036	75,656	74,619	65,904	81,096	97,038
September- -	72,811	75,949	79,129	73,785	73,843	76,545	77,873	83,505	83,636	82,024	—
December - -	71,804	74,191	74,493	70,105	69,778	73,708	76,606	80,973	76,117	79,951	—
BIRTHS.											
March- - -	237,826	237,427	229,287	240,112	228,787	221,684	223,585	222,600	216,629	217,357	221,447
June - - -	236,702	237,168	233,535	243,834	237,220	234,825	225,774	218,070	227,470	226,067	213,094
September- -	235,352	234,663	230,528	237,229	228,840	227,146	222,506	219,232	225,501	227,122	197,492
December - -	219,413	225,823	219,692	219,208	219,625	213,307	209,273	212,835	212,290	208,276	—
DEATHS.											
March- - -	148,291	140,451	160,020	158,328	160,506	136,400	143,128	144,642	146,541	146,217	177,225
June - - -	123,078	125,370	127,337	121,052	125,233	115,671	119,966	115,777	121,743	124,134	138,579
September- -	120,882	129,397	106,813	113,929	104,786	104,149	140,949	101,680	113,446	115,545	109,413
December - -	127,780	136,063	130,051	129,147	127,478	127,027	123,767	124,840	123,245	130,882	—

TABLE II.—**Annual Rate** per 1000, of **Persons Married, of Births, and of Deaths**, in the Years **1905-1915**, and in each Quarter of those Years.

Estimated Population of England and Wales, <i>in thousands, in the middle of each Year.*</i>	33,989	34,342	34,699	35,059	35,424	35,792	36,164	36,540	36,919	37,303	—	*
YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	Mean 1905- 1914.	1915
Persons married -	15·3	15·7	15·9	15·1	14·7	15·0	15·2	15·5	15·5	15·8†	15·4	—
Births - - -	27·3	27·2	26·5	26·7	25·8	25·1	24·4	23·8	23·9	23·6†	25·4	—
Deaths - - -	15·3	15·5	15·1	14·8	14·6	13·5	14·6	13·3	13·7	13·9†	14·4	—
Quarter ended the last day of	PERSONS MARRIED.											
March - - -	10·8	10·7	12·4	10·9	10·3	12·8	10·0	9·8	13·4	11·1	11·2	12·0
June - - -	16·7	17·4	16·1	16·8	16·3	13·7	16·8	16·4	14·3	17·4	16·2	20·9
September - -	17·0	17·5	18·1	16·7	16·5	17·0	17·1	18·1	18·0	17·4	17·3	—
December - -	16·8	17·1	17·0	15·9	15·6	16·3	16·8	17·6	16·4	17·0	16·7	—
	BIRTHS.											
March - - -	28·4	28·0	26·8	27·5	26·2	25·1	25·1	24·4	23·8	23·6	25·9	24·1
June - - -	27·9	27·7	27·6	27·9	26·9	26·3	25·0	23·9	24·7	24·3	26·2	22·1
September - -	27·5	27·1	26·4	26·8	25·6	25·2	24·4	23·8	24·2	24·2	25·5	21·1
December - -	25·6	26·1	25·1	24·8	24·6	23·6	23·0	23·1	22·8	22·2	24·1	—
	DEATHS.											
March - - -	17·7	16·6	18·7	17·9	18·4	15·5	16·1	15·9	16·1	15·9	16·9	19·1
June - - -	14·5	14·6	14·7	13·8	14·2	13·0	13·3	12·7	13·2	13·3	13·7	14·1
September - -	14·1	14·9	12·2	12·9	11·7	11·5	15·5	11·0	12·2	12·3	12·8	11·1
December - -	14·9	15·7	14·9	14·6	14·3	14·1	13·6	13·6	13·2	13·9	14·3	—

* The estimated populations shown in this Return are based on the Censuses of 1901 and 1911. For the middle of 1915, however, estimates will be based upon the returns of births, deaths and migration. Until these are available the old estimates for 1914 will continue in use. The revised estimate for England and Wales in the middle of 1914 is 36,960,684. Revised estimates for each of the registration counties, the 242 towns and the Metropolitan Boroughs in the middle of 1914 will be found in Quarterly Return No. 264 (Tables XVI, XVIII, XIX, and XXI).

† The rates based upon the revised estimate of population are:—persons married 15·2 births 23·3 deaths 14·0

	ANNUAL RATE PER 1000 LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			
	Birth-rate.	Death-rate.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.	Diar- rhea and Enteritis (under 2 years).	Total deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and up- wards.	Deaths in Public Institutions.	Certified causes.	Inquest Cases.	Uncertified Causes of Death.
		Crude.	Stand- ard- ized.*															
England and Wales { 1905-14 - - - 1915 - - - }	25·5 21·0	12·8 11·6	12·6 11·4	0·06 0·04	0·00 -	0·18 0·22	0·06 0·05	0·18 0·12	0·11 0·11	0·55 0·58	?	126 98	?	?	20·0 23·4	91·3 90·8	7·4 7·9	1·3 1·3
96 Great Towns - - -	21·7	12·3	12·5	0·03	-	0·19	0·06	0·13	0·12	0·57	54·35	118	7·2	66·0	29·8	90·8	8·4	0·8
148 Smaller Towns - - -	20·6	10·6	10·7	0·04	-	0·30	0·03	0·12	0·11	0·42	31·77	96	6·0	64·1	16·2	92·6	5·8	1·6
England and Wales, less the 244 { Towns. - - - }	20·3	11·2	10·3	0·04	-	0·24	0·04	0·11	0·11	0·65	11·81	73	6·3	62·2	16·9	90·2	7·9	1·9

* The Standardized Death-rates represent the Crude Death-rates multiplied by the respective Standardizing Factors in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of England and Wales in 1901. A description of the method of constructing these Factors is to be found in the Annual Report for 1911, p. xxix.

TABLE IV.—Commercial Statistics and Pauperism, 1914-1915.

QUARTER ended	AVERAGE PRICES.										PAUPERISM.			
	2½. per Cent. CONSOLS (for Money) per £100 Stock.*	Average Minimum Rate per cent. of DISCOUNT charged by the Bank of England.*	British WHEAT per Quarter.†	Price per lb. at the Metropolitan Cattle Market (sinking the offal).‡						Average Price of Sea-borne COAL per Ton in the London Market.§	Average Number of PAUPERS relieved on the last day of each week.		Rate per 1,000 total population.	
				BEEF.			MUTTON.				In-door.	Out-door.	In-door.	Out-door.
				Inferior Quality.	Second Quality.	First Quality.	Inferior Quality.	Second Quality.	First Quality.					
1914:	£ s. d.	£	s. d.	d.	d.	d.	d.	d.	s. d.					
Mar. 31 -	74 15 8	3·47	31 1 9	5 8 3	6 2 3	8	6 4 3	9 1 3	10 7 3	21 0	265,791	377,982	7·1	10·1
June 30 -	74 18 0	3·00	32 9 3	5 8 3	6 6 3	7 7 3	6 1 3	8 8 3	10 3 3	21 0	252,721	372,559	6·8	10·0
Sept. 30 -	74 16 2	4·66	36 3 3	4 7 3	7 7 3	8 8 3	7 7 3	9 8 3	10 8 3	21 0	249,484	383,627	6·7	10·3
Dec. 31 -	—	5·00	39 11	5 8 3	7 7 3	8 8 3	7 7 3	8 8 3	10 8 3	—	256,057	379,437	6·9	10·2
1915:	£ s. d.	£	s. d.	d.	d.	d.	d.	d.	d.	s. d.				
Mar. 31 -	68 5 5	5·00	52 5 5	5 8 3	8 8 3	9 9 3	7 7 3	9 8 3	11 8 3	21 0	255,818	379,469	6·9	10·2
June 30 -	66 8 4	5·00	58 1 8	7 7 3	8 8 3	10 8 3	8 8 3	10 8 3	11 8 3	21 0	234,914	366,057	6·3	9·8
Sept. 30 -	65 0 11	5·00	49 8	7 7 3	10 8 3	11 8 3	8 8 3	10 8 3	11 8 3	—	221,902	352,005	5·9	9·4
Dec. 31 -	—	—	—	—	—	—	—	—	—	—	—	—	—	—

* The Price of Consols and the Rate of Discount are furnished by the Chief Cashier of the Bank of England.
† Furnished by the Board of Agriculture.
‡ No quotations during the quarter.
§ This amount relates to the month of July only, no official quotation having been obtainable since the Stock Exchange was closed on 31st July. The Stock Exchange remained closed during the quarter ended 31st December, 1914, and no official prices were therefore recorded, but the minimum price at which transactions in this security were allowed by the Stock Exchange Committee was £68 10s. 0d.
As published by the Board of Agriculture. The prices relate to Sunderland coal only.

TABLE V.—England and Wales and Registration Counties.—ESTIMATED POPULATION: MARRIAGES registered in the Quarter ended 30th June, 1915: BIRTHS and DEATHS registered in the Quarter ended 30th September, 1915.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The numbers of marriages, births, and deaths, are the numbers actually registered in each case.

REGISTRATION COUNTIES.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	MAR- RIAGES in Quarter ended 30th June, 1915.	BIRTHS in Quarter ended 30th Sept., 1915.	DEATHS in Quarter ended 30th Sept., 1915.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
					Deaths of		Deaths from						Violence.					
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.		Diarrhoea and Enteritis (under 2 years).				
England and Wales	37,302,983	97,038	197,492	109,413	19,429	31,343	332	-	2,099	458	1,119	1,074	6,999	5,469	8,673	25,553	1,421	England and Wales.
LONDON†	-	15,065	24,261	14,201	2,763	3,556	24	-	139	52	191	127	1,289	883	1,652	6,642	19	LONDON.†
SURREY	-	2,308	4,327	2,335	260	833	9	-	22	7	13	26	82	125	230	798	12	SURREY.
KENT	-	2,647	4,843	2,940	363	1,033	6	-	43	6	45	29	93	212	242	734	98	KENT.
SUSSEX	-	1,696	2,539	1,839	174	728	5	-	18	4	11	12	33	95	147	450	9	SUSSEX.
HAMPSHIRE	-	2,451	4,276	2,591	283	855	22	-	30	7	33	34	68	190	232	738	25	HAMPSHIRE.
BERKSHIRE	-	790	1,414	779	78	325	-	-	2	3	9	4	11	39	69	190	10	BERKSHIRE.
MIDDLESEX	-	3,054	6,328	2,702	439	788	11	-	19	19	27	46	145	105	233	711	8	MIDDLESEX.
HERTFORDSHIRE	-	673	1,339	737	69	278	-	-	7	2	4	8	12	43	50	205	15	HERTFORDSHIRE.
BUCKINGHAMSHIRE	-	460	898	505	51	192	2	-	6	1	6	3	10	19	41	71	7	BUCKINGHAMSHIRE.
OXFORDSHIRE	-	428	853	507	47	234	-	-	6	3	-	1	5	20	26	89	5	OXFORDSHIRE.
NORTHAMPTONSHIRE	-	369,037	1,754	1,026	151	347	6	-	9	4	16	29	33	51	65	161	20	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE	-	48,571	217	87	10	45	-	-	1	-	-	-	1	2	5	10	2	HUNTINGDONSHIRE
BEDFORDSHIRE	-	205,505	992	542	76	205	3	-	13	2	1	14	26	18	27	100	13	BEDFORDSHIRE.
CAMBRIDGESHIRE	-	220,129	1,037	553	52	241	2	-	1	-	3	5	5	31	35	109	14	CAMBRIDGESHIRE.
ESSEX	-	1,421,997	7,281	3,453	559	1,046	11	-	35	11	25	37	226	174	281	932	66	ESSEX.
SUFFOLK	-	389,979	1,940	1,075	137	443	1	-	15	7	2	5	24	76	81	196	28	SUFFOLK.
NORFOLK	-	495,983	2,299	1,340	160	581	4	-	6	7	12	14	30	77	101	276	22	NORFOLK.
WILTSHIRE	-	284,696	1,270	741	53	295	3	-	5	3	12	5	2	29	56	129	15	WILTSHIRE.
DORSETSHIRE	-	227,635	981	576	59	202	2	-	5	2	6	5	9	18	31	107	8	DORSETSHIRE.
DEVONSHIRE	-	714,902	2,916	1,973	234	758	7	-	27	5	10	14	45	92	146	299	13	DEVONSHIRE.
CORNWALL	-	327,611	1,375*	963	82	413	4	-	11	2	12	16	11	62	111	85	8	CORNWALL.
SOMERSETSHIRE	-	499,979	2,074	1,221	110	549	2	-	6	1	12	6	13	52	89	166	5	SOMERSETSHIRE.
GLOUCESTERSHIRE	-	680,900	3,242	1,924	273	712	4	-	24	6	5	16	82	97	186	505	11	GLOUCESTERSHIRE.
HEREFORDSHIRE	-	113,276	459	338	37	157	1	-	-	-	2	1	5	9	18	57	12	HEREFORDSHIRE.
SHROPSHIRE	-	268,475	1,263	720	69	314	1	-	15	1	5	7	9	36	49	101	20	SHROPSHIRE.
STAFFORDSHIRE	-	1,419,136	8,658	4,226	920	1,018	6	-	145	16	49	50	301	179	288	665	62	STAFFORDSHIRE.
WORCESTERSHIRE	-	336,881	1,675	934	112	351	4	-	6	3	8	15	16	49	59	190	19	WORCESTERSHIRE.

The DEATHS registered include															REGISTRATION COUNTIES.			
Deaths from																		
REGISTRATION COUNTIES.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	MAR-RIAGES in Quarter ended 30th June, 1915.	BIRTHS in Quarter ended 30th Sept., 1915.	DEATHS in Quarter ended 30th Sept., 1915.	Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.												
LEICESTERSHIRE	495,022	1,426	2,656	1,389	279	418	2	-	14	-	12	4	143	61	81	258	14	LEICESTERSHIRE.
RUTLANDSHIRE	21,315	42	82	39	2	18	-	-	-	-	-	-	-	2	2	5	-	RUTLANDSHIRE.
LINCOLNSHIRE	579,921	1,510	3,125	1,649	265	590	7	-	61	4	21	16	71	75	100	198	21	LINCOLNSHIRE.
NOTTINGHAMSHIRE	758,202	1,978	4,363	2,095	469	575	4	-	44	7	20	21	132	106	141	340	34	NOTTINGHAMSHIRE.
DERBYSHIRE	567,354	1,333	3,087	1,485	218	480	4	-	54	6	16	16	41	56	95	218	54	DERBYSHIRE.
CHESHIRE	937,209	2,148	4,765	2,628	478	734	1	-	36	7	35	16	186	111	207	543	9	CHESHIRE.
LANCASHIRE	4,959,966	13,136	27,317	16,063	3,194	3,628	60	-	328	102	131	141	1,420	723	1,118	3,830	269	LANCASHIRE.
WEST RIDING	3,141,373	8,258	17,070	10,726	2,144	2,682	45	-	437	47	113	96	829	483	814	2,039	40	WEST RIDING.
EAST RIDING	525,512	1,558	3,022	1,712	372	485	7	-	25	4	9	22	184	85	158	496	9	EAST RIDING.
(WITH YORK).	431,317	1,031	2,480	1,489	256	394	3	-	78	10	26	18	78	49	106	180	9	(WITH YORK) NORTH RIDING.
DURHAM	1,440,495	3,651	9,321	4,931	1,225	1,017	19	-	121	24	66	62	484	216	288	557	158	DURHAM.
NORTHUMBRLAND	729,517	1,888	4,625	2,479	562	541	8	-	47	21	32	21	174	102	178	393	53	NORTHUMBRLAND.
CUMBERLAND	265,333	587	1,450	900	150	271	1	-	39	7	14	6	16	49	63	104	25	CUMBERLAND.
WESTMORLAND	63,285	150	292	160	18	76	1	-	3	1	2	-	-	8	9	20	4	WESTMORLAND.
MONMOUTHSHIRE	448,691	971	2,890	1,153	240	262	3	-	22	7	17	13	74	66	81	162	11	MONMOUTHSHIRE.
GLAMORGANSHIRE	1,222,659	2,655	7,931	3,252	769	656	16	-	92	6	33	31	204	215	313	420	9	GLAMORGANSHIRE.
CARMARTHENSHIRE	160,610	277	1,018	445	66	151	-	-	1	5	7	3	12	22	28	31	6	CARMARTHENSHIRE.
PENBROKESHIRE	85,726	196	469	261	30	111	-	-	1	-	3	1	2	14	17	13	14	PENBROKESHIRE.
CARDIGANSHIRE	80,095	111	346	271	22	135	1	-	-	1	1	1	2	5	7	12	10	CARDIGANSHIRE.
BRECKNOCKSHIRE	57,212	123	317	159	19	51	1	-	7	2	2	2	4	8	13	11	1	BRECKNOCKSHIRE.
RADNORSHIRE	16,553	47	102	43	4	18	-	-	-	-	-	-	-	1	1	3	1	RADNORSHIRE.
MONTGOMERYSHIRE	61,577	134	305	176	18	87	-	-	4	-	-	1	-	6	7	7	3	MONTGOMERYSHIRE.
FLINTSHIRE	72,918	137	409	184	30	57	2	-	8	-	-	3	4	5	10	10	2	FLINTSHIRE.
DENBIGHSHIRE	140,411	359	789	401	54	138	-	-	5	1	2	3	7	12	19	60	7	DENBIGHSHIRE.
MERIONETHSHIRE	58,900	94	255	199	14	97	-	-	-	-	-	-	-	3	3	4	2	MERIONETHSHIRE.
CARNARVONSHIRE	143,343	296	571	461	45	171	1	-	1	-	-	7	6	24	30	43	6	CARNARVONSHIRE.
ANGLESEY	35,551	70	189	106	18	44	1	-	-	-	1	1	-	5	6	1	3	ANGLESEY.

* See note * to Table II.

TABLE VI.—England and Wales and Registration Counties.—MARRIAGE-RATE in the Quarter ended 30th June 1915; BIRTH-RATE and DEATH-RATE in the Quarter ended 30th September, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			REGISTRATION COUNTIES.
	PERSONS MARRIED in the Quarter ended 30th June, 1915.	BIRTHS in the Quarter ended 30th Sept., 1915.	DEATHS in the Quarter ended 30th Sept., 1915.	Deaths from						Diar- rhoea and Enter- itis (under 2 years).	Total deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.							
England and Wales	20.9	21.0	11.6	0.04	-	0.22	0.05	0.12	0.11	0.58	35.44	98	7.9	23.4	1.3	England and Wales.
LONDON*	26.8	21.4	12.4	0.02	-	0.12	0.05	0.17	0.12	0.72	54.1	113	11.2	43.3	0.1	LONDON.*
SURREY -	18.7	17.3	9.4	0.04	-	0.09	0.03	0.05	0.10	0.50	18.95	60	9.9	34.2	0.5	SURREY.
KENT -	20.2	18.3	11.1	0.02	-	0.16	0.02	0.17	0.11	0.80	19.20	75	8.2	25.0	3.3	KENT.
SUSSEX -	19.8	14.6	10.6	0.03	-	0.10	0.02	0.06	0.07	0.55	13.00	69	8.0	24.5	0.5	SUSSEX.
HAMPSHIRE -	20.3	17.6	10.6	0.09	-	0.12	0.03	0.14	0.14	0.78	15.90	66	9.0	28.5	1.0	HAMPSHIRE.
BERKSHIRE -	19.7	17.5	9.6	-	-	0.02	0.04	0.11	0.05	0.48	7.78	55	8.9	24.4	1.3	BERKSHIRE.
MIDDLESEX -	19.4	19.9	8.5	0.03	-	0.06	0.06	0.08	0.14	0.33	22.91	69	8.6	26.3	0.3	MIDDLESEX.
HERTFORDSHIRE -	17.8	17.5	9.6	-	-	0.09	0.03	0.05	0.10	0.56	8.96	52	6.8	27.8	2.0	HERTFORDSHIRE.
BUCKINGHAMSHIRE -	18.3	17.7	10.0	0.04	-	0.12	0.02	0.12	0.06	0.37	11.14	57	8.1	14.1	1.4	BUCKINGHAMSHIRE.
OXFORDSHIRE -	17.8	17.7	10.5	-	-	0.12	0.06	-	0.02	0.41	5.86	55	5.1	17.6	1.0	OXFORDSHIRE.
NORTHAMPTONSHIRE -	22.6	18.9	11.0	0.06	-	0.10	0.04	0.17	0.31	0.55	18.82	86	6.3	15.7	1.9	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE -	13.0	17.7	7.1	-	-	0.08	-	-	-	0.16	4.61	46	5.7	11.5	2.3	HUNTINGDONSHIRE.
BEDFORDSHIRE -	23.2	19.2	10.5	0.06	-	0.25	0.04	0.02	0.27	0.35	26.21	77	5.0	18.5	2.4	BEDFORDSHIRE.
CAMBRIDGESHIRE -	19.3	18.7	10.0	0.04	-	0.02	-	0.05	0.09	0.56	4.82	50	6.3	19.7	2.5	CAMBRIDGESHIRE.
ESSEX -	20.6	20.3	9.6	0.03	-	0.10	0.03	0.07	0.10	0.49	31.04	77	8.1	27.0	1.9	ESSEX.
SUFFOLK -	17.4	19.7	10.9	0.01	-	0.15	0.07	0.02	0.05	0.77	12.37	71	7.5	18.2	2.6	SUFFOLK.
NORFOLK -	19.0	18.4	10.7	0.03	-	0.05	0.06	0.10	0.11	0.62	13.05	70	7.5	20.6	1.6	NORFOLK.
WILTSHIRE -	19.9	17.7	10.3	0.04	-	0.07	0.04	0.17	0.07	0.40	1.57	42	7.6	17.4	2.0	WILTSHIRE.
DORSETSHIRE -	20.8	17.1	10.0	0.03	-	0.09	0.03	0.10	0.09	0.31	9.17	60	5.4	18.6	1.4	DORSETSHIRE.
DEVONSHIRE -	20.6	16.2	10.9	0.04	-	0.15	0.03	0.06	0.08	0.51	15.43	80	7.4	15.2	0.7	DEVONSHIRE.
CORNWALL -	17.1	16.7	11.7	0.05	-	0.13	0.02	0.15	0.19	0.75	8.00	60	11.5	8.8	0.8	CORNWALL.
SOMERSETSHIRE -	18.7	16.5	9.7	0.02	-	0.05	0.01	0.10	0.05	0.41	6.27	53	7.3	13.6	0.4	SOMERSETSHIRE.
GLOUCESTERSHIRE -	21.4	18.9	11.2	0.02	-	0.14	0.03	0.03	0.09	0.57	25.26	84	9.7	26.2	0.6	GLOUCESTERSHIRE.
HEREFORDSHIRE -	16.6	16.1	11.8	0.04	-	-	-	0.07	0.04	0.32	10.89	81	5.3	16.9	3.6	HEREFORDSHIRE.
SHROPSHIRE -	18.2	18.7	10.6	0.01	-	0.22	0.01	0.07	0.10	0.53	7.13	55	6.8	14.0	2.8	SHROPSHIRE.
STAFFORDSHIRE -	20.6	24.2	11.8	0.02	-	0.41	0.04	0.14	0.14	0.50	34.77	106	6.8	15.7	1.5	STAFFORDSHIRE.
WORCESTERSHIRE -	18.3	19.7	11.0	0.05	-	0.07	0.04	0.09	0.18	0.58	9.55	67	6.3	20.3	2.0	WORCESTERSHIRE.
WARWICKSHIRE -	20.7	20.0	11.5	0.03	-	0.17	0.05	0.11	0.11	0.53	11.53	61	6.1	19.5	1.1	WARWICKSHIRE.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.	PERCENTAGE of Total Deaths.			REGISTRATION COUNTIES.	
	PERSONS MARRIED in the Quarter ended 30th June, 1915.	BIRTHS in the Quarter ended 30th Sept., 1915.	DEATHS in the Quarter ended 30th Sept., 1915.	Deaths from						Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.			
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.					Violence.		
LEICESTERSHIRE -	23.1	21.3	11.1	0.02	-	0.11	-	0.10	0.03	0.49	53.84	105	5.8	18.6	1.0	LEICESTERSHIRE.
RUTLANDSHIRE -	15.8	15.3	7.3	-	-	-	-	-	-	0.37	-	24	5.1	12.8	-	RUTLANDSHIRE.
LINCOLNSHIRE -	20.9	21.4	11.3	0.05	-	0.42	0.03	0.14	0.11	0.51	22.72	85	6.1	12.0	1.3	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	20.9	22.8	11.0	0.02	-	0.23	0.04	0.10	0.11	0.55	30.25	107	6.7	16.2	1.6	NOTTINGHAMSHIRE.
DERBYSHIRE -	18.8	21.6	10.4	0.03	-	0.38	0.04	0.11	0.11	0.39	13.28	80	6.4	14.7	3.6	DERBYSHIRE.
CHESHIRE -	18.4	20.2	11.1	0.00	-	0.15	0.03	0.15	0.07	0.47	39.03	100	7.9	20.7	0.3	CHESHIRE.
LANCASHIRE -	21.2	21.9	12.8	0.05	-	0.26	0.08	0.10	0.11	0.58	51.98	117	7.0	23.8	1.7	LANCASHIRE.
WEST RIDING -	21.1	21.6	13.5	0.06	-	0.55	0.06	0.14	0.12	0.61	48.56	126	7.6	19.0	0.4	WEST RIDING.
EAST RIDING (WITH YORK).	23.8	22.8	12.9	0.05	-	0.19	0.03	0.07	0.17	0.64	60.89	123	9.2	29.0	0.5	EAST RIDING (WITH YORK).
NORTH RIDING -	19.2	22.8	13.7	0.03	-	0.72	0.09	0.24	0.17	0.45	31.45	103	7.1	12.1	0.6	NORTH RIDING.
DURHAM -	20.3	26.5	13.6	0.05	-	0.33	0.07	0.18	0.17	0.59	50.31	127	5.8	11.3	3.2	DURHAM.
NORTHUMBERLAND -	20.8	25.2	13.5	0.04	-	0.26	0.11	0.17	0.11	0.55	37.62	122	7.2	15.9	2.1	NORTHUMBERLAND.
CUMBERLAND -	17.7	21.7	13.5	0.01	-	0.58	0.10	0.21	0.09	0.73	11.03	103	7.0	11.6	2.8	CUMBERLAND.
WESTMORLAND -	19.0	18.3	10.0	0.06	-	0.19	0.06	0.13	-	0.50	-	62	5.6	12.5	2.5	WESTMORLAND.
MONMOUTHSHIRE -	17.4	25.6	10.2	0.03	-	0.19	0.06	0.15	0.11	0.58	25.61	83	7.0	14.1	1.0	MONMOUTHSHIRE.
GLAMORGANSHIRE -	17.4	25.7	10.6	0.05	-	0.30	0.02	0.11	0.10	0.70	25.72	97	9.6	12.9	0.3	GLAMORGANSHIRE.
CARMARTHENSHIRE -	13.8	25.1	11.0	-	-	0.02	0.12	0.17	0.07	0.54	11.79	65	6.3	7.0	1.3	CARMARTHENSHIRE.
PEMBROKESHIRE -	18.3	21.7	12.1	-	-	0.05	-	0.14	0.05	0.65	4.26	64	6.5	5.0	5.4	PEMBROKESHIRE.
CARDIGANSHIRE -	11.1	17.1	13.4	0.05	-	-	0.05	0.05	0.05	0.25	5.78	64	2.6	4.4	3.7	CARDIGANSHIRE.
BRECKNOCKSHIRE -	17.2	22.0	11.0	0.07	-	0.49	0.14	0.14	0.14	0.55	12.62	60	8.2	6.9	0.6	BRECKNOCKSHIRE.
RADNORSHIRE -	22.8	24.4	10.3	-	-	-	-	-	-	0.24	-	39	2.3	7.0	2.3	RADNORSHIRE.
MONTGOMERYSHIRE -	17.5	19.7	11.3	-	-	0.26	-	-	0.06	0.39	-	59	4.0	4.0	1.7	MONTGOMERYSHIRE.
FLINTSHIRE -	15.1	22.3	10.0	0.11	-	0.44	-	-	0.16	0.27	9.78	73	5.4	5.4	1.1	FLINTSHIRE.
DENBIGHSHIRE -	20.5	21.7	11.3	-	-	0.14	0.03	0.06	0.08	0.34	9.10	70	4.7	15.0	1.7	DENBIGHSHIRE.
MERIONETHSHIRE -	12.8	17.2	13.4	-	-	-	-	0.07	-	0.20	-	55	1.5	2.0	1.0	MERIONETHSHIRE.
CARNARVONSHIRE -	16.6	15.8	12.8	0.03	-	0.03	-	-	0.19	0.66	10.51	79	6.5	9.3	1.3	CARNARVONSHIRE.
ANGLESEY -	15.8	21.1	11.8	0.11	-	-	-	0.11	0.11	0.56	-	95	5.7	0.9	2.8	ANGLESEY.

TABLE VIa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 30th September of the
 Years 1914 and 1915.

REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended	
	30th Sept., 1914.	30th Sept., 1915.		30th Sept., 1914.	30th Sept., 1915.
England and Wales.	9,391	8,364	Leicestershire	105	105
London	1,276	1,102	Rutlandshire	2	4
Surrey	210	187	Lincolnshire	177	168
Kent	225	218	Nottinghamshire	239	206
Sussex	152	144	Derbyshire	131	131
Hampshire	236	194	Cheshire	211	176
Berkshire	61	61	Lancashire	1,193	1,042
Middlesex	207	181	Yorkshire (West Riding)	899	806
Hertfordshire	60	57	Yorkshire (East Riding with York).	199	152
Buckinghamshire	39	34	Yorkshire (North Riding)	143	114
Oxfordshire	48	58	Durham	413	392
Northamptonshire	87	87	Northumberland	222	198
Huntingdonshire	17	16	Cumberland	108	69
Bedfordshire	37	64	Westmorland	17	18
Cambridgeshire	60	68	Monmouthshire	104	82
Essex	248	202	Glamorganshire	294	239
Suffolk	128	113	Carmarthenshire	49	42
Norfolk	161	157	Pembrokeshire	27	40
Wiltshire	63	57	Cardiganshire	22	19
Dorsetshire	37	46	Brecknockshire	15	15
Devonshire	171	182	Radnorshire	6	10
Cornwall	78	77	Montgomeryshire	21	25
Somersetshire	83	78	Flintshire	17	23
Gloucestershire	122	106	Denbighshire	42	40
Herefordshire	31	20	Merionethshire	29	25
Shropshire	90	72	Carnarvonshire	46	37
Staffordshire	381	290	Anglesey	23	17
Worcestershire	84	80			
Warwickshire	245	218			

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XVI.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (Degrees Fahr.). +	RAIN-FALL (Milli-metres). +	TOWNS.	
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
96 Towns	18,136,180	97 894	55,536	11,570	13,415	142	-	851	292	572	540	5,321	2,574	4,665	16,557	450	58.8	211	96 Towns.
LONDON -	4,516,612	24,050	13,937	2,711	3,552	26	-	131	59	193	136	1,299	813	1,559	6,458	19	60.9	211	LONDON.
(CROYDON -	181,956	900	427	55	166	-	-	4	-	3	1	23	19	47	117	-	-	-	(CROYDON.
WIMBLEDON -	59,598	225	122	18	36	-	-	-	-	-	5	13	4	9	42	-	-	-	WIMBLEDON.
EALING -	71,030	300	157	17	51	2	-	1	4	-	4	2	4	5	45	1	-	-	EALING.
ACTON -	64,369	314	162	30	46	-	-	-	1	1	1	10	8	15	51	-	-	-	ACTON.
WILLESDEN -	167,922	890	354	63	91	2	-	3	2	3	4	24	15	36	114	-	-	-	WILLESDEN.
HORNSEY -	88,953	321	167	30	53	-	-	-	-	-	-	18	3	16	37	-	-	-	HORNSEY.
TOTTENHAM -	149,495	858	347	71	72	-	-	2	2	5	4	19	16	49	122	-	60.8	213	TOTTENHAM.
EDMONTON -	71,024	397	187	43	33	-	-	-	2	6	2	26	19	21	69	-	-	-	EDMONTON.
ENFIELD -	61,069	306	134	28	28	1	-	-	-	3	2	7	5	10	34	-	60.0	225	ENFIELD.
WEST HAM -	296,570	1,955	952	246	189	6	-	3	3	4	10	149	44	87	320	-	-	-	WEST HAM.
EAST HAM -	146,526	791	326	50	72	-	-	7	2	7	2	15	15	31	127	-	-	-	EAST HAM.
LEYTON -	133,719	617	309	49	93	-	-	1	-	6	2	13	19	30	118	-	-	-	LEYTON.
WALTHAMSTOW -	134,825	683	302	62	75	1	-	1	-	1	3	20	13	35	113	1	-	-	WALTHAMSTOW.
ILFORD -	91,041	328	163	32	56	1	-	1	2	1	2	5	4	8	48	-	-	-	ILFORD.
GILLINGHAM§ -	55,559	235	153	13	39	1	-	1	-	-	2	4	27	12	23	23	-	-	GILLINGHAM.§
HASTINGS -	59,620	185	167	13	79	-	-	4	-	1	1	-	5	7	32	-	59.3	190	HASTINGS.
EASTBOURNE -	55,662	175	118	13	32	-	-	2	-	1	1	8	2	3	35	1	59.9	135	EASTBOURNE.
BRIGHTON -	133,936	514	375	41	130	1	-	3	1	2	-	12	19	39	135	-	60.3	179	BRIGHTON.
PORTSMOUTH -	245,827	1,103	611	77	176	7	-	3	6	5	13	20	36	65	175	3	60.6	199	PORTSMOUTH.
BOURNEMOUTH -	85,904	257	209	17	95	-	-	-	1	2	5	2	5	14	35	-	59.1	175	BOURNEMOUTH.
SOUTHAMPTON -	123,948	647	367	61	95	6	-	9	-	9	4	26	20	39	117	-	60.6	244	SOUTHAMPTON
READING -	90,083	441	206	26	67	-	-	1	-	3	-	4	8	15	47	3	58.5(p)	276	READING.
OXFORD -	54,339	206	162	16	75	-	-	4	-	-	-	2	3	4	41	-	59.4	219	OXFORD.
NORTHAMPTON -	91,123	438	279	51	84	1	-	3	1	1	12	20	8	13	54	1	-	-	NORTHAMPTON.
CAMBRIDGE -	57,676	224	146	12	51	-	-	1	-	-	2	3	7	11	38	2	58.6	209	CAMBRIDGE.

* See note to Table II.

† The values for Mean Temperature and Rainfall relate to the calendar quarter.

‡ These towns are included within the Metropolitan Outer Ring. § Including 19 deaths due to the explosion on H.M.S. Bulwark and one due to the Princess Irene disaster. Many of these deaths were registered as from uncertified causes.

TABLE VII (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 2nd October, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from								Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
SOUTHEND ON SEA	-	83,908	343	177	16	50	-	-	2	2	-	2	5	11	12	34	7	61.3	SOUTHEND ON SEA.
IPSWICH	-	76,472	403	209	37	74	-	-	2	6	-	3	17	10	12	45	-	59.2	IPSWICH.
GREAT YARMOUTH	-	57,502	279	176	20	68	3	-	-	-	-	1	4	12	16	43	-	-	GREAT YARMOUTH.
NORWICH	-	124,107	541	354	57	132	-	-	5	2	4	7	16	20	30	86	-	59.8	NORWICH.
SWINDON	-	52,750	243	112	7	29	-	-	2	2	2	2	-	2	6	14	-	-	SWINDON.
EXETER	-	60,788	271	164	15	46	-	-	8	-	-	-	7	6	15	32	-	-	EXETER.
PLYMOUTH	-	212,421	916	621	103	181	4	-	2	3	2	6	33	32	52	130	-	59.5	PLYMOUTH.
BATH	-	70,292	255	159	13	64	-	-	2	-	1	1	-	9	15	38	-	59.2	BATH.
BRISTOL	-	363,312	1,707	1,020	189	318	1	-	17	3	1	3	63	54	108	306	-	59.9	BRISTOL.
GLOUCESTER	-	50,759	272	116	17	51	-	-	1	-	-	-	4	3	9	21	4	-	GLOUCESTER.
STOKE ON TRENT	-	241,430	1,545	831	205	158	1	-	14	8	11	20	68	34	59	150	16	-	STOKE ON TRENT.
WOLVERHAMPTON	-	95,725	537	274	50	68	-	-	3	-	3	3	16	9	18	68	-	-	WOLVERHAMPTON.
WALSALL	-	94,093	604	275	89	47	-	-	8	2	3	4	51	8	23	47	1	-	WALSALL.
WEST BROMWICH	-	69,430	454	212	51	42	1	-	19	-	5	2	20	7	10	22	8	-	WEST BROMWICH.
DUDLEY	-	51,895	327	149	42	31	-	-	1	2	-	-	14	6	8	22	8	-	DUDLEY.
BIRMINGHAM	-	868,430	4,955	2,569	682	576	3	-	30	13	24	20	316	106	126	656	77	58.0	BIRMINGHAM.
SMETHWICK	-	76,314	455	183	51	39	-	-	4	3	1	1	25	3	10	23	-	-	SMETHWICK.
COVENTRY	-	119,003	726	296	39	79	1	-	1	2	3	9	9	14	23	68	5	59.1	COVENTRY.
LEICESTER	-	232,664	1,180	712	179	177	1	-	7	-	3	2	116	26	42	162	4	-	LEICESTER.
LINCOLN	-	60,243	289	157	26	50	1	-	24	-	5	3	7	2	4	18	1	59.0	LINCOLN.
GRIMSBY	-	78,667	469	221	56	40	-	-	2	2	3	2	34	13	20	45	2	-	GRIMSBY.
NOTTINGHAM	-	236,918	1,317	811	177	197	1	-	13	2	11	5	79	29	47	190	2	58.0	NOTTINGHAM.
DERBY	-	126,389	655	351	65	91	1	-	20	6	4	2	13	8	34	100	-	-	DERBY.

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

TABLE VII (continued).--96 Great Towns, &c.--Population ; Births, Deaths, and Meteorology in the 13 Weeks ended 2nd October, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include											MEAN TEMPERATURE (Degrees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.		
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
STOCKPORT -	126,040	583	384	73	88	-	-	10	2	3	3	26	14	29	75	2	57.8	STOCKPORT.	
BIRKENHEAD -	137,710	943	487	153	90	-	-	-	1	14	2	110	23	45	121	-	-	BIRKENHEAD.	
WALLASEY -	87,175	449	231	34	71	-	-	-	1	3	-	8	8	13	53	-	-	WALLASEY.	
LIVERPOOL -	767,992	4,999	2,985	722	563	3	-	30	14	29	27	417	112	190	1,107	59	58.1	LIVERPOOL.	
BOOTLE -	73,230	504	288	92	42	1	-	6	1	3	2	69	8	9	57	9	58.8†	BOOTLE.	
ST. HELENS -	100,775	656	289	69	56	2	-	4	2	3	1	32	19	20	74	7	-	ST. HELENS.	
SOUTHPORT -	71,747	237	177	9	70	-	-	-	1	1	3	2	5	5	31	4	57.8	SOUTHPORT.	
WIGAN -	91,491	519	305	76	48	2	-	2	4	4	2	30	14	24	56	1	-	WIGAN.	
WARRINGTON -	74,923	425	245	50	43	1	-	1	14	2	2	18	6	6	58	5	-	WARRINGTON.	
BOLTON -	185,247	887	530	113	121	2	-	3	2	5	11	60	18	45	73	3	57.2	BOLTON.	
BURY -	59,213	240	176	31	38	-	-	16	2	1	-	12	12	16	35	4	-	BURY.	
MANCHESTER -	738,538	4,080	2,360	489	486	8	-	34	22	11	10	247	110	179	816	11	59.3	MANCHESTER.	
SALFORD -	234,975	1,250	782	164	162	2	-	14	7	3	4	102	23	53	181	1	-	SALFORD.	
OLDHAM -	151,044	666	481	81	112	1	-	7	1	2	7	28	24	51	97	-	-	OLDHAM.	
ROCHDALE -	94,320	380	293	47	68	2	-	-	1	-	6	20	10	14	54	5	-	ROCHDALE.	
BURNLEY -	110,040	468	344	87	68	1	-	8	1	1	4	43	11	27	55	-	55.3	BURNLEY.	
BLACKBURN -	134,387	598	365	69	88	-	-	14	1	1	2	26	15	28	52	3	-	BLACKBURN.	
PRESTON -	118,514	588	393	84	99	-	-	6	3	5	8	39	15	20	64	14	-	PRESTON.	
BLACKPOOL -	62,206	285	188	25	34	2	-	1	-	-	1	9	6	11	21	7	58.0	BLACKPOOL.	
BARROW IN FURNESS	65,921	497	222	50	52	-	-	3	-	3	8	17	14	15	40	3	-	BARROW IN FURNESS.	
HUDDERSFIELD -	112,265	446	355	55	96	-	-	-	-	-	2	18	9	18	63	-	57.3	HUDDERSFIELD.	
HALIFAX -	100,373	451	366	39	114	2	-	13	-	2	4	3	10	21	79	6	-	HALIFAX.	
BRADFORD -	291,482	1,278	977	170	252	5	-	52	6	5	10	48	43	88	247	2	56.6	BRADFORD.	
LEEDS -	459,260	2,362	1,579	365	394	3	-	19	3	15	11	172	73	133	371	-	-	LEEDS.	
DEWSBURY -	54,083	283	191	28	52	-	-	6	1	-	2	6	9	17	36	-	-	DEWSBURY.	
WAKEFIELD -	52,643	213	162	19	47	1	-	1	-	-	2	8	5	13	34	-	57.6	WAKEFIELD.	
BARNLEY -	53,929	338	239	79	39	-	-	24	1	1	1	50	6	21	27	-	-	BARNLEY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Means of daily observations made at Blundellsands.

TABLE VII. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 2nd October, 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914 (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include													MEAN TEMPERATURE (De- grees Fahr.) *	RAIN- FALL (Milli- metres.) *	TOWNS.
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).				Violence.			
SHEFFIELD	-	477,228	2,982	1,761	460	322	3	-	72	18	38	22	245	83	118	413	5	SHEFFIELD	
ROTHERHAM	-	65,313	403	241	66	50	-	-	6	2	6	2	44	13	15	42	2	ROTHERHAM.	
YORK	-	83,802	430	245	60	75	1	-	11	-	3	1	18	13	21	66	-	YORK.	
HULL	-	291,118	1,767	1,025	267	230	6	-	8	2	6	18	172	41	93	266	9	HULL.	
MIDDLESBROUGH	-	126,452	864	488	124	71	1	-	37	2	10	9	51	13	32	70	3	MIDDLESBROUGH.	
DARLINGTON	-	61,441	390	174	38	49	-	-	2	-	1	1	9	7	8	31	5	DARLINGTON.	
STOCKTON ON TEES	-	59,311	400	207	52	41	-	-	3	3	-	4	21	5	7	23	7	STOCKTON ON TEES.	
WEST HARTLEPOOL	-	64,374	370	218	53	44	-	-	1	1	9	1	6	15	24	34	3	WEST HARTLEPOOL.	
SUNDERLAND	-	152,927	1,045	577	133	116	1	-	6	-	5	-	70	26	46	103	10	SUNDERLAND.	
SOUTH SHIELDS	-	111,357	751	454	111	95	-	-	8	7	12	2	48	10	15	66	21	SOUTH SHIELDS.	
GATESHEAD	-	119,362	879	503	144	83	-	-	13	-	2	3	88	16	17	83	27	GATESHEAD.	
NEWCASTLE ON TYNE	-	273,415	1,894	955	237	175	3	-	3	11	7	5	79	35	86	165	6	NEWCASTLE ON TYNE.	
TYNEMOUTH	-	61,408	367	192	48	41	3	-	-	1	-	1	14	6	9	31	8	TYNEMOUTH.	
CARLISLE	-	52,813	293	183	30	56	-	-	1	3	-	2	5	3	9	35	4	CARLISLE.	
NEWPORT (MON.)	-	89,404	505	210	37	50	1	-	-	1	2	3	19	8	17	43	1	NEWPORT (MON.).	
CARDIFF	-	188,495	1,178	569	123	135	3	-	3	1	6	6	53	29	53	102	-	CARDIFF.	
RHONDDA	-	166,365	1,128	447	130	69	7	-	28	1	2	6	43	22	34	23	2	RHONDDA	
MERTHYR TYDFIL	-	85,682	514	222	52	45	2	-	-	1	2	-	18	17	26	45	-	MERTHYR TYDFIL.	
ABERDARE	-	53,427	343	156	47	26	-	-	2	2	1	2	17	9	8	7	1	ABERDARE.	
SWANSEA	-	121,665	703	317	74	75	-	-	1	1	-	1	20	18	37	65	1	SWANSEA.	
GREATER LONDON	-	7,484,436	38,763	20,676	3,899	5,496	46	-	173	80	256	210	1,785	1,121	2,182	8,529	25	GREATER LONDON.	
OUTER RING	-	2,967,824	14,713	6,739	1,188	1,944	20	-	42	21	63	74	486	308	623	2,071	6	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	-	1,718,097	8,885	4,109	791	1,061	13	-	23	18	40	42	344	188	399	1,357	2	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	-	1,249,737	5,828	2,630	394	883	7	-	19	3	23	32	142	120	224	714	4	REMAINDER OF OUTER RING.	
EDINBURGH†	-	328,700	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.†	
GLASGOW†	-	1,078,400	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.†	
DUBLIN (Registra- tion Area).§	-	409,000	2,652	1,670	392	361	4	-	10	6	13	15	183	33	40	652	69	DUBLIN (Registra- tion Area).§	
BELFAST§	-	403,000	2,246	1,364	287	250	5	-	14	24	27	8	106	25	60	348	14	BELFAST.§	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Phoenix Park.

§ Fitzwilliam Square.

§ The values for Mean Temperature and Rainfall relate to the calendar quarter.

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The death-rate in London has been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XVI.) The death-rates in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made. The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.											PERCENTAGE of Total Deaths.								
	Total Deaths.					Deaths from						Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.						
	13 Weeks ended					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.				Violence.					
	28th Sept., 1912.	27th Sept., 1913.	3rd Oct., 1914.	2nd Oct., 1915.																
	BIRTHS in 13 Weeks ended Oct., 1915.																			
96 Towns	21·7	11·4	12·7	13·2	12·3	0·03		0·19	0·06	0·13	0·12	0·57	54·35	113	7·2	66·0	8·4	29·8	0·8	96 Towns.
LONDON -	-	21·4	11·8	13·3	12·4	0·02	-	0·12	0·05	0·17	0·12	0·72	54·01	113	7·3	64·6	11·2	46·3	0·1	LONDON.
(CROYDON -	-	19·8	10·7	9·1	9·4	-	-	0·09	-	0·07	0·02	0·42	25·55	61	4·9	64·7	11·0	27·4	-	(CROYDON.
WIMBLEDON -	-	15·1	8·1	9·0	8·2	-	-	-	-	-	0·34	0·27	57·78	80	4·9	51·4	7·4	34·4	-	WIMBLEDON.
EALING -	-	16·9	6·7	7·4	8·9	0·11	-	0·06	0·23	-	0·23	0·23	6·67	57	5·4	53·0	3·2	28·7	0·6	EALING.
ACTON -	-	19·6	9·0	10·0	10·1	-	-	-	0·06	0·06	0·06	0·50	31·85	96	5·7	67·9	9·3	31·5	-	ACTON.
WILLESDEN -	-	21·3	8·2	9·8	8·5	0·05	-	0·07	0·05	0·07	0·10	0·36	26·97	71	5·1	57·1	10·2	32·2	-	WILLESDEN.
HORNSEY -	-	14·5	7·0	7·8	7·5	-	-	-	-	-	-	0·14	56·07	93	4·1	45·9	9·6	22·2	-	HORNSEY.
TOTTENHAM -	-	23·0	8·3	9·9	9·3	-	-	0·05	0·05	0·13	0·11	0·43	22·14	83	5·8	50·8	14·1	35·2	-	* TOTTENHAM.
EDMONTON -	-	22·4	8·7	10·0	10·6	-	-	-	0·11	0·34	0·11	1·07	65·49	108	6·7	44·0	11·2	36·9	-	EDMONTON.
ENFIELD -	-	20·1	10·3	9·2	8·8	0·07	-	-	-	0·20	0·13	0·33	22·88	92	5·5	42·7	7·5	25·4	-	ENFIELD.
WEST HAM -	-	26·4	11·7	13·9	12·9	0·08	-	0·04	0·04	0·05	0·14	0·60	76·21	126	7·5	71·0	9·1	33·6	-	WEST HAM.
EAST HAM -	-	21·7	8·1	8·3	9·0	-	-	0·19	0·05	0·19	0·05	0·41	18·96	63	5·9	57·8	9·5	39·0	-	EAST HAM.
LEYTON -	-	18·5	8·5	9·9	9·4	-	-	0·03	-	0·18	0·06	0·57	21·07	79	5·4	56·3	9·7	38·2	-	LEYTON.
WALTHAMSTOW -	-	20·3	8·3	8·6	9·5	0·03	-	0·03	-	0·03	0·09	0·39	29·28	91	5·2	67·4	11·6	37·4	0·3	WALTHAMSTOW.
(ILFORD -	-	14·5	5·8	6·7	7·4	0·04	-	0·04	0·09	0·04	0·09	0·18	15·24	98	3·5	56·9	4·9	29·4	-	(ILFORD.
GILLINGHAM† -	-	17·0	6·7	6·8	8·6	0·07	-	0·07	-	-	0·14	1·95	17·02	55	7·7	75·6	7·8	15·0	15·0	GILLINGHAM.†
HASTINGS -	-	12·4	11·3	9·5	10·6	-	-	0·27	-	0·07	0·07	0·34	-	70	5·6	58·8	4·2	19·2	-	HASTINGS.
EASTBOURNE -	-	12·6	8·7	7·4	8·1	-	-	0·14	-	0·07	0·07	0·14	45·71	74	5·7	39·6	2·5	29·7	0·8	EASTBOURNE.
BRIGHTON -	-	15·4	10·9	10·8	11·3	0·03	-	0·09	0·03	0·06	-	0·57	23·35	80	6·7	56·0	10·4	36·0	-	BRIGHTON.
PORTSMOUTH -	-	18·0	10·9	10·5	10·6	0·11	-	0·05	0·10	0·08	0·21	0·59	18·13	70	6·3	57·4	10·6	28·6	0·5	PORTSMOUTH.
BOURNEMOUTH -	-	12·0	7·9	8·0	7·2	-	-	-	0·05	0·09	0·23	0·23	7·78	66	5·0	59·3	6·7	16·7	-	BOURNEMOUTH.
SOUTHAMPTON -	-	20·9	10·4	10·9	12·4	0·19	-	0·29	-	0·29	0·13	0·65	40·19	94	7·4	56·2	10·6	31·9	-	SOUTHAMPTON.
READING -	-	19·6	8·5	8·6	8·8	-	-	0·04	-	0·13	-	0·36	9·07	59	5·4	52·5	7·3	22·8	1·5	READING.
OXFORD -	-	15·2	8·8	11·3	8·9	-	-	0·30	-	-	-	0·22	9·71	78	5·7	83·3	2·5	25·3	-	OXFORD.
NORTHAMPTON -	-	19·3	9·0	9·5	11·3	0·04	-	0·13	0·04	0·04	0·53	0·35	45·66	116	6·8	69·5	4·7	19·4	0·4	NORTHAMPTON.
CAMBRIDGE -	-	15·6	11·4	7·9	11·7	-	-	0·07	-	-	0·14	0·49	13·39	54	6·3	54·6	7·5	26·0	1·4	CAMBRIDGE.

* These towns are included within the Metropolitan Outer Ring. † See note § to Table VII.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 2nd October, 1915.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.		
	Total Deaths.					Deaths from					Diarrhoea and enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	13 Weeks ended					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.									Diphtheria.	Violence.
	28th Sept., 1912.	27th Sept., 1913.	3rd Oct., 1914.	2nd Oct., 1915.	BIRTHS in 13 Weeks ended 2nd Oct., 1915.															
SOUTHEND ON SEA	7.5	8.8	7.5	8.5	16.4	-	-	0.10	0.10	-	0.10	0.53	14.58	47	5.7	45.6	6.8	19.2	4.0	SOUTHEND ON SEA.
IPSWICH - - -	12.6	11.2	11.2	11.0	21.1	-	-	0.10	0.31	-	0.16	0.52	42.18	92	5.6	64.4	5.7	21.5	-	IPSWICH.
GREAT YARMOUTH-	10.9	12.3	13.9	12.3	19.5	0.21	-	-	-	-	0.07	0.84	14.34	72	6.8	64.1	9.1	24.4	-	GREAT YARMOUTH.
NORWICH- - -	9.7	12.6	12.9	11.4	17.5	-	-	0.16	0.06	0.13	0.23	0.65	29.57	105	5.8	68.5	8.5	24.3	-	NORWICH.
SWINDON - - -	8.6	9.2	8.5	8.5	18.5	-	-	0.15	0.15	0.15	0.15	0.15	-	29	6.2	55.1	5.4	12.5	-	SWINDON.
EXETER - - -	11.4	12.4	8.0	10.8	17.9	-	-	0.53	-	-	-	0.40	25.83	55	7.5	49.0	9.1	19.5	-	EXETER.
PLYMOUTH - -	12.5	14.6	13.7	11.7	17.3	0.08	-	0.04	0.06	0.04	0.11	0.60	36.03	112	6.9	61.6	8.4	20.9	-	PLYMOUTH.
BATH - - -	9.4	10.0	9.1	9.1	14.6	-	-	0.11	-	0.06	0.06	0.51	-	51	5.2	43.6	9.4	23.9	-	BATH.
BRISTOL - - -	10.6	11.1	10.8	11.3	18.8	0.01	-	0.19	0.03	0.01	0.03	0.60	36.91	111	6.1	62.8	10.6	30.0	-	BRISTOL.
GLOUCESTER - -	10.4	10.9	11.9	9.2	21.5	-	-	0.08	-	-	-	0.24	14.71	63	4.1	68.8	7.8	18.1	3.4	GLOUCESTER.
STOKE ON TRENT -	13.5	17.8	17.7	13.8	25.7	0.02	-	0.23	0.13	0.18	0.33	0.56	44.01	133	8.3	78.3	7.1	18.1	1.9	STOKE ON TRENT.
WOLVERHAMPTON -	11.5	15.2	14.0	11.5	22.5	-	-	0.13	-	0.13	0.13	0.38	29.80	93	7.0	65.0	6.6	24.8	-	WOLVERHAMPTON.
WALSALL - - -	12.1	16.8	14.1	11.7	25.7	-	-	0.34	0.09	0.13	0.17	0.34	84.44	147	6.4	47.2	8.8	17.1	0.4	WALSALL.
WEST BROMWICH -	11.0	15.9	13.9	12.2	26.2	0.06	-	1.10	-	0.29	0.12	0.40	44.05	112	7.4	53.6	4.7	10.4	3.8	WEST BROMWICH.
DUDLEY - - -	11.2	17.6	11.1	11.5	25.3	-	-	0.08	0.15	-	-	0.46	42.81	128	6.3	53.6	5.4	14.8	5.4	DUDLEY.
BIRMINGHAM - -	11.0	14.1	12.9	11.9	22.9	0.01	-	0.14	0.06	0.11	0.09	0.49	63.77	154	6.6	63.9	4.9	25.5	3.0	BIRMINGHAM.
SMETHWICK - -	9.7	11.0	10.1	9.6	23.9	-	-	0.21	0.16	0.05	0.05	0.16	54.95	112	5.2	60.8	5.5	12.6	-	SMETHWICK.
COVENTRY - - -	9.1	9.3	9.7	10.0	24.5	0.03	-	0.03	0.07	0.10	0.30	0.47	12.40	54	6.4	72.4	7.8	23.0	1.7	COVENTRY.
LEICESTER - - -	10.7	11.4	10.8	12.3	20.3	0.02	-	0.12	-	0.05	0.03	0.45	98.31	152	6.6	66.3	5.9	22.8	0.6	LEICESTER.
LINCOLN - - -	11.1	10.1	11.4	10.5	19.2	0.07	-	1.60	-	0.33	0.20	0.13	24.22	90	5.8	62.7	2.5	11.5	0.6	LINCOLN.
GRIMSBY - - -	10.8	12.8	13.3	11.3	23.9	-	-	0.10	0.10	0.15	0.10	0.66	72.49	119	6.8	50.3	9.0	20.4	0.9	GRIMSBY.
NOTTINGHAM - -	11.6	12.2	13.4	12.2	19.8	0.02	-	0.20	0.03	0.17	0.03	0.44	59.98	134	7.1	61.1	5.8	23.4	0.2	NOTTINGHAM.
DERBY - - -	10.7	10.0	11.1	11.1	20.8	0.03	-	0.63	0.19	0.13	0.06	0.25	19.85	99	6.6	62.7	9.7	28.5	-	DERBY.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 2nd October, 1913.

TOWNS	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.
	Total Deaths.					Deaths from					Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Aged 65 years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
	13 Weeks ended					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.								
	28th Sept., 1912.	27th Sept., 1913.	3rd Oct., 1914.	2nd Oct., 1915.	BIRTHS in 13 Weeks ended 2nd Oct., 1915.													
STOCKPORT	-	12.7	15.7	10.9	12.2	-	-	0.32	0.06	0.10	0.10	0.45	125	7.6	19.5	0.5	STOCKPORT.	
BIRKENHEAD	-	11.8	15.5	14.1	14.2	-	-	-	0.03	0.41	0.06	0.67	162	9.2	24.8	-	BIRKENHEAD.	
WALLASEY	-	8.9	9.2	10.4	10.6	-	-	-	0.05	0.14	-	0.37	76	5.6	22.9	-	WALLASEY.	
LIVERPOOL	-	16.2	16.7	19.1	15.6	0.02	-	0.16	0.07	0.15	0.14	0.58	144	6.4	37.1	2.0	LIVERPOOL.	
BOOTLE	-	14.1	15.8	18.7	15.8	0.05	-	0.33	0.05	0.16	0.11	0.33	183	3.1	19.8	3.1	BOOTLE.	
ST. HELENS	-	10.5	15.6	15.6	11.5	0.08	-	0.16	0.08	0.12	0.04	0.76	105	6.9	25.6	2.4	ST. HELENS.	
SOUTHPORT	-	8.7	11.6	10.3	9.9	-	-	-	0.06	0.06	0.17	0.28	38	2.8	17.5	2.3	SOUTHPORT.	
WIGAN	-	14.3	17.2	17.7	13.4	0.09	-	0.09	0.18	0.18	0.09	0.61	146	7.9	18.4	0.3	WIGAN.	
WARRINGTON	-	11.0	13.9	15.6	13.1	0.05	-	0.05	0.75	0.11	0.11	0.32	118	2.4	23.7	2.0	WARRINGTON.	
BOLTON	-	10.1	14.4	15.9	11.5	0.04	-	0.06	0.04	0.11	0.24	0.39	127	8.5	13.8	0.6	BOLTON.	
BURY	-	12.0	14.7	12.5	11.9	-	-	1.08	0.14	0.07	-	0.81	129	9.1	19.9	2.3	BURY.	
MANCHESTER	-	12.4	14.6	14.6	12.8	0.04	-	0.18	0.12	0.06	0.05	0.60	120	7.6	34.6	0.5	MANCHESTER.	
SALFORD	-	11.9	14.6	14.3	13.3	0.03	-	0.24	0.12	0.05	0.07	0.39	131	6.8	23.1	0.1	SALFORD.	
OLDHAM	-	12.4	14.7	15.5	12.8	0.03	-	0.19	0.03	0.05	0.19	0.64	122	10.6	20.2	-	OLDHAM.	
ROCHDALE	-	12.8	13.4	12.3	12.5	0.09	-	-	0.04	-	0.26	0.43	124	4.8	18.4	1.7	ROCHDALE.	
BURNLEY	-	11.1	14.3	11.4	12.5	0.04	-	0.29	0.04	0.04	0.15	0.40	186	7.8	16.0	-	BURNLEY.	
BLACKBURN	-	11.7	13.3	11.9	10.9	-	-	0.42	0.03	0.03	0.06	0.45	115	7.7	14.2	0.8	BLACKBURN.	
PRESTON	-	12.4	14.0	15.9	13.3	-	-	0.20	0.10	0.17	0.27	0.51	143	5.1	16.3	3.6	PRESTON.	
BLACKPOOL	-	12.7	14.3	12.4	12.1	0.13	-	0.06	-	-	0.06	0.39	88	5.9	11.2	3.7	BLACKPOOL.	
BARROW IN FURNESS.	-	11.9	11.5	11.5	13.5	-	-	0.18	-	0.18	0.49	0.85	101	6.8	18.0	1.4	BARROW IN FURNESS.	
HUDDERSFIELD	-	10.7	13.9	12.7	12.7	-	-	-	-	-	0.07	0.32	123	5.1	17.7	-	HUDDERSFIELD.	
HALIFAX	-	11.6	12.9	12.7	14.6	0.08	-	0.52	-	0.08	0.16	0.40	86	5.7	21.6	1.6	HALIFAX.	
BRADFORD	-	12.1	14.3	13.2	13.4	0.07	-	0.72	0.08	0.07	0.14	0.59	133	9.0	25.3	0.2	BRADFORD.	
LEEDS	-	12.2	14.5	15.0	13.8	0.03	-	0.17	0.03	0.13	0.10	0.64	155	8.4	23.5	-	LEEDS.	
DEWSBURY	-	11.2	14.1	13.7	14.2	-	-	0.45	0.07	-	0.15	0.67	99	8.9	18.8	-	DEWSBURY.	
WAKEFIELD	-	11.5	11.9	14.3	12.3	0.08	-	0.08	-	-	0.15	0.38	89	8.0	21.0	-	WAKEFIELD.	
BARNLEY	-	12.0	14.9	17.2	17.8	-	-	1.79	0.07	0.07	0.07	0.45	234	8.8	11.3	-	BARNLEY.	

TABLE VIII. (continued).--96 Great Towns, &c.--Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 2nd October, 1915.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.	PERCENTAGE of Total Deaths.			TOWNS.				
	Total Deaths.					Deaths from					Diar-rhoza and Enteritis (under 2 years).	Total Deaths under one year.		Aged to 65 years.	Aged 65 years and upwards.	Inquest Cases.		Deaths in Public Institutions.	Uncertified Causes of Death.		
	13 Weeks ended					Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.										Violence.	
	28th Sept., 1912.	27th Sept., 1913.	3rd Oct., 1914.	2nd Oct., 1915.																	
SHEFFIELD -	24.9	11.3	14.4	14.4	14.8	0.03	-	0.61	0.15	0.32	0.18	0.70	82.71	155	8.8	73.9	6.7	23.5	0.3	SHEFFIELD.	
ROTHERHAM -	24.7	14.1	12.8	13.8	14.8	-	-	0.37	0.12	0.37	0.12	0.80	109.18	164	8.2	79.1	6.2	17.4	0.8	ROTHERHAM.	
YORK -	20.6	10.2	9.5	12.9	11.7	0.05	-	0.53	-	0.14	0.05	0.62	41.86	140	5.7	70.4	8.6	26.9	-	YORK.	
HULL -	24.3	12.3	15.5	14.6	14.1	0.08	-	0.11	0.03	0.08	0.25	0.56	97.34	151	7.8	72.6	9.1	26.0	0.9	HULL.	
MIDDLESBROUGH -	27.4	17.1	15.9	18.6	15.8	0.03	-	1.17	0.06	0.32	0.29	0.41	59.03	144	10.2	70.7	6.4	14.1	0.6	MIDDLESBROUGH.	
DARLINGTON -	25.5	9.8	10.2	11.5	11.4	-	-	0.13	-	0.07	0.07	0.46	23.08	97	6.1	67.8	4.6	17.8	2.9	DARLINGTON.	
STOCKTON ON TEES	27.1	12.4	13.1	17.0	14.0	-	-	0.20	0.20	-	0.27	0.34	52.50	130	8.3	66.5	3.4	11.1	3.4	STOCKTON ON TEES.	
WEST HARTLEPOOL	23.1	11.6	14.7	13.0	13.6	-	-	0.06	0.06	0.56	0.06	0.93	16.22	143	8.0	78.2	11.0	15.6	1.4	WEST HARTLEPOOL.	
SUNDERLAND -	27.4	13.4	15.7	17.5	15.1	0.03	-	0.16	-	0.13	-	0.68	66.99	127	9.8	71.3	8.0	17.9	1.7	SUNDERLAND.	
SOUTH SHIELDS -	27.1	12.7	14.6	16.5	16.4	-	-	0.29	0.25	0.43	0.07	0.36	63.91	148	9.5	92.6	3.3	14.5	4.6	SOUTH SHIELDS.	
GATESHEAD -	29.5	13.8	13.2	18.6	16.9	-	-	0.44	-	0.07	0.10	0.54	100.11	164	9.9	75.4	3.4	16.5	5.4	GATESHEAD.	
NEWCASTLE ON TYNE	27.8	11.7	13.2	14.7	14.0	0.04	-	0.04	0.16	0.10	0.07	0.51	41.71	125	8.5	67.3	9.0	17.3	0.6	NEWCASTLE ON TYNE.	
TYNEMOUTH -	24.0	14.0	15.1	16.2	12.5	0.20	-	-	0.07	-	0.07	0.39	38.15	131	7.2	62.7	4.7	16.1	4.2	TYNEMOUTH.	
CARLISLE -	22.3	15.2	11.7	14.7	13.9	-	-	0.08	0.23	-	0.15	0.23	17.06	102	7.9	84.3	4.9	19.1	2.2	CARLISLE.	
NEWPORT (MON.) -	22.7	8.6	11.4	11.0	9.4	0.04	-	-	0.04	0.09	0.13	0.36	37.62	73	5.9	63.1	8.1	20.5	0.5	NEWPORT (MON.).	
CARDIFF -	24.6	10.3	12.6	11.4	12.1	0.06	-	0.06	0.02	0.13	0.13	0.62	45.77	106	7.0	75.2	9.3	17.9	-	CARDIFF.	
RHONDDA -	27.2	9.8	15.6	13.5	10.8	0.17	-	0.68	0.02	0.05	0.14	0.53	38.12	115	6.3	74.2	7.6	5.1	0.4	RHONDDA.	
MERTHYR TYDFIL -	24.2	12.5	12.2	13.0	10.5	0.09	-	-	0.05	0.09	-	0.80	35.02	101	6.3	64.5	11.7	20.3	-	MERTHYR TYDFIL.	
ABERDARE -	25.8	11.0	17.5	12.2	11.7	-	-	0.15	0.15	0.08	0.15	0.68	49.56	137	6.6	59.1	5.1	4.5	0.6	ABERDARE.	
SWANSEA -	23.2	10.6	13.6	13.1	10.5	-	-	0.03	0.03	-	0.03	0.59	28.45	105	5.9	62.7	11.7	20.5	0.3	SWANSEA.	
GREATER LONDON	20.8	10.4	10.8	11.8	11.1	0.02	-	0.09	0.04	0.14	0.11	0.60	46.05	101	?	?	10.6	41.3	0.1	GREATER LONDON.	
OUTER RING -	19.9	8.6	9.3	9.5	9.1	0.03	-	0.06	0.03	0.09	0.10	0.42	33.03	81	?	?	9.2	30.7	0.1	OUTER RING.	
14 GREAT TOWNS IN OUTER RING.	20.7	8.9	9.7	9.9	9.6	0.03	-	0.05	0.04	0.09	0.10	0.44	38.72	89	5.6	58.5	9.7	33.0	0.0	14 GREAT TOWNS IN OUTER RING.	
REMAINDER OF OUTER RING.	18.7	8.1	8.8	8.8	8.4	0.02	-	0.06	0.01	0.07	0.10	0.39	24.37	68	?	?	8.6	27.1	0.2	REMAINDER OF OUTER RING.	
EDINBURGH* -	-	13.4†	13.0	13.7	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	EDINBURGH.*
GLASGOW* -	-	13.8†	15.5	15.1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	GLASGOW.*
DUBLIN (Registra-tion Area).	25.9	16.1	18.7	17.6	16.3	0.04	-	0.10	0.06	0.13	0.15	0.32	69.00	148	9.7	62.6	2.4	39.0	4.1	4.1	DUBLIN (Registra-tion Area).
BELFAST -	23.3	13.0	18.2	17.4	13.5	0.05	-	0.14	0.24	0.27	0.08	0.25	45.18	122	8.8	54.1	4.4	25.5	1.0	1.0	BELFAST.

* Uncorrected for deaths of non-residents.

† Unavailable at the time of going to press.

TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates).*	BIRTHS.	DEATHS.	Deaths of		DEATHS FROM										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.							
148 Towns	4,838,095	25,148	12,906	2,405	3,656	45	-	371	32	146	133	799	517	751	2,039	205	96	148 Towns.		
SURREY.																		SURREY.		
Barnes.†	34,745	151	61	11	20	-	-	-	-	-	-	1	4	9	17	-	73	Barnes.†		
Guildford	24,927	112	60	9	15	-	-	-	-	1	2	8	8	13	17	2	80	Guildford.		
Kingston on Thames†	39,227	203	105	18	33	-	-	1	-	1	1	4	8	15	42	-	89	Kingston on Thames.†		
Mitcham†	34,682	208	68	11	20	-	-	-	-	-	-	1	5	9	28	-	53	Mitcham.†		
Reigate	29,375	120	54	7	25	-	-	-	-	-	-	1	3	2	8	-	58	Reigate.		
Richmond†	33,760	136	87	5	34	-	-	-	-	1	-	2	1	5	24	-	37	Richmond.†		
Sutton†	22,678	83	34	4	21	-	-	-	-	-	-	-	-	3	8	-	48	Sutton.†		
Woking	27,055	123	41	4	9	-	-	1	-	-	1	-	2	2	9	-	33	Woking.		
KENT.																		KENT.		
Beckenham†	33,572	146	61	6	29	-	-	-	-	-	-	2	2	3	13	-	41	Beckenham.†		
Bromley†	35,820	136	76	9	32	-	-	-	-	3	-	1	7	6	23	-	66	Bromley.†		
Canterbury	24,531	127	78	17	25	-	-	8	-	-	2	1	3	4	17	1	134	Canterbury.		
Chatham	44,057	220	132	17	43	-	-	4	-	3	-	6	7	8	33	5	77	Chatham.		
Dartford	25,336	115	43	5	13	-	-	-	-	-	-	-	5	6	14	2	43	Dartford.		
Dover	43,984	212	135	28	31	-	-	15	-	1	-	7	9	7	27	5	132	Dover.		
Erith†	28,604	161	68	21	17	-	-	2	-	3	1	11	2	6	9	-	130	Erith.†		
Folkestone	33,968	148	70	15	23	-	-	-	-	1	2	6	3	6	17	-	101	Folkestone.		
Gravesend	28,435	130	79	13	32	-	-	-	-	-	-	6	4	5	25	-	100	Gravesend.		
Maidstone	36,157	154	81	11	26	-	-	-	-	-	-	-	2	2	19	-	71	Maidstone.		
Margate	29,965	103	50	6	21	1	-	3	-	-	-	1	7	8	13	-	58	Margate.		
Penge (Surrey Reg. Co.)†	22,283	90	72	5	33	-	-	-	-	-	-	2	4	9	24	-	56	Penge (Surrey Reg. Co.)†		
Ramsgate	30,254	107	94	8	41	-	-	-	-	-	-	2	6	9	22	-	75	Ramsgate.		
Rochester	31,660	152	78	10	24	1	-	-	-	-	1	4	3	20	20	-	66	Rochester.		
Tunbridge Wells	36,506	151	95	8	53	-	-	-	-	2	-	1	3	2	20	4	53	Tunbridge Wells.		
SUSSEX EAST.																		SUSSEX EAST.		
Hove	44,134	126	106	11	51	1	-	-	-	-	-	2	6	7	10	-	87	Hove.		
SUSSEX WEST.																		SUSSEX WEST.		
Worthing	32,997	96	79	7	44	-	-	2	-	-	-	1	1	3	14	1	73	Worthing.		
SOUTHAMPTON.																		SOUTHAMPTON.		
Aldershot (Surrey Reg. Co.)	36,637	122	70	18	8	3	-	6	2	1	3	7	4	1	25	2	148	Aldershot (Surrey Reg. Co.).		
Gosport and Alverstoke	34,828	148	63	8	23	-	-	-	-	-	1	2	1	4	14	-	54	Gosport and Alverstoke.		
Winchester	24,230	101	62	6	27	-	-	1	-	1	-	1	4	6	26	-	59	Winchester.		
MIDDLESEX.																		MIDDLESEX.		
Chiswick†	41,858	201	107	10	35	1	-	-	1	-	-	1	4	5	40	-	50	Chiswick.†		
Finchley†	45,435	207	86	10	28	-	-	-	-	-	-	3	2	9	18	-	48	Finchley.†		
Hendon†	44,496	250	86	14	28	-	-	2	-	1	3	2	5	8	18	1	56	Hendon.†		
Heston and Isleworth†	47,644	249	121	27	40	-	-	1	-	3	2	9	7	10	29	-	108	Heston and Isleworth.†		
Southall Norwood†	50,889	156	43	13	10	-	-	-	-	-	1	5	-	1	11	-	83	Southall Norwood.†		

* See Note * to Table II.

† These towns are included within the Metropolitan Outer Ring.

TABLE IX. (continued).—One hundred and forty-eight smaller Towns.—Population; Births and Deaths in the QUARTER ended 30th September, 1915.

The DEATHS registered in the Quarter include																			
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS FROM										Deaths under 1 year to 1000 Births.	TOWNS.				
				Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.														
MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*	40,090 32,281 54,635	147 161 244	56 83 92	6 12 11	15 25 30	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	18 26 26	- - -	41 75 45	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*	
HERTFORDSHIRE. St. Albans Watford	26,203 44,943	122 203	64 80	5 4	15 43	- -	- -	- -	1 1	- -	- -	1 1	2 1	5 4	9 3	12 22	2 2	41 20	HERTFORDSHIRE. St. Albans. Watford.
BUCKINGHAMSHIRE. Chepping Wycombe	21,328	93	45	8	15	-	-	1	-	-	-	1	5	-	2	9	2	86	BUCKINGHAMSHIRE. Chepping Wycombe.
NORTHAMPTONSHIRE. Kettering	30,431	141	66	9	18	-	-	-	-	6	3	3	3	1	1	10	3	64	NORTHAMPTONSHIRE. Kettering.
SOKE OF PETERBOROUGH. Peterborough	34,514	165	91	14	32	1	-	-	-	1	-	-	3	2	2	11	1	85	SOKE OF PETERBOROUGH. Peterborough.
BEDFORDSHIRE. Bedford Luton	40,588 54,700	172 305	95 150	10 43	33 33	- -	- -	9	-	-	2	8	22	6 3	7 5	13 28	- 8	58 141	BEDFORDSHIRE. Bedford. Luton.
ESSEX. Barking Town* Colchester	34,685 45,219	192 193	83 86	24 12	17 36	- -	- -	1	-	1	-	4	18	3 1	4 1	15 18	- 3	125 62	ESSEX. Barking Town.* Colchester.
SUFFOLK EAST. Lowestoft	35,143	225	83	18	30	1	-	1	-	1	2	2	1	5	6	16	3	80	SUFFOLK EAST. Lowestoft.
NORFOLK. King's Lynn	20,171	91	57	4	32	-	-	-	1	2	-	-	2	2	3	7	2	44	NORFOLK. King's Lynn.
WILTSHIRE. Salisbury	21,576	103	60	6	25	-	-	-	-	2	-	-	-	1	3	6	-	58	WILTSHIRE. Salisbury.
DORSETSHIRE. Poole Weymouth and Melcombe Regis.	42,826 23,187	213 123	90 56	10 5	28 14	- 1	- -	- -	- -	2 -	3 -	2 1	2 1	- 2	2 3	16 16	- 1	47 41	DORSETSHIRE. Poole. Weymouth and Melcombe Regis.
DEVONSHIRE. Torquay	40,561	138	104	8	43	-	-	-	-	-	-	-	3	7	6	29	1	58	DEVONSHIRE. Torquay.
SOMERSETSHIRE. Taunton Weston super Mare	23,074 24,414	93 88	58 72	6 11	25 26	- 1	- -	1 -	- -	1 1	- -	- -	- 1	1 6	2 1	9 8	1 -	65 125	SOMERSETSHIRE. Taunton. Weston super Mare.

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OR 1914 (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
GLoucestershire. Cheltenham - - -	48,769	187	155	20	76	1	-	3	-	-	3	9	1	5	42	1	107	GLoucestershire. Cheltenham.
HEREfordshire. Hereford - - -	22,981	98	72	13	25	-	-	-	-	-	-	2	1	2	14	2	133	HEREfordshire. Hereford.
SHROpshire. Shrewsbury - - -	29,735	155	84	7	34	-	-	2	-	-	1	3	4	6	16	3	45	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston - - -	26,254	180	107	23	20	-	-	1	-	1	-	19	3	6	13	-	156	STAFFORDshire. Bilston.
Burton upon Trent - -	47,528	247	117	9	29	-	-	17	-	1	-	-	5	6	22	2	36	Burton upon Trent.
Cannock - - -	30,191	247	83	26	17	-	-	4	1	2	-	4	2	6	10	2	105	Cannock.
Coseley - - -	23,048	171	86	21	17	-	-	-	2	1	1	8	2	6	7	-	123	Coseley.
Newcastle under Lyme -	20,301	118	57	12	12	-	-	-	2	1	-	4	3	1	10	-	102	Newcastle under Lyme.
Rowley Regis - - -	37,811	248	102	26	27	1	-	1	-	1	-	6	3	6	5	1	105	Rowley Regis
Stafford - - -	24,249	115	57	6	18	-	-	-	1	1	-	1	3	4	10	1	52	Stafford.
Tipton - - -	32,178	224	117	35	22	-	-	4	-	-	1	19	5	11	6	-	156	Tipton.
Wednesbury - - -	28,642	177	93	19	21	-	-	4	-	-	1	11	3	5	11	-	107	Wednesbury.
Wolstanton United - -	28,967	177	64	15	19	1	-	2	-	1	1	4	2	3	6	2	85	Wolstanton United.
WORCEstershire. Kidderminster - - -	27,583	127	68	11	24	-	-	-	-	1	2	-	5	5	16	3	87	WORCEstershire. Kidderminster
Oldbury (Staffs. Reg. Co.)	34,682	212	139	37	22	-	-	36	-	1	-	16	10	7	6	3	175	Oldbury (Staffs. Reg. Co.)
Worcester - - -	49,735	253	136	15	61	2	-	3	1	-	1	5	7	7	30	-	59	Worcester.
WARWICKshire. Nuneaton - - -	41,275	237	100	24	22	-	-	-	-	-	3	8	3	3	8	3	101	WARWICKshire. Nuneaton.
Royal Leamington Spa -	26,652	101	83	8	34	-	-	-	-	-	4	-	3	7	25	-	79	Royal Leamington Spa.
Rugby - - -	23,472	108	54	4	25	-	-	1	-	-	-	-	1	2	19	-	37	Rugby.
Sutton Coldfield (Staffs. Reg. Co.)	22,173	76	46	1	21	-	-	-	-	-	-	-	-	1	6	2	13	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough - - -	23,506	138	70	16	21	-	-	-	-	-	-	10	2	4	13	1	116	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven) Grantham - - -	20,932	103	62	10	21	-	-	5	-	-	1	2	3	2	11	4	97	LINCOLNshire (Kesteven) Grantham.
LINCOLNshire (Lindsey) Cleethorpe with Thruscoe. - - -	24,492	161	49	9	22	1	-	-	-	1	2	2	2	1	4	-	56	LINCOLNshire (Lindsey). Cleethorpe with Thruscoe.
Gainsborough - - -	21,605	97	64	21	16	-	-	2	-	-	-	9	2	3	5	-	216	Gainsborough.
NOTTINGHAMshire. Mansfield - - -	42,261	277	91	30	20	-	-	1	1	-	-	10	7	7	19	-	108	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield - -	24,090	164	74	32	14	-	-	2	-	3	1	6	3	3	2	3	195	Sutton in Ashfield.
Worksop - - -	21,874	146	57	11	16	-	-	-	-	-	-	3	1	1	9	1	75	Worksop.

TABLE IX. (continued).—One hundred and forty-eight Smaller Towns.—Population; Births and Deaths in the QUARTER ended 30th September, 1915.

TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 year to 1000 Births.	TOWNS.
				DEATHS from														
				Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.													
DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)	39,170 21,744 33,839	251 68 242	116 55 86	23 4 30	41 24 21	- - -	- - -	- 5 -	- - -	1 - -	1 - -	3 1 7	4 2 7	4 2 9	29 5 7	7 1 -	92 59 124	DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)
CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).	39,278 45,964 33,670 34,857 26,109	192 241 136 138 141	134 97 115 113 95	23 21 15 23 18	29 26 39 30 22	- - 1 1 1	- - - - -	1 5 1 7 2	- - - - -	3 1 - 3 -	3 1 - 3 -	9 8 3 3 7	5 2 2 4 1	9 6 8 10 5	40 16 10 23 10	- - - - -	120 87 110 167 128	CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.).
LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middletown. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.	45,692 22,537 45,618 22,253 29,484 31,320 26,625 41,070 44,579 28,898 27,123 24,397 22,303 41,786 45,530 28,955 41,797 25,984 30,329 46,692 32,065 27,542 32,571	156 159 224 85 148 171 110 168 224 143 125 168 173 163 265 119 155 121 129 163 161 140 239	104 72 149 61 73 94 80 134 139 106 66 89 115 165 78 85 79 80 100 74 65 130	8 27 33 6 8 19 14 15 23 27 22 19 25 35 9 7 13 13 10 20 12 31	25 11 40 18 21 27 21 33 31 23 21 11 14 32 17 21 18 23 25 13 18 13 31	- -	1 -	3 -	17 19 -	4 2 3 3 1 3 1 7 6 2 4 1 2 5 6 3 2 2 3 3 4 2 6	1 2 6 4 3 3 3 5 11 4 6 1 4 5 10 6 5 4 4 3 4 1 6	16 2 27 6 10 12 13 15 22 6 6 - 2 18 26 12 12 14 10 7 13 24	7 5 4 1 - 2 9 2 3 3 2 8 - 4 1 - 3 3 - 4 4	51 170 147 71 54 111 127 89 112 189 176 113 145 117 132 76 45 107 101 61 124 86 130	LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middletown. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton and Pendlebury. Waterloo with Seaforth. Widnes.			
YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster. Goole. Harrogate.	36,949 20,533 25,074 51,591 21,639	169 88 152 300 102	123 49 84 149 71	22 6 29 35 11	32 18 16 41 18	- - - - -	- - - - -	2 3 4 1 -	- - - - -	5 1 - - -	1 2 3 3 -	7 2 24 8 2	3 - 4 6 19	7 8 7 29 11	21 5 5 19 13 18	- - - 2 -	130 68 191 117 108 90	YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster. Goole. Harrogate.

TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include										Deaths under 1 year to 1000 Births.	TOWNS.	
				Deaths of		DEATHS FROM										
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.			
																Inquest Cases.
YORKSHIRE (WEST RIDING)— <i>cont.</i>																YORKSHIRE (WEST RIDING)— <i>cont.</i>
Keighley -	44,156	168	105	19	31	-	-	1	7	4	5	24	2	113	Keighley.	
Morley -	24,507	132	63	18	18	-	-	2	3	2	3	4	-	136	Morley.	
Shipley -	28,448	125	89	9	35	-	-	1	1	2	3	17	-	72	Shipley.	
Spenborough -	31,750	131	104	17	25	11	-	3	3	1	5	6	-	130	Spenborough.	
Todmorden -	25,399	100	64	9	24	-	-	-	-	4	9	8	-	90	Todmorden.	
YORKSHIRE (NORTH RIDING).															YORKSHIRE (NORTH RIDING).	
Eston -	29,146	182	130	32	15	9	-	4	6	1	6	8	-	176	Eston.	
Scarborough -	36,890	138	102	5	42	-	-	-	1	-	5	29	-	36	Scarborough.	
DURHAM.															DURHAM.	
Blaydon -	35,086	244	79	20	10	-	1	-	6	4	4	5	1	82	Blaydon.	
Felling -	25,916	179	85	15	14	-	1	-	16	3	3	7	3	84	Felling.	
Hartlepool -	19,882	126	76	14	13	-	-	1	5	7	8	21	1	111	Hartlepool.	
Hebburn -	22,063	170	83	22	10	1	-	-	10	6	6	6	3	129	Hebburn.	
Jarrow -	33,528	223	137	32	32	1	-	4	13	2	2	14	7	143	Jarrow.	
Stanley -	26,683	190	76	21	11	-	1	-	7	1	1	4	-	111	Stanley.	
NORTHUMBERLAND.															NORTHUMBERLAND.	
Ashington -	28,275	231	88	26	15	1	-	2	2	2	3	1	-	113	Ashington.	
Bedlingtonshire -	27,762	176	76	18	19	6	-	1	10	2	2	2	2	102	Bedlingtonshire.	
Blyth -	32,411	205	114	34	23	4	-	-	21	3	2	3	4	166	Blyth.	
Wallsend -	44,891	291	124	27	28	1	-	1	9	5	8	12	-	93	Wallsend.	
CUMBERLAND.															CUMBERLAND.	
Workington -	24,726	146	115	20	24	25	1	7	4	6	8	7	5	137	Workington.	
MONMOUTHSHIRE.															MONMOUTHSHIRE.	
Abersychan -	27,052	155	57	15	13	-	1	-	2	3	5	12	-	97	Abersychan.	
Abertillery -	40,101	308	93	32	15	1	-	2	9	5	5	2	-	104	Abertillery.	
Bedwellty -	26,916	231	74	24	7	-	-	5	8	5	5	1	2	109	Bedwellty.	
Ebbw Vale -	33,862	247	91	19	19	2	2	1	7	4	4	9	-	77	Ebbw Vale.	
Tredegar -	25,377	199	64	13	10	1	-	1	6	4	4	2	1	65	Tredegar.	
GLAMORGANSHIRE.															GLAMORGANSHIRE.	
Barry -	36,105	213	82	15	23	-	-	-	10	2	6	12	-	70	Barry.	
Caerphilly -	38,761	302	92	30	16	6	-	2	2	7	7	4	-	99	Caerphilly.	
Gelligaer -	41,880	332	102	27	16	5	-	3	5	1	3	7	2	81	Gelligaer.	
Maesteg -	28,444	321	85	20	11	7	-	3	2	4	5	5	-	100	Maesteg.	
Mountain Ash -	46,126	323	98	28	10	3	-	3	5	7	7	4	-	87	Mountain Ash.	
Ogmore and Garw -	29,119	214	67	22	11	2	-	2	9	6	7	7	-	103	Ogmore and Garw.	
Pontypridd -	47,001	324	139	31	28	4	-	-	8	10	12	23	-	96	Pontypridd.	
CARMARTHENSHIRE.															CARMARTHENSHIRE.	
Llanelli -	34,316	201	92	19	31	-	2	1	3	4	5	7	1	95	Llanelli.	

TABLE X.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS	Estimated Popula- tion in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON - - - -	4,516,612	7,789	163	-	5	-	4,395	2,278	-	900	48
CROYDON - - - -	181,956	167	8	-	-	-	74	63	-	16	1
WIMBLEDON - - - -	59,598	64	7	-	-	-	21	29	-	5	2
EALING - - - -	71,030	128	2	-	-	-	106	12	-	8	-
ACTON - - - -	64,369	46	-	-	-	-	30	8	-	7	1
WILLESDEN - - - -	167,922	162	2	-	-	-	87	54	-	18	1
HORNSEY - - - -	88,953	70	2	-	-	-	33	27	-	6	2
TOTTENHAM - - - -	149,495	194	1	-	-	-	125	46	-	22	-
EDMONTON - - - -	71,024	113	4	-	-	-	60	25	-	22	2
ENFIELD - - - -	61,069	68	10	-	-	-	26	17	-	14	1
WEST HAM - - - -	296,570	330	13	-	-	-	159	96	-	60	2
EAST HAM - - - -	146,526	131	2	-	-	-	78	33	-	17	1
LEYTON - - - -	133,719	148	1	-	-	-	89	41	-	16	1
WALTHAMSTOW - - - -	134,825	215	4	-	-	-	114	80	-	17	-
ILFORD - - - -	91,041	92	2	-	-	-	54	29	-	7	-
GILLINGHAM - - - -	55,559	61	3	-	-	-	30	17	-	10	1
HASTINGS - - - -	59,620	18	1	-	-	-	13	2	-	2	-
EASTBOURNE - - - -	55,662	91	1	-	-	-	43	39	-	6	2
BRIGHTON - - - -	133,936	97	6	-	-	-	44	37	-	10	-
PORTSMOUTH‡ - - - -	245,827	508	42	-	1	-	213	230	-	20	2
BOURNEMOUTH - - - -	85,904	36	-	-	-	-	17	18	-	1	-
SOUTHAMPTON - - - -	123,948	188	5	-	-	-	95	77	-	10	1
READING - - - -	90,083	62	5	-	-	-	30	12	-	12	3
OXFORD - - - -	54,339	16	1	-	-	-	8	5	-	2	-
NORTHAMPTON - - - -	91,123	341	5	-	-	-	220	98	-	14	4
CAMBRIDGE - - - -	57,676	34	-	-	-	-	19	10	-	5	-
SOUTHEND ON SEA - - - -	83,908	51	2	-	-	-	16	25	-	6	2
IPSWICH - - - -	76,472	115	6	-	-	-	85	20	-	4	-
GREAT YARMOUTH - - - -	57,502	65	5	-	-	-	21	31	-	7	1
NORWICH - - - -	124,107	126	6	-	-	-	36	77	-	6	1
SWINDON - - - -	52,750	115	-	-	-	-	97	11	-	7	-
EXETER - - - -	60,788	24	3	-	-	-	8	9	-	3	1
PLYMOUTH - - - -	212,421	223	20	-	-	-	72	87	-	41	3
BATH - - - -	70,292	72	1	-	-	-	39	17	-	15	-
BRISTOL - - - -	363,312	389	12	-	-	-	197	127	-	46	7
GLOUCESTER - - - -	50,759	33	-	-	-	-	11	15	-	7	-
STOKE ON TRENT - - - -	241,430	641	14	-	-	-	287	286	-	48	6
WOLVERHAMPTON - - - -	95,725	112	1	-	-	-	62	34	-	14	1
WALSALL - - - -	94,093	93	-	-	-	-	58	11	-	18	3
WEST BROMWICH - - - -	69,430	33	1	-	-	-	15	14	-	5	1
DUDLEY - - - -	51,895	64	1	-	-	-	52	-	-	11	-
BIRMINGHAM - - - -	868,430	1,314	6	-	-	-	797	291	-	173	47
SMETHWICK - - - -	76,314	110	-	-	-	-	83	15	-	10	2
COVENTRY - - - -	119,003	236	1	-	-	-	163	49	-	21	2
LEICESTER - - - -	232,664	211	2	-	-	-	74	34	-	97	4
LINCOLN - - - -	60,243	39	1	-	-	-	16	14	-	8	-
GRIMSBY - - - -	78,667	81	5	-	-	-	50	23	-	3	-
NOTTINGHAM - - - -	266,918	415	6	-	-	-	308	55	-	45	1
DERBY - - - -	126,389	332	9	-	-	-	229	81	-	9	4
STOCKPORT - - - -	126,040	227	2	-	-	-	181	23	-	20	1
BIRKENHEAD - - - -	137,710	135	8	-	-	-	83	15	-	26	3
WALLASEY - - - -	87,175	79	5	-	-	-	57	9	-	8	-
LIVERPOOL - - - -	767,992	1,217	32	-	-	-	738	283	-	154	10
BOOTLE - - - -	73,230	87	4	-	-	-	62	8	-	13	-
ST. HELENS - - - -	100,775	235	7	-	-	-	112	95	-	16	5
SOUTHPORT - - - -	71,747	72	1	-	-	-	42	20	-	9	-
WIGAN - - - -	91,491	461	9	-	-	-	420	10	-	21	1
WARRINGTON - - - -	74,923	364	11	-	-	-	316	16	-	21	-
BOLTON - - - -	185,247	221	6	-	-	-	121	47	-	46	1
BURY - - - -	59,213	60	4	-	-	-	37	8	-	10	1
MANCHESTER - - - -	738,538	987	33	-	-	-	719	95	-	118	22
SALFORD - - - -	234,975	343	23	-	-	-	229	47	-	36	8

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† See Note * to Table II.

‡ The figures for Southsea District of Portsmouth are—population (1911), 25,380; enteric fever, 3; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 14; diphtheria (including membranous croup), 18; erysipelas, 1; and puerperal fever, nil.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	151,044	168	1	-	-	-	114	22	-	29	2
ROCHDALE - - - -	94,320	146	6	-	-	-	26	92	-	22	-
BURNLEY - - - -	110,040	141	3	-	-	-	92	20	-	26	3
BLACKBURN - - - -	134,387	130	3	-	-	-	98	9	-	18	2
PRESTON - - - -	118,514	204	7	-	-	-	138	37	-	16	6
BLACKPOOL - - - -	62,206	108	3	-	-	-	91	6	-	6	2
BARROW IN FURNESS -	65,921	79	1	-	-	-	30	35	-	13	-
HUDDERSFIELD - - -	112,265	160	4	-	-	-	102	44	-	10	-
HALIFAX - - - -	100,373	56	7	-	-	-	27	14	-	7	1
BRADFORD - - - -	291,482	274	24	-	-	-	126	72	-	44	8
LEEDS - - - -	459,260	522	22	-	-	-	339	81	-	75	5
DEWSBURY - - - -	54,083	62	-	-	-	-	49	4	-	8	1
WAKEFIELD - - - -	52,643	55	7	-	-	-	14	24	-	9	1
BARNSELY - - - -	53,929	52	3	-	-	-	32	12	-	5	-
SHEFFIELD - - - -	477,228	871	11	-	-	-	549	223	-	76	12
ROTHERHAM - - - -	65,313	154	12	-	-	-	115	20	-	7	-
YORK - - - -	83,802	97	3	-	-	-	62	26	-	4	2
HULL - - - -	291,118	298	20	-	-	-	87	151	-	35	5
MIDDLESBROUGH - - -	126,452	131	4	-	-	-	51	61	-	12	-
DARLINGTON - - - -	61,441	54	1	-	-	-	38	10	-	5	-
STOCKTON ON TEES - -	59,311	106	2	-	-	-	65	32	-	6	1
WEST HARTLEPOOL - -	64,374	29	-	-	-	-	21	3	-	5	-
SUNDERLAND - - - -	152,927	108	6	-	-	-	45	23	-	31	3
SOUTH SHIELDS - - -	111,357	389	1	-	-	-	370	8	-	9	1
GATESHEAD - - - -	119,362	192	2	-	-	-	144	23	-	22	1
NEWCASTLE ON TYNE -	273,415	462	23	-	2	-	343	54	-	36	4
TYNEMOUTH - - - -	61,408	106	57	-	1	-	21	19	-	6	2
CARLISLE - - - -	52,813	214	-	-	-	-	187	11	-	16	-
NEWPORT (MON.) - - -	89,404	81	3	-	-	-	44	19	-	13	2
CARDIFF - - - -	188,495	309	6	-	-	-	201	77	-	21	4
RHONDDA - - - -	166,365	236	18	-	2	-	143	44	-	25	4
MERTHYR TYDFIL - - -	85,082	78	2	-	-	-	57	8	-	11	-
ABERDARE - - - -	53,427	102	3	-	-	-	77	10	-	11	1
SWANSEA - - - -	121,665	75	5	-	-	-	35	15	-	19	1
Smaller Towns.											
SURREY—											
BARNES - - - -	34,745	47	1	-	-	-	31	11	-	2	2
GUILDFORD - - - -	24,927	15	-	-	-	-	5	6	-	4	-
KINGSTON ON THAMES -	39,227	26	5	-	-	-	7	4	-	9	1
MITCHAM - - - -	34,682	50	2	-	-	-	21	16	-	11	-
REIGATE - - - -	29,375	37	1	-	-	-	25	9	-	2	-
RICHMOND - - - -	33,760	45	1	-	-	-	37	5	-	2	-
SUTTON - - - -	22,678	17	-	-	-	-	11	4	-	2	-
WOKING - - - -	27,055	10	2	-	-	-	3	2	-	3	-
KENT—											
BECKENHAM - - - -	33,572	17	-	-	-	-	9	7	-	1	-
BROMLEY - - - -	35,820	51	-	-	-	-	17	29	-	4	1
CANTERBURY - - - -	24,531	54	3	-	-	-	20	29	-	2	-
CHATHAM - - - -	44,057	47	1	-	-	-	28	12	-	6	-
DARTFORD - - - -	25,336	61	2	-	-	-	47	5	-	7	-
DOVER - - - -	43,984	35	3	-	-	-	27	4	-	1	-
ERITH - - - -	28,604	77	1	-	-	-	41	29	-	6	-
FOLKESTONE - - - -	33,968	48	1	-	-	-	13	32	-	2	-
GRAVESEND - - - -	28,435	30	1	-	-	-	5	19	-	5	-
MAIDSTONE - - - -	36,157	26	1	-	-	-	16	3	-	6	-
MARGATE - - - -	29,965	13	4	-	1	-	4	3	-	1	-
PENGE (Surrey Reg. Co.)	22,283	7	-	-	-	-	3	4	-	-	-
RAMSGATE - - - -	30,254	39	5	-	-	-	9	8	-	17	-
ROCHESTER - - - -	31,660	47	-	-	-	-	23	19	-	5	-
TUNBRIDGE WELLS -	36,506	22	-	-	-	-	3	18	-	1	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever
SUSSEX EAST—											
HOVE - - - -	44,134	15	1	-	-	-	7	4	-	3	-
SUSSEX WEST—											
WORTHING - - -	32,997	33	1	-	-	-	19	12	-	1	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.)	36,637	48	-	-	-	-	29	19	-	-	-
GOSPORT & ALVERSTOKE	34,838	35	-	-	-	-	12	19	-	4	-
WINCHESTER - - -	24,230	24	1	-	-	-	19	2	-	-	2
MIDDLESEX—											
CHISWICK - - -	41,858	32	1	-	-	-	7	18	-	6	-
FINCHLEY - - -	45,435	35	2	-	-	-	19	8	-	5	1
HENDON - - - -	44,496	53	3	-	-	-	22	25	-	3	-
HESTON & ISLEWORTH	47,644	48	-	-	-	-	24	17	-	6	1
SOUTHALL NORWOOD -	30,889	30	2	-	-	-	16	5	-	7	-
SOUTHGATE - - -	40,090	29	2	-	-	-	18	7	-	2	-
TWICKENHAM - - -	32,281	20	1	-	-	-	7	9	-	2	1
WOOD GREEN - - -	54,635	72	-	-	-	-	29	31	-	12	-
HERTFORDSHIRE—											
ST. ALBANS - - -	26,203	11	-	-	-	-	5	2	-	3	1
WATFORD - - - -	44,943	31	1	-	-	-	10	16	-	4	-
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE -	21,328	12	-	-	-	-	8	4	-	-	-
NORTHAMPTONSHIRE—											
KETTERING - - -	30,431	57	-	-	-	-	16	35	-	6	-
SOKE OF PETER- BOROUGH—											
PETERBOROUGH - - -	34,514	53	2	-	-	-	46	4	-	1	-
BEDFORDSHIRE—											
BEDFORD - - - -	40,588	68	1	-	-	-	27	32	-	7	1
LUTON - - - - -	54,700	121	2	-	-	-	36	71	-	12	-
ESSEX—											
BARKING TOWN - - -	34,685	54	1	-	-	-	21	7	-	5	-
COLCHESTER - - -	45,219	84	3	-	-	-	65	9	-	7	-
SUFFOLK EAST—											
LOWESTOFT - - -	35,143	29	5	-	-	-	5	16	-	3	-
NORFOLK—											
KING'S LYNN - - -	20,171	45	2	-	-	-	40	3	-	-	-
WILTSHIRE—											
SALISBURY - - - -	21,576	32	-	-	-	-	25	3	-	4	-
DORSETSHIRE—											
POOLE - - - - -	42,826	26	1	-	-	-	15	6	-	4	-
WEYMOUTH AND MELCOMBE REGIS.	23,187	5	-	-	-	-	4	-	-	1	-
DEVONSHIRE—											
TORQUAY - - - -	40,561	21	-	-	-	-	6	15	-	-	-
SOMERSETSHIRE—											
TAUNTON - - - -	23,074	26	-	-	-	-	14	10	-	2	-
WESTON SUPER MARE -	24,414	12	1	-	-	-	2	8	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM - - -	48,769	57	4	-	-	-	28	11	-	13	1
HEREFORDSHIRE—											
HEREFORD - - - -	22,981	24	-	-	-	-	13	2	-	9	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHERIFFSHIRE—											
SHREWSBURY - - -	29,735	41	1	-	-	-	12	22	-	5	1
STAFFORDSHIRE—											
BILSTON - - -	26,254	20	-	-	-	-	13	1	-	6	-
BURTON UPON TRENT -	47,528	26	-	-	-	-	12	5	-	9	-
CANNOCK - - -	30,191	31	-	-	-	-	24	1	-	4	2
COSFLEY - - -	23,048	30	1	-	-	-	23	-	-	6	-
NEWCASTLE UNDER	20,301	29	3	-	-	-	20	5	-	1	-
LYME.											
ROWLEY REGIS - - -	37,811	27	2	-	-	-	18	3	-	4	-
STAFFORD - - -	24,249	45	-	-	-	-	35	9	-	1	-
TIPTON - - -	32,178	25	2	-	-	-	11	3	-	7	2
WEDNESBURY - - -	28,642	13	1	-	-	-	3	6	-	3	-
WOLSTANTON UNITED -	28,967	52	1	-	-	-	40	10	-	1	-
WORCESTERSHIRE—											
KIDDERMINSTER - - -	27,583	15	-	-	-	-	11	4	-	-	-
OLDBURY (Staffordshire	24,682	44	-	-	-	-	35	6	-	3	-
Reg. Co.).											
WORCESTER - - -	49,735	55	2	-	-	-	31	18	-	4	-
WARWICKSHIRE—											
NUNEATON - - -	41,275	24	-	-	-	-	16	7	-	1	-
ROYAL LEAMINGTON SPA	26,652	32	1	-	-	-	15	12	-	4	-
RUGBY - - -	23,472	35	-	-	-	-	30	2	-	2	1
SUTTON COLDFIELD	22,173	20	1	-	-	-	17	2	-	-	-
(Staffs. Reg. Co.).											
LEICESTERSHIRE—											
LOUGHBOROUGH - - -	23,506	16	-	-	-	-	10	5	-	1	-
LINCOLNSHIRE											
(KESTEVEN)—											
GRANTHAM - - -	20,932	33	-	-	-	-	18	12	-	3	-
LINCOLNSHIRE											
(LINDSEY)—											
CLEETHORPE WITH	24,492	17	2	-	-	-	2	12	-	1	-
THRUNSCOE.											
GAINSBOROUGH - - -	21,605	18	-	-	-	-	16	-	-	2	-
NOTTINGHAMSHIRE—											
MANSFIELD - - -	42,261	43	2	-	-	-	27	8	-	6	-
SUTTON IN ASHFIELD -	24,090	9	3	-	-	-	-	3	-	3	-
WORKSOP - - -	21,874	11	-	-	-	-	7	4	-	-	-
DERBYSHIRE—											
CHESTERFIELD - - -	39,170	45	1	-	-	-	28	11	-	4	1
GLOSSOP - - -	21,744	33	-	-	-	-	27	2	-	4	-
ILKESTON (Nottingham-	33,839	50	1	-	-	-	31	18	-	-	-
shire Reg. Co.).											
CHESHIRE—											
CHESTER - - -	39,278	32	-	-	-	-	12	15	-	3	2
CREWE - - -	45,964	52	-	-	-	-	39	11	-	2	-
HYDE - - -	33,670	38	-	-	-	-	25	-	-	13	-
MACCLESFIELD - - -	34,857	10	1	-	-	-	5	4	-	-	-
STALYBRIDGE (Lanca-	26,109	27	1	-	-	-	20	3	-	3	-
shire Reg. Co.).											
LANCASHIRE—											
ACCINGTON - - -	45,692	18	1	-	-	-	8	1	-	8	-
ASHTON IN MAKERFIELD	22,537	72	-	-	-	-	60	6	-	4	2
ASHTON UNDER LYNE -	45,618	29	1	-	-	-	23	-	-	5	-
BACUP - - -	22,253	18	-	-	-	-	9	1	-	8	-
CHADDERTON - - -	29,484	31	-	-	-	-	27	1	-	3	-
CHORLEY - - -	31,520	23	-	-	1	-	16	1	-	5	-
COLNE - - -	26,625	28	1	-	-	-	17	5	-	5	-
DARWEN - - -	41,070	30	-	-	-	-	25	2	-	3	-
ECCLES - - -	44,579	50	4	-	-	-	24	20	-	2	-
FARNWORTH - - -	28,898	38	1	-	-	-	22	7	-	8	-

* The figures in this table, excepting those for London, which are derived from Table XI, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended and October, 1915.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small- pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—cont.											
HEYWOOD - - - -	27,128	37	-	-	-	-	24	8	-	5	-
HINDLEY - - - -	24,307	42	4	-	-	-	31	2	-	5	-
INCE IN MAKERFIELD - -	22,303	61	2	-	-	-	58	1	-	-	-
LANCASTER - - - -	41,786	23	1	-	-	-	13	2	-	6	1
LEIGH - - - -	45,530	124	2	-	-	-	92	7	-	21	2
MIDDLETON - - - -	28,955	29	2	-	-	-	14	2	-	10	1
NELSON - - - -	41,797	143	-	-	-	-	127	12	-	4	-
RADCLIFFE - - - -	25,984	73	1	-	-	-	69	-	-	3	-
RAWTENSTALL - - - -	30,329	21	9	-	-	-	9	3	-	-	-
STRET福德 - - - -	46,692	46	1	-	-	-	32	11	-	2	-
SWINTON AND PENDLEBURY.	32,065	51	9	-	-	-	12	19	-	11	-
WATERLOO WITH SEAFORTH.	27,542	46	1	-	-	-	30	10	-	5	-
WIDNES - - - -	32,571	56	13	-	-	-	40	2	-	1	-
YORKSHIRE (WEST RIDING)—											
BATLEY - - - -	36,949	61	-	-	-	-	46	13	-	2	-
BRIGHOUSE - - - -	20,533	37	-	-	-	-	11	23	-	3	-
CASTLEFORD - - - -	25,074	21	5	-	-	-	15	1	-	-	-
DONCASTER - - - -	51,591	92	1	-	-	-	70	12	-	7	2
GOOLE - - - -	21,639	47	1	-	-	-	7	34	-	5	-
HARROGATE - - - -	35,540	13	2	-	-	-	6	3	-	2	-
KEIGHLEY - - - -	44,156	16	-	-	-	-	4	6	-	6	-
MORLEY - - - -	24,507	28	2	-	-	-	12	7	-	6	1
SHIPLEY - - - -	23,448	26	-	-	-	-	12	12	-	2	-
SPENBOROUGH - - - -	31,750	18	1	-	-	-	6	8	-	3	-
TODMORDEN - - - -	25,399	16	1	-	-	-	10	-	-	4	1
YORKSHIRE (NORTH RIDING)—											
ESTON - - - -	29,146	28	-	-	-	-	15	10	-	2	1
SCARBOROUGH - - - -	36,890	27	-	-	-	-	12	12	-	3	-
DURHAM—											
BLAYDON - - - -	35,086	67	2	-	-	-	42	20	-	3	-
FELLING - - - -	25,916	29	3	-	-	-	18	-	-	7	1
HARTLEPOOL - - - -	19,882	20	-	-	-	-	15	2	-	3	-
HEBBURN - - - -	22,063	35	1	-	-	-	26	4	-	4	-
JARROW - - - -	33,528	44	1	-	-	-	33	7	-	3	-
STANLEY - - - -	26,683	55	-	-	-	-	49	6	-	-	-
NORTHUMBERLAND—											
ASHINGTON - - - -	28,275	78	1	-	1	-	54	20	-	1	1
BEDLINGTONSHIRE - -	27,762	24	9	-	-	-	9	3	-	3	-
BLYTH - - - -	32,411	21	1	-	-	-	10	4	-	5	1
WALLSEND - - - -	44,891	69	-	-	-	-	51	13	-	4	1
CUMBERLAND—											
WORKINGTON - - - -	24,726	68	2	-	-	-	53	10	-	3	-
MONMOUTHSHIRE—											
ABERSYCHAN - - - -	27,052	109	-	-	-	-	101	6	-	2	-
ABERTILLERY - - - -	40,101	38	3	-	-	-	29	5	-	1	-
BEDWELLTY - - - -	26,916	43	1	-	-	-	28	11	-	3	-
EBBW VALE - - - -	33,862	73	1	-	-	-	63	-	-	9	-
TREDEGAR - - - -	25,377	122	1	-	-	-	102	12	-	6	1
GLAMORGANSHIRE—											
BARRY - - - -	36,105	85	6	-	-	-	35	37	-	6	1
CAERPHILLY - - - -	38,761	48	3	-	-	-	27	16	-	1	1
GELLIGAER - - - -	41,880	87	-	-	-	-	62	22	-	3	-
MAESTEG - - - -	28,444	108	1	-	-	-	93	10	-	4	-
MOUNTAIN ASH - - - -	46,126	61	2	-	-	-	41	13	-	4	1
OGMORE AND GARW - -	29,119	33	8	-	-	-	21	3	-	1	-
PONTYPRIDD - - - -	47,001	29	4	-	-	-	9	9	-	7	-
CARMARTHENSHIRE—											
LLANELLY - - - -	34,316	81	-	-	-	-	75	5	-	2	2

* The figures in this table excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE XI.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 2nd October, 1915.*

BOROUGHs	Estimated Popula- tion in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.
WEST.																
Addington - -	142,055	214	5	-	-	-	82	88	-	29	-	3	1	-	6	-
Bensington - -	170,817	183	4	-	-	-	116	31	-	26	3	1	-	-	1	1
Hammersmith - -	124,750	154	11	-	-	-	73	48	-	11	2	-	-	-	7	2
Wulham - -	158,849	236	6	-	-	-	138	50	-	24	4	4	-	-	8	2
Welsea - -	63,791	66	3	-	-	-	27	22	-	5	3	1	-	-	2	3
City of Westminster -	152,346	234	6	-	-	-	123	79	-	16	5	2	-	-	3	-
NORTH.																
St. Marylebone - -	112,892	115	3	-	-	-	56	34	-	18	-	1	-	-	3	-
St. Pancras - -	86,731	105	3	-	-	-	56	29	-	15	-	-	-	-	1	1
St. Pancras - -	212,497	449	15	-	-	-	270	91	-	58	7	-	-	-	7	1
St. Pancras - -	324,764	566	10	-	-	-	326	164	-	40	11	5	-	-	5	5
St. Pancras - -	50,451	65	1	-	-	-	40	15	-	7	-	1	-	-	-	1
St. Pancras - -	223,724	430	8	-	2	-	255	102	-	54	2	3	-	-	4	-
CENTRAL.																
St. Pancras - -	45,861	69	2	-	-	-	39	14	-	9	2	-	-	-	3	-
St. Pancras - -	83,212	194	1	-	-	-	134	34	-	13	4	1	-	-	7	-
City of London - -	17,129	36	-	-	-	-	25	9	-	1	1	-	-	-	-	-
EAST.																
St. Pancras - -	108,869	351	3	-	-	-	207	82	-	41	10	-	-	-	8	-
St. Pancras - -	127,662	493	2	-	-	-	297	145	-	35	4	1	-	-	6	3
St. Pancras - -	273,265	961	8	-	1	-	503	318	-	79	3	3	-	-	14	2
St. Pancras - -	160,222	336	6	-	-	-	160	99	-	47	2	2	-	-	18	2
SOUTH.																
St. Pancras - -	186,941	302	2	-	1	-	110	96	-	61	5	10	-	-	16	1
St. Pancras - -	124,213	183	4	-	-	-	96	42	-	35	2	2	-	-	2	-
St. Pancras - -	296,724	378	9	-	-	-	209	99	-	32	9	4	-	-	16	-
St. Pancras - -	167,333	338	8	-	-	-	172	107	-	33	3	-	-	-	10	5
St. Pancras - -	338,998	533	12	-	-	-	281	168	-	48	7	1	-	-	12	4
St. Pancras - -	262,020	397	10	-	1	-	213	104	-	49	4	2	-	-	14	1
St. Pancras - -	109,182	193	1	-	-	-	97	50	-	37	2	-	1	-	5	-
St. Pancras - -	96,037	159	8	-	-	-	84	37	-	28	1	-	-	-	1	-
St. Pancras - -	172,433	158	7	-	-	-	86	39	-	19	3	-	-	-	3	1
St. Pancras - -	122,836	210	3	-	-	-	119	52	-	30	2	1	-	-	2	1
Port of London - -	?	5	2	-	-	-	2	-	-	-	1	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.		4,516,612	8,113	163	-	5	4,395	2,278	-	900	102	48	2	-	184	36
Ages 0-1 - - -		320	1	-	-	-	46	35	-	32	18	-	-	-	184	4
" 1-5 - - -		2,064	9	-	-	-	1,221	744	-	37	30	-	-	-	-	23
" 5- - - -		2,861	11	-	-	-	1,919	880	-	26	19	-	-	-	-	6
" 10- - - -		1,170	23	-	-	-	758	329	-	46	11	-	-	-	-	3
" 15- - - -		385	11	-	-	-	208	106	-	53	6	1	-	-	-	-
" 20- - - -		247	29	-	2	-	88	63	-	44	10	11	-	-	-	-
" 25- - - -		353	33	-	2	-	107	75	-	107	6	23	-	-	-	-
" 35- - - -		271	25	-	1	-	38	26	-	167	-	13	1	-	-	-
" 45- - - -		211	16	-	-	-	6	16	-	171	1	-	1	-	-	-
" 55- - - -		117	2	-	-	-	2	3	-	109	1	-	-	-	-	-
" 65- - - -		88	3	-	-	-	1	1	-	83	-	-	-	-	-	-
" 75 and upwards -		26	-	-	-	-	1	-	-	25	-	-	-	-	-	-
Age not stated - -		-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

* This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 56 (4) of the Public Health (London) Act, 1891.

† See Note* to Table II.

TABLE XII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	6.90	0.14	-	0.00	-	3.90	2.02	-	0.80	0.04
243 Provincial Towns - - - -	5.43	0.19	-	0.00	-	3.33	1.27	-	0.58	0.06
95 Great Towns - - - -	5.59	0.19	-	0.00	-	3.42	1.30	-	0.61	0.07
148 Smaller Towns - - - -	4.96	0.18	-	0.00	-	3.07	1.19	-	0.49	0.03
Great Towns.										
CROYDON - - - -	3.68	0.18	-	-	-	1.63	1.50	-	0.35	0.02
WIMBLEDON - - - -	4.30	0.47	-	-	-	1.41	1.95	-	0.34	0.13
EALING - - - -	7.23	0.11	-	-	-	5.99	0.68	-	0.45	-
ACTON - - - -	2.87	-	-	-	-	1.87	0.50	-	0.44	0.06
WILLESDEN - - - -	3.87	0.05	-	-	-	2.08	1.29	-	0.43	0.02
HORNSEY - - - -	3.16	0.09	-	-	-	1.49	1.22	-	0.27	0.09
TOTTENHAM - - - -	5.20	0.03	-	-	-	3.35	1.23	-	0.59	-
EDMONTON - - - -	6.38	0.23	-	-	-	3.39	1.41	-	1.24	0.11
ENFIELD - - - -	4.48	0.66	-	-	-	1.71	1.12	-	0.92	0.07
WEST HAM - - - -	4.47	0.18	-	-	-	2.15	1.30	-	0.81	0.03
EAST HAM - - - -	3.59	0.05	-	-	-	2.14	0.90	-	0.47	0.03
LEYTON - - - -	4.44	0.03	-	-	-	2.67	1.23	-	0.48	0.03
WALTHAMSTOW - - - -	6.40	0.12	-	-	-	3.39	2.38	-	0.51	-
ILFORD - - - -	4.06	0.09	-	-	-	2.38	1.28	-	0.31	-
GILLINGHAM - - - -	4.41	0.22	-	-	-	2.17	1.23	-	0.72	0.07
HASTINGS - - - -	1.20	0.07	-	-	-	0.87	0.13	-	0.13	-
EASTBOURNE - - - -	6.55	0.07	-	-	-	3.10	2.81	-	0.43	0.14
BRIGHTON - - - -	2.91	0.18	-	-	-	1.32	1.11	-	0.30	-
PORTSMOUTH - - - -	8.30	0.69	-	0.02	-	3.48	3.75	-	0.33	0.03
BOURNEMOUTH - - - -	1.68	-	-	-	-	0.79	0.84	-	0.05	-
SOUTHAMPTON - - - -	6.07	0.16	-	-	-	3.07	2.49	-	0.32	0.03
READING - - - -	2.75	0.22	-	-	-	1.34	0.53	-	0.53	0.13
OXFORD - - - -	1.18	0.07	-	-	-	0.59	0.37	-	0.15	-
NORTHAMPTON - - - -	15.01	0.22	-	-	-	9.68	4.31	-	0.62	0.18
CAMBRIDGE - - - -	2.37	-	-	-	-	1.32	0.70	-	0.35	-
SOUTHEND ON SEA - - - -	2.45	0.10	-	-	-	0.76	1.20	-	0.29	0.10
IPSWICH - - - -	6.03	0.31	-	-	-	4.46	1.05	-	0.21	-
GREAT YARMOUTH - - - -	4.53	0.35	-	-	-	1.46	2.16	-	0.49	0.07
NORWICH - - - -	4.06	0.19	-	-	-	1.16	2.49	-	0.19	0.03
SWINDON - - - -	8.75	-	-	-	-	7.38	0.84	-	0.53	-
EXETER - - - -	1.59	0.20	-	-	-	0.63	0.59	-	0.20	0.07
PLYMOUTH - - - -	4.21	0.38	-	-	-	1.36	1.64	-	0.77	0.06
BATH - - - -	4.12	0.06	-	-	-	2.23	0.97	-	0.86	-
BRISTOL - - - -	4.29	0.13	-	-	-	2.17	1.40	-	0.51	0.08
GLOUCESTER - - - -	2.61	-	-	-	-	0.87	1.19	-	0.55	-
STOKE ON TRENT - - - -	10.65	0.23	-	-	-	4.77	4.75	-	0.80	0.10
WOLVERHAMPTON - - - -	4.63	0.04	-	-	-	2.60	1.42	-	0.59	0.04
WALSALL - - - -	3.97	-	-	-	-	2.47	0.60	-	0.77	0.13
WEST BROMWICH - - - -	2.09	0.06	-	-	-	0.87	0.81	-	0.29	0.06
DUDLEY - - - -	4.95	0.03	-	-	-	4.02	-	-	0.85	-
BIRMINGHAM - - - -	6.07	0.03	-	-	-	3.68	1.34	-	0.80	0.22
SMETHWICK - - - -	5.79	-	-	-	-	4.36	0.79	-	0.53	0.11
COVENTRY - - - -	7.95	0.03	-	-	-	5.49	1.65	-	0.71	0.07
LEICESTER - - - -	3.64	0.03	-	-	-	1.28	0.59	-	1.67	0.07
LINCOLN - - - -	2.60	0.07	-	-	-	1.07	0.93	-	0.53	-
GRIMSBY - - - -	4.12	0.25	-	-	-	2.55	1.17	-	0.15	-
NOTTINGHAM - - - -	6.25	0.09	-	-	-	4.63	0.83	-	0.68	0.02
DERBY - - - -	10.55	0.29	-	-	-	7.27	2.57	-	0.29	0.13
STOCKPORT - - - -	7.22	0.06	-	-	-	5.76	0.73	-	0.64	0.03
BIRKENHEAD - - - -	3.94	0.23	-	-	-	2.42	0.44	-	0.76	0.09
WALLASEY - - - -	3.63	0.23	-	-	-	2.62	0.41	-	0.37	-
LIVERPOOL - - - -	6.35	0.17	-	-	-	3.85	1.48	-	0.80	0.05
BOOTLE - - - -	4.77	0.22	-	-	-	3.40	0.44	-	0.71	-
ST. HELENS - - - -	9.36	0.28	-	-	-	4.46	3.78	-	0.64	0.20
SOUTHPORT - - - -	4.03	0.06	-	-	-	2.35	1.12	-	0.50	-
WIGAN - - - -	20.20	0.39	-	-	-	18.41	0.44	-	0.92	0.04
WARRINGTON - - - -	19.49	0.59	-	-	-	16.92	0.86	-	1.12	-
BOLTON - - - -	4.79	0.13	-	-	-	2.62	1.02	-	1.00	0.02
BURY - - - -	4.07	0.27	-	-	-	2.51	0.54	-	0.68	0.07
MANCHESTER - - - -	5.36	0.18	-	-	-	3.90	0.52	-	0.64	0.12
SALFORD - - - -	5.85	0.39	-	-	-	3.91	0.80	-	0.61	0.14

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - - -	4·46	0·03	-	-	-	3·03	0·58	-	0·77	0·05
ROCHDALE - - - - -	6·22	0·26	-	-	-	1·11	3·91	-	0·94	-
BURNLEY - - - - -	5·25	0·11	-	-	-	3·35	0·73	-	0·95	0·11
BLACKBURN - - - - -	3·89	0·09	-	-	-	2·93	0·27	-	0·54	0·06
PRESTON - - - - -	6·90	0·24	-	-	-	4·67	1·25	-	0·54	0·20
BLACKPOOL - - - - -	6·97	0·19	-	-	-	5·87	0·39	-	0·39	0·13
BARROW IN FURNESS - - - - -	4·81	0·06	-	-	-	1·83	2·13	-	0·79	-
HUDDERSFIELD - - - - -	5·71	0·14	-	-	-	3·64	1·57	-	0·36	-
HALIFAX - - - - -	2·24	0·28	-	-	-	1·08	0·56	-	0·28	0·04
BRADFORD - - - - -	3·77	0·33	-	-	-	1·73	0·99	-	0·61	0·11
LEEDS - - - - -	4·55	0·18	-	-	-	2·96	0·71	-	0·66	0·04
DEWSBURY - - - - -	4·59	-	-	-	-	3·63	0·30	-	0·59	0·07
WAKEFIELD - - - - -	4·20	0·53	-	-	-	1·07	1·83	-	0·69	0·08
BARNLEY - - - - -	3·86	0·22	-	-	-	2·38	0·89	-	0·37	-
SHEFFIELD - - - - -	7·31	0·09	-	-	-	4·61	1·87	-	0·64	0·10
ROTHERHAM - - - - -	9·46	0·74	-	-	-	7·06	1·23	-	0·43	-
YORK - - - - -	4·64	0·14	-	-	-	2·97	1·24	-	0·19	0·10
HULL - - - - -	4·11	0·28	-	-	-	1·20	2·08	-	0·48	0·07
MIDDLESBROUGH - - - - -	4·15	0·13	-	-	-	1·71	1·93	-	0·38	-
DARLINGTON - - - - -	3·53	0·07	-	-	-	2·48	0·65	-	0·33	-
STOCKTON ON TEES - - - - -	7·18	0·14	-	-	-	4·40	2·16	-	0·41	0·07
WEST HARTLEPOOL - - - - -	1·81	-	-	-	-	1·31	0·19	-	0·31	-
SUNDERLAND - - - - -	2·83	0·16	-	-	-	1·18	0·60	-	0·81	0·08
SOUTH SHIELDS - - - - -	14·02	0·04	-	-	-	13·33	0·29	-	0·32	0·04
GATESHEAD - - - - -	6·46	0·07	-	-	-	4·85	0·77	-	0·74	0·03
NEWCASTLE ON TYNE - - - - -	6·78	0·34	-	0·03	-	5·03	0·79	-	0·53	0·06
TYNEMOUTH - - - - -	6·92	3·72	-	0·07	-	1·37	1·24	-	0·39	0·13
CARLISLE - - - - -	16·26	-	-	-	-	14·20	0·84	-	1·22	-
NEWPORT (MON.) - - - - -	3·62	0·13	-	-	-	1·97	0·85	-	0·58	0·09
CARDIFF - - - - -	6·59	0·13	-	-	-	4·23	1·64	-	0·45	0·09
RHONDDA - - - - -	5·69	0·43	-	0·05	-	3·45	1·06	-	0·60	0·10
MERTHYR TYDFIL - - - - -	3·68	0·09	-	-	-	2·69	0·38	-	0·62	-
ABERDARE - - - - -	7·67	0·23	-	-	-	5·78	0·75	-	0·83	0·08
SWANSEA - - - - -	2·46	0·16	-	-	-	1·15	0·49	-	0·63	0·03
Smaller Towns.										
SURREY—										
BARNES - - - - -	5·43	0·12	-	-	-	3·58	1·27	-	0·23	0·23
GUILDFORD - - - - -	2·41	-	-	-	-	0·80	0·97	-	0·64	-
KINGSTON ON THAMES - - - - -	2·66	0·51	-	-	-	0·72	0·41	-	0·92	0·10
MITCHAM - - - - -	5·78	0·23	-	-	-	2·43	1·85	-	1·27	-
REIGATE - - - - -	5·05	0·14	-	-	-	3·41	1·23	-	0·27	-
RICHMOND - - - - -	5·35	0·12	-	-	-	4·40	0·59	-	0·24	-
SUTTON - - - - -	3·01	-	-	-	-	1·95	0·71	-	0·35	-
WOKING - - - - -	1·48	0·30	-	-	-	0·41	0·30	-	0·44	-
KENT—										
BECKENHAM - - - - -	2·04	-	-	-	-	1·08	0·84	-	0·12	-
BROMLEY - - - - -	5·71	-	-	-	-	1·90	3·25	-	0·45	0·11
CANTERBURY - - - - -	8·83	0·49	-	-	-	3·27	4·71	-	0·33	-
CHATHAM - - - - -	4·28	0·09	-	-	-	2·55	1·09	-	0·55	-
DARTFORD - - - - -	9·66	0·32	-	-	-	7·44	0·79	-	1·11	-
DOVER - - - - -	3·18	0·27	-	-	-	2·46	0·36	-	0·09	-
ERITH - - - - -	10·80	0·14	-	-	-	5·75	4·07	-	0·84	-
FOLKESTONE - - - - -	5·68	0·12	-	-	-	1·54	3·78	-	0·24	-
GRAVESEND - - - - -	4·24	0·14	-	-	-	0·71	2·68	-	0·71	-
MAIDSTONE - - - - -	2·88	0·11	-	-	-	1·77	0·33	-	0·67	-
MARGATE - - - - -	1·74	0·54	-	0·13	-	0·54	0·40	-	0·13	-
PENGE (Surrey Reg. Co.) - - - - -	1·26	-	-	-	-	0·54	0·72	-	-	-
RAMSGATE - - - - -	5·16	0·66	-	-	-	1·19	1·06	-	2·25	-
ROCHESTER - - - - -	5·95	-	-	-	-	2·91	2·41	-	0·63	-
TUNBRIDGE WELLS - - - - -	2·42	-	-	-	-	0·33	1·98	-	0·11	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE - - - - -	1'36	0'09	-	-	-	0'64	0'36	-	0'27	-
SUSSEX WEST—										
WORTHING - - - -	4'01	0'12	-	-	-	2'31	1'46	-	0'12	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	5'25	-	-	-	-	3'17	2'08	-	-	-
GOSPORT & ALVERSTOKE	4'03	-	-	-	-	1'38	2'19	-	0'46	-
WINCHESTER - - - -	3'98	0'17	-	-	-	3'15	0'33	-	-	0'33
MIDDLESEX—										
CHISWICK - - - - -	3'06	0'10	-	-	-	0'67	1'72	-	0'57	-
FINCHLEY - - - - -	3'10	0'18	-	-	-	1'68	0'71	-	0'44	0'09
HENDON - - - - -	4'77	0'27	-	-	-	1'98	2'25	-	0'27	-
HESTON & ISLEWORTH	4'04	-	-	-	-	2'02	1'43	-	0'51	0'08
SOUTHALL NORWOOD	3'90	0'26	-	-	-	2'08	0'65	-	0'91	-
SOUTHGATE - - - -	2'90	0'20	-	-	-	1'80	0'70	-	0'20	-
TWICKENHAM - - - -	2'48	0'12	-	-	-	0'87	1'12	-	0'25	0'12
WOOD GREEN - - - -	5'29	-	-	-	-	2'13	2'28	-	0'88	-
HERTFORDSHIRE—										
ST. ALBANS - - - -	1'69	-	-	-	-	0'77	0'31	-	0'46	0'15
WATFORD - - - - -	2'77	0'09	-	-	-	0'89	1'43	-	0'36	-
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE -	2'25	-	-	-	-	1'50	0'75	-	-	-
NORTHAMPTONSHIRE—										
KETTERING - - - - -	7'51	-	-	-	-	2'11	4'61	-	0'79	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH - - -	6'16	0'23	-	-	-	5'35	0'46	-	0'12	-
BEDFORDSHIRE—										
BEDFORD - - - - -	6'72	0'10	-	-	-	2'67	3'16	-	0'69	0'10
LUTON - - - - -	8'88	0'15	-	-	-	2'61	5'21	-	0'88	-
ESSEX—										
BARKING TOWN - - -	3'94	0'12	-	-	-	2'43	0'81	-	0'58	-
COLCHESTER - - - -	7'46	0'27	-	-	-	5'77	0'80	-	0'62	-
SUFFOLK EAST—										
LOWESTOFT - - - -	3'31	0'57	-	-	-	0'57	1'83	-	0'34	-
NORFOLK—										
KING'S LYNN - - - -	8'95	0'40	-	-	-	7'95	0'60	-	-	-
WILTSHIRE—										
SALISBURY - - - - -	5'95	-	-	-	-	4'65	0'56	-	0'74	-
DORSETSHIRE—										
POOLE - - - - -	2'42	0'09	-	-	-	1'40	0'56	-	0'37	-
WEYMOUTH AND MELCOMBE REGIS.	0'86	-	-	-	-	0'69	-	-	0'17	-
DEVONSHIRE—										
TORQUAY - - - - -	2'07	-	-	-	-	0'59	1'48	-	-	-
SOMERSETSHIRE—										
TAUNTON - - - - -	4'52	-	-	-	-	2'43	1'74	-	0'35	-
WESTON SUPER MARE -	1'96	0'16	-	-	-	0'33	1'31	-	0'16	-
GLOUCESTERSHIRE—										
CHELTENHAM - - - -	4'68	0'33	-	-	-	2'30	0'90	-	1'07	0'08
HEREFORDSHIRE—										
HEREFORD - - - - -	4'19	-	-	-	-	2'27	0'35	-	1'57	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	5·52	0·13	-	-	-	1·62	2·97	-	0·67	0·13
STAFFORDSHIRE—										
BILSTON - - -	3·06	-	-	-	-	1·99	0·15	-	0·92	-
BURTON UPON TRENT - -	2·19	-	-	-	-	1·01	0·42	-	0·76	-
CANNOCK - - -	4·12	-	-	-	-	3·19	0·13	-	0·53	0·27
COSELEY - - -	5·21	0·17	-	-	-	4·00	-	-	1·04	-
NEWCASTLE UNDER LYME	5·73	0·59	-	-	-	3·95	0·99	-	0·20	-
ROWLEY REGIS - - -	2·86	0·21	-	-	-	1·91	0·32	-	0·42	-
STAFFORD - - -	7·45	-	-	-	-	5·79	1·49	-	0·17	-
TIPTON - - -	3·11	0·25	-	-	-	1·37	0·37	-	0·87	0·25
WEDNESBURY - - -	1·82	0·14	-	-	-	0·42	0·84	-	0·42	-
WOLSTANTON UNITED - -	7·20	0·14	-	-	-	5·54	1·38	-	0·14	-
WORCESTERSHIRE—										
KIDDERMINSTER - - -	2·18	-	-	-	-	1·60	0·58	-	-	-
OLDBURY (Staffs. Reg. Co.).	5·09	-	-	-	-	4·05	0·69	-	0·35	-
WORCESTER - - -	4·43	0·16	-	-	-	2·50	1·45	-	0·32	-
WARWICKSHIRE—										
NUNEATON - - -	2·33	-	-	-	-	1·55	0·68	-	0·10	-
ROYAL LEAMINGTON SPA -	4·82	0·15	-	-	-	2·26	1·81	-	0·60	-
RUGBY - - -	5·98	-	-	-	-	5·13	0·34	-	0·34	0·17
SUTTON COLDFIELD (Staffs. Reg. Co.).	3·62	0·18	-	-	-	3·08	0·36	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	2·73	-	-	-	-	1·71	0·85	-	0·17	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	6·32	-	-	-	-	3·45	2·30	-	0·57	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE.	2·79	0·33	-	-	-	0·33	1·97	-	0·16	-
GAINSBOROUGH - - -	3·34	-	-	-	-	2·97	-	-	0·37	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	4·08	0·19	-	-	-	2·56	0·76	-	0·57	-
SUTTON IN ASHFIELD - -	1·50	0·50	-	-	-	-	0·50	-	0·50	-
WORKSOP - - -	2·01	-	-	-	-	1·28	0·73	-	-	-
DERBYSHIRE—										
CHESTERFIELD - - -	4·61	0·10	-	-	-	2·87	1·13	-	0·41	0·10
GLOSSOP - - -	6·09	-	-	-	-	4·98	0·37	-	0·74	-
ILKESTON (Notts. Reg. Co.).	5·91	0·12	-	-	-	3·67	2·12	-	-	-
CHESHIRE—										
CHESTER - - -	3·27	-	-	-	-	1·23	1·53	-	0·31	0·20
CREWE - - -	4·53	-	-	-	-	3·40	0·96	-	0·17	-
HYDE - - -	4·53	-	-	-	-	2·98	-	-	1·55	-
MACCLESFIELD - - -	1·16	0·12	-	-	-	0·58	0·46	-	-	-
STALYBRIDGE (Lancs. Reg. Co.).	4·14	0·15	-	-	-	3·07	0·46	-	0·46	-
LANCASHIRE—										
ACCINGTON - - -	1·58	0·09	-	-	-	0·70	0·09	-	0·70	-
ASHTON IN MAKERFIELD	12·82	-	-	-	-	10·68	1·07	-	0·71	0·36
ASHTON UNDER LYNE - -	2·55	0·09	-	-	-	2·02	-	-	0·44	-
BACUP - - -	3·24	-	-	-	-	1·62	0·18	-	1·44	-
CHADDERTON - - -	4·22	-	-	-	-	3·67	0·14	-	0·41	-
CHORLEY - - -	2·94	-	-	0·13	-	2·04	0·13	-	0·64	-
COLNE - - -	4·21	0·15	-	-	-	2·56	0·75	-	0·75	-
DARWEN - - -	2·93	-	-	-	-	2·44	0·20	-	0·29	-
ECCLES - - -	4·50	0·36	-	-	-	2·16	1·80	-	0·18	-
FARNWORTH - - -	5·27	0·14	-	-	-	3·05	0·97	-	1·11	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 2nd October, 1915.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE—<i>cont.</i>										
HEYWOOD - - - - -	5'47	-	-	-	-	3'55	1'18	-	0'74	-
HINDLEY - - - - -	6'94	0'66	-	-	-	5'12	0'33	-	0'83	-
INCE IN MAKERFIELD - - - - -	10'97	0'36	-	-	-	10'43	6'18	-	-	-
LANCASTER - - - - -	2'22	0'10	-	-	-	1'25	0'19	-	0'58	0'10
LEIGH - - - - -	10'94	0'18	-	-	-	8'11	0'62	-	1'85	0'18
MIDDLETON - - - - -	4'03	0'28	-	-	-	1'94	0'28	-	1'39	0'14
NELSON - - - - -	13'72	-	-	-	-	12'19	1'15	-	0'38	-
RADCLIFFE - - - - -	11'26	0'15	-	-	-	10'65	-	-	0'46	-
RAWTENSTALL - - - - -	2'78	1'19	-	-	-	1'19	0'49	-	-	-
STRETFORD - - - - -	3'95	0'09	-	-	-	2'75	0'94	-	0'17	-
SWINTON AND	6'39	1'13	-	-	-	1'50	2'38	-	1'38	-
PENDLEBURY.										
WATERLOO WITH	6'71	0'15	-	-	-	4'37	1'46	-	0'73	-
SEAFORTH										
WIDNES - - - - -	6'90	1'30	-	-	-	4'93	0'25	-	0'12	-
YORKSHIRE										
(WEST RIDING)—										
BATLEY - - - - -	6'62	-	-	-	-	4'99	1'41	-	0'22	-
BRIGHOUSE - - - - -	7'23	-	-	-	-	2'15	4'49	-	0'59	-
CASTLEFORD - - - - -	3'36	0'80	-	-	-	2'40	0'16	-	-	-
DONCASTER - - - - -	7'15	0'08	-	-	-	5'44	0'93	-	0'54	0'16
GOOLE - - - - -	8'72	0'19	-	-	-	1'30	6'30	-	0'93	-
HARROGATE - - - - -	1'48	0'23	-	-	-	0'66	0'34	-	0'23	-
KEIGHLEY - - - - -	1'46	-	-	-	-	0'36	0'55	-	0'55	-
MORLEY - - - - -	4'58	0'33	-	-	-	1'96	1'15	-	0'98	0'16
SHIPLEY - - - - -	3'66	-	-	-	-	1'69	1'69	-	0'28	-
SPENBOROUGH - - - - -	2'28	0'13	-	-	-	0'76	1'01	-	0'38	-
TODMORDEN - - - - -	2'53	0'16	-	-	-	1'58	-	-	0'63	0'16
YORKSHIRE										
(NORTH RIDING)—										
ESTON - - - - -	3'86	-	-	-	-	2'06	1'38	-	0'28	0'14
SCARBOROUGH - - - - -	2'93	-	-	-	-	1'30	1'30	-	0'33	-
DURHAM—										
BLAYDON - - - - -	7'66	0'23	-	-	-	4'80	2'29	-	0'34	-
FELLING - - - - -	4'48	0'46	-	-	-	2'79	-	-	1'08	0'15
HARTLEPOOL - - - - -	4'04	-	-	-	-	3'03	0'40	-	0'61	-
HEBBURN - - - - -	6'37	0'18	-	-	-	4'73	0'73	-	0'73	-
JARROW - - - - -	5'27	0'12	-	-	-	3'95	0'84	-	0'36	-
STANLEY - - - - -	8'27	-	-	-	-	7'37	0'90	-	-	-
NORTHUMBERLAND—										
ASHINGTON - - - - -	11'06	0'14	-	0'14	-	7'66	2'84	-	0'14	0'14
BEDLINGTONSHIRE - - - - -	3'46	1'30	-	-	-	1'30	0'43	-	0'43	-
BLYTH - - - - -	2'59	0'12	-	-	-	1'24	0'49	-	0'62	0'12
WALLSEND - - - - -	6'17	-	-	-	-	4'56	1'16	-	0'36	0'09
CUMBERLAND—										
WORKINGTON - - - - -	11'03	0'32	-	-	-	8'60	1'62	-	0'49	-
MONMOUTHSHIRE—										
ABERSYCHAN - - - - -	16'16	-	-	-	-	14'97	0'89	-	0'30	-
ABERTILLERY - - - - -	3'80	0'30	-	-	-	2'90	0'50	-	0'10	-
BEDWELLTY - - - - -	6'41	0'15	-	-	-	4'17	1'64	-	0'45	-
EBBW VALE - - - - -	8'65	0'12	-	-	-	7'46	-	-	1'07	-
TREDEGAR - - - - -	19'29	0'16	-	-	-	16'12	1'90	-	0'95	0'16
GLAMORGANSHIRE—										
BARRY - - - - -	9'45	0'67	-	-	-	3'89	4'11	-	0'67	0'11
CAERPHILLY - - - - -	4'96	0'31	-	-	-	2'79	1'66	-	0'10	0'10
GELLIGAER - - - - -	8'34	-	-	-	-	5'94	2'11	-	0'29	-
MAESTEG - - - - -	15'22	0'14	-	-	-	13'11	1'41	-	0'56	-
MOUNTAIN ASH - - - - -	5'31	0'17	-	-	-	3'67	1'13	-	0'35	0'09
OGMORE AND GARW - - - - -	4'54	1'10	-	-	-	2'89	0'41	-	0'14	-
PONTYPRIDD - - - - -	2'48	0'34	-	-	-	0'77	0'77	-	0'60	-
CARMARTHENSHIRE—										
LLANELLY - - - - -	9'81	-	-	-	-	8'77	0'58	-	0'23	0'23

TABLE XIII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 2nd October, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

BOROUGHs.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
WEST.										
Paddington - - -	5·84	0·14	-	-	-	2·32	2·48	-	0·82	0·08
Kensington - - -	4·17	0·09	-	-	-	2·72	0·73	-	0·61	0·02
Hammersmith - - -	4·59	0·35	-	-	-	2·35	1·54	-	0·35	-
Fulham - - -	5·60	0·15	-	-	-	3·48	1·26	-	0·61	0·10
Chelsea - - -	3·64	0·19	-	-	-	1·70	1·38	-	0·31	0·06
City of Westminster -	5·95	0·16	-	-	-	3·24	2·08	-	0·42	0·05
NORTH.										
St. Marylebone - - -	3·99	0·11	-	-	-	1·99	1·21	-	0·64	0·04
Hampstead - - -	4·76	0·14	-	-	-	2·59	1·34	-	0·69	-
St. Pancras - - -	8·19	0·28	-	-	-	5·10	1·72	-	1·09	-
Islington - - -	6·73	0·12	-	-	-	4·03	2·03	-	0·49	0·06
Stoke Newington - - -	5·09	0·08	-	-	-	3·18	1·19	-	0·56	0·08
Hackney - - -	7·60	0·14	-	0·04	-	4·57	1·83	-	0·97	0·05
CENTRAL.										
Holborn - - -	5·59	0·17	-	-	-	3·41	1·22	-	0·79	-
Finsbury - - -	8·83	0·05	-	-	-	6·46	1·64	-	0·63	0·05
City of London - - -	8·19	-	-	-	-	5·85	2·11	-	0·23	-
EAST.										
Shoreditch - - -	12·27	0·11	-	-	-	7·63	3·02	-	1·51	-
Bethnal Green - - -	15·08	0·06	-	-	-	9·33	4·56	-	1·10	0·03
Stepney - - -	13·82	0·12	-	0·01	-	7·38	5·11	-	1·16	0·04
Poplar - - -	7·87	0·15	-	-	-	4·01	2·48	-	1·18	0·05
SOUTH.										
Southwark - - -	6·00	0·04	-	0·02	-	2·36	2·06	-	1·31	0·21
Bermondsey - - -	5·78	0·13	-	-	-	3·10	1·36	-	1·13	0·06
Lambeth - - -	4·77	0·12	-	-	-	2·83	1·34	-	0·43	0·05
Battersea - - -	7·66	0·19	-	-	-	4·12	2·56	-	0·79	-
Wandsworth - - -	6·03	0·14	-	-	-	3·32	1·99	-	0·57	0·01
Camberwell - - -	5·79	0·15	-	0·02	-	3·25	1·59	-	0·75	0·03
Deptford - - -	6·80	0·04	-	-	-	3·56	1·84	-	1·36	-
Greenwich - - -	6·56	0·33	-	-	-	3·51	1·55	-	1·17	-
Lewisham - - -	3·51	0·16	-	-	-	2·00	0·91	-	0·44	-
Woolwich - - -	6·70	0·10	-	-	-	3·89	1·70	-	0·98	0·03
Port of London - - -	?	?	-	-	-	?	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON }										
Ag										
es 0-1										
" 1-5										
" 5-										
" 10-										
" 15-										
" 20-										
" 25-										
" 35-										
" 45-										
" 55-										
" 65-										
" 75 and upwards										
Age not stated										

TABLE XIV.—**Diarrhoea and Enteritis.**—**Mortality** from **Diarrhoea and Enteritis** among children under two years of age per 1,000 births in the **96 Great Towns** in each Week of the Third or Summer Quarter of 1915.

(The weekly mortality is calculated upon the average weekly number of births during the 13 weeks.
The maximum weekly mortality in each town is shown in thick type.)

TOWNS.	Mortality per 1,000 Births.													
	13 weeks ended 2nd Oct., 1915.	Week ended—												
		July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
96 Towns -	54.4	11.3	16.1	19.1	22.7	26.8	34.8	46.2	66.1	79.0	88.3	84.6	104.1	107.3
LONDON - - -	54.0	9.7	11.4	13.5	16.8	24.3	31.9	45.9	64.9	84.3	95.1	92.4	98.9	113.0
CROYDON - - -	25.6	—	14.5	14.5	28.9	—	—	14.5	43.4	28.9	14.5	57.8	86.7	28.9
WIMBLEDON - -	57.8	—	—	57.8	—	57.8	57.8	—	115.6	—	173.4	57.8	115.6	115.6
EALING - - -	6.7	—	—	—	—	—	—	43.3	—	—	—	—	43.3	—
ACTON - - -	31.8	—	—	—	—	—	—	—	—	165.3	—	82.6	—	165.3
WILLESDEN - -	27.0	14.6	—	14.6	14.6	14.6	—	—	29.2	14.6	43.8	73.0	73.0	58.4
HORNSEY - - -	56.1	—	—	—	—	—	40.5	—	40.5	—	81.0	121.5	161.9	283.4
TOTTENHAM - -	22.1	—	—	—	15.2	15.2	15.2	—	—	30.3	30.3	—	106.1	75.8
EDMONTON - -	65.5	—	—	—	—	32.8	65.6	98.4	98.4	98.4	65.6	65.6	229.5	98.4
ENFIELD - - -	22.9	—	—	—	—	—	—	—	—	—	42.6	42.6	42.6	170.2
WEST HAM - - -	76.2	26.6	33.2	26.6	26.6	39.9	73.1	39.9	86.4	99.7	119.7	106.4	113.0	199.5
EAST HAM - - -	19.0	—	—	—	—	—	16.4	16.4	16.4	16.4	16.4	49.3	49.3	65.8
LEYTON - - -	21.1	—	—	—	—	21.1	—	21.1	—	21.1	84.2	63.2	42.1	21.1
WALTHAMSTOW -	29.3	—	19.0	—	—	—	19.0	19.0	19.0	76.2	95.2	57.1	—	76.2
ILFORD - - -	15.2	—	39.7	—	—	—	—	—	39.7	39.7	79.4	—	—	—
GILLINGHAM - -	17.0	—	55.2	—	—	—	—	—	—	—	55.2	110.5	—	—
HASTINGS - - -	—	—	—	—	—	—	—	—	—	—	—	—	—	—
EASTBOURNE - -	45.7	—	—	—	—	—	—	—	—	—	—	148.1	296.3	148.1
BRIGHTON - - -	23.3	—	—	—	25.3	—	—	50.6	—	75.9	50.6	25.3	—	75.9
PORTSMOUTH - -	18.1	—	11.8	23.6	—	—	23.6	11.8	23.6	—	11.8	59.0	35.4	35.4
BOURNEMOUTH -	7.8	—	—	—	—	—	50.5	—	—	—	—	—	—	50.5
SOUTHAMPTON -	40.2	40.2	60.2	60.2	60.2	20.1	20.1	60.2	60.2	40.2	—	20.1	40.2	40.2
READING - - -	9.1	29.5	—	—	—	29.5	—	—	—	—	—	29.5	—	29.5
OXFORD - - -	9.7	—	—	—	—	—	—	63.3	—	—	63.3	—	—	—
NORTHAMPTON -	45.7	—	29.7	—	59.3	118.7	59.3	118.7	29.7	59.3	29.7	59.3	29.7	—
CAMBRIDGE - -	13.4	—	—	—	—	—	58.1	—	—	—	—	—	58.1	58.1
SOUTHEND ON SEA -	14.6	—	—	37.9	—	—	—	—	—	—	37.9	—	37.9	75.8
IPSWICH - - -	42.2	—	64.5	—	32.3	32.3	32.3	—	—	64.5	32.3	161.3	64.5	64.5
GREAT YARMOUTH -	14.3	—	46.5	—	—	—	—	—	—	—	46.5	46.5	46.5	—
NORWICH - - -	29.6	—	—	24.0	24.0	24.0	48.1	72.1	72.1	24.0	72.1	24.0	—	—
SWINDON - - -	—	—	—	—	—	—	—	—	—	—	—	—	—	—
EXETER - - -	25.8	—	—	96.2	—	48.1	—	—	48.1	48.1	48.1	48.1	—	—
PLYMOUTH - - -	36.0	28.4	14.2	14.2	28.4	—	—	14.2	14.2	85.1	56.7	28.4	127.7	56.7
BATH - - -	—	—	—	—	—	—	—	—	—	—	—	—	—	—
BRISTOL - - -	36.9	7.6	15.2	7.6	—	—	38.1	30.5	45.7	68.5	68.5	30.5	68.5	99.0
GLOUCESTER - -	14.7	—	—	—	—	—	—	47.8	—	—	47.8	—	—	95.7
STOKE ON TRENT -	44.0	—	25.3	33.7	25.3	8.4	33.7	33.7	33.7	16.8	50.5	117.8	117.8	75.8
WOLVERHAMPTON -	29.8	24.2	—	—	48.4	48.4	24.2	24.2	—	—	48.4	24.2	96.9	48.4
WALSALL - - -	84.4	—	43.0	64.5	64.5	21.5	107.5	21.5	172.0	107.5	86.0	193.5	107.5	107.5
WEST BROMWICH -	44.1	—	28.7	28.7	28.7	—	28.7	28.7	—	28.7	57.3	57.3	143.3	143.3
DUDLEY - - -	42.8	—	—	39.7	—	—	39.7	—	79.4	—	39.7	39.7	158.7	158.7
BIRMINGHAM - -	63.8	10.5	13.1	15.7	—	31.5	23.6	57.7	104.9	125.9	125.9	94.4	123.3	102.3
SMETHWICK - - -	54.9	—	—	—	28.6	28.6	—	28.6	28.6	85.7	57.1	85.7	142.9	228.0
COVENTRY - - -	12.4	—	—	—	17.9	—	—	—	17.9	—	17.9	53.8	17.9	35.8
LEICESTER - - -	98.3	11.0	33.0	44.1	44.1	44.1	77.1	66.1	230.3	198.2	275.3	121.1	55.1	88.1
LINCOLN - - -	24.2	—	—	—	45.0	—	45.0	45.0	—	—	90.1	45.0	—	45.0

TABLE XIV. (continued).—**Diarrhoea and Enteritis.**—**Mortality** from **Diarrhoea** and **Enteritis** among **children** under two years of age per 1,000 births in the **96 Great Towns** in each Week of the Third or Summer Quarter of 1915.

Mortality per 1,000 Births.														
TOWNS.	13 weeks ended 2nd Oct. 1915.	Week ended —												
		July 10.	July 17.	July 24.	July 31.	Aug. 7.	Aug. 14.	Aug. 21.	Aug. 28.	Sept. 4.	Sept. 11.	Sept. 18.	Sept. 25.	Oct. 2.
GRIMSBY - - - -	72·5	—	—	27·7	—	—	83·1	55·4	27·7	166·2	193·9	166·2	166·2	55·4
NOTTINGHAM - - -	60·0	9·9	19·7	—	9·9	9·9	—	—	29·6	88·8	128·3	157·9	167·8	157·9
DERBY - - - - -	19·8	—	—	—	19·8	—	19·8	19·8	—	19·8	39·7	39·7	59·5	39·7
STOCKPORT - - - -	44·6	—	—	—	67·0	67·0	—	44·6	67·0	44·6	22·3	22·3	111·6	133·9
BIRKENHEAD - - -	116·6	—	27·6	151·7	110·3	124·1	55·2	96·6	193·1	179·3	193·1	165·5	110·3	110·3
WALLASEY - - - -	17·8	—	—	29·0	29·0	—	—	—	29·0	—	29·0	87·0	—	29·0
LIVERPOOL - - - -	83·4	33·8	41·6	36·4	65·0	62·4	75·4	101·4	85·3	111·8	109·2	93·6	150·8	117·0
BOOTLE - - - - -	136·9	77·3	77·3	77·3	154·6	206·2	180·4	77·3	283·5	232·0	206·2	25·8	154·6	25·8
ST. HELENS - - - -	48·8	19·8	—	—	19·8	39·6	39·6	59·4	59·4	19·8	59·4	99·0	59·4	158·4
SOUTHPORT - - - -	8·4	—	—	—	—	—	—	—	51·9	—	—	—	54·9	—
WIGAN - - - - -	57·8	50·1	50·1	—	—	—	125·3	100·3	75·2	50·1	125·3	75·2	25·1	75·2
WARRINGTON - - -	42·4	—	61·2	—	—	30·6	61·2	30·6	30·6	91·7	122·3	30·6	30·6	61·2
BOLTON - - - - -	67·6	—	—	—	14·7	29·3	44·0	88·0	58·7	88·0	88·0	102·6	161·3	205·3
BURY - - - - -	50·0	54·1	—	—	—	—	—	108·1	—	—	216·2	108·1	—	162·2
MANCHESTER - - -	60·5	19·1	12·7	22·3	31·9	25·5	47·8	51·2	95·6	79·7	82·9	86·0	92·4	137·0
SALFORD - - - - -	81·6	31·2	29·8	10·4	20·8	41·6	31·2	41·6	93·6	62·4	155·9	163·3	187·1	197·5
OLDHAM - - - - -	42·0	—	39·1	—	—	—	19·5	19·5	19·5	136·7	19·5	58·6	117·2	117·2
ROCHDALE - - - -	52·6	34·2	—	—	68·5	34·2	—	34·2	—	—	—	34·2	—	—
BURNLEY - - - - -	91·9	27·8	83·3	—	27·8	27·8	27·8	55·6	111·1	111·1	55·6	194·4	388·8	83·3
BLACKBURN - - - -	43·5	—	21·7	21·7	43·5	43·5	43·5	21·7	43·5	65·2	—	43·5	65·2	152·2
PRESTON - - - - -	66·3	—	22·1	22·1	22·1	22·1	44·2	—	110·6	22·1	44·2	66·4	265·5	221·2
BLACKPOOL - - - -	31·6	—	—	—	—	—	—	45·7	91·3	—	45·7	91·3	91·3	45·7
BARROW IN FURNESS -	34·2	26·2	—	26·2	52·4	—	—	26·2	52·4	26·2	26·2	52·4	130·9	26·2
HUDDERSFIELD - - -	40·4	—	—	—	29·2	29·2	—	58·3	58·3	87·5	29·2	58·3	58·3	116·6
HALIFAX - - - - -	6·7	—	—	—	—	—	—	—	—	—	—	—	57·6	28·8
BRADFORD - - - - -	37·6	10·2	30·5	20·3	20·3	20·3	30·5	61·0	50·9	71·2	50·9	20·3	61·0	40·7
LEEDS - - - - -	72·8	16·6	22·0	55·0	82·6	93·6	49·5	71·5	110·1	71·5	115·6	55·0	104·6	99·1
DEWSBURY - - - - -	21·2	—	—	45·9	—	45·9	—	—	—	—	45·9	45·9	45·9	45·9
WAKEFIELD - - - -	37·6	—	—	—	—	—	61·0	—	—	182·9	61·0	122·0	—	61·0
BARNSELY - - - - -	147·9	—	—	76·9	—	38·5	—	153·8	153·8	81·6	153·8	307·7	230·8	423·1
SHEFFIELD - - - -	82·7	17·6	17·6	8·8	26·3	30·7	35·1	65·8	96·8	153·6	136·1	144·9	153·6	188·8
ROTHERHAM - - - -	109·2	—	32·3	—	—	—	32·3	96·8	193·5	96·8	225·8	161·3	419·4	161·3
YORK - - - - -	41·9	30·2	—	—	—	—	—	60·4	60·4	61·4	90·6	120·8	60·4	60·4
HULL - - - - -	97·3	22·1	29·4	44·2	23·4	36·8	117·7	110·4	169·2	125·1	147·2	117·7	139·8	176·4
MIDDLESBROUGH - -	59·0	—	30·1	15·0	—	—	15·0	90·2	90·2	150·4	135·3	90·2	30·1	120·3
DARLINGTON - - - -	23·1	—	—	33·3	—	—	33·3	—	—	—	—	—	100·0	133·8
STOCKTON ON TEES -	52·5	32·5	—	—	—	—	32·5	64·9	64·9	129·9	64·9	—	194·3	97·4
WEST HARTLEPOOL -	16·2	—	—	—	35·1	—	—	—	—	35·1	35·1	—	35·1	70·2
SUNDERLAND - - - -	67·0	12·4	12·4	24·9	24·9	37·3	12·4	24·9	74·6	87·1	87·1	99·5	211·4	161·7
SOUTH SHIELDS - - -	63·9	—	17·3	51·9	—	—	—	69·2	121·1	34·6	173·0	173·0	155·7	34·6
GATESHEAD - - - -	100·1	11·8	—	—	44·4	44·4	11·8	74·0	59·2	162·7	192·3	325·4	207·1	162·7
NEWCASTLE ON TYNE -	41·7	13·7	—	13·7	27·5	31·3	48·0	34·3	34·3	75·3	68·6	68·6	51·9	68·6
TYNEMOUTH - - - -	38·1	—	35·5	35·5	—	—	—	—	—	141·8	—	—	141·8	141·8
CARLISLE - - - - -	17·1	—	—	—	44·4	—	—	—	—	—	—	—	133·3	44·4
NEWPORT (MON.) - -	37·6	—	51·5	25·8	—	51·5	25·8	77·3	25·8	—	77·3	25·8	77·3	51·5
CARDIFF - - - - -	45·8	—	—	11·2	—	11·2	—	11·2	33·7	78·6	56·1	78·6	157·1	157·1
RHONDDA - - - - -	38·1	—	—	34·6	—	11·5	46·1	46·1	23·0	11·5	57·6	46·1	80·6	138·2
MERTHYR TYDFIL - -	35·0	—	25·3	—	25·3	—	50·6	50·6	25·3	50·6	—	50·6	126·6	50·6
ABERDARE - - - - -	49·6	—	37·9	—	—	—	—	—	75·8	37·9	113·6	—	265·2	113·6
SWANSEA - - - - -	28·4	18·5	—	—	18·5	18·5	37·0	—	18·5	55·5	73·9	55·5	55·5	18·5

TABLE XV.--**Mortality from Diarrhoea and Enteritis, and Meteorology** (Greenwich), in LONDON, in the Third or Summer Quarters (13 weeks) of each of the Fifty Years 1866-1915.

YEARS.	Estimated POPULATION in the middle of each Year.	MORTALITY from DIARRHOEA and ENTERITIS.*			Mean Earth TEMPERATURE at 3 ft. 2 ins. depth.	RAINFALL.	
		ALL AGES per 1000 Living.	UNDER 1 YEAR of age per 1000 Births.	UNDER 5 YEARS of age per 1000 Living at that age.		Amount in Millimetres.	Number of Days on which measured.
<i>Mean, 1866-1915.</i>	4,051,523	2·82	67 (40 years.)	21·28 (47 years.)	61·5	168	38
1866 ..	3,040,761	3·16†	—	—	60·4	201	46
1867 ..	3,085,971	3·22	—	—	60·7	287	35
1868 ..	3,131,160	4·50	—	—	61·1	130	26
1869 ..	3,176,308	3·71	—	26·22	61·3	124	26
1870 ..	3,221,394	3·92	—	27·19	61·5	145	28
1871 ..	3,267,251	4·21	—	29·60	62·8	208	38
1872 ..	3,319,736	3·76	—	26·41	63·0	165	37
1873 ..	3,373,065	4·08	—	28·89	62·4	193	33
1874 ..	3,427,250	2·89	—	20·05	62·2	157	38
1875 ..	3,482,306	2·67	—	18·68	61·7	262	38
1876 ..	3,538,246	3·48	80	24·77	62·6	135	43
1877 ..	3,595,085	2·18	46	14·99	61·6	163	41
1878 ..	3,652,837	3·49	72	24·38	63·1	165	37
1879 ..	3,711,517	1·43	29	9·73	59·4	297	53
1880 ..	3,771,139	3·48	74	24·58	62·0	224	41
1881 ..	3,824,980	2·71	61	18·72	61·3	208	44
1882 ..	3,862,956	1·67	35	11·60	60·3	152	48
1883 ..	3,901,309	2·12	46	14·75	61·0	165	43
1884 ..	3,940,042	3·43	77	24·62	63·1	114	36
1885 ..	3,979,160	2·27	51	16·31	61·5	142	36
1886 ..	4,018,666	3·47	79	25·80	62·3	124	33
1887 ..	4,058,565	3·49	85	26·08	63·0	150	35
1888 ..	4,098,860	1·64	39	12·11	59·3	284	50
1889 ..	4,139,555	2·23	56	16·60	61·9	142	37
1890 ..	4,180,654	2·21	52	16·60	60·4	196	39
1891 ..	4,223,720	2·00	50	15·28	60·2	201	51
1892 ..	4,269,634	2·03	49	15·49	60·6	168	42
1893 ..	4,312,263	2·65	63	19·98	63·1	150	43
1894 ..	4,351,501	1·56	41	12·26	60·7	191	52
1895 ..	4,387,248	3·28	83	26·42	62·3	165	36
1896 ..	4,419,411	3·42	93	27·79	62·2	221	45
1897 ..	4,447,907	4·66	121	38·45	62·2	160	43
1898 ..	4,472,664	4·75	127	39·69	62·0	61	25
1899 ..	4,493,617	5·43	148	45·03	64·0	109	29
1900 ..	4,510,711	3·66	100	30·81	61·3	117	23
1901 ..	4,536,201	3·43	96	28·93	62·0	130	24
1902 ..	4,534,828	1·78	48	15·14	59·6	145	39
1903 ..	4,533,443	1·84	49	15·53	60·2	312	46
1904 ..	4,531,856	4·02	113	34·51	61·4	122	33
1905 ..	4,530,418	2·87	82	24·89	61·6	147	34
1906 ..	4,528,964	3·84	107	32·87	62·0	97	26
1907 ..	4,527,495	0·73	19	5·64	59·2	89	32
1908 ..	4,525,847	1·90	54	16·20	60·2	208	39
1909 ..	4,524,346	1·21	35	10·14	59·2	188	46
1910 ..	4,522,832	0·84	24	7·05	59·4	170	38
1911 ..	4,521,301	4·29	127	36·16	64·0	76	22
1912 ..	4,519,754	0·66	20	5·35	60·1	193	42
1913 ..	4,518,191	1·50	43	13·49	59·8	137	36
1914 ..	4,516,612	1·93	59	17·23	61·7	84	34
1915 ..	4,516,612†	1·34	45	11·66	60·6	211	35

* Including Cholera Nostras up to and including the year 1910, and Dysentery for the years 1882-1910.

† This figure does not include any of the mortality ascribed to Cholera during this quarter (1915 per 1000). Cholera being epidemic in 1866.

Estimated population mid. 1914.

BOROUGH.	Estimated Population in the middle of 1914. (Old Estimates.)	Births.	Deaths from										Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 LIVING.							RATE PER 1000 BIRTHS.		
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	ALL CAUSES.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 years).	Total deaths under 1 Year.	
County of London -	4,516,612	24,050	13,937	26	-	131	59	193	136	1,299	1,361	2,711	12.4	0.02	-	-	0.12	0.05	0.17	0.12	1.21	54.01	113
WEST.																							
PADDINGTON -	142,055	587	398	-	-	-	1	2	5	37	31	63	11.2	-	-	-	-	0.03	0.06	0.14	0.88	63.03	107
KENSINGTON -	170,817	684	461	-	-	1	2	2	2	36	38	79	10.8	-	-	-	0.02	0.05	0.05	0.05	0.89	52.63	115
HAMMERSMITH -	124,750	604	328	-	-	3	2	3	4	12	39	38	10.5	-	-	-	0.10	0.06	0.10	0.06	1.25	19.87	63
FULHAM -	158,849	860	471	1	-	1	4	9	4	38	42	92	11.9	0.03	-	-	0.03	0.10	0.23	0.10	1.06	44.19	107
CHELSEA -	63,791	247	194	1	-	2	1	1	2	5	24	20	12.2	-	-	-	0.13	0.06	0.06	0.13	1.51	20.24	81
CITY OF WESTMINSTER -	152,346	391	373	1	-	1	1	1	3	8	40	24	9.8	0.03	-	-	0.03	0.03	0.03	0.08	1.05	20.46	61
NORTH.																							
ST. MARYLEBONE -	112,892	820	324	1	-	3	4	3	1	18	25	42	11.5	0.04	-	-	0.11	0.14	0.11	0.04	0.89	21.95	51
HAMPSTEAD -	86,731	286	186	4	-	2	1	-	3	8	17	25	8.6	-	-	-	0.09	0.05	-	0.14	0.79	27.97	87
ST. PANCRAS -	212,497	1,037	667	1	-	6	5	5	1	39	90	97	12.6	0.08	-	-	0.04	0.09	0.07	0.02	1.70	37.61	94
ISLINGTON -	324,764	1,491	1,040	1	-	2	6	14	12	80	92	179	12.8	0.01	-	-	0.07	0.07	0.17	0.15	1.14	47.31	106
STOKE NEWINGTON -	50,454	200	139	1	-	1	1	2	-	2	11	18	11.1	0.08	-	-	0.08	0.08	0.16	-	0.87	10.00	90
HACKNEY -	223,724	1,148	639	-	-	5	-	8	4	72	79	135	11.5	-	-	-	0.09	-	0.14	0.07	1.42	62.72	118
CENTRAL.																							
HOLBORN -	45,861	143	157	-	-	1	-	-	2	7	17	20	13.7	-	-	-	0.09	-	-	0.17	1.49	48.95	140
FINSBURY -	83,212	659	343	-	-	9	4	8	1	46	38	73	16.5	-	-	-	0.43	0.19	0.39	0.05	1.83	69.80	111
CITY OF LONDON -	17,129	116	61	-	-	-	-	-	1	1	6	6	14.3	-	-	-	-	-	-	0.23	1.40	8.62	52
EAST.																							
SHOREDITCH -	108,869	609	410	-	-	10	4	7	6	57	49	103	15.1	-	-	-	0.37	0.15	0.26	0.22	1.81	93.60	169
BETHNAL GREEN -	127,662	757	381	1	-	6	4	4	4	55	37	109	12.0	0.03	-	-	0.19	0.13	0.13	0.13	1.16	72.66	144
STEPNEY -	273,265	1,802	994	1	-	15	6	18	16	146	98	257	14.6	0.01	-	-	0.22	0.09	0.26	0.23	1.44	81.02	143
POPLAR -	160,222	1,112	644	1	-	12	2	26	10	105	51	177	16.1	0.03	-	-	0.30	0.05	0.65	0.25	1.28	94.42	159
SOUTH.																							
SOUTHWARK -	186,941	1,160	741	-	-	12	2	6	6	73	76	167	15.9	-	-	-	0.26	0.04	0.13	0.13	1.63	62.93	144
BERMONDSEY -	124,213	801	473	-	-	7	-	4	3	78	45	126	15.3	-	-	-	0.23	-	0.13	0.10	1.45	97.38	157
LAMBETH -	296,724	1,865	973	5	-	8	3	9	11	69	93	172	13.2	0.07	-	-	0.11	0.04	0.12	0.15	1.26	37.00	92
BATTERSEA -	167,338	818	475	2	-	6	1	12	6	49	54	98	11.4	0.05	-	-	0.14	0.02	0.29	0.14	1.29	59.90	120
WANDSWORTH -	338,998	1,465	773	4	-	3	2	13	16	57	69	150	9.1	0.02	-	-	0.04	0.02	0.15	0.19	0.82	38.91	102
CAMBERWELL -	262,020	1,445	723	1	-	1	-	9	6	83	67	160	11.1	0.02	-	-	0.02	-	0.14	0.09	1.03	57.44	111
DEPTFORD -	109,182	704	425	1	-	3	2	10	1	61	31	105	15.6	-	-	-	0.11	0.07	0.37	0.04	1.14	86.65	149
GREENWICH -	96,037	566	416	1	-	6	1	9	3	23	33	72	17.4	0.04	-	-	0.25	0.04	0.38	0.13	1.38	51.24	127
LEWISHAM -	172,433	796	382	-	-	5	-	4	-	17	25	56	8.9	-	-	-	0.12	-	0.09	-	0.58	21.36	70
WOOLWICH -	122,836	677	346	1	-	-	-	4	5	11	44	48	11.3	0.03	-	-	-	-	0.13	0.16	1.44	16.25	71

* See Note * to Table II.

TABLE XVII.—**Births and Deaths** in the **Third Quarter** (13 weeks) of **1915** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from								Diarrhoea and Enteri- tis (under 2 years) †	Total Deaths under 1 yr.
					All Causes.	Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whoop- ing Cough.	Diph- theria and Croup.*			
LONDON - -	4,516,612‡	24,050	13,937	21·4	12·4	0·02	-	0·12	0·05	0·17	0·12	54·01	113	
CALCUTTA - -	896,067	—	—	—	—	—	—	—	—	—	—	—	—	
BOMBAY - -	979,445	5,174	5,903§	21·2	24·2	0·13	0·22	0·05	—	0·00	0·01	87·17	369	
MADRAS - -	513,660	—	—	—	—	—	—	—	—	—	—	—	—	
PARIS - -	2,847,229	5,734	8,660	8·1	12·2	0·05	—	0·09	0·04	0·07	0·04	55·46	127	
BRUSSELS - -	780,852	—	—	—	—	—	—	—	—	—	—	—	—	
ANTWERP - -	313,833	—	—	—	—	—	—	—	—	—	—	—	—	
AMSTERDAM -	613,249	3,192	1,415	20·9	9·3	0·03	—	0·14	0·03	0·16	0·09	8·77	45	
COPENHAGEN -	494,000	2,829	1,408	23·0	11·4	0·03	—	0·04	0·06	0·02	0·06	12·37	71	
STOCKHOLM -	386,270	1,689	999	17·5	10·4	—	—	0·03	0·13	0·03	0·04	5·33	58	
GÖTEBORG -	181,503	—	440	—	9·7	0·02	—	—	0·07	0·11	0·35	—	—	
CHRISTIANIA -	250,677	1,342	577	21·5	9·2	0·02	—	—	0·02	0·02	0·08	15·65	62	
PETROGRAD -	1,728,200	—	—	—	—	—	—	—	—	—	—	—	—	
MOSCOW - -	1,694,000	—	—	—	—	—	—	—	—	—	—	—	—	
BERLIN - -	1,939,943	—	—	—	—	—	—	—	—	—	—	—	—	
HAMBURG - -	1,045,730	—	—	—	—	—	—	—	—	—	—	—	—	
LEIPZIG - -	665,122	—	—	—	—	—	—	—	—	—	—	—	—	
MUNICH - -	665,988	—	—	—	—	—	—	—	—	—	—	—	—	
DRESDEN - -	574,772	—	—	—	—	—	—	—	—	—	—	—	—	
COLOGNE - -	653,806	—	—	—	—	—	—	—	—	—	—	—	—	
BRESLAU - -	509,824	—	—	—	—	—	—	—	—	—	—	—	—	
FRANKFORT ON MAIN.	460,175	—	—	—	—	—	—	—	—	—	—	—	—	
VIENNA - -	2,167,287	—	—	—	—	—	—	—	—	—	—	—	—	
PRAGUE - -	500,926	—	—	—	—	—	—	—	—	—	—	—	—	
BUDAPEST -	950,784	—	—	—	—	—	—	—	—	—	—	—	—	
TRIESTE - -	244,655	—	—	—	—	—	—	—	—	—	—	—	—	
ROME - -	591,943	—	—	—	—	—	—	—	—	—	—	—	—	
BUCAREST -	342,427	—	—	—	—	—	—	—	—	—	—	—	—	
NEW YORK -	5,806,532	34,680	17,132	23·96	11·8	0·10	—	0·08	0·01	0·10	0·14	63·41	119	
CHICAGO - -	2,447,045	—	8,182	—	13·4	0·05	—	0·07	0·01	0·02	0·22	—	—	
NEW ORLEANS -	373,000	—	1,673	—	18·0	0·20	—	0·02	—	0·01	0·33	—	—	
RIO DE JANEIRO	964,201	—	—	—	—	—	—	—	—	—	—	—	—	
CAIRO :—														
Egyptians -	657,451	—	—	—	—	—	—	—	—	—	—	—	—	
Foreigners -	72,952	—	—	—	—	—	—	—	—	—	—	—	—	
ALEXANDRIA :—														
Egyptians -	344,239	—	—	—	—	—	—	—	—	—	—	—	—	
Foreigners -	77,569	—	—	—	—	—	—	—	—	—	—	—	—	

* Excluding deaths from Croup in the Indian Cities.

† The death-rates in this column relate to *children under 1 year of age* for Copenhagen and Stockholm.

‡ Old estimate. See note * to Table II.

§ Including deaths from Plague in Calcutta, and 95 in Bombay; and deaths from Cholera in Calcutta 7 in Bombay and in Madras.

|| Including 812 Eastland deaths.

England and Wales.—Causes of Death at
Different Age-Periods in the Quarter
ended 31st December, 1914.

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
970 968	1,308 1,088	1,565 1,348	1,800 1,503	2,063 1,738	2,501 2,105	2,753 2,429	3,217 2,629	3,752 3,215	4,119 3,454	4,765 4,217	5,044 4,591	5,188 5,701	4,099 5,089	2,634 3,603	1,690 2,639	All Causes.
22 18	29 22	54 30	55 16	31 22	39 20	30 19	26 8	15 13	5 10	5 4	4 4	1 1	— —	— —	— —	1
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	2	1	1	3	1	3	—	1	1	1	—	1	—	—	—	4
—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	5
1 1	8 1	9 1	4 2	2 1	1 —	— 2	2 —	1 —	— —	— —	— —	— —	— —	— —	— —	6
32 32	19 14	7 9	2 8	2 6	1 4	1 3	1 1	1 1	— —	— 1	— 1	— —	— —	— —	— —	7
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	8
74 67	16 7	4 5	2 2	5 3	1 2	— 2	3 2	3 —	— —	— 2	— 1	— 2	1 —	— 1	— —	9
74 67	16 7	4 5	2 2	5 3	1 2	— 2	3 2	3 —	— —	— 2	— 1	— 2	1 —	— 1	— —	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
4 18	23 16	18 13	27 11	27 29	38 26	39 20	55 21	43 40	61 40	61 54	51 56	47 76	45 83	27 45	17 30	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
1 1	1 1	— 1	2 3	4 1	1 3	3 5	3 5	2 5	2 2	2 3	4 1	2 2	2 1	— 2	— —	14
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	17

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
18	Erysipelas ... { M	170	4	6	5	7	22	4	1	1	1	29	2
	... { F	186	5	5	8	9	27	1	—	—	—	28	3
19	Other epidemic diseases. { M	30	—	2	3	8	13	3	5	3	2	26	2
	... { F	18	1	—	—	6	7	1	2	3	—	13	3
	A. Mumps ... { M	10	—	1	—	—	1	1	2	2	1	7	2
	... { F	5	—	—	—	—	—	—	—	1	—	1	2
	B. German measles. { M	4	—	1	—	—	1	—	2	—	—	3	—
	... { F	2	—	—	—	2	2	—	—	—	—	2	—
	C. Varicella ... { M	16	—	—	3	8	11	2	1	1	1	16	—
	... { F	11	1	—	—	4	5	1	2	2	—	10	1
	D. Other diseases included under 19. { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
20	Pyæmia, Septicæmia. { M	126	—	2	1	1	4	2	—	2	—	8	6
	... { F	63	3	—	2	1	6	3	1	2	2	14	—
	A. Pyæmia ... { M	18	—	—	1	1	2	1	—	—	—	3	—
	... { F	8	2	—	—	—	2	—	1	—	—	3	—
	B. Septicæmia ... { M	107	—	2	—	—	2	1	—	2	—	5	6
	... { F	55	1	—	2	1	4	3	—	2	2	11	—
	C. Vaccinia ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
21	Glanders ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
22	Anthrax (Splenic Fever.) { M	5	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
23	Rabies ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
24	Tetanus ... { M	39	5	1	—	—	6	—	1	—	1	8	1
	... { F	8	1	—	—	—	1	—	—	—	—	1	—
25	Mycoses ... { M	7	—	—	—	—	—	—	—	—	—	—	—
	... { F	4	—	—	—	—	—	—	—	—	—	—	—
	A. Actinomycosis { M	7	—	—	—	—	—	—	—	—	—	—	—
	... { F	3	—	—	—	—	—	—	—	—	—	—	—
	B. Other mycoses { M	—	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	—	—	—	—	—	—	—	—	—	—
26	Pellagra ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	... { F	1	—	—	—	—	—	—	—	—	—	—	—
27	Beri-beri ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	... { F	—	—	—	—	—	—	—	—	—	—	—	—
28	Pulmonary tuberculosis(notacute). { M	5,106	—	—	4	16	20	35	13	13	9	90	38
	... { F	3,917	1	2	6	11	20	21	8	11	11	71	47
	A. Pulmonary tuberculosis. { M	3,501	—	—	4	15	19	27	12	11	7	76	26
	... { F	2,642	1	2	5	9	17	18	5	11	6	57	36
	B. Phthisis (not defined as tuberculous). { M	1,605	—	—	—	1	1	8	1	2	2	14	12
	... { F	1,275	—	—	1	2	3	3	3	—	5	14	11

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—*continued*.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 1	5 2	2 5	5 1	8 8	10 11	6 14	9 15	12 14	18 18	16 11	20 13	9 17	7 11	6 9	4 5	}	18
— 1	— 1	— 1	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— 1	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
5 5	6 1	8 2	6 3	6 4	6 4	11 3	14 2	9 7	7 2	14 6	11 6	6 3	3 —	— 1	— —	}	
— —	2 1	1 —	2 1	1 —	1 —	1 1	1 —	3 1	— —	1 1	2 —	— —	— —	— —	— —		}
5 5	4 —	7 2	4 2	5 4	5 4	10 2	13 2	5 6	7 2	13 5	9 6	6 3	3 —	— 1	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	2 —	2 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
3 —	— —	2 —	3 —	4 1	2 1	2 1	1 1	7 1	4 1	— —	2 —	— —	— 1	— —	— —		}
1 1	— —	— —	1 —	1 —	— —	1 —	— 1	2 —	— 1	— 1	— —	— —	— —	— 1	— —	}	
1 1	— —	— —	1 —	1 —	— —	1 —	— 1	2 —	— 1	— —	— —	— —	— —	— 1	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	}	
74 166	300 355	490 497	505 481	575 464	688 474	586 403	526 300	479 266	359 128	200 122	125 76	53 41	13 18	4 7	1 1		}
54 115	211 239	327 329	347 313	398 312	466 325	392 260	372 199	308 181	239 89	140 87	93 53	40 27	9 15	2 4	1 1	}	
20 51	89 116	163 168	158 168	177 152	222 149	194 143	154 101	171 85	120 39	60 35	32 23	13 14	4 3	2 3	— —		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
29	Acute phthisis, Acute miliary tuberculosis ...	M 418	—	3	6	7	16	9	8	6	6	45	14	
		F 375	—	2	2	4	8	12	8	4	9	41	24	
	A. Acute phthisis	M 338	—	—	3	1	4	4	5	3	2	18	6	
		F 295	—	1	1	4	6	2	3	—	3	14	12	
	B. Acute miliary tuberculosis.	M 80	—	3	3	6	12	5	3	3	4	27	8	
		F 80	—	1	1	—	2	10	5	4	6	27	12	
30	Tuberculous meningitis.	M 509	2	9	24	57	92	101	55	26	42	316	106	
		F 441	1	4	23	57	85	74	44	35	28	266	77	
31	Tuberculosis of peritoneum and intestines.	M 438	1	28	49	67	145	90	30	22	11	298	31	
		F 395	1	22	39	42	104	76	27	12	10	229	41	
	A. Tabes mesenterica	M 66	—	10	13	13	36	14	5	2	1	58	3	
		F 59	1	9	12	5	27	18	3	1	—	49	4	
	B. Other peri- toneal and intestinal tubercle.	M 372	1	18	36	54	109	76	25	20	10	240	28	
		F 336	—	13	27	37	77	58	24	11	10	180	37	
32	Tuberculosis of spinal column	M 82	—	—	—	1	1	1	—	—	2	4	8	
		F 66	—	—	—	1	1	—	—	1	1	3	4	
33	Tuberculosis of joints	M 52	—	—	—	1	1	—	—	1	—	2	6	
		F 29	—	—	—	1	1	1	—	—	—	2	3	
34	Tuberculosis of other organs	M 88	—	1	1	3	5	2	2	1	1	11	3	
		F 66	1	1	2	6	10	—	—	1	—	11	1	
	A. Lupus ...	M 4	—	—	—	—	—	—	—	—	—	—	—	
		F 6	—	—	—	—	—	—	—	—	—	—	—	
	B. Scrofula ...	M —	—	—	—	—	—	—	—	—	—	—	—	
		F 2	—	1	1	—	2	—	—	—	—	2	—	
35	Disseminated tuberculosis	M 249	5	6	9	14	34	41	14	7	7	103	27	
		F 207	—	5	7	11	23	25	16	9	9	82	20	
28-35	Tuberculosis (all forms)	M 6,942	8	47	93	166	314	279	122	76	78	869	233	
		F 5,496	4	36	79	133	252	209	103	73	68	705	217	
36	Rickets, Softening of bones.	M 119	—	2	7	23	32	60	17	3	1	113	1	
		F 92	1	4	3	17	25	36	13	5	3	82	1	
	A. Rickets ...	M 114	—	2	7	23	32	60	17	3	1	113	1	
		F 83	1	4	3	17	25	36	13	5	2	81	1	
	B. Other forms of bone soften- ing.	M 5	—	—	—	—	—	—	—	—	—	—	—	
		F 9	—	—	—	—	—	—	—	—	1	1	—	
37	Syphilis ...	M 289	48	86	33	15	182	6	2	—	—	190	—	
		F 236	43	53	36	22	154	14	—	3	1	172	1	

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
15 29	36 52	45 49	44 34	40 30	40 27	43 23	35 32	27 7	15 13	12 7	7 2	— 5	— —	— —	— —	}	29
10 23	26 46	37 41	41 30	32 21	39 23	41 21	31 32	26 6	13 13	11 7	7 2	— 4	— —	— —	— —		A
5 6	10 6	8 8	3 4	8 9	1 4	2 2	4 —	1 1	2 —	1 —	— —	— 1	— —	— —	— —	}	B
28 51	14 19	11 8	10 8	7 3	4 2	5 2	3 —	2 4	1 —	1 1	— —	1 —	— —	— —	— —		30
17 19	21 9	9 20	14 12	10 17	6 8	4 7	10 4	5 11	5 11	5 3	2 2	1 2	— —	— —	— —	}	31
1 2	1 1	1 —	— 1	— 1	— —	1 —	1 1	— —	— —	— —	— —	— —	— —	— —	— —		A
16 17	20 8	8 20	14 11	10 16	6 8	3 7	9 3	5 11	5 11	5 3	2 2	1 2	— —	— —	— —	}	B
12 5	9 9	12 6	5 6	9 5	2 7	5 3	5 4	4 1	3 6	2 3	— 2	2 2	— —	— —	— —		32
4 2	11 1	6 5	— 1	1 2	4 4	3 1	— 1	3 2	4 1	2 —	1 —	2 3	3 —	— —	— 1	}	33
5 2	7 4	4 1	5 9	11 3	5 7	6 6	7 2	5 4	3 4	7 4	3 3	4 1	2 2	— 2	— —		34
— —	— —	— —	— —	2 —	1 —	— —	— 1	1 —	— 1	— 2	— —	— 1	— —	— 1	— —	}	A
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		B
5 2	7 4	4 1	5 9	9 3	4 7	6 6	7 1	4 4	3 3	7 2	3 3	4 —	2 2	— 1	— —	}	C
18 15	16 16	13 10	14 16	9 11	14 11	8 3	4 6	8 3	8 2	1 5	3 3	2 3	— 1	1 —	— —		35
173 289	414 465	590 596	597 567	662 535	763 540	660 448	590 349	533 298	398 165	230 145	141 88	65 57	18 21	5 9	1 2	}	28-35
— 1	— —	— 1	1 1	— —	1 2	— —	1 1	1 —	— —	— 1	— 1	1 1	— —	— —	— —		36
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	A
— —	— —	— 1	1 1	— —	1 2	— —	1 1	1 —	— —	— 1	— 1	1 1	— —	— —	— —		B
4 1	4 —	4 2	7 7	9 3	16 6	9 11	13 7	11 10	9 5	5 6	5 2	2 3	1 —	— —	— —	}	37

GE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	}	38
1	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—	}	B
—	—	—	2	—	—	1	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	1	1	2	3	6	17	45	79	72	80	70	56	34	21	3	}	39
—	2	1	1	1	3	7	9	12	5	11	9	12	5	6	3		
1	1	2	6	14	29	61	122	196	253	355	313	250	125	47	16	}	40
—	—	1	2	18	44	65	98	150	187	264	270	243	167	74	24		
—	—	1	9	7	28	38	64	77	110	137	162	153	74	37	13	}	41
—	—	4	7	17	17	54	68	112	120	155	169	162	117	43	20		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
—	3	1	12	37	60	118	143	189	166	148	129	84	57	24	8		
—	—	—	—	—	1	—	2	—	1	1	—	3	1	2	1	}	43
—	—	—	3	18	36	85	120	147	125	131	119	102	65	47	30		
—	1	1	1	1	3	6	5	8	14	20	25	33	19	17	11	}	44
—	—	—	—	1	2	1	7	2	9	11	8	15	13	19	8		
11	8	15	17	19	26	58	70	109	137	152	139	105	70	29	12	}	45
7	6	9	9	13	24	34	50	64	56	82	51	63	38	18	8		
13	11	20	35	44	93	180	308	469	587	745	709	600	323	153	56	}	39-45
7	11	16	34	105	186	364	495	676	668	802	755	681	462	231	101		
—	1	—	—	—	—	1	5	1	2	3	5	1	1	—	1	}	46
—	—	—	1	—	1	1	1	2	1	1	1	7	2	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	—	—	—	1	5	1	2	3	5	1	1	—	1	}	C
—	—	—	1	—	1	1	1	2	1	1	1	7	2	1	—		
47	28	18	18	20	13	14	16	16	12	8	5	1	—	—	—	}	47
46	45	25	26	20	12	10	16	17	18	7	10	3	2	2	—		
—	—	1	1	1	2	8	10	24	16	34	37	40	30	15	6	}	48
—	—	—	1	2	9	8	12	18	34	44	53	50	40	29	9		
—	—	—	—	1	—	3	1	3	2	7	10	6	6	5	2	}	A
—	—	—	—	—	2	—	—	3	4	6	12	8	10	9	3		
—	—	1	1	—	2	3	3	12	7	13	11	15	9	6	1	}	B
—	—	—	1	2	7	8	12	13	27	37	39	39	27	18	5		
—	—	—	—	—	—	2	6	9	7	14	16	19	15	4	3	}	C
—	—	—	—	—	—	—	—	2	3	1	2	3	3	2	1		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
49	Scurvy {	M 3	—	—	—	1	1	1	—	—	—	2	—
		F 3	—	—	—	—	—	1	—	2	—	3	—
50	Diabetes {	M 577	—	—	—	—	—	—	1	1	2	4	4
		F 573	—	—	—	1	1	1	—	1	2	5	6
51	Exophthalmic goitre. {	M 8	—	—	—	—	—	—	—	—	—	—	—
		F 110	—	—	—	—	—	—	—	—	—	—	—
52	Addison's disease ... {	M 19	—	—	—	—	—	—	—	—	—	—	—
		F 28	—	—	—	—	—	—	—	—	—	—	—
53	Leucocythæmia, Lymphadenoma. {	M 105	—	—	—	2	2	2	4	3	1	12	11
		F 84	2	—	—	—	2	3	1	2	2	10	2
	A. Leucocythæ- mia (Leuchæ- mia). {	M 57	—	—	—	—	—	2	4	3	1	10	4
		F 65	2	—	—	—	2	2	1	2	2	9	2
	B. Lymphade- noma. {	M 48	—	—	—	2	2	—	—	—	—	2	7
		F 19	—	—	—	—	—	1	—	—	—	1	—
54	Anæmia, Chlorosis {	M 247	—	—	1	1	2	2	—	2	—	6	4
		F 379	—	1	1	2	4	7	1	—	—	12	3
55	Other general diseases. {	M 71	7	5	2	5	19	6	1	1	1	28	6
		F 60	7	2	—	1	10	3	2	—	2	17	9
	A. Diabetes insipidus {	M 3	—	—	—	—	—	—	—	—	—	—	—
		F 4	—	—	—	—	—	—	—	—	—	—	1
	B. Purpura ... {	M 45	5	3	1	3	12	5	1	1	1	20	4
		F 41	1	2	—	1	4	3	2	—	1	10	7
	C. Hæmophilia ... {	M 15	2	1	1	1	5	—	—	—	—	5	1
		F 11	5	—	—	—	5	—	—	—	1	6	1
	D. Other diseases included under 55. {	M 8	—	1	—	1	2	1	—	—	—	3	1
		F 4	1	—	—	—	1	—	—	—	—	1	—
56	Alcoholism (acute or chronic). {	M 80	—	—	—	—	—	—	—	—	—	—	—
		F 56	—	—	—	—	—	—	—	—	—	—	—
57	Chronic lead poisoning. {	M 15	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
	A. Occupational lead poison- ing. {	M 15	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	B. Non-occupa- tional lead poisoning. {	M —	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
58	Other chronic occu- pational poison- ings. {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
59	Other chronic poisonings. {	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 2	—	—	—	—	—	—	—	—	—	—	—
60	Encephalitis ... {	M 51	—	—	1	—	1	3	—	1	—	5	3
		F 21	—	—	—	1	1	—	1	—	—	2	3

GE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	}	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
15 8	26 16	25 23	35 28	25 25	38 35	30 20	31 26	53 50	47 78	81 62	68 66	54 60	29 38	10 20	2 7	}	50
—	1 4	— 10	1 10	— 12	— 15	2 11	1 12	1 10	2 12	— 9	— 5	— —	— —	— —	— —		
—	—	2 —	2 2	3 3	1 3	1 5	2 2	4 3	2 3	1 —	1 2	— 3	— —	— —	— —	}	52
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5 4	6 5	6 6	8 3	8 5	9 7	9 8	7 7	6 4	8 11	4 5	2 4	3 2	1 1	— —	— —	}	53
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 4	3 3	1 2	5 2	5 4	6 6	5 5	3 4	1 4	4 11	3 5	1 2	3 2	— —	— —	— —	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
2 —	3 2	5 4	3 1	3 1	3 1	4 3	4 3	5 —	4 —	1 —	1 2	— —	1 1	— —	— —	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 5	4 9	6 10	7 16	11 17	20 33	26 34	23 42	30 45	33 45	28 39	25 38	13 22	7 4	1 2	— 3	}	54
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 8	6 3	5 3	5 —	4 2	3 1	1 2	2 1	1 4	1 —	4 4	2 1	— 3	— 1	— 1	— —	}	55
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1 1	— —	1 —	1 —	— 1	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1 5	4 2	2 2	1 —	2 1	2 1	1 1	2 1	— 3	1 —	3 3	2 1	— 3	— 1	— —	— —	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1 1	2 1	— 1	3 —	1 —	1 —	— —	— —	1 —	— —	— 1	— —	— —	— —	— —	— —	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— 1	— —	2 —	— —	1 —	— —	— 1	— —	— —	— —	1 —	— —	— —	— —	— 1	— —	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— —	— —	1 —	3 1	5 5	14 4	9 6	15 10	11 10	5 4	10 11	4 2	2 2	1 1	— —	— —	}	56
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— —	— —	— 1	2 —	2 —	1 —	2 1	2 —	— 1	3 —	1 —	1 —	1 —	— —	— —	— —	}	57
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— —	— —	— —	2 —	2 —	1 —	2 —	2 —	— —	3 —	1 —	1 —	1 —	— —	— —	— —	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— —	— —	— 1	— —	— —	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	58
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
— —	— —	— —	— —	— 1	— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	}	59
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
3 3	2 2	2 3	4 1	5 —	4 2	7 —	2 —	2 1	6 2	2 1	1 1	— —	3 —	— —	— —	}	60
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
28 37	22 21	15 7	12 8	7 12	5 6	11 8	12 9	6 7	2 6	4 6	1 —	6 2	— 4	1 1	— —	}	61
2 2	4 2	3 1	4 2	— 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —		
— 2	— —	— —	— —	1 —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	— —	— —	}	B
26 33	18 19	12 6	8 6	6 11	5 6	11 8	11 8	5 7	2 6	4 6	1 —	6 2	— 4	1 1	— —		
— —	— —	1 —	1 —	4 —	13 1	16 2	19 5	23 4	25 5	22 8	11 4	9 —	1 —	1 —	— —		
10 6	12 5	8 7	12 4	10 10	20 13	15 22	35 28	25 28	33 28	52 37	57 32	46 35	37 35	7 13	2 3	}	63
2 —	5 —	1 2	2 —	— 1	— 1	— 3	6 2	6 4	10 6	22 12	29 17	26 18	24 22	5 12	1 2		
8 6	7 5	7 5	10 4	10 9	20 12	15 19	29 26	19 24	23 22	30 25	28 15	20 17	13 13	2 1	1 1	}	B
— 4	8 4	7 5	14 8	22 19	43 44	81 89	116 157	203 257	261 324	401 465	451 510	577 640	384 497	224 295	108 171		
— —	2 1	2 —	4 —	6 3	11 3	11 23	22 29	37 59	62 55	72 92	90 120	131 120	85 115	51 66	27 32	}	A
— —	— 1	— —	1 1	— 1	1 —	— —	1 —	1 1	1 1	— 2	1 3	2 3	2 —	1 1	1 1		
— —	— —	— —	— —	1 1	— —	— —	1 1	1 —	1 2	— 1	1 —	1 1	— —	1 —	1 1	}	C
— —	— —	— —	— —	— —	1 —	1 —	1 1	1 3	2 2	7 8	18 9	7 7	8 5	7 10	6 1		
— 4	6 2	5 5	9 7	15 14	30 41	69 66	91 126	163 194	195 264	322 362	341 378	436 509	289 377	164 218	73 136	}	E
— —	— —	— —	— —	3 —	4 5	2 4	2 1	15 8	15 20	19 14	27 33	36 22	23 35	10 26	8 11		
2 —	1 —	1 1	1 1	1 2	5 3	2 9	6 19	17 19	29 31	36 49	55 67	64 83	47 65	29 46	17 34	}	66
2 —	— —	— —	— —	— 1	4 1	— 9	6 16	14 17	22 30	29 42	42 61	54 73	42 58	20 43	16 28		
— —	— —	1 —	— —	— 1	1 —	1 —	— —	— 1	3 —	5 —	7 2	4 3	2 1	4 2	— 2	}	B
— —	1 —	— 1	1 1	1 —	— 2	1 —	— 3	3 1	4 1	2 7	6 4	6 7	3 6	5 1	1 4		
3 —	5 1	1 2	8 3	48 5	88 16	69 19	84 20	71 11	43 10	24 6	8 6	5 3	2 2	1 2	2 —	}	67
— —	2 —	1 1	4 4	4 10	8 10	7 14	7 19	10 18	10 18	13 17	11 14	13 6	3 7	1 5	1 2		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
69	Epilepsy ... { M F	356 336	3 1	— —	— 2	3 2	6 5	1 2	4 2	1 4	3 3	15 16	11 16
70	Convulsions (non- puerperal; 5 { M years and over). { F	7 15	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 11
	A. Epileptiform convulsions. { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1
	B. Others in- cluded under 70 { M F	5 14	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	4 10
71	Infantile convul- sions (under 5 { M years). { F	1,094 867	367 269	217 154	197 133	149 161	930 717	123 117	31 26	4 6	6 1	1,094 867	— —
	A. Convulsions with teething. { M F	142 143	— —	2 1	17 12	68 74	87 87	49 49	6 7	— —	— —	142 143	— —
	B. Other infantile convulsions. { M F	952 724	367 269	215 153	180 121	81 87	843 630	74 68	25 19	4 6	6 1	952 724	— —
72	Chorea ... { M F	12 35	— —	— —	— —	— —	— —	— —	— —	1 —	— —	1 —	2 5
73	Hysteria, Neuralgia, Neuritis. { M F	44 83	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Hysteria, Neuralgia, Sciatica. { M F	2 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Neuritis ... { M F	42 75	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
74	Other diseases of the nervous system. { M F	228 259	1 1	2 —	4 1	2 1	9 3	3 5	3 4	4 2	4 5	23 19	16 15
	A. Idiocy, Imbecility. { M F	29 25	1 1	2 —	2 1	— —	5 2	2 1	— 2	1 —	3 3	11 8	4 4
	B. Cretinism ... { M F	6 11	— —	— —	— —	1 —	1 —	1 1	1 —	2 2	— —	5 3	1 2
	C. Cerebral tumour. { M F	111 116	— —	— —	— —	— —	— —	— —	1 2	— —	1 1	2 3	7 6
	D. Other diseases included under 74. { M F	82 107	— —	— —	2 —	1 1	3 1	— 3	1 —	1 —	— 1	5 5	4 3
75	Diseases of the eyes and annexa. { M F	12 7	— —	— —	1 —	1 2	2 2	— —	— —	1 —	1 —	4 2	1 1
76	Diseases of the ears { M F	159 151	— —	2 4	8 7	17 15	27 26	12 14	5 6	2 5	6 3	52 54	16 22
	A. Mastoid disease { M F	38 31	— —	— —	5 1	5 3	10 4	1 3	3 —	1 —	3 —	18 7	6 7
	B. Other diseases of the ears. { M F	121 120	— —	2 4	3 6	12 12	17 22	11 11	2 6	1 5	3 3	34 47	10 15
77	Pericarditis ... { M F	68 46	— —	— 1	— —	1 —	1 1	2 —	— —	1 1	— 1	4 3	6 8

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
16 11	29 21	30 23	33 26	29 23	23 26	33 25	23 29	24 21	18 25	25 21	23 22	9 13	6 10	6 4	3 4	}	69
— —	— 1	1 —	— —	— —	— —	— 1	1 —	— —	— 1	— —	1 —	— 1	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	}	
— —	— 1	1 —	— —	— —	— —	— 1	— —	— —	— 1	— —	— —	— 1	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
3 9	4 13	1 2	— —	— 2	— —	— —	— —	— —	1 1	— 1	— 1	— 1	— —	— —	— —		}
— —	— —	1 1	— 1	2 5	3 8	4 12	5 19	6 14	5 8	8 3	3 4	1 4	4 2	2 1	— 1	}	
— —	— —	— 1	— —	— 2	— —	— —	— 1	— —	— 1	— —	1 —	— —	1 1	— 1	— —		}
— —	— —	1 —	— 1	2 3	3 8	4 12	5 18	6 14	5 7	7 3	3 4	1 3	3 1	2 —	— 1	}	
12 6	7 14	7 8	16 19	12 20	9 15	17 28	16 15	15 22	18 13	22 19	14 12	16 13	5 12	3 6	— 3		}
3 —	— 5	1 —	6 3	1 1	— —	1 2	1 —	— —	— —	1 —	— 1	— —	— —	— —	— —	}	
— 1	— —	— 1	— 2	— —	— 1	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		}
9 5	5 8	5 4	9 12	8 11	8 9	14 14	7 9	13 12	12 5	3 9	4 5	2 3	2 1	1 —	— —	}	
— —	2 1	1 3	1 2	3 8	1 5	2 12	8 5	2 10	6 8	18 9	10 6	14 10	3 11	2 6	— 3		}
1 —	1 —	— —	— —	— —	— —	— —	— —	— —	1 —	2 2	— —	1 —	1 1	— 1	— —	}	
24 22	16 10	14 5	9 5	3 11	7 5	5 4	2 1	2 3	6 2	1 1	2 4	— 1	— 1	— —	— —		}
5 7	1 3	2 2	2 —	— 2	1 3	2 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	}	
19 15	15 7	12 3	7 5	3 9	6 2	3 4	2 1	2 3	6 2	— 1	2 4	— 1	— 1	— —	— —		}
6 8	2 3	3 1	4 2	5 —	6 2	6 1	3 1	4 4	7 —	2 4	7 5	2 2	— 1	1 1	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
78	Acute endocarditis { M	243	—	—	—	—	—	1	4	—	1	6	17	
		F 217	1	1	—	—	2	—	2	1	3	8	17	
	A. Acute myocarditis. { M	45	—	—	—	—	—	—	—	—	—	—	—	
		F 37	—	—	—	—	—	—	—	—	—	—	1	
	B. Infective endocarditis. { M	97	—	—	—	—	—	1	1	—	—	2	8	
		F 73	1	1	—	—	2	—	—	—	1	3	7	
	C. Other acute endocarditis. { M	101	—	—	—	—	—	—	3	—	1	4	9	
		F 107	—	—	—	—	—	—	2	1	2	5	9	
79	Organic disease of the heart. { M	6,130	—	—	—	2	2	2	3	2	4	13	39	
		F 7,039	—	—	—	2	2	3	4	3	4	16	37	
	A. Valvular disease. { M	2,724	—	—	—	—	—	—	2	1	1	4	19	
		F 3,253	—	—	—	1	1	1	3	2	2	9	32	
	B. Fatty degeneration of the heart. { M	373	—	—	—	—	—	—	—	—	—	—	—	
		F 460	—	—	—	—	—	—	—	—	—	—	—	
	C. Other organic disease of the heart. { M	3,033	—	—	—	2	2	2	1	1	3	9	20	
		F 3,326	—	—	—	1	1	2	1	1	2	7	5	
	80	Angina pectoris ... { M	211	—	—	—	—	—	—	—	—	—	—	—
			F 99	—	—	—	—	—	—	—	—	—	—	—
81	Dis. of the arteries, Atheroma, Aneurysm, &c. { M	1,316	—	—	—	—	—	—	—	—	—	—	—	
		F 813	—	—	—	—	—	—	—	—	—	—	—	
	A. Aneurysm ... { M	229	—	—	—	—	—	—	—	—	—	—	—	
		F 54	—	—	—	—	—	—	—	—	—	—	—	
	B. Arterial sclerosis. { M	1,068	—	—	—	—	—	—	—	—	—	—	—	
		F 743	—	—	—	—	—	—	—	—	—	—	—	
	C. Other diseases of arteries. { M	19	—	—	—	—	—	—	—	—	—	—	—	
		F 16	—	—	—	—	—	—	—	—	—	—	—	
82	Embolism and thrombosis. { M	343	1	—	—	—	1	—	—	1	1	3	1	
		F 485	2	—	—	—	2	2	—	—	—	4	—	
	A. Cerebral embolism and thrombosis. { M	299	—	—	—	—	—	—	—	1	1	2	—	
		F 421	—	—	—	—	—	2	—	—	—	2	—	
	B. Other embolism and thrombosis. { M	44	1	—	—	—	1	—	—	—	—	1	1	
		F 64	2	—	—	—	2	—	—	—	—	2	—	
83	Dis. of the veins (Varices, Hæmorrhoids, Phlebitis, &c.). { M	38	—	—	—	—	—	—	—	—	—	—	—	
		F 59	—	—	—	—	—	—	—	—	—	—	1	
	A. Phlebitis ... { M	16	—	—	—	—	—	—	—	—	—	—	—	
		F 29	—	—	—	—	—	—	—	—	—	—	1	
	B. Varix ... { M	21	—	—	—	—	—	—	—	—	—	—	—	
		F 30	—	—	—	—	—	—	—	—	—	—	—	
	C. Pylephlebitis { M	1	—	—	—	—	—	—	—	—	—	—	—	
		F —	—	—	—	—	—	—	—	—	—	—	—	
	D. Varicocele ... { M	—	—	—	—	—	—	—	—	—	—	—	—	
		F —	—	—	—	—	—	—	—	—	—	—	—	

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
20 22	20 15	14 17	15 14	23 16	20 23	23 11	15 22	22 23	36 19	6 4	5 3	1 —	— 2	— 1	— —	}	78
— —	1 —	— —	— 2	4 3	6 3	3 3	3 4	8 8	17 9	2 —	— 3	1 —	— 1	— —	— —		}
10 11	8 8	9 8	11 4	12 7	7 12	11 4	5 3	3 2	3 1	3 2	5 —	— —	— —	— 1	— —	}	
10 11	11 7	5 9	4 8	7 6	7 8	9 4	7 15	11 13	16 9	1 2	— —	— —	— 1	— —	— —		}
80 94	98 91	65 94	86 128	137 153	174 212	243 332	361 397	488 519	611 598	830 808	946 934	870 1,085	610 854	320 456	159 231	}	
54 67	71 65	44 53	68 87	91 106	97 133	120 184	186 210	249 248	294 280	352 346	386 403	317 440	231 350	94 165	47 75		}
— —	1 1	— 1	2 3	4 6	5 10	6 24	25 30	38 39	51 44	62 77	61 75	75 76	27 39	10 19	6 16	}	
26 27	26 25	21 40	16 38	42 41	72 69	117 124	150 157	201 232	266 274	416 385	499 456	478 569	352 465	216 272	106 140		}
— —	— —	— 2	— —	5 2	3 —	5 3	15 5	18 9	33 8	38 10	44 21	23 12	21 14	5 11	1 2	}	
1 —	1 1	1 —	5 1	8 2	18 6	44 8	57 18	94 32	96 39	157 77	218 95	235 143	210 162	114 127	57 102		}
1 —	1 —	— —	3 1	6 1	14 3	31 1	36 8	41 7	32 4	24 12	27 5	5 6	6 4	2 2	— —	}	
— —	— 1	1 —	2 —	2 1	3 3	12 5	20 10	50 25	64 33	129 62	190 89	226 136	202 153	110 123	57 102		}
— —	— —	— —	— —	— —	1 —	1 2	1 —	3 —	— 2	4 3	1 1	4 1	2 5	2 2	— —	}	
2 2	1 1	3 5	5 10	9 9	3 9	11 16	13 19	29 28	22 35	44 43	45 61	57 86	50 76	29 39	16 42		}
2 2	1 1	2 3	2 5	5 5	1 5	10 11	9 11	21 24	21 31	38 33	43 54	53 85	47 73	27 37	15 39	}	
— —	— —	1 2	3 5	4 4	2 4	1 5	4 8	8 4	1 4	6 10	2 7	4 1	3 3	2 2	1 3		}
— —	— —	1 1	— 2	1 4	3 4	5 1	2 7	5 3	3 9	8 9	6 5	1 7	2 3	1 2	— 1	}	
— —	— —	1 —	— 1	— 3	— 3	2 1	— 5	2 1	2 4	5 4	2 1	— 2	1 2	1 1	— —		}
— —	— —	— 1	— 1	1 1	3 1	3 —	2 2	3 2	1 5	3 5	3 4	1 5	1 1	— 1	— 1	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
84	Dis. of the lymphatic system (Lymphangitis, &c.).	M 48	1	7	7	8	23	5	—	3	2	33	6
		F 37	5	7	4	4	20	4	2	1	1	28	—
	A. Status lymphaticus.	M 36	1	6	7	8	22	4	—	1	2	29	4
		F 17	3	6	2	1	12	1	—	1	1	15	—
	B. Other diseases of the lymphatic system.	M 12	—	1	—	—	1	1	—	2	—	4	2
		F 20	2	1	2	3	8	3	2	—	—	13	—
85	Hæmorrhage, other dis. of the circulatory system.	M 25	—	—	—	—	—	—	—	—	—	—	1
		F 24	—	—	—	—	—	—	—	—	—	—	1
	A. Functional disease of the heart.	M 15	—	—	—	—	—	—	—	—	—	—	—
		F 15	—	—	—	—	—	—	—	—	—	—	—
	B. Epistaxis ...	M 2	—	—	—	—	—	—	—	—	—	—	1
		F 3	—	—	—	—	—	—	—	—	—	—	—
	C. Other diseases included under 85.	M 8	—	—	—	—	—	—	—	—	—	—	—
		F 6	—	—	—	—	—	—	—	—	—	—	1
	Diseases of the nasal fossæ.	M 6	1	1	—	—	2	—	—	—	1	3	—
		F 7	2	—	1	1	4	—	—	—	1	5	1
87	Diseases of the larynx	M 198	6	3	9	15	33	40	22	25	17	137	33
		F 144	2	4	4	14	24	21	27	15	14	101	29
	A. Laryngismus stridulus	M 48	4	1	3	4	12	14	4	7	6	43	5
		F 19	2	1	1	3	7	2	3	3	1	16	3
	B. Laryngitis ...	M 145	2	2	6	10	20	26	17	18	11	92	28
		F 121	—	3	3	10	16	19	24	12	13	84	26
	C. Other diseases of larynx.	M 5	—	—	—	1	1	—	1	—	—	2	—
		F 4	—	—	—	1	1	—	—	—	—	1	—
88	Diseases of the thyroid body	M 11	—	—	—	—	—	—	—	—	—	—	—
		F 61	—	—	—	1	1	—	—	—	—	1	—
89 & 90	Bronchitis... ..	M 5,211	129	327	264	288	1,008	254	63	36	24	1,385	29
		F 5,478	89	227	231	269	816	236	67	27	24	1,170	35
	A. Bronchiectasis, Bronchial catarrh, &c.	M 97	3	5	2	1	11	4	1	1	—	17	—
		F 86	4	2	4	2	12	4	—	—	—	16	4
	B. Other bronchitis	M 5,114	126	322	262	287	997	250	62	35	24	1,368	29
		F 5,392	85	225	227	267	804	232	67	27	24	1,154	31
91	Broncho-pneumonia	M 2,611	55	201	258	530	1,044	623	206	79	54	2,006	85
		F 2,283	40	123	187	439	789	590	187	87	47	1,700	70
92	Pneumonia, lobar and undefined	M 3,267	25	67	81	157	330	199	97	46	41	713	97
		F 2,106	17	22	49	113	201	180	80	51	36	548	85
	A. Lobar pneumonia	M 1,357	3	11	17	40	71	60	30	9	19	189	48
		F 795	1	7	11	22	41	37	23	12	13	126	34
	B. Pneumonia (type not stated).	M 1,910	22	56	64	117	259	139	67	37	22	524	49
		F 1,311	16	15	38	91	160	143	57	39	23	422	51

GE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
2 2	1 —	1 —	— —	— —	1 1	— 1	3 —	— 1	— 1	— 2	— —	— —	1 —	— 1	— —	}	84
1 2	1 —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		A
1 —	— —	1 —	— —	— —	1 1	— 1	2 —	— 1	— 1	— 2	— —	— —	1 —	— 1	— —	}	B
1 —	— —	— —	1 2	2 —	1 1	— 1	— 3	— —	2 1	7 5	3 1	3 3	3 1	— 1	1 4		85
— —	— —	— —	— 1	1 —	— 1	— —	— 2	— —	1 1	6 4	1 1	3 2	2 1	— —	1 2	}	A
1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	— 1	— 1		B
— —	— —	— —	1 1	1 —	1 —	— 1	— 1	— —	1 —	1 1	2 —	— —	1 —	— —	— 1	}	C
— 1	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —		86
2 3	1 1	1 —	1 —	3 —	2 —	1 2	1 1	3 —	1 1	1 —	2 2	3 2	4 2	2 —	— —	}	87
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		A
2 3	1 1	1 —	1 —	2 —	2 —	1 2	1 —	3 —	1 1	1 —	1 —	3 2	3 2	2 —	— —	}	B
— —	— —	— —	— —	1 —	— —	— —	— 1	— —	— —	— —	1 2	— —	1 —	— —	— —		C
— 2	4 —	— 1	2 1	— 2	— 2	— 2	2 8	1 6	1 4	— 7	— 10	1 11	— 2	— 1	— 1	}	88
8 4	6 12	13 15	19 20	39 20	57 42	104 86	116 111	208 165	315 279	469 397	569 533	702 873	586 782	349 561	237 373		89 & 90
— —	1 1	1 1	3 —	4 2	6 1	6 3	7 2	11 6	6 2	5 2	4 5	4 5	8 13	5 14	9 9	}	A
8 4	5 11	12 14	16 20	35 18	51 41	98 83	109 109	197 159	309 277	464 395	565 528	698 868	578 769	344 547	228 364		B
8 13	3 8	10 13	10 4	12 12	24 19	31 28	38 18	41 24	51 41	69 54	57 65	60 71	51 71	35 47	20 25	}	91
45 31	96 45	90 52	121 65	174 71	226 114	223 101	245 81	255 117	255 132	213 155	203 146	149 142	89 120	50 54	23 47		92
19 9	47 27	39 29	56 29	96 40	120 56	114 53	119 36	117 59	125 57	81 70	88 53	60 45	26 47	4 16	9 9	}	A
26 22	49 18	51 23	65 36	78 31	106 58	109 48	126 45	138 58	130 75	132 85	115 93	89 97	63 73	46 38	14 38		B

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
93	Pleurisy ... {	M 190	1	1	1	2	5	7	7	2	2	23	9
		F 150	1	1	2	3	7	12	2	2	5	28	2
	A. Empyema ... {	M 70	—	—	—	1	1	6	6	2	—	15	7
		F 45	—	1	2	2	5	9	2	2	4	22	3
	B. Other pleurisy {	M 120	1	1	1	1	4	1	1	—	2	8	2
		F 105	1	—	—	1	2	3	—	—	1	6	—
94	Pulmonary conges- tion, Pulmonary apoplexy. {	M 218	7	10	10	16	43	5	3	3	1	55	4
		F 236	5	8	6	5	24	8	2	—	—	34	6
	A. Pulmonary apoplexy and infarction. {	M 2	—	—	—	—	—	—	—	—	—	—	—
		F 7	—	—	1	—	1	—	—	—	—	1	1
	B. Pulmonary cedema and congestion. {	M 199	7	10	8	16	41	5	3	3	1	53	4
		F 192	5	8	5	5	23	7	2	—	—	32	5
	C. Hypostatic pneumonia. {	M 15	—	—	—	—	—	—	—	—	—	—	—
		F 36	—	—	—	—	—	—	—	—	—	—	—
	D. Collapse of lung (three months and over). {	M 2	—	—	2	—	2	—	—	—	—	2	—
		F 1	—	—	—	—	—	1	—	—	—	1	—
	95 Gangrene of the lung. {	M 9	—	—	—	—	—	—	1	—	—	1	—
		F 8	—	—	—	—	—	—	—	—	—	—	—
96	Asthma ... {	M 263	—	—	1	—	1	—	2	—	—	3	—
		F 222	—	—	—	—	—	—	—	—	—	—	—
97	Pulmonary emphysema. {	M 84	—	—	—	—	—	—	—	—	—	—	—
		F 30	—	—	—	—	—	—	—	—	—	—	—
98	Other diseases of the respiratory system. {	M 123	—	—	1	2	3	3	—	—	2	8	—
		F 46	—	—	1	1	2	—	—	—	1	3	—
	A. Fibroid disease of lung. {	M 67	—	—	—	—	—	—	—	—	—	—	—
		F 17	—	—	—	—	—	—	—	—	1	1	—
	B. Other diseases included under 98. {	M 56	—	—	1	2	3	3	—	—	2	8	—
		F 29	—	—	1	1	2	—	—	—	—	2	—
	99 Diseases of the mouth and annexa. {	M 84	10	13	3	2	28	8	3	2	2	43	—
		F 69	6	7	1	6	20	8	4	2	—	34	—
	A. Diseases of the teeth and gums. {	M 51	6	2	—	1	9	5	2	—	2	18	—
		F 47	3	1	—	5	9	5	3	1	—	18	—
	B. Thrush, Aphthous stomatitis. {	M 18	3	11	1	1	16	2	—	—	—	18	—
		F 11	3	5	1	1	10	1	—	—	—	11	—
	C. Parotitis ... {	M 8	1	—	1	—	2	—	1	2	—	5	—
		F 5	—	1	—	—	1	—	—	1	—	2	—
	D. Other diseases of mouth and annexa. {	M 7	—	—	1	—	1	1	—	—	—	2	—
		F 6	—	—	—	—	—	2	1	—	—	3	—

E-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
5 4	2 3	8 3	10 3	4 7	9 7	13 7	16 7	16 10	18 9	16 11	13 12	13 10	6 13	7 9	2 4	}	93
4 3	— 1	5 1	5 3	2 1	4 1	6 2	3 1	4 2	5 1	3 2	3 —	4 1	— 1	— —	— —		}
1 1	2 2	3 2	5 —	2 6	5 6	7 5	13 6	12 8	13 8	13 9	10 12	9 9	6 12	7 9	2 4	}	
2 —	1 1	1 2	6 3	8 1	6 5	4 4	4 7	3 8	13 8	14 12	17 13	16 28	31 31	18 45	15 28		}
— —	— —	— —	1 1	— —	— 1	— —	— —	— 2	— —	— 1	— —	— —	1 —	— —	— —	}	
2 —	1 1	1 2	5 2	8 1	6 4	4 4	4 5	3 6	13 8	13 10	16 12	15 22	25 25	14 33	12 20		}
— —	— —	— —	— —	— —	— —	— —	— 2	— —	— —	1 1	1 1	1 6	5 6	4 12	3 8	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— 1	1 2	— —	— 3	2 —	1 1	1 —	2 —	1 —	— —	— 1	— —	— —	}	
— —	— 1	4 3	1 7	7 12	14 13	15 12	28 13	31 24	37 15	37 26	36 39	30 21	13 19	5 10	2 5		}
— 1	— —	1 —	2 —	2 1	1 —	2 3	8 —	8 1	9 2	11 5	15 7	9 7	9 2	7 1	— —	}	
— —	— 1	1 1	5 3	5 3	7 4	17 2	11 2	8 2	17 2	20 3	14 6	6 6	2 5	— 2	1 1		}
— —	— —	1 1	1 —	3 2	4 3	10 —	6 —	5 —	11 1	12 1	8 2	3 5	1 1	— —	1 —	}	
— —	— 1	— —	4 3	2 1	3 1	7 2	5 2	3 2	6 1	8 2	6 4	3 1	1 4	— 2	— 1		}
3 —	2 2	2 1	5 3	1 2	3 2	2 3	4 1	6 3	3 7	4 3	1 2	— 2	1 2	— 1	— —	}	
3 —	2 2	2 1	3 1	1 2	2 2	2 3	4 1	6 3	2 7	2 1	1 1	— 2	1 2	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	1 1	— —	— —	— —	— —	— —	— —	1 2	— —	— —	— —	— —	— —		}
— —	— —	— —	1 1	— —	1 —	— —	— —	— —	1 —	1 —	— 1	— —	— —	— 1	— —	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT AGES.

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
100	Diseases of the pharynx, Tonsillitis.	M 107 F 104	— 2	2 —	1 2	5 6	8 10	6 6	3 6	— 7	7 7	24 36	2 2
	A. Tonsillitis ...	M 77 F 79	— —	1 —	— —	3 3	4 3	5 5	1 2	— 7	6 6	16 23	2 2
	B. Ludwig's angina.	M 9 F 9	— 1	— —	— —	— 1	— 2	1 —	1 —	— —	— 1	2 3	— —
	C. Other diseases of the pharynx.	M 21 F 16	— 1	1 —	1 2	2 2	4 5	— 1	1 4	— —	1 —	6 10	— —
	Diseases of the oesophagus.	M 13 F 6	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Perforating ulcer of stomach.	M 254 F 274	— 1	— —	1 —	1 —	2 1	— —	— —	— 1	— —	2 2	— —
	Other diseases of the stomach.	M 508 F 515	37 29	92 60	49 41	43 39	221 169	21 27	5 10	3 3	8 1	258 210	— 2
	A. Inflammation of stomach.	M 416 F 426	33 26	89 54	46 38	42 36	210 154	21 27	3 9	3 3	7 1	244 194	— 18
	B. Other diseases included under 103.	M 92 F 89	4 3	3 6	3 3	1 3	11 15	— —	2 1	— —	1 —	14 16	— —
	Diarrhoea and enteritis.	M 2,710 F 2,309	121 90	429 300	613 458	584 535	1,747 1,383	377 360	83 81	23 12	16 18	2,246 1,854	24 31
104 & 105	A. Infective enteritis.	M 776 F 662	19 19	120 92	213 163	224 200	576 474	139 124	23 25	7 2	4 4	749 629	— 5
	B. Diarrhoea—not returned as infective.	M 582 F 537	22 20	109 70	132 95	119 119	382 304	90 92	21 15	6 3	1 2	500 416	1 4
	C. Enteritis—not returned as infective.	M 551 F 421	33 21	86 48	122 66	101 90	347 225	68 52	17 13	4 4	3 5	439 299	10 5
	D. Gastro-enteritis—not returned as infective.	M 596 F 554	29 24	105 75	134 116	136 121	404 336	78 87	22 27	6 3	8 7	518 460	7 16
	E. Dyspepsia—under 2 years.	M 32 F 40	8 4	9 13	11 14	3 5	31 36	1 4	— —	— —	— —	32 40	— —
	F. Colic ...	M 7 F 12	4 1	— 2	1 2	— —	5 5	— —	— —	— —	— —	5 5	2 —
	G. Ulceration of intestines.	M 38 F 51	— 1	— —	— 2	1 —	1 3	1 1	— 1	— —	— —	2 5	— 1
	H. Duodenal ulcer.	M 128 F 32	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	1 —	2 —
	Ankylostomiasis ...	M — F —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	Other intestinal parasites.	M 2 F 2	— —	— —	— —	— —	— —	2 —	— —	— 1	— 1	2 2	— —
108	Appendicitis ...	M 404 F 280	— —	— —	— —	— —	— —	1 —	1 1	5 4	8 4	15 9	50 31

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
109	Hernia, Intestinal obstruction. { M F	465 533	16 3	8 5	25 10	28 11	77 29	9 2	11 3	— 2	9 3	106 39	6 4
	A. Hernia ... { M F	181 240	3 —	2 2	4 1	3 1	12 4	2 —	2 —	— —	— —	16 4	— —
	B. Intestinal obstruction { M F	284 293	13 3	6 3	21 9	25 10	65 25	7 2	9 3	— 2	9 3	90 35	6 4
110	Other diseases of the intestines. { M F	53 75	— —	1 —	1 3	5 —	7 3	1 3	1 3	1 —	— 1	10 10	2 1
111	Acute yellow atrophy of the liver. { M F	6 13	— —	— —	— —	— —	— —	1 —	1 —	1 —	— —	3 —	1 3
112	Hydatid of liver ... { M F	2 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
113	Cirrhosis of the liver { M F	547 495	— —	— 1	— —	— 1	— 2	— —	— —	— —	— —	— 2	1 —
	A. Cirrhosis of the liver not ret'd as alcoholic. { M F	499 418	— —	— 1	— —	— 1	— 2	— —	— —	— —	— —	— 2	1 —
	B. Cirrhosis of the liver ret'd as alcoholic. { M F	40 66	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	C. Dis. formerly classed to "Other dis. of liver and gallbladder." { M F	8 11	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
114	Biliary calculi ... { M F	60 165	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
115	Other diseases of the liver. { M F	107 135	— —	2 —	— 1	1 3	3 4	3 2	1 —	3 1	1 —	11 7	2 5
116	Diseases of the spleen. { M F	6 12	— —	— —	— —	— 1	— 1	1 2	— 1	— —	— —	1 4	1 2
	A. Infarction of spleen. { M F	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases of the spleen. { M F	6 12	— —	— —	— —	— 1	— 1	1 2	— 1	— —	— —	1 4	1 2
117	Peritonitis (cause unstated). { M F	51 91	1 2	4 1	— 1	— 3	5 7	1 —	— 1	1 2	— 2	7 12	3 15
118	Other diseases of the digestive system. { M F	37 27	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Abdominal abscess, Subphrenic absces. { M F	4 4	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B. Other diseases included under 118. { M F	33 23	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
119	Acute Nephritis ... { M F	299 236	1 —	3 4	7 1	5 5	16 10	17 22	13 9	8 10	8 8	62 59	18 19

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
10 3	6 2	8 6	10 9	15 11	14 16	13 27	20 27	32 30	35 58	44 57	37 84	33 58	35 54	29 34	12 14	}	109
—	1	3	3	7	6	3	15	15	16	22	17	16	23	13	5		}
—	—	—	2	2	8	10	16	15	38	30	46	27	29	10	3	}	
10 3	5 2	5 6	7 7	8 9	8 8	10 17	5 11	17 15	19 20	22 27	20 38	17 31	12 25	16 24	7 11		}
1 1	2 1	2 —	4 2	— 4	3 5	1 6	1 2	5 6	6 4	3 4	4 7	6 7	3 6	— 7	— 2	}	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	1	—		}
—	—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	}	
—	—	1	—	—	1	—	2	—	—	—	—	—	—	—	—		}
1 2	1 —	—	—	12 6	20 22	54 54	70 70	96 79	84 78	84 74	80 48	24 40	17 12	3 6	—	}	
1 2	1 —	—	—	10 6	16 20	50 46	63 58	91 67	76 72	78 59	74 39	22 33	14 9	2 5	—		}
—	—	—	—	2	4	4	7	4	7	6	3	2	—	1	—	}	
—	—	—	2	—	1	7	11	12	5	12	8	5	2	1	—		}
—	—	—	—	—	—	—	—	1	1	—	3	—	3	—	—	}	
—	—	—	—	—	1	1	1	—	1	3	1	2	1	—	—		}
—	—	—	—	1	1	2	2	7	8	6	11	10	6	6	—	}	
—	1	—	1	1	4	6	9	15	23	26	30	20	21	4	4		}
—	1	2	2	8	2	9	2	8	4	10	18	12	4	8	4	}	
1 1	1 1	1 1	1 1	2 2	6 6	6 6	11 9	14 9	13 14	13 14	14 15	15 18	18 15	7 4	4 4		}
—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—	}	
—	—	—	—	—	—	—	3	—	2	—	—	1	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	1	—	—	—	1	1	—	—	1	—	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
8 3	1 3	1 8	2 6	4 5	3 4	3 11	3 6	2 5	5 2	3 5	3 2	1 1	2 1	— 2	—		}
2 —	1 —	1 —	— 2	3 1	4 1	4 1	5 4	6 1	4 8	2 2	2 3	2 4	1 —	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
2 —	—	—	—	1	—	1	—	—	—	—	—	—	—	—	—	}	
—	1	1	—	2	4	3	5	6	4	2	2	2	1	—	—		}
—	—	—	2	1	—	1	3	1	6	2	3	4	—	—	—	}	
12 8	6 10	12 7	16 6	15 14	16 15	19 14	37 17	18 12	18 9	17 14	13 12	15 6	3 10	1 3	1 1		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

E-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
5 3	13 20	29 17	29 34	46 47	71 88	113 104	146 137	175 179	231 185	234 178	248 183	204 182	123 129	60 56	14 24	} 120
9 2	12 14	24 14	21 25	41 41	55 73	91 87	120 123	146 152	201 156	211 155	223 163	183 159	106 111	55 48	13 21	
6 1	1 6	5 3	8 9	5 6	16 15	22 17	26 14	29 27	30 29	23 23	25 20	21 23	17 18	5 8	1 3	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 121
—	1 2	—	1 2	3 7	3 2	4 4	6 4	6 9	9 2	9 7	7 4	6 6	5 3	2 2	2 2	
—	1 —	—	—	—	1 —	1 —	1 —	1 2	—	—	1 —	1 —	—	—	—	} A
—	1 —	—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	
—	—	—	—	—	—	2 —	2 —	—	1 —	—	—	—	—	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	1 —	
—	—	—	—	1 —	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1 —	—	1 2	3 3	2 2	3 2	5 2	5 7	9 1	8 7	6 4	5 6	5 3	2 1	1 2	} D
—	1 —	3 —	1 —	5 2	2 1	4 5	4 3	5 2	6 —	4 2	3 1	4 —	5 1	3 —	1 —	
1	1 —	2 1	1 1	1 2	5 1	5 1	7 3	15 6	12 2	22 6	37 7	55 11	41 8	28 12	22 5	} 124
—	—	—	3 —	2 —	8 1	8 —	23 —	14 —	8 —	14 —	9 1	13 —	3 —	1 —	1 —	
—	—	—	—	—	1 —	1 —	1 —	—	1 —	1 —	2 —	—	—	—	—	} A
—	—	—	3 —	2 —	7 1	7 —	22 —	14 —	7 —	13 —	7 1	13 —	3 —	1 —	1 —	
—	—	—	1 —	—	—	1 —	1 —	9 —	13 —	36 —	57 —	106 —	85 —	59 —	35 —	} 126
—	—	—	—	—	—	1 —	2 —	—	—	1 —	—	1 —	2 —	1 —	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 127
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	2 —	—	1 —	—	—	—	—	—	} 128
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1 —	—	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	1 —	—	1 —	—	—	—	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	2 —	2 —	11 —	16 —	17 —	4 —	3 —	8 —	4 —	3 —	3 —	—	1 —	} 129

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFEREN

[illegible]

GE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—*continued*.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	130
—	2	3	1	2	4	12	4	1	1	1	1	—	2	4	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	2	2	1	2	4	10	4	1	1	1	1	—	2	4	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	131
—	—	6	1	5	4	4	7	11	12	8	16	8	3	2	1	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	132
—	2	2	9	8	8	7	2	1	—	—	1	—	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	2	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	2	2	9	6	7	6	2	1	—	—	1	—	—	1	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	133
—	—	—	—	—	1	1	—	—	—	—	1	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	134
—	1	2	15	24	30	10	5	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	1	1	5	8	8	3	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	1	3	4	12	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	—	—	1	3	1	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	4	8	4	1	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	E
—	—	—	2	1	5	—	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	135
—	2	9	28	38	29	15	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	136
—	5	11	21	27	19	15	3	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	137
—	7	50	92	88	83	33	1	—	—	—	—	—	—	—	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
138	Puerperal albumi- nuria and con- vulsions.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 161	—	—	—	—	—	—	—	—	—	—	—
	A. Puerperal ne- phritis and uræmia.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 37	—	—	—	—	—	—	—	—	—	—	—
	B. Puerperal albuminuria and Bright's disease.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 11	—	—	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 113	—	—	—	—	—	—	—	—	—	—	—
139	Puerperal phlegma- sia alba dolens, embolism and sudden death.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 84	—	—	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens and phlebitis.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 10	—	—	—	—	—	—	—	—	—	—	—
	B. Puerperal em- bolism and sudden death.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 74	—	—	—	—	—	—	—	—	—	—	—
140	Puerperal insanity	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 17	—	—	—	—	—	—	—	—	—	—	—
141	Puerperal diseases of the breast.	{ M —	—	—	—	—	—	—	—	—	—	—	—
		{ F 3	—	—	—	—	—	—	—	—	—	—	—
142	Gangrene ...	{ M 193	—	1	—	2	3	3	1	2	2	11	—
		{ F 205	2	1	—	2	5	5	4	6	2	22	3
	A. Senile gangrene.	{ M 164	—	—	—	—	—	—	—	—	—	—	—
		{ F 161	—	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	{ M 11	—	—	—	1	1	3	1	2	2	9	—
		{ F 21	1	—	—	1	2	3	3	5	2	15	3
	C. Noma pudendi	{ M 6	—	—	—	—	—	—	—	—	—	—	—
		{ F 4	—	—	—	1	1	2	1	—	—	4	—
	D. Other gan- grene.	{ M 12	—	1	—	1	2	—	—	—	—	2	—
		{ F 19	1	1	—	—	2	—	—	1	—	3	—
143	Carbuncle, Boil ...	{ M 40	—	—	—	—	—	—	—	—	—	—	—
		{ F 18	2	—	—	—	2	—	—	—	—	2	—
144	Phlegmon, Acute abscess.	{ M 118	2	9	4	2	17	7	2	2	1	29	1
		{ F 101	6	8	7	2	23	7	1	—	—	31	1
	A. Phlegmon ...	{ M 86	1	8	2	—	11	4	1	—	—	16	1
		{ F 66	1	3	4	1	9	3	1	—	—	13	1
	B. Acute Abscess	{ M 32	1	1	2	2	6	3	1	2	1	13	—
		{ F 35	5	5	3	1	14	4	—	—	—	18	—

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—*continued*.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	12	42	34	37	23	12	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	2	6	10	10	4	5	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	2	1	1	2	3	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	8	35	23	25	16	5	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	2	11	20	19	19	11	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	1	1	3	3	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	2	10	19	16	16	9	2	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	5	3	4	3	2	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	—	2	—	1	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	142
1	—	—	1	1	1	2	2	3	6	17	29	31	39	33	17	
—	—	—	—	—	1	2	—	4	4	10	22	35	35	33	33	A
—	—	—	—	—	—	—	—	1	3	14	27	31	38	33	17	
—	—	—	—	—	—	—	—	—	1	9	19	35	33	32	32	B
1	—	—	—	1	—	—	—	—	—	1	—	—	—	—	—	
—	—	—	—	—	—	1	—	—	—	—	—	—	—	1	—	C
—	—	—	—	—	—	—	—	—	2	2	2	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	D
—	—	—	1	—	1	2	2	2	1	—	—	—	1	—	—	
—	—	—	—	—	1	1	—	4	3	1	3	—	2	—	1	143
1	4	2	1	1	1	3	3	1	6	2	4	5	2	3	1	
—	2	—	1	—	1	—	—	1	2	2	1	3	1	—	2	144
1	2	4	7	1	7	4	9	13	7	7	12	4	6	4	—	
4	1	2	2	—	3	4	7	4	2	8	8	9	8	4	3	A
—	2	2	4	1	5	4	7	12	4	6	11	3	5	3	—	
4	1	1	2	—	3	3	5	2	2	8	5	7	6	2	1	B
1	—	2	3	—	2	—	2	1	3	1	1	1	1	1	—	
—	—	1	—	—	—	1	2	2	—	—	3	2	2	2	2	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
145	Diseases of the integumentary system.	M	144	33	15	10	6	64	5	—	—	1	70	—
		F	159	20	11	6	4	41	1	—	1	1	44	2
	A. Ulcer, Bedsore	M	48	—	—	—	—	—	—	—	—	—	—	—
		F	92	1	—	—	1	2	—	—	—	—	2	—
	B. Eczema ...	M	38	12	7	5	3	27	2	—	—	1	30	—
		F	18	2	4	5	1	12	—	—	—	1	13	1
	C. Pemphigus ...	M	16	4	3	1	1	9	1	—	—	—	10	—
		F	15	9	2	—	1	12	—	—	—	—	12	—
	D. Other Dis. of the integumentary system.	M	42	17	5	4	2	28	2	—	—	—	30	—
		F	34	8	5	1	1	15	1	—	1	—	17	1
146	Diseases of the bones.	M	89	3	2	3	2	10	5	4	2	4	25	16
		F	36	1	2	1	—	4	3	—	—	1	8	6
147	Diseases of the joints.	M	17	—	1	1	—	2	—	—	—	1	3	—
		F	12	—	2	—	—	2	—	—	—	1	3	3
148	Amputations ...	M	1	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M	8	—	—	—	—	—	—	—	1	—	1	—
		F	5	—	—	—	—	—	—	—	—	—	—	1
150	Congenital malformations.	M	578	297	95	61	29	482	27	15	3	1	528	18
		F	429	220	75	46	31	372	18	2	—	4	396	8
	A. Congenital hydrocephalus.	M	60	2	7	6	8	23	14	6	1	—	44	7
		F	38	5	6	10	8	29	7	—	—	1	37	—
	B. Phimosia ...	M	9	5	1	2	1	9	—	—	—	—	9	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M	244	144	31	17	10	202	8	5	2	1	218	7
		F	166	81	22	13	13	129	5	2	—	3	139	5
	D. Other congenital malformations.	M	265	146	56	36	10	248	5	4	—	—	257	4
		F	225	134	47	23	10	214	6	—	—	—	220	3
151	Premature birth, Infantile debility, Icterus and Sclerema.	M	3,970	2,959	572	296	143	3,970	—	—	—	—	3,970	—
		F	2,986	2,247	446	202	91	2,986	—	—	—	—	2,986	—
	A. Premature birth.	M	2,361	2,135	183	39	4	2,361	—	—	—	—	2,361	—
		F	1,860	1,667	164	29	—	1,860	—	—	—	—	1,860	—
	B. Infant. atrophy, debility and marasmus.	M	1,485	730	373	246	136	1,485	—	—	—	—	1,485	—
		F	1,044	516	269	169	90	1,044	—	—	—	—	1,044	—
	C. Icterus neonatorum.	M	99	86	12	1	—	99	—	—	—	—	99	—
		F	69	60	7	2	—	69	—	—	—	—	69	—
	D. Sclerema and oedema neonatorum.	M	5	5	—	—	—	5	—	—	—	—	5	—
		F	2	2	—	—	—	2	—	—	—	—	2	—
	E. Want of breast milk.	M	20	3	4	10	3	20	—	—	—	—	20	—
		F	11	2	6	2	1	11	—	—	—	—	11	—

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
152	Other diseases peculiar to early infancy. { M F	409 304	396 284	13 20	— —	— —	409 304	— —	— —	— —	— —	409 304	— —
	A. Diseases of umbilicus, &c. { M F	37 51	34 45	3 6	— —	— —	37 51	— —	— —	— —	— —	37 51	— —
	B. Atelectasis ... { M F	208 156	199 145	9 11	— —	— —	208 156	— —	— —	— —	— —	208 156	— —
	C. Injuries at birth. { M F	158 94	158 91	— 3	— —	— —	158 94	— —	— —	— —	— —	158 94	— —
	D. Cyanosis neonatorum. { M F	6 3	5 3	1 —	— —	— —	6 3	— —	— —	— —	— —	6 3	— —
153	Lack of care ... { M F	18 24	17 23	1 1	— —	— —	18 24	— —	— —	— —	— —	18 24	— —
154	Old age ... { M F	3,271 4,325	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	A. Senile dementia. { M F	98 182	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
	B Senile decay... { M F	3,173 4,143	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
155	Suicide by poison... { M F	43 47	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
156	Suicide by asphyxia { M F	12 8	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
157	Suicide by hanging or strangulation. { M F	163 33	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
158	Suicide by drowning. { M F	100 82	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
159	Suicide by firearms { M F	71 2	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
160	Suicide by cutting or piercing instruments. { M F	151 20	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
161	Suicide by jumping from high place. { M F	11 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
162	Suicide by crushing { M F	25 5	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
163	Other suicides ... { M F	2 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —
164	Poisoning by food { M F	14 8	— —	— —	— —	— —	— —	1 3	— 1	1 —	— —	1 4	5 —
165	Other acute poisonings. { M F	28 29	— —	— —	— —	— 2	— 2	1 1	3 1	— —	1 1	5 5	2 —
166	Conflagration ... { M F	10 4	— —	— —	— —	1 1	1 1	1 —	— —	— —	— —	2 1	1 1
167	Burns (conflagration excepted). { M F	282 403	— 1	— —	2 2	23 14	25 17	47 51	59 33	39 44	28 52	198 197	25 77

AGE-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	} 153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	3	5	40	158	592	871	848	754	} 154
—	—	—	—	—	—	—	2	1	10	48	147	722	1,062	1,168	1,165	
—	—	—	—	—	—	—	—	—	4	8	18	28	24	11	5	} A
—	—	—	—	—	—	—	1	1	6	13	20	39	50	23	29	
—	—	—	—	—	—	—	—	3	1	32	140	564	847	837	749	} B
—	—	—	—	—	—	—	1	—	4	35	127	683	1,012	1,145	1,136	
—	—	2	5	3	6	7	5	3	2	4	4	1	1	—	—	} 155
1	7	8	3	6	6	10	4	1	1	—	—	—	—	—	—	
—	1	—	3	2	—	—	—	3	—	2	1	—	—	—	—	} 156
—	1	—	1	—	2	—	—	2	1	1	—	—	—	—	—	
—	1	6	10	10	18	15	16	24	27	17	10	4	4	1	—	} 157
—	1	1	1	2	3	3	5	4	6	3	—	2	1	1	—	
—	3	3	6	11	13	9	8	11	11	11	7	3	2	2	—	} 158
2	3	10	13	7	8	5	10	11	5	4	2	1	1	—	—	
—	3	3	5	10	7	8	7	8	8	8	2	—	1	1	—	} 159
—	—	—	—	1	1	—	—	—	—	—	—	—	—	—	—	
—	1	3	14	18	15	19	20	19	12	9	9	3	8	1	—	} 160
—	—	—	2	1	2	1	4	4	5	1	—	—	—	—	—	
—	1	—	—	1	—	1	3	2	—	2	—	1	—	—	—	} 161
—	—	—	1	—	—	—	—	—	1	3	—	—	—	—	—	
—	—	1	2	5	3	2	1	5	2	1	2	—	1	—	—	} 162
—	—	—	—	1	—	1	—	1	—	1	1	—	—	—	—	
—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	} 163
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	
1	3	—	2	—	1	—	1	—	—	—	—	—	—	—	—	} 164
—	—	—	—	—	—	—	—	—	1	2	—	—	1	—	—	
1	—	—	1	—	2	6	3	1	3	2	—	2	—	—	—	} 165
1	—	2	3	1	2	1	5	2	3	2	1	—	—	1	—	
—	—	2	—	—	—	—	—	—	1	2	1	1	—	—	—	} 166
1	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—	
4	2	2	1	5	5	4	3	2	6	8	4	4	1	3	5	} 167
16	9	5	5	7	8	8	7	7	11	7	4	14	12	8	1	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
168	Absorption of dele- terious gases { (conflagration ex- cepted). M	225	65	65	41	12	183	2	1	1	—	187	—
	F	152	49	46	31	7	133	2	2	1	—	138	—
169	Accidental drown- ing. { M	396	2	—	—	—	2	5	2	8	2	19	1
	F	75	1	—	—	—	1	1	3	3	1	9	—
170	Injury by firearms { M	39	—	—	—	—	—	—	—	—	—	—	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing { M	6	—	—	—	—	—	1	—	—	—	1	—
	F	1	—	—	—	—	—	—	1	—	—	1	—
172	Injury by fall ... { M	536	—	—	1	3	4	4	4	1	2	15	2
	F	356	—	—	1	2	3	2	3	5	3	16	—
173	Injury in mines { M	284	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
174	Injury by machines { M	82	—	—	—	—	—	—	1	—	—	1	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehi- cles, railways, { M	862	—	—	—	—	—	5	6	10	8	29	5
	F	172	—	—	—	—	—	4	5	2	3	14	1
176	Injury by animals { M	29	—	—	—	—	—	—	—	1	—	1	—
	F	3	—	—	—	—	—	—	—	—	—	—	—
177	Starvation... { M	6	—	1	2	—	3	—	—	—	—	3	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
178	Excessive cold ... { M	20	—	—	1	—	1	—	—	1	1	3	—
	F	9	—	1	—	—	1	—	—	—	—	1	—
179	Effects of heat ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
180	Lightning ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
181	Electricity (light- ning excepted). { M	6	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
182	Homicide by fire- { M	7	—	—	—	1	1	—	—	—	—	1	—
	F	3	—	—	—	—	—	—	—	—	—	—	—
183	Homicide by cut- ting or piercing { M	7	1	—	—	1	2	—	—	—	—	2	—
	F	5	—	—	—	—	—	1	—	1	1	3	—
184	Homicide by other { M	22	7	1	—	—	8	—	—	—	—	8	—
	F	23	7	2	—	1	10	—	1	—	—	11	—
185	Fractures (cause { M	17	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	1	—	—	1	—	—	—	—	1	—
186	Other violence ... { M	743	2	2	4	1	9	6	2	—	2	19	1
	F	76	—	2	7	3	12	1	—	1	3	17	—
187	Dropsy ... { M	4	—	—	—	—	—	1	—	—	—	1	—
	F	10	—	—	—	—	—	1	—	—	—	1	—

E-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	1	3	3	6	3	7	4	2	2	2	1	2	—	1	—	}	168
—	1	1	1	2	1	—	1	1	1	—	—	1	2	1	—		
9	19	15	26	34	48	47	46	41	25	19	16	8	6	5	1	}	169
2	9	4	3	3	10	4	9	8	6	4	1	1	1	—	—		
3	7	9	1	2	4	3	2	3	2	1	2	—	—	—	—	}	170
—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
—	1	—	—	—	1	—	1	—	—	1	—	—	1	—	—	}	171
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
12	10	15	17	25	32	39	55	44	47	41	41	46	30	24	21	}	172
2	—	3	5	3	4	13	7	17	20	36	37	47	53	42	50		
7	46	23	22	25	32	44	25	20	14	18	5	2	1	—	—	}	173
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
5	11	2	10	8	9	10	8	4	8	1	3	1	—	—	—	}	174
—	—	1	—	—	—	—	—	—	—	—	1	—	—	—	—		
58	62	46	58	70	62	63	78	53	77	56	34	32	18	6	3	}	175
6	8	5	5	6	5	9	17	18	12	14	9	14	8	4	6		
2	2	4	1	2	3	1	—	1	2	1	1	5	—	—	1	}	176
—	—	—	—	—	—	—	1	—	1	—	—	—	—	—	—		
—	—	2	—	—	—	—	—	—	1	—	—	—	—	—	—	}	177
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	2	—	—	2	4	3	—	1	4	—	1	—	—	}	178
—	—	—	1	—	1	—	1	—	—	—	1	1	3	—	—		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	179
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	1	—	2	—	1	—	—	—	—	—	—	—	—	—	}	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	1	—	2	1	—	1	—	—	—	—	—	—	—	—	}	182
—	1	1	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	1	—	—	—	2	—	—	—	—	—	—	—	—	—	}	183
—	1	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	3	5	1	1	2	—	1	—	—	—	—	}	184
—	—	2	2	5	1	1	1	—	—	—	—	—	—	—	—		
—	—	—	—	2	2	4	3	1	1	3	1	—	—	—	—	}	185
—	—	—	—	—	—	—	1	—	—	1	—	—	1	—	1		
20	37	185	205	121	65	14	16	11	14	10	3	7	1	—	—	}	186
4	5	3	4	7	6	7	4	3	3	1	2	—	—	—	2		
—	—	—	—	—	—	—	1	—	—	—	—	1	—	1	—	}	187
—	—	—	—	—	—	1	—	—	1	—	2	1	1	1	2		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
188	Syncope, Sudden death.	M 28	—	—	—	—	—	—	—	—	—	—	—
		F 29	2	—	—	—	2	—	—	—	—	2	—
	A. Syncope (aged 1 year and under 70 years).	M 27	—	—	—	—	—	—	—	—	—	—	—
		F 27	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined).	M 1	—	—	—	—	—	—	—	—	—	—	—
		F 2	2	—	—	—	2	—	—	—	—	2	—
189	Ill-defined causes...	M 403	19	7	4	5	35	94	9	8	3	149	6
		F 343	12	4	8	6	30	68	15	3	2	118	4
	A. Heart failure (aged 1 year and under 70).	M 204	—	—	—	—	—	1	—	—	—	1	4
		F 176	—	—	—	—	—	—	—	1	—	1	1
	B. Atrophy, debility, marasmus (aged 1 year and under 70).	M 111	—	—	—	—	—	87	9	7	2	105	—
		F 94	—	—	—	—	—	65	14	2	1	82	2
	C. Teething ...	M 9	—	—	1	3	4	5	—	—	—	9	—
		F 5	—	—	2	2	4	1	—	—	—	5	—
	D. Pyrexia ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths.	M 61	11	5	3	2	21	1	—	1	1	24	2
		F 56	7	3	6	3	19	2	1	—	1	23	1
	F. Cause not specified.	M 18	8	2	—	—	10	—	—	—	—	10	—
		F 12	5	1	—	1	7	—	—	—	—	7	—

E-PERIODS IN THE QUARTER ENDED 31ST DECEMBER, 1914—*continued.*

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	3	—	1	—	5	4	6	3	5	—	1	—	—	}	188
—	—	—	—	1	2	5	1	3	2	9	4	—	—	—	—		
—	—	—	3	—	1	—	5	4	6	3	5	—	—	—	—	}	A
—	—	—	—	1	2	5	1	3	2	9	4	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	2	2	5	3	6	15	24	41	40	39	55	5	3	2	2	}	189
2	2	1	1	7	13	17	15	31	26	51	43	6	3	—	3		
3	2	2	3	2	5	14	22	32	32	33	49	—	—	—	—	}	A
2	1	1	1	6	10	14	14	26	21	43	35	—	—	—	—		
—	—	—	—	—	1	—	—	—	3	—	2	—	—	—	—	}	B
—	—	—	—	1	—	2	—	1	1	3	2	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	2	1	—	—	2	8	4	3	3	4	3	2	2	}	E
—	1	—	—	—	3	1	—	4	4	5	5	6	1	—	2		
—	—	—	—	—	—	1	—	1	1	3	1	1	—	—	—	}	F
—	—	—	—	—	—	—	1	—	—	—	1	—	2	—	1		

QUARTERLY RETURN & ANNUAL SUMMARY

OF

MARRIAGES, BIRTHS, AND DEATHS

REGISTERED IN

ENGLAND AND WALES,

AND IN THE REGISTRATION COUNTIES;

AND OF BIRTHS, DEATHS, AND NOTIFIED CASES OF INFECTIOUS DISEASE
IN CERTAIN LARGE TOWNS.

Published by Authority of the Registrar-General.

Printed under the Superintendence of His Majesty's Stationery Office,
AND SOLD BY WYMAN AND SONS, LTD., FETTER LANE, E.C.

No. 268.]

[Price 1s.

Marriages—*July, August, September, 1915, and Year 1915.*

Births and Deaths—*October, November, December, 1915, and Year 1915.*

NOTE.—The figures in this publication are tabulated mainly from statistical Returns furnished by the local Registrars, and may not be found to correspond exactly with the authoritative figures for the whole year to be published later in the Annual Report. *With this issue of the Quarterly Return a table of the deaths (by sex, age, and cause) in England and Wales during the first quarter of the year 1915 and tables relating to the Year 1915 are incorporated. Similar tables for subsequent quarters will be published from time to time as available in future issues of this Return.*

*General Register Office, Somerset House,
31st January, 1916.*

ENGLAND AND WALES.

The figures in this Quarterly Return are based upon the BIRTHS and DEATHS registered in the 1,964 registration sub-districts of England and Wales in the three months ended 31st December, 1915; and the MARRIAGES in 16,020 churches or chapels, in 16,787 registered places of worship unconnected with the Established Church, and in 634 Superintendent Registrars' Offices, in the three months ended 30th September, 1915.

The births registered during the three months ended 31st December, 1915, numbered 183,445 and the deaths 137,077; the number of persons married during the three months ended 30th September, 1915, was 205,134.

Marriages.

The number of persons married during the *third* quarter of 1915 corresponds to an annual rate of 21·8 per 1000 of the population, which is estimated to amount to 37,302,983 persons at the middle of

the year 1914* ; this is 4·5 per 1000 above the mean marriage-rate in the ten preceding third quarters, and 4·4 per 1000 above the rate recorded in the third quarter of 1914 ; it is the highest rate recorded in any quarter since the establishment of civil registration.

Births.

The births registered in the *fourth* quarter of 1915 correspond to a rate of 19·5 annually per 1000 of the population in the middle of 1914. This rate is 4·6 per 1000 below the mean birth-rate in the ten preceding fourth quarters, and 2·7 per 1000 below the rate in the corresponding period of 1914 ; it is the lowest birth-rate recorded in any quarter since the establishment of civil registration.

Of the 183,445 births, 7,649 (or 1,067 fewer than the number in the corresponding quarter of 1914) were illegitimate ; the distribution of the latter among the several registration counties is shown in Table VI*a*.

Natural Increase of Population.

The natural increase of population in England and Wales last quarter by excess of births over deaths was 46,368, against 87,995, 89,045, and 77,394 in the fourth quarters of 1912, 1913, and 1914, respectively.

Deaths.

The deaths registered in England and Wales last quarter correspond to an annual rate of 14·6 per 1000 persons living ; this rate is 0·3 per 1000 above the mean rate in the ten preceding fourth quarters, and 0·7 per 1000 above the rate in the fourth quarter of 1914.

The 137,077 registered deaths included 70,965 of males and 66,112 of females, the death-rate among males being 15·6, and that among females 13·6, per 1000 of the estimated populations of the respective sexes. Compared with the average for each sex in the ten preceding fourth quarters, the death-rate of males showed an increase of 0·5, and that of females an increase of 0·1. Out of equal numbers living, the deaths of males were to those of females as 115 is to 100, the mean proportion in the fourth quarters of the ten preceding years being 112 to 100.

Mortality at Different Ages.

Infant mortality, measured by the proportion of deaths under one year of age to registered births, was equal to 114 per 1000, being 5 per 1000 below the average in the ten preceding fourth quarters.

The mortality among persons aged between one year and sixty-five years was at the annual rate of 8·1 per 1000 of the estimated population at this group of ages.

* The estimated populations in the middle of 1914 (old estimates : based on the results of the Censuses of 1901 and 1911) have been continued in use, no reliable estimate of total populations in 1915 being available.

Among persons aged sixty-five years and upwards the mortality was at the annual rate of 93·4 per 1000 of the estimated population at this group of ages.

Urban and Rural Mortality.

Table III. shows the birth-rates, the death-rates from all causes, from the principal epidemic diseases and from violence, and the death-rates at certain age-groups, together with the proportion of inquest cases, of uncertified deaths, and of deaths in public institutions in England and Wales during the *fourth* quarter of 1915, compared with the corresponding average rates in the *fourth* quarters of the ten preceding years, and also with the rates last quarter in the 96 great towns, in the 148 smaller towns, and in the remainder of England and Wales.

In the country as a whole the mortality last quarter from diphtheria was slightly above, while that from enteric fever was one half, and from measles was only two-thirds of the average, and that from scarlet fever and whooping cough were well below the average.

The highest death-rates per 1000 persons living from the several epidemic diseases among the 96 great towns last quarter were as follows:—from *enteric fever*, 0·13 in Blackpool, 0·16 in Stockport and in Warrington, 0·18 in Rotherham, 0·22 in Wigan, 0·23 in Aberdare, 0·30 in Wakefield, 0·32 in Southampton, and 0·46 in Tynemouth; from *measles*, 1·07 in Lincoln, 1·14 in Swindon, 1·20 in Burnley, 1·21 in Leicester, 1·64 in Barnsley, 1·69 in Stockport, and 3·40 in Gloucester; from *scarlet fever*, 0·20 in Darlington, 0·23 in Ealing and in Stoke on Trent, 0·28 in St. Helens, 0·29 in Stockport, 0·30 in Preston and in Carlisle, 0·31 in Wigan, and 0·32 in Warrington; from *whooping cough*, 0·39 in Leyton and in Darlington, 0·41 in Derby, 0·44 in Bootle, 0·47 in Lincoln, 0·48 in York, and 0·53 in Smethwick; and from *diphtheria*, 0·41 in Middlesbrough, 0·42 in Gt. Yarmouth, 0·43 in Walsall, 0·46 in Carlisle, 0·54 in Hastings, 0·67 in Coventry, 0·75 in Stoke on Trent, and 0·88 in St. Helens. The highest death-rates per 1000 births from *diarrhœa and enteritis* among children under 2 years of age were 50·13 in Salford, 53·15 in Stockport, 56·48 in Dudley, 57·44 in Bolton, 57·88 in Barnsley, 68·18 in Preston, and 81·93 in Burnley.

UNITED KINGDOM.

The POPULATION of the UNITED KINGDOM in the middle of 1914 is estimated at 46,431,548 persons; that of England and Wales at 37,302,983, that of Scotland at 4,747,167, and that of Ireland at 4,381,398.*

In the United Kingdom 246,086 *births* and 140,014 *deaths* were registered in the three months ended 30th September, 1915. The natural increase of population was, therefore, 106,072. The number of *persons married* in the United Kingdom during the quarter was 236,632.

* The revised estimate of the population of England and Wales, based upon the returns of births, deaths, and migration, that will be adopted for the Annual Report for 1914 is 36,960,684, the revised estimates for the United Kingdom being consequently, 46,089,249.

The birth-rate in the United Kingdom in the *third* quarter of 1915 was 21·0, the death-rate 12·0, and the marriage-rate 20·2 per 1,000 of the estimated population.

For facts, in detail, concerning Scotland and Ireland reference should be made to the Quarterly Returns of the Registrars-General of those parts of the United Kingdom.

Passenger Movement.

According to a Return issued by the Board of Trade it appears that with respect to the passenger movement between the United Kingdom and places out of Europe in the three months ended 31st December, 1915, the arrivals of passengers stated to be of British nationality exceeded the departures by 6,538 persons, compared with an excess of 1,160 departures in the corresponding period of the previous year. Of aliens those leaving exceeded those arriving by 1,861, the balance in the corresponding period of the previous year having been 8,978 outwards.

The passenger movement between the United Kingdom and the Continent of Europe or the Mediterranean Sea showed a balance inward of 7,495 persons, British and aliens,* in the fourth quarter of the year, the balance in the corresponding period of the previous year having been 72,243 inward.

Thus the balance of the aggregate passenger movement in the quarter to and from all Countries was 12,172 inward.

COLONIAL AND FOREIGN CITIES.

The Registrar-General has been favoured with returns of vital statistics by the authorities of certain Colonial and Foreign Cities. From these a summary has been constructed for the 13 weeks ended 1st January, 1916 (Table XV).

RETURNS OF NOTIFIED CASES OF INFECTIOUS DISEASE.

At the request of the Local Government Board, and of the London County Council, and on their responsibility with respect to accuracy, tables have been inserted, in continuation of those published in previous returns, showing the numbers of cases of infectious sickness notified, under Act of Parliament, to the Sanitary Authorities of certain of the largest towns in England and Wales, during the 13 weeks ended 1st January, 1916 (*see* pages 22-27); and in the two following tables, these numbers have been reduced to rates per 1000 living in the several populations (*see* pages 28-33).

METEOROLOGY.†

October.

The general condition of the weather was dry and unusually quiet for October, and the main current of wind, instead of the normal Westerly, was South-Easterly.

* The number of aliens included in this total is not available.

† Furnished by the Director of the Meteorological Office.

Temperature.—As a whole the temperature scarcely differed from the average, but the mean was the result of alternating cold and warm periods. The first nine days were cold for the time of year, while from the 10th till the 16th the weather was warm. This was followed by a spell of variable temperature, and finally by a week of relative cold. The difference between the warmest and coldest weeks was very marked. The mean for the seven days 10th to 16th, was $53^{\circ}4$, while the corresponding value for the week 24th to 30th was as low as $44^{\circ}9$. The mean for the whole month ranged from 50° in the south-east and south-west to 48° in the north-east, and to $47^{\circ}5$ in the midland counties. In the Scilly and Channel Islands the mean—about 53° —was higher than on any part of the mainland, and the mean daily range considerably less than at inland places. The warmest day occurred on the 12th or shortly after, and thermometrical readings as high as 67° and 68° were widespread. Here and there the coldest nights were experienced on the 1st or 2nd, but, as a rule, they did not occur till the 29th, 30th, or 31st. Frost was recorded at least once in nearly all districts, the lowest temperature being 22° at Wellington, Shropshire.

Rainfall.—Over England and Wales as a whole the fall was very slight, amounting to only 63 per cent. of the average. Many districts in England had no rain for 15 or more consecutive days, the drought beginning on the 3rd or a few days later. At Stockport rain fell on seven days only, at Chelmsford on five days, and locally in Cumberland on no more than four days. Some heavy downpours were experienced on the 23rd in the south-western and central counties, and towards the end of the month further heavy falls occurred in the south generally. On the 23rd Rousdon had 58 mm., and Sidmouth 67 mm., while at Creech Grange, Dorset, 27 mm. on the 23rd was followed by 51 mm. on the 24th. The measurements at the end of the month were nearly as important. At Sandgate 31 mm. fell on the 28th, and 56 mm. on the 29th; on the 31st Basingstoke had 52 mm. and Grayshott 56 mm. As a result of these rains the total fall in England South-West was rather above the average, and in the south-east not much below it. A rather marked feature of the rainfall over the country generally was that a much larger quantity fell during the night than during the day.

Bright Sunshine.—Although the general character of the weather was dry it was not at all bright. Over the eastern half of England the percentage of the average of bright sunshine was from 51 in the Midlands to 74 in East Anglia, but over the western half the deficiency was slight. The mean daily duration in the Scilly Islands was four hours, at Jersey 3·3 hours, and in the south-west of England three hours, whence it decreased to 1·5 hour in the Midland Counties. In the metropolitan area the mean daily duration ranged from 2·3 hours at Greenwich to 1·6 hour at Camden Square, South Kensington, and Tottenham. At Bunhill Row (City) it was 1·7 hour, while in northern cities the lowest results were 0·7 hour at Bolton, 0·8 hour at Wakefield, and 0·9 hour at Huddersfield, Bradford, and Manchester (Oldham Road).

November.

The general character of the weather was unusual. Very few gales or strong winds were experienced, temperature was abnormally low for the time of year, rainfall less than the average except in the

eastern counties, the deficit being very large in the western half of the country, sunshine everywhere in excess, and fog seldom experienced.

Temperature was almost continuously very low. The deficiency amounted to or exceeded 10° in various parts of the country during the third week, and was equally large at some places in Wales and the north-west of England during the week following. For the month as a whole it exceeded 6° in all the western counties, was about 5° over the eastern half of England, and about 4° elsewhere. In the midland counties the mean temperature was $37^{\circ}\cdot4$, and in the north-west $37^{\circ}\cdot7$; while in the east and south it was about 2° higher, and in the Scilly and Channel Islands as much as 8° higher. Almost the only occasions with a maximum temperature above 50° were on the 8th, 11th, and 12th. On one or more of these dates the thermometer rose to 55° or above in all districts, the highest value being 59° at Wokingham, Bath, Minehead, and Bude. On several days late in the month the thermometer rose only to about the freezing point except along the south and south-west coasts. Frosty nights were very frequent for November, and on some occasions the frost was very severe, especially over the northern half of the country. Minimum readings below 20° were common on the 17th, and again on the 27th and 28th. At Morecambe the value on the former date was 12° .

Rainfall.—Most of the rain fell before the 16th, and the subsequent weather was quite rainless over a considerable portion of the country until the 28th. Owing to some very heavy downpours the aggregate fall in the east of England was rather large, the percentage of the average being 125. In the north-west of England and North Wales it was only 60 per cent. The heaviest fall within 24 hours occurred at Little Massingham on the 12th, when the gauge yielded as much as 80 mm. A little snow was experienced from time to time in many districts during the latter half of the month, and over a rather wide area in the north and north-west the ground was lightly covered for some days.

Bright Sunshine.—The excess of sunshine over the average ranged from about half an hour per day in the midland, eastern, and north-eastern counties to about 1 hour in the north-west and south-west. In the brightest district, England South-West, the mean daily duration was 3·2 hours, and in the least bright, England North-East, 2 hours. Among individual towns the dullest spot was Manchester, with less than $\frac{3}{4}$ hour, and this was followed by Bolton with 1 hour. In the City of London, at Bunhill Row, it was 1·4 hour, at South Kensington 1·6 hour, and at Hampstead 2·8 hours. At several spots along the south coast it was about 4 hours.

December.

A month of exceedingly unsettled weather, stormy, mild and wet. The wind was mainly between South and West, gales were abnormally frequent, and in several instances severe, especially so on the 27th and 31st, when there was much structural damage in various parts of the country, large numbers of trees uprooted, and some lives lost.

Temperature.—A period of moderate cold occurred in the week 12th to 18th when there were few afternoon maxima as high as 50° , while in many places those of the 12th were as low as 35° and under, 32° in some cases, and 31° at Hornsea. Night frosts were common, the lowest of the shade minima occurring in the night of the 12th–13th, when Hampstead and Manchester touched 24° , Cheadle and Raunds 23° , and Fulbeck and Marlborough 22° . High day and night temperatures ruled during the rest of the month, maxima above 50° , and minima above 40° being common. On the 4th, 10th and 26th to 31st there were many day readings from 56° to 58° . As illustrations of the abnormal mildness of many nights the 1 a.m. readings at South Kensington were 50° on the 4th, 28th and 31st, 53° on the 5th and 6th, and 55° on the 10th. For the month the mean temperature was nearly a degree in excess of the average over northern England, and nearly 4° in excess in the east and south-east, the excess for the country generally being more than 2° .

Rainfall.—In every district the precipitation was both very frequent and heavy. At the great majority of stations rain was measured on from 24 to 28 days, and there were numerous falls exceeding 25 mm., the largest records in Snowdonia on various dates ranging up to 75 mm., and in the Dartmoor area on the 14th Tavistock had 50 mm., Sheepstor 79 mm., and Princetown 100 mm. Over an extensive region the aggregate amounts exceeded 200 mm., ranging up to 541 mm. at Princetown, and 689 mm. at Pen-y-Gwryd (Snowdon). The coastal district of the Eastern half of the Channel was included in the region of more than 200 mm. The records show that England and Wales as a whole received 221 per cent. of the average, the district percentages ranging from 194 for the north-west, and 198 for the south-west to 232 for the north-east and 269 for the south-east, individual stations ranging up to 316 per cent. at Totland Bay, and 351 per cent. at Worthing. With such a great preponderance of mild, open weather the records of snowfalls were few and unimportant, the principal depth being 10 cm. at Meltham on the 9th, Harrogate on the 10th, and Carnforth on the 11th. Thunderstorms visited numerous southern localities on the 1st, and there were sporadic storms on the 3rd, 4th, 23rd, 24th, 30th and 31st.

Bright Sunshine.—The mean daily duration of insolation was little more than an hour, or 81 per cent. of the normal. At individual stations the results ranged from 19 minutes per day at Llangammarch Wells, and 39 minutes at Birmingham and Newton Rigg to 1 hour 25 minutes at Clacton and Skegness, and 1 hour 33 minutes at Falmouth.

The Quarter.

Temperature equalled the normal in the Eastern Counties, elsewhere it was from 1° to 2° in defect, against a general excess of a degree in 1914, and of 2.5° in 1913. The district mean values ranged from 42° in the North-East to 45° in the South-West, and 49° in the Channel Islands.

Rainfall. — The heavy downpours of December more than balanced the dryness of October and November, the quarter's totals being 121 per cent. of the average, the North-West receiving 95 per cent., the other districts from 113 in the North-East to 140 in the

South-East. The number of rain days, however, was less than usual, from 47 in the Midlands and South-East to 54 in the North-East and South-West, and 60 in the Channel Islands.

Bright Sunshine showed a slight excess in the North-West and South-West, less than 90 per cent. of the normal elsewhere, 81 per cent. in the Midlands. The mean daily duration ranged from 1·6 hour in the Midlands to 2·5 hours in the Channel Islands.

SUMMARY, 1915.

The Summary relating to the year 1915, giving the principal Tables published up to 1912 in the "Annual Summary" will be found on pages 36 to 63 of this publication, the Tables being numbered XVI to XXV.

ENGLAND AND WALES.

According to the quarterly returns furnished by local registrars, 814,527 births and 562,326 deaths were registered in England and Wales in the year 1915. The natural increase of population, by excess of births over deaths, was therefore 252,201, the average annual increase in the preceding five years having been 378,360. The number of persons married during the year was 720,052.

The marriage-rate in England and Wales in 1915 was 19·3 persons married per 1,000 of the population, which is 3·5 per 1,000 above the rate in 1914, and higher than the rate in any other year on record. Compared with the average in the ten years 1905–1914, the marriage-rate in 1915 showed an increase of 3·9 per 1,000.

The birth-rate in 1915 was 21·8 per 1,000 of the population, which is 1·8 per 1,000 below the rate in 1914, and lower than the rate in any other year on record. Compared with the average in the ten years 1905–1914, the birth-rate in 1915 showed a decrease of 3·6 per 1,000.

The death-rate in 1915 was 15·1 per 1,000, which was 1·2 per 1,000 above the rate in 1914; compared with the rate in the ten years 1905–1914, the death-rate in 1915 showed an increase of 0·7 per 1,000.

TABLES.

TABLE I.—**Marriages, Births, and Deaths** registered in **England and Wales** in the Year **1905-1915**, and in each Quarter of those Years.

YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	1915
Marriages- - -	260,742	270,038	276,421	264,940	260,544	267,721	274,943	283,834	286,583	294,087	360,000
Births - - -	929,293	935,081	918,042	940,383	914,472	896,962	881,138	872,737	881,890	878,822	814,000
Deaths - - -	520,031	531,281	524,221	520,456	518,003	483,247	527,810	486,939	504,975	516,778	562,000
MARRIAGES.											
Quarter ended the last day of											
March- - -	45,173	45,478	53,017	47,548	45,094	56,432	44,808	44,737	60,926	51,016	55,000
June - - -	70,954	74,420	69,782	73,502	71,829	61,036	75,656	74,619	65,904	81,096	97,000
September- -	72,811	75,949	79,129	73,785	73,843	76,545	77,873	83,505	83,636	82,024	102,000
December - -	71,804	74,191	74,493	70,105	69,778	73,708	76,606	80,973	76,117	79,951	105,000
BIRTHS.											
March- - -	237,826	237,427	229,287	240,112	228,787	221,684	223,585	222,600	216,629	217,357	221,000
June - - -	236,702	237,168	238,535	243,834	237,220	234,825	225,774	218,070	227,470	226,067	213,000
September- -	235,352	234,663	230,528	237,229	228,840	227,146	222,506	219,232	225,501	227,122	196,000
December - -	219,413	225,823	219,692	219,208	219,625	213,307	209,273	212,835	212,290	208,276	183,000
DEATHS.											
March- - -	148,291	140,451	160,020	156,328	160,506	136,400	143,128	144,642	146,541	146,217	177,000
June - - -	123,078	125,370	127,337	121,052	125,233	115,671	119,966	115,777	121,743	124,134	138,000
September- -	120,882	129,397	106,813	113,929	104,786	104,149	140,949	101,680	113,446	115,545	109,000
December - -	127,780	136,063	130,051	129,147	127,478	127,027	123,767	124,840	123,245	130,882	137,000

TABLE II.—**Annual Rate** per 1000, of **Persons Married**, of **Births**, and of **Deaths**, in the Years **1905-1915**, and in each Quarter of those Years.

Estimated Population of England and Wales, in thousands, in the middle of each Year.*	33,989	34,342	34,699	35,059	35,424	35,792	36,164	36,540	36,919	37,303	—
YEAR - - -	1905	1906	1907	1908	1909	1910	1911	1912	1913	1914	Mean 1905-1914.
Persons married -	15·3	15·7	15·9	15·1	14·7	15·0	15·2	15·5	15·5	15·8	15·4
Births - - -	27·3	27·2	26·5	26·7	25·8	25·1	24·4	23·8	23·9	23·6	25·4
Deaths - - -	15·3	15·5	15·1	14·8	14·6	13·5	14·6	13·3	13·7	13·9	14·4
PERSONS MARRIED.											
Quarter ended the last day of											
March - - -	10·8	10·7	12·4	10·9	10·3	12·8	10·0	9·8	13·4	11·1	11·2
June - - -	16·7	17·4	16·1	16·8	16·3	13·7	16·8	16·4	14·3	17·4	16·2
September - -	17·0	17·5	18·1	16·7	16·5	17·0	17·1	18·1	18·0	17·4	17·3
December - -	16·8	17·1	17·0	15·9	15·6	16·3	16·8	17·6	16·4	17·0	16·7
BIRTHS.											
March - - -	28·4	28·0	26·8	27·5	26·2	25·1	25·1	24·4	23·8	23·6	25·9
June - - -	27·9	27·7	27·6	27·9	26·9	26·3	25·0	23·9	24·7	24·3	26·2
September - -	27·5	27·1	26·4	26·8	25·6	25·2	24·4	23·8	24·2	24·2	25·5
December - -	25·6	26·1	25·1	24·8	24·6	23·6	23·0	23·1	22·8	22·2	24·1
DEATHS.											
March - - -	17·7	16·6	18·7	17·9	18·4	15·5	16·1	15·9	16·1	15·9	16·9
June - - -	14·5	14·6	14·7	13·8	14·2	13·0	13·3	12·7	13·2	13·3	13·7
September - -	14·1	14·9	12·2	12·9	11·7	11·5	15·5	11·0	12·2	12·3	12·8
December - -	14·9	15·7	14·9	14·6	14·3	14·1	13·6	13·6	13·2	13·9	14·3

* The estimated populations shown in this Return are based on the Censuses of 1901 and 1911. The estimates for 1914 have been continued in use for 1915, no reliable estimates of total populations in 1915 being available. The revised estimate for England and Wales in the middle of 1914, based upon the return of births, deaths, and migration, is 36,960,684. Revised estimates for each of the registration counties, the 242 towns and the Metropolitan Boroughs in the middle of 1914 will be found in Quarterly Return No. 264 (Tables XVIII., XIX. and XXI.).

TABLE III.—Birth-rate, Death-rate, and Analysis of Mortality during the Fourth Quarter of 1915.

	ANNUAL RATE PER 1000 LIVING.										PERCENTAGE of Total Deaths.							
	Birth-rate.	Death-rate.		Enteric Fever.	Small-pox	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.	RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			
		Crude.	Stand-ard-ized.*								Diarrhoea and Enteritis (under 2 years).	Total deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Deaths in Public Institutions.	Certified causes.	Inquest Cases.	Uncertified Causes of Death.
England and Wales { 1905-14 - - - 1915 - - -	24·1 19·5	14·3 14·6	14·0 14·3	0·08 0·04	0·00 0·00	0·27 0·18	0·09 0·07	0·15 0·13	0·17 0·18	0·55 0·62	? 25·54	119 114	? 8·1	? 93·4	20·2 23·0	91·3 91·3	7·3 7·2	1·4 1·5
96 Great Towns - - - - -	20·5	15·5	15·8	0·04	-	0·18	0·07	0·14	0·19	0·64	31·52	128	8·9	100·8	29·1	90·8	8·2	1·0
148 Smaller Towns - - - - -	19·0	13·0	13·2	0·04	-	0·22	0·07	0·14	0·18	0·45	25·39	112	7·1	91·7	16·0	92·5	5·8	1·7
England and Wales, less the 244 Towns.	18·5	14·0	12·9	0·04	00·0	0·16	0·06	0·11	0·18	0·65	17·38	96	7·4	87·2	16·9	91·5	6·3	2·2

* The Standardized Death-rates represent the Crude Death-rates multiplied by the respective Standardizing Factors in order to make correction for differences of sex- and age- constitution of the several populations in 1911 as compared with that of England and Wales in 1901. A description of the method of constructing these Factors is to be found in the Annual Report for 1911, p. xxix.

TABLE IV.—Commercial Statistics and Pauperism, 1914-1915.

QUARTER ended	AVERAGE PRICES.										PAUPERISM.			
	2½% per Cent. CONSOLS (for Money) per £100 per Stock.*	Average Minimum Rate per cent. of DISCOUNT charged by the Bank of England.*	British WHEAT per Quarter.†	Price per lb. at the Metropolitan Cattle Market (sinking the official).‡						Average Price of Sea-borne COAL per Ton in the London Market.§	Average Number of PAUPERS relieved on the last day of each week.		Rate per 1,000 total population.	
				BEEF.			MUTTON.				In-door.	Out-door.	In-door.	Out-door.
				Superior Quality.	Second Quality.	First Quality.	Superior Quality.	Second Quality.	First Quality.					
				d.	d.	d.	d.	d.	d.					
1914:	£ s. d.	£	s. d.	d.	d.	d.	d.	d.	s. d.					
Mar. 31 -	74 15 8	3·47	31 1	5½	6½	8	9½	10½	21 0	265,791	377,982	7·1	10·1	
June 30 -	74 18 0	3·00	32 9	5½	6½	7½	8½	9½	21 0	252,721	372,559	6·8	10·0	
Sept. 30 -	74 16 2	4·66	36 3	4½	7½	8½	9½	10½	¶	249,484	383,627	6·7	10·3	
Dec. 31 -	—	5·00	39 11	5½	7½	8½	9½	10½	¶	256,057	379,437	6·9	10·2	
1915:														
Mar. 31 -	68 5 5	5·00	52 5	5½	8½	9½	9½	11½	¶	255,818	379,469	6·9	10·2	
June 30 -	66 8 4	5·00	58 1	7½	9½	10½	10½	11½	¶	234,944	366,057	6·3	9·8	
Sept. 30 -	65 0 11	5·00	49 8	7½	10½	11½	10½	11½	¶	221,902	352,005	5·9	9·4	
Dec. 31 -	62 3 9	5·00	51 3	6½	8½	10	9½	11½	¶	223,562	340,867	6·0	9·1	

* The Price of Consols and the Rate of Discount are furnished by the Chief Cashier of the Bank of England. † As put lished by the Board of Agriculture. ‡ Furnished by the Board of Agriculture. § Furnished by the Mining Statistics Branch of the Home Office. The prices relate to Sunderland coal only.

¶ No quotations during the quarter. ¶ This amount relates to the month of July only, no official quotation being obtainable for August and September owing to the closing of the Stock Exchange. The Stock Exchange remained closed during the quarter ended 31st December, 1914, and no official prices were therefore recorded, but the minimum price at which transactions in this security were allowed by the Stock Exchange Committee was £68 10s. 0d.

TABLE V.—England and Wales and Registration Counties.—ESTIMATED POPULATION: MARRIAGES registered in the Quarter ended 30th September, 1915; BIRTHS and DEATHS registered in the Quarter ended 31st December, 1915.

NOTE.—The Registration or Union Counties consist of groups of Registration Districts which are generally co-extensive with Poor Law Unions of the same names. The differences between Registration Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Abstracts of the Census Returns, 1911 (Cd. 6259). The numbers of marriages, births, and deaths, are the numbers actually registered in each case.

REGISTRATION COUNTIES.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	MAR-RIAGES in Quarter ended 30th Sept., 1915.	BIRTHS in Quarter ended 31st Dec., 1915.	DEATHS in Quarter ended 31st Dec., 1915.	The DEATHS registered include										REGISTRATION COUNTIES		
					Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
					Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.			
England and Wales	37,302,983	102,567	183,445	137,077	20,894	45,719	374	1	1,666	631	1,215	1,738	4,685	5,824	9,876	31,539	2,097
LONDON†	-	16,913	24,174	18,399	3,185	5,527	35	-	75	60	165	221	918	934	1,978	8,136	27
SURREY	-	2,558	3,979	3,053	323	1,205	3	-	5	6	14	16	58	138	266	1,029	12
KENT	-	3,075	4,724	3,628	402	1,415	9	-	21	15	35	51	58	227	264	938	115
SUSSEX	-	1,667	2,504	2,356	197	1,070	6	-	19	1	4	23	37	90	171	495	12
HAMPSHIRE	-	2,803	4,174	3,239	314	1,240	26	-	23	11	18	47	48	179	244	877	33
BERKSHIRE	-	857	1,304	1,054	96	463	2	-	11	5	11	10	7	31	60	249	20
MIDDLESEX	-	3,507	5,802	3,374	430	1,285	7	-	3	32	19	66	81	135	279	838	10
HERTFORDSHIRE	-	788	1,242	1,026	97	468	3	-	3	2	17	9	11	39	57	267	15
BUCKINGHAMSHIRE	-	506	865	607	61	287	1	-	4	4	9	10	3	23	29	112	15
OXFORDSHIRE	-	450	744	642	53	319	-	-	-	-	2	1	6	29	45	150	7
NORTHAMPTONSHIRE	-	1,044	1,640	1,242	140	518	2	-	1	6	8	34	15	41	55	218	23
HUNTINGDONSHIRE	-	81	193	154	13	84	-	-	-	-	-	-	-	4	7	39	8
BEDFORDSHIRE	-	618	942	737	80	301	-	-	14	7	4	32	17	26	31	135	28
CAMBRIDGESHIRE	-	515	990	833	71	398	1	-	10	3	6	13	7	36	51	177	11
ESSEX	-	4,142	7,020	4,499	653	1,603	10	-	18	14	60	68	128	171	292	1,212	98
SUFFOLK	-	939	1,703	1,347	127	591	4	-	15	7	5	-	5	70	84	259	42
NORFOLK	-	1,161	2,124	1,682	210	773	7	-	5	4	23	24	19	69	108	341	22
WILTSHIRE	-	719	1,254	1,032	84	467	1	-	39	2	12	12	8	27	60	213	13
DORSETSHIRE	-	522	929	759	69	357	2	-	7	1	7	3	5	37	51	128	17
DEVONSHIRE	-	1,726	2,857	2,567	254	1,116	10	-	11	10	18	40	34	103	174	461	17
CORNWALL	-	668	1,372	1,131	106	501	1	-	7	6	11	14	4	25	56	100	12
SOMERSETSHIRE	-	1,142	1,978	1,667	114	820	2	-	17	5	4	14	5	71	121	253	9
GLOUCESTERSHIRE	-	1,916	2,974	2,641	338	1,042	5	-	106	8	8	32	70	89	187	586	19
HEREFORDSHIRE	-	215	467	426	34	210	-	-	-	-	2	6	-	12	18	53	20
SHROPSHIRE	-	541	1,213	943	95	448	2	-	14	2	3	9	12	38	56	168	33
STAFFORDSHIRE	-	3,321	8,032	5,457	1,031	1,604	4	-	75	40	40	86	251	221	391	902	77
WORCESTERSHIRE	-	846	1,459	1,131	118	506	-	-	6	7	5	12	27	41	62	193	29

The DEATHS registered include																			
REGISTRATION COUNTIES.		ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	MAR-RIAGES in Quarter ended 30th Sept, 1915.	BIRTHS in Quarter ended 31st Dec., 1915.	DEATHS in Quarter ended 31st Dec., 1915.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	REGISTRATION COUNTIES.
						Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
LEICESTERSHIRE	-	495,022	1,429	2,337	1,786	287	616	1	-	80	5	12	19	57	50	100	336	19	LEICESTERSHIRE.
RUTLANDSHIRE	-	21,315	33	72	59	3	32	-	-	-	-	-	4	-	2	5	5	3	RUTLANDSHIRE.
LINCOLNSHIRE	-	579,921	1,247	2,816	2,003	282	788	4	-	45	4	14	33	33	99	126	239	44	LINCOLNSHIRE.
NOTTINGHAMSHIRE	-	758,202	1,865	3,807	2,599	472	844	9	-	65	7	19	23	99	120	154	413	67	NOTTINGHAMSHIRE.
DERBYSHIRE	-	567,354	1,360	2,717	1,759	270	635	3	-	19	7	20	24	51	72	123	281	47	DERBYSHIRE.
CHESHIRE	-	937,209	2,340	4,536	3,335	498	1,083	6	1	119	17	25	23	91	123	243	614	13	CHESHIRE.
LANCASHIRE	-	4,959,966	13,986	24,122	20,723	3,501	5,527	69	-	226	147	202	241	983	750	1,243	4,617	440	LANCASHIRE.
WEST RIDING	-	3,141,373	8,284	15,799	11,983	1,901	3,449	64	-	298	51	103	151	445	541	929	2,380	76	WEST RIDING.
EAST RIDING	-	525,512	1,481	2,711	2,007	320	694	11	-	17	2	15	34	89	90	158	491	15	EAST RIDING.
NORTH RIDING	-	431,317	955	2,280	1,717	296	528	4	-	49	3	21	29	59	55	108	202	11	(WITH YORK) NORTH RIDING.
DURHAM	-	1,440,495	3,460	8,815	5,613	1,246	1,397	14	-	20	37	86	76	345	226	313	697	220	DURHAM.
NORTHUMBERLAND	-	729,517	1,897	4,133	2,863	529	813	16	-	33	19	33	16	117	162	250	516	63	NORTHUMBERLAND.
CUMBERLAND	-	265,333	540	1,387	1,123	168	424	-	-	18	15	7	19	15	47	57	142	37	CUMBERLAND.
WESTMORLAND	-	63,285	123	224	218	16	103	1	-	3	-	-	4	2	9	10	21	5	WESTMORLAND.
MONMOUTHSHIRE	-	448,691	1,080	2,584	1,482	306	398	3	-	-	12	27	26	52	71	98	203	19	MONMOUTHSHIRE.
GLAMORGANSHIRE	-	1,222,659	2,958	7,260	4,095	857	952	12	-	74	13	29	55	161	201	363	515	6	GLAMORGANSHIRE.
CARMARTHENSHIRE	-	160,610	335	945	593	108	185	-	-	4	7	1	3	14	22	30	48	18	CARMARTHENSHIRE.
PEMBROKESHIRE	-	85,726	215	439	324	40	115	2	-	7	2	3	5	7	10	14	10	15	PEMBROKESHIRE.
CARDIGANSHIRE	-	80,095	136	309	316	24	155	2	-	2	-	1	1	2	4	11	10	6	CARDIGANSHIRE.
BRECKNOCKSHIRE	-	57,212	112	301	225	27	103	1	-	1	2	2	4	1	9	14	31	1	BRECKNOCKSHIRE.
RADNORSHIRE	-	16,553	29	79	67	10	28	-	-	-	-	2	-	-	3	5	8	4	RADNORSHIRE.
MONTGOMERYSHIRE	-	61,577	104	251	211	17	108	-	-	-	-	-	1	1	9	14	14	10	MONTGOMERYSHIRE.
FLINTSHIRE	-	72,918	144	371	274	37	98	-	-	10	6	4	6	5	10	16	8	4	FLINTSHIRE.
DENBIGHSHIRE	-	140,411	317	662	584	78	205	1	-	44	2	5	8	8	11	16	72	8	DENBIGHSHIRE.
MERIONETHSHIRE	-	58,900	113	257	209	21	96	-	-	-	-	-	1	2	6	6	6	4	MERIONETHSHIRE.
CARNARVONSHIRE	-	143,343	296	516	556	53	226	2	-	6	2	1	4	4	17	25	47	11	CARNARVONSHIRE.
ANGLESEY	-	35,551	59	148	125	12	61	-	-	-	-	3	2	2	-	3	4	2	ANGLESEY.

* See note * to Table II.

TABLE VI.—England and Wales and Registration Counties.—MARRIAGE-RATE in the Quarter ended 30th September, 1915; BIRTH-RATE and DEATH-RATE in the Quarter ended 31st December, 1915.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

REGISTRATION COUNTIES.	ANNUAL RATE PER 1000 PERSONS LIVING.						RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			REGISTRATION COUNTIES.				
	PERSONS MARRIED in the Quarter ended 30th Sept., 1915.	BIRTHS in the Quarter ended 31st Dec., 1915.	DEATHS in the Quarter ended 31st Dec., 1915.	Deaths from						Diar- rhoea and Enter- itis (under 2 years).	Total deaths under one year.		Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.							Violence.
England and Wales	21'8	19'5	14'6	0'04	0'00	0'18	0'07	0'13	0'18	0'62	25'54	114	7'2	23'0	1'5	England and Wales.
LONDON*	29'7	21'1	16'1	0'03	-	0'07	0'07	0'14	0'20	0'77	33'95	126	10'3	44'3	0'2	LONDON.*
SURREY -	20'5	15'9	12'2	0'01	-	0'02	0'02	0'06	0'06	0'55	14'58	81	8'7	33'7	0'4	SURREY.
KENT -	23'3	17'9	13'7	0'03	-	0'08	0'06	0'13	0'19	0'86	12'28	85	7'3	25'9	3'2	KENT.
SUSSEX -	19'2	14'4	13'6	0'03	-	0'11	0'01	0'02	0'13	0'52	14'78	79	7'3	21'0	0'5	SUSSEX.
HAMPSHIRE -	23'0	17'1	13'3	0'11	-	0'09	0'05	0'07	0'19	0'73	11'50	75	7'5	27'1	1'0	HAMPSHIRE.
BERKSHIRE -	21'2	16'1	13'0	0'02	-	0'14	0'06	0'14	0'12	0'38	5'37	74	5'7	23'6	1'9	BERKSHIRE.
MIDDLESEX -	22'1	18'3	10'6	0'02	-	0'01	0'10	0'06	0'21	0'42	13'96	74	8'3	24'8	0'3	MIDDLESEX.
HERTFORDSHIRE -	20'6	16'2	13'4	0'04	-	0'04	0'03	0'22	0'12	0'51	8'86	78	5'6	26'0	1'5	HERTFORDSHIRE.
BUCKINGHAMSHIRE -	20'0	17'1	12'0	0'02	-	0'08	0'08	0'18	0'20	0'45	3'47	71	4'8	18'5	2'5	BUCKINGHAMSHIRE.
OXFORDSHIRE -	18'6	15'4	13'3	-	-	-	-	0'01	0'02	0'60	8'06	71	7'0	23'4	1'1	OXFORDSHIRE.
NORTHAMPTONSHIRE -	22'4	17'6	13'4	0'02	-	0'01	0'06	0'09	0'37	0'44	9'15	85	4'4	17'6	3'1	NORTHAMPTONSHIRE.
HUNTINGDONSHIRE -	13'2	15'8	12'6	-	-	-	-	-	-	0'33	-	67	4'5	25'3	5'2	HUNTINGDONSHIRE.
BEDFORDSHIRE -	23'9	18'2	14'2	-	-	0'27	0'14	0'08	0'62	0'50	18'05	85	4'2	18'3	3'8	BEDFORDSHIRE.
CAMBRIDGESHIRE -	18'6	17'8	15'0	0'02	-	0'18	0'05	0'11	0'23	0'65	7'07	72	6'1	21'2	1'3	CAMBRIDGESHIRE.
ESSEX -	23'1	19'6	12'6	0'03	-	0'05	0'04	0'17	0'19	0'48	18'23	93	6'5	26'9	2'2	ESSEX.
SUFFOLK -	19'1	17'3	13'7	0'04	-	0'15	0'07	0'05	0'17	0'71	2'94	75	6'2	19'2	3'1	SUFFOLK.
NORFOLK -	18'6	17'0	13'5	0'06	-	0'04	0'03	0'18	0'19	0'55	8'95	99	6'4	20'3	1'3	NORFOLK.
WILTSHIRE -	20'0	17'5	14'4	0'01	-	0'54	0'03	0'17	0'17	0'38	6'38	67	5'8	20'6	1'3	WILTSHIRE.
DORSETSHIRE -	18'2	16'2	13'2	0'03	-	0'12	0'02	0'12	0'05	0'64	5'38	74	6'7	16'9	2'2	DORSETSHIRE.
DEVONSHIRE -	19'2	15'9	14'2	0'06	-	0'06	0'06	0'10	0'22	0'57	11'90	89	6'8	18'0	0'7	DEVONSHIRE.
CORNWALL -	16'2	16'6	13'7	0'01	-	0'08	0'07	0'13	0'17	0'30	2'92	77	5'0	8'8	1'1	CORNWALL.
SOMERSETSHIRE -	18'1	15'7	13'2	0'02	-	0'13	0'04	0'03	0'11	0'56	2'53	58	7'3	15'2	0'5	SOMERSETSHIRE.
GLOUCESTERSHIRE -	22'3	17'3	15'4	0'03	-	0'62	0'05	0'05	0'19	0'52	23'54	114	7'1	22'3	0'7	GLOUCESTERSHIRE.
HEREFORDSHIRE -	15'1	16'4	14'9	-	-	-	-	0'07	0'21	0'42	-	73	4'2	12'4	4'7	HEREFORDSHIRE.
SHROPSHIRE -	16'0	17'9	13'9	0'03	-	0'21	0'03	0'04	0'13	0'56	9'89	78	5'9	17'8	3'5	SHROPSHIRE.
STAFFORDSHIRE -	21'4	22'5	15'3	0'01	-	0'21	0'11	0'11	0'24	0'62	31'25	128	7'2	16'5	1'4	STAFFORDSHIRE.
WORCESTERSHIRE -	19'9	17'2	13'3	-	-	0'07	0'08	0'06	0'14	0'48	18'51	81	5'5	17'1	2'6	WORCESTERSHIRE.
WARWICKSHIRE -	21'1	18'0	14'6	0'03	-	0'05	0'04	0'09	0'17	0'61	28'98	115	5'3	23'4	3'7	WARWICKSHIRE.

ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		PERCENTAGE of Total Deaths.			REGISTRATION COUNTIES.	
REGISTRATION COUNTIES.	PERSONS MARRIED in the Quarter ended 30th Sept., 1915.	BIRTHS in the Quarter ended 31st Dec., 1915.	DEATHS in the Quarter ended 31st Dec., 1915.	Deaths from						Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.							Violence.
LEICESTERSHIRE -	22·9	18·7	14·3	0·01	-	0·64	0·04	0·10	0·15	0·40	24·39	123	5·6	18·8	1·1	LEICESTERSHIRE.
RUTLANDSHIRE -	12·3	13·4	11·0	-	-	-	-	-	0·74	0·37	-	42	8·5	8·5	5·1	RUTLANDSHIRE.
LINCOLNSHIRE -	17·1	19·3	13·7	0·03	-	0·31	0·03	0·10	0·23	0·68	11·72	100	6·3	11·9	2·2	LINCOLNSHIRE.
NOTTINGHAMSHIRE -	19·5	19·9	13·6	0·05	-	0·34	0·04	0·10	0·12	0·63	23·00	124	5·9	15·9	2·6	NOTTINGHAMSHIRE.
DERBYSHIRE -	19·0	19·0	12·3	0·02	-	0·13	0·05	0·14	0·17	0·50	18·77	99	7·0	16·0	2·7	DERBYSHIRE.
CHESHIRE -	19·8	18·4	14·1	0·03	0·00	0·50	0·07	0·11	0·10	0·52	20·99	115	7·3	18·4	0·4	CHESHIRE.
LANCASHIRE -	22·4	19·3	16·6	0·06	-	0·18	0·12	0·16	0·19	0·60	40·75	145	6·0	22·3	2·1	LANCASHIRE.
WEST RIDING -	20·9	20·0	15·1	0·08	-	0·38	0·06	0·13	0·19	0·68	28·17	120	7·8	19·9	0·6	WEST RIDING.
EAST RIDING (WITH YORK).	22·4	20·5	15·2	0·08	-	0·13	0·02	0·11	0·26	0·68	32·83	118	7·9	24·5	0·7	EAST RIDING (WITH YORK).
NORTH RIDING -	17·6	21·0	15·8	0·04	-	0·45	0·03	0·19	0·27	0·51	25·88	130	6·3	11·8	0·6	NORTH RIDING.
DURHAM -	19·1	24·3	15·5	0·04	-	0·06	0·10	0·24	0·21	0·62	39·14	141	5·6	12·4	3·9	DURHAM.
NORTHUMBERLAND -	20·6	22·5	15·6	0·09	-	0·18	0·10	0·18	0·09	0·88	28·31	128	8·7	18·0	2·2	NORTHUMBERLAND.
CUMBERLAND -	16·1	20·7	16·8	-	-	0·27	0·22	0·10	0·28	0·70	10·81	121	5·1	12·6	3·3	CUMBERLAND.
WESTMORLAND -	15·4	14·0	13·7	0·06	-	0·19	-	-	0·25	0·56	8·93	71	4·6	9·6	2·3	WESTMORLAND.
MONMOUTHSHIRE -	19·1	22·8	13·1	0·03	-	-	0·11	0·24	0·23	0·63	20·12	118	6·6	13·7	1·3	MONMOUTHSHIRE.
GLAMORGANSHIRE -	19·2	23·6	13·3	0·04	-	0·24	0·04	0·09	0·18	0·65	22·18	118	8·9	12·6	0·1	GLAMORGANSHIRE.
CARMARTHENSHIRE -	16·6	23·3	14·6	-	-	0·10	0·17	0·02	0·07	0·54	14·81	114	5·1	8·1	3·0	CARMARTHENSHIRE.
PEMBROKESHIRE -	19·9	20·3	15·0	0·09	-	0·32	0·09	0·14	0·23	0·46	15·95	91	4·3	3·1	4·6	PEMBROKESHIRE.
CARDIGANSHIRE -	13·5	15·3	15·7	0·10	-	0·10	-	0·05	0·05	0·20	6·47	78	3·5	3·2	1·9	CARDIGANSHIRE.
BRECKNOCKSHIRE -	15·5	20·9	15·6	0·07	-	0·07	0·14	0·14	0·28	0·62	3·32	90	6·2	13·8	0·4	BRECKNOCKSHIRE.
RADNORSHIRE -	13·9	18·9	16·1	-	-	-	-	0·48	-	0·72	-	127	7·5	11·9	6·0	RADNORSHIRE.
MONTGOMERYSHIRE -	13·4	16·2	13·6	-	-	-	-	-	0·06	0·58	3·98	68	6·6	6·6	4·7	MONTGOMERYSHIRE.
FLINTSHIRE -	15·7	20·2	14·9	-	-	0·54	0·33	0·22	0·33	0·54	13·48	100	5·8	2·9	1·5	FLINTSHIRE.
DENBIGHSHIRE -	17·9	18·7	16·5	0·03	-	1·24	0·06	0·14	0·23	0·31	12·08	118	2·7	12·3	1·4	DENBIGHSHIRE.
MERIONETHSHIRE -	15·2	17·3	14·1	-	-	-	-	-	0·07	0·40	7·78	82	2·9	2·9	1·9	MERIONETHSHIRE.
CARNARVONSHIRE -	16·4	14·3	15·4	0·06	-	0·17	0·06	0·03	0·11	0·47	7·75	103	4·5	8·5	2·0	CARNARVONSHIRE.
ANGLESEY -	13·2	16·5	13·9	-	-	-	-	0·33	0·22	0·22	13·51	81	2·4	3·2	1·6	ANGLESEY.

TABLE VIa.—**England and Wales and Registration Counties.**—
 ILLEGITIMATE BIRTHS registered in the Quarter ended 31st December of the
 Years 1914 and 1915.

REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended		REGISTRATION COUNTY.	Illegitimate Births registered during the Quarter ended	
	31st Dec., 1914.	31st Dec., 1915.		31st Dec., 1914.	31st Dec., 1915.
England and Wales.	8,716	7,649			
London	1,074	1,108	Leicestershire	108	82
			Rutlandshire	5	3
			Lincolnshire	198	141
			Nottinghamshire	279	182
			Derbyshire	137	88
Surrey	161	171			
Kent	183	209			
Sussex	139	196	Cheshire	187	149
Hampshire	204	193	Lancashire	1,139	928
Berkshire	66	64			
Middlesex	217	158	Yorkshire (West Riding)	888	654
Hertfordshire	55	56	Yorkshire (East Riding	168	141
Buckinghamshire	40	36	with York).		
Oxfordshire	50	36	Yorkshire (North Riding)	129	104
Northamptonshire	69	79			
Huntingdonshire	9	12			
Bedfordshire	39	62			
Cambridgeshire	57	50	Durham	409	352
			Northumberland	207	171
Essex	207	212	Cumberland	93	76
Suffolk	114	89	Westmorland	12	13
Norfolk	144	153			
Wiltshire	53	48	Monmouthshire	88	98
Dorsetshire	52	59	Glamorganshire	273	213
Devonshire	157	151	Carmarthenshire	32	27
Cornwall	66	75	Pembrokeshire	28	23
Somersetshire	68	72	Cardiganshire	17	23
			Brecknockshire	10	14
			Radnorshire	9	8
			Montgomeryshire	13	19
Gloucestershire	136	124	Flintshire	13	20
Herefordshire	32	23	Denbighshire	41	46
Shropshire	95	58	Merionethshire	22	15
Staffordshire	346	247	Carnarvonshire	44	46
Worcestershire	59	57	Anglesey	7	11
Warwickshire	268	204			

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The deaths in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	BIRTHS.	DEATHS.	The DEATHS registered include										MEAN TEMPERATURE (Degrees Fahr.) +	RAIN-FALL. (Millimetres) +	TOWNS.			
				Deaths of		Deaths from							Inquest Cases.				Deaths in Public Institutions.	Uncertified Causes of Death.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Urticaria and Enteritis (under 2 years).							Violence.
96 Towns	18,136,180	92,693	69,906	11,844	20,482	183	-	816	322	639	873	2,922	2,894	5,717	20,310	686	43.5	285	96 Towns.
LONDON -	4,516,612	23,803	18,184	3,000	5,600	33	-	75	83	158	228	808	866	1,873	8,055	28	44.3	243	LONDON.
(CROYDON -	181,956	825	557	79	221	-	-	-	-	1	3	19	31	67	146	-	-	-	(CROYDON.
WIMBLEDON -	59,598	231	139	17	57	1	-	-	-	-	1	5	6	15	30	-	-	-	WIMBLEDON.
EALING -	71,030	260	191	18	73	-	-	-	4	-	1	3	11	19	50	1	-	-	EALING.
ACTON -	64,369	263	168	23	67	-	-	-	1	-	3	5	5	9	46	-	-	-	ACTON.
WILLESDEN -	167,922	812	426	68	149	1	-	1	-	6	10	10	13	33	127	1	-	-	WILLESDEN.
HORNSEY -	88,953	297	244	25	98	1	-	-	1	2	5	4	8	22	52	-	-	-	HORNSEY.
TOTTENHAM	149,495	789	444	74	145	2	-	2	4	3	5	20	9	38	135	-	45.1	256	TOTTENHAM.
EDMONTON -	71,024	399	214	55	57	1	-	-	-	1	1	13	24	25	76	-	-	-	EDMONTON.
ENFIELD -	61,069	294	143	21	58	-	-	-	-	1	4	1	4	7	35	-	43.2	255	ENFIELD.
WEST HAM -	296,570	2,020	1,284	274	319	3	-	4	3	23	19	78	64	118	408	1	-	-	WEST HAM.
EAST HAM -	146,526	714	418	74	123	2	-	-	3	10	8	12	17	46	133	-	-	-	EAST HAM.
LEYTON -	133,719	553	355	51	122	1	-	-	2	13	5	7	10	25	121	-	-	-	LEYTON.
WALTHAMSTOW	134,825	650	390	62	111	-	-	-	1	4	3	12	20	46	126	1	-	-	WALTHAMSTOW.
ILFORD -	91,041	355	184	21	69	1	-	3	-	-	3	4	5	11	44	1	-	-	ILFORD.
GILLINGHAM -	55,559	259	143	31	44	-	-	3	-	-	4	6	4	4	28	6	-	-	GILLINGHAM.
HASTINGS -	59,620	197	217	15	111	-	-	12	-	-	8	-	12	16	47	-	45.9	310	HASTINGS.
EASTBOURNE -	55,662	186	151	19	62	-	-	2	1	1	1	5	4	8	36	2	46.6	394	EASTBOURNE.
BRIGHTON -	133,936	516	505	40	216	1	-	-	-	-	1	12	19	56	144	-	46.1	409	BRIGHTON.
PORTSMOUTH -	245,827	1,147	753	86	255	5	-	-	4	2	24	14	33	70	225	6	46.1	353	PORTSMOUTH.
BOURNEMOUTH	85,904	292	280	26	133	-	-	1	-	3	2	3	9	13	47	-	45.0	485	BOURNEMOUTH.
SOUTHAMPTON	123,948	612	454	62	148	10	-	3	1	2	5	8	22	40	106	-	45.2	383	SOUTHAMPTON.
READING -	90,083	405	296	34	113	1	-	7	-	1	2	6	13	21	65	-	42.9	262	READING.
OXFORD -	54,339	179	162	14	74	-	-	1	-	-	1	2	4	11	37	-	43.6	241	OXFORD.
NORTHAMPTON	91,123	437	267	40	103	1	-	-	3	3	7	2	3	5	62	3	-	-	NORTHAMPTON.
CAMBRIDGE -	57,676	229	191	13	77	-	-	-	-	-	5	3	7	14	55	-	43.3	153	CAMBRIDGE.

* See note to Table II.

† The values for Mean Temperature and Rainfall relate to the calendar quarter.

‡ These towns are included within the Metropolitan Outer Ring.

TABLE VII (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 1st January, 1916.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (De- grees Fahr.).	RAIN- FALL (Milli- metres).	TOWNS.	
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
SOUTHEND ON SEA	83,908	313	212	31	78	1	-	-	-	-	-	4	9	40	9	215	SOUTHEND ON SEA.		
IPSWICH	76,472	327	252	21	106	1	-	8	2	1	7	2	10	55	-	215	IPSWICH.		
GREAT YARMOUTH	57,502	220	214	23	104	1	-	-	-	-	6	6	13	60	1	223	GREAT YARMOUTH.		
NORWICH	124,107	558	408	54	156	1	-	1	1	7	11	11	13	95	-	231	NORWICH.		
SWINDON	52,750	241	164	11	53	-	-	15	1	-	1	1	2	29	-	-	SWINDON.		
EXETER	60,788	240	232	25	111	1	-	1	-	-	-	4	10	45	-	-	EXETER.		
PLYMOUTH	212,421	1,010	827	120	261	6	-	-	4	8	17	17	30	184	1	473	PLYMOUTH.		
BATH	70,292	263	246	16	129	-	-	4	1	-	6	-	7	55	-	300	BATH.		
BRISTOL	363,312	1,709	1,370	194	490	3	-	52	5	3	5	45	50	358	-	329	BRISTOL.		
GLOUCESTER	50,759	249	213	38	55	-	-	43	-	1	3	8	7	38	4	-	GLOUCESTER.		
STOKE ON TRENT	241,430	1,369	1,091	243	215	-	-	8	14	7	45	61	54	215	16	-	STOKE ON TRENT.		
WOLVERHAMPTON	95,725	546	354	73	105	-	-	2	-	1	4	14	10	76	-	-	WOLVERHAMPTON.		
WALSALL	94,093	602	412	93	104	-	-	2	-	-	10	26	19	71	-	-	WALSALL.		
WEST BROMWICH	69,430	435	267	54	75	-	-	8	-	3	-	21	15	55	8	-	WEST BROMWICH.		
DUDLEY	51,895	301	232	46	74	1	-	4	1	-	-	17	8	35	4	-	DUDLEY.		
BIRMINGHAM	868,430	4,660	3,180	590	916	4	-	14	11	38	33	150	125	823	147	235	BIRMINGHAM.		
SMETHWICK	76,314	425	223	40	53	-	-	1	-	10	2	14	11	27	-	-	SMETHWICK.		
COVENTRY	119,003	718	402	79	114	-	-	-	4	8	20	9	15	93	7	236	COVENTRY.		
LEICESTER	232,664	1,080	934	154	262	1	-	70	-	8	9	37	30	213	2	-	LEICESTER.		
LINCOLN	60,243	270	226	27	80	-	-	16	-	7	4	4	8	26	-	196	LINCOLN.		
GRIMSBY	78,667	393	257	49	66	-	-	12	1	1	1	9	19	33	3	-	GRIMSBY.		
NOTTINGHAM	266,918	1,149	1,026	169	313	1	-	38	2	11	2	48	54	229	7	207	NOTTINGHAM.		
DERBY	126,389	559	480	71	180	-	-	-	1	13	6	16	13	55	-	-	DERBY.		

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.	
				Deaths of		Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).							Violence.
STOCKPORT -	126,040	508	554	85	143	5	-	53	9	4	9	27	14	28	102	4	41.9	STOCKPORT.	
BIRKENHEAD	137,710	850	518	111	131	-	-	-	1	9	5	29	13	34	147	1	-	BIRKENHEAD.	
WALLASEY	87,175	377	262	35	109	-	-	1	-	1	2	5	10	14	44	-	-	WALLASEY.	
LIVERPOOL -	767,992	4,918	3,816	805	837	7	-	10	23	47	33	231	114	213	1,287	118	43.0	LIVERPOOL.	
BOOTLE -	73,230	457	302	58	71	-	-	-	3	8	3	17	21	23	75	14	42.8†	BOOTLE.	
ST. HELENS	100,775	636	446	101	88	-	-	-	7	-	22	29	15	16	127	14	-	ST. HELENS.	
SOUTHPORT	71,747	217	268	29	130	-	-	3	1	1	4	3	9	9	26	16	41.9	SOUTHPORT.	
WIGAN -	91,491	523	389	75	68	5	-	-	7	1	2	23	16	40	63	1	-	WIGAN.	
WARRINGTON.	74,923	396	317	53	83	3	-	1	6	3	4	13	13	14	83	19	-	WARRINGTON.	
BOLTON -	185,247	766	695	97	187	4	-	1	-	6	12	44	13	39	117	4	41.7	BOLTON.	
BURY -	59,213	214	228	29	66	-	-	8	2	3	-	7	5	11	43	5	-	BURY.	
MANCHESTER	733,533	3,672	3,047	524	742	9	-	31	20	19	25	119	125	222	952	10	43.3	MANCHESTER.	
SALFORD -	234,975	1,157	978	154	256	4	-	12	4	10	7	58	33	90	259	1	-	SALFORD.	
OLDHAM -	151,044	632	600	75	159	-	-	6	4	3	5	14	18	50	115	-	-	OLDHAM.	
ROCHDALE -	94,320	328	355	43	100	-	-	-	-	4	8	14	15	26	76	8	-	ROCHDALE.	
BURNLEY -	110,040	415	491	76	139	2	-	33	-	3	5	34	16	39	91	3	39.7	BURNLEY.	
BLACKBURN	134,387	482	551	81	166	-	-	27	2	-	3	12	15	38	72	10	-	BLACKBURN.	
PRESTON -	118,514	528	502	113	131	-	-	1	9	6	10	36	17	21	74	23	-	PRESTON.	
BLACKPOOL	62,206	217	279	44	108	2	-	-	1	-	-	9	8	9	33	11	42.1	BLACKPOOL.	
BARROW IN FURNESS	65,921	468	291	61	77	1	-	-	1	5	5	16	12	15	59	10	-	BARROW IN FURNESS.	
HUDDERSFIELD -	112,265	446	430	54	129	1	-	1	-	2	10	9	9	18	78	4	41.5	HUDDERSFIELD.	
HALIFAX -	100,373	352	374	38	130	-	-	4	-	1	4	4	13	22	84	4	-	HALIFAX.	
BRADFORD -	291,482	1,074	1,133	148	334	6	-	38	2	10	13	18	31	103	261	4	40.8	BRADFORD.	
LEEDS -	459,260	2,192	1,848	234	528	3	-	27	8	18	10	60	100	201	439	-	-	LEEDS.	
DEWSBURY -	54,083	252	210	38	67	1	-	4	2	3	1	6	10	15	39	-	-	DEWSBURY.	
WAKEFIELD	52,643	244	197	32	61	4	-	-	-	2	1	2	14	22	42	-	42.0	WAKEFIELD.	
BARNSELEY -	53,929	311	231	50	45	1	-	22	2	-	-	18	16	25	31	-	-	BARNSELEY.	

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† Means of daily observations made at Blundellsands.

TABLE VII. (continued).—96 Great Towns, &c.—Population; Births, Deaths, and Meteorology in the 13 Weeks ended 1st January, 1916.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered include												MEAN TEMPERATURE (De- grees Fahr.) *.	RAIN- FALL— Milli- metres.) *.	TOWNS.				
				Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.				Uncertified Causes of Death.			
				Infants under 1 Year of Age.	Persons aged 65 years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.									
SHEFFIELD	477,228	2,737	1,848	331	421	6	-	39	12	24	24	24	89	90	136	463	8	42·8	320	SHEFFIELD.		
ROTHERHAM	65,313	446	232	52	57	3	-	-	-	1	1	1	9	16	25	49	6	-	-	-	ROTHERHAM.	
YORK	83,802	362	333	58	108	2	-	7	-	10	2	2	12	11	18	88	-	42·2	195	YORK.		
HULL	291,118	1,622	1,088	200	327	6	-	7	2	2	23	61	50	50	95	287	9	43·1	217	HULL.		
MIDDLESBROUGH	126,452	779	604	144	117	1	-	5	1	9	13	35	14	14	33	84	3	-	-	-	MIDDLESBROUGH.	
DARLINGTON	61,441	311	226	49	61	-	-	3	3	6	3	14	7	7	11	29	14	-	-	-	DARLINGTON.	
STOCKTON ON TEES	59,311	348	249	48	63	-	-	-	-	4	4	14	10	10	17	34	6	-	-	-	STOCKTON ON TEES.	
WEST HARTLEPOOL	64,374	357	288	62	57	-	-	3	2	4	4	17	10	10	13	40	5	-	-	-	WEST HARTLEPOOL.	
SUNDERLAND	152,927	945	686	152	191	2	-	-	1	7	2	29	37	37	67	150	10	-	-	-	SUNDERLAND.	
SOUTH SHIELDS	111,357	681	485	99	113	-	-	1	3	7	3	21	18	18	22	66	16	-	-	-	SOUTH SHIELDS.	
GATESHEAD	119,362	787	566	113	139	1	-	2	2	10	5	35	10	10	15	108	33	-	-	-	GATESHEAD.	
NEWCASTLE ON TYNE	273,415	1,687	1,113	214	304	5	-	2	7	14	4	42	53	53	118	218	6	-	-	-	NEWCASTLE ON TYNE.	
TYNEMOUTH	61,408	373	227	38	60	7	-	1	1	1	1	7	13	13	15	36	13	42·0	221	TYNEMOUTH.		
CARLISLE	52,813	269	210	42	74	-	-	-	4	-	6	3	12	12	13	47	9	-	-	-	CARLISLE.	
NEWPORT (MON.)	89,404	465	274	56	74	1	-	-	1	-	4	12	13	13	26	51	2	-	425	425	NEWPORT (MON.).	
CARDIFF	188,495	1,055	716	146	200	1	-	26	3	6	8	30	26	26	80	133	-	43·8	425	425	CARDIFF.	
RHONDDA	166,365	1,051	534	119	100	-	-	14	2	-	4	28	18	18	34	25	2	-	-	-	RHONDDA.	
MERTHYR TYDFIL	85,082	448	296	64	73	2	-	1	-	-	2	9	12	12	24	54	1	-	-	-	MERTHYR TYDFIL.	
ABERDARE	53,427	329	189	42	46	3	-	-	1	-	2	5	9	9	14	13	-	-	-	-	-	ABERDARE.
SWANSEA	121,665	648	415	76	101	-	-	10	-	1	4	7	15	15	39	70	-	-	45·3	441	441	SWANSEA.
GREATER LONDON	7,484,436	37,725	26,754	4,270	8,631	51	-	91	109	240	347	1,080	1,259	1,259	2,647	10,477	46	-	-	-	-	GREATER LONDON.
OUTER RING	2,967,824	13,922	8,570	1,270	3,031	18	-	16	26	82	119	272	393	393	77½	2,422	18	-	-	-	-	OUTER RING.
14 GREAT TOWNS IN OUTER RING	1,718,097	8,462	5,157	862	1,669	13	-	10	19	64	71	193	227	227	481	1,529	5	-	-	-	-	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,249,727	5,460	3,413	408	1,362	5	-	6	7	18	48	79	166	166	293	893	13	-	-	-	-	REMAINDER OF OUTER RING.
EDINBURGH†	328,700	1,291	1,400	195	480	-	-	58	29	3	36	15	36	36	?	?	?	40·9	186	186	186	EDINBURGH.†
GLASGOW†	1,078,400	6,489	5,060	962	1,228	14	-	73	96	19	49	135	180	180	?	?	?	39·2	254	254	254	GLASGOW.†
DUBLIN (Registra- tion Area).§	409,000	2,358	2,133	400	521	13	-	80	12	20	13	126	45	45	41	807	76	{ 42·6 ^a 44·0 ^b	{ 328 ^a 339 ^b }	{ 328 ^a 339 ^b }	{ 328 ^a 339 ^b }	DUBLIN (Registra- tion Area).§
BELFAST§	403,000	2,231	1,847	336	396	3	-	37	52	25	9	51	39	39	68	458	23	43·2	321	321	321	BELFAST.§

* The values for Mean Temperature and Rainfall relate to the calendar quarter.

† The populations refer to the middle of 1915. Deaths are corrected throughout by deduction of deaths of non-residents domiciled in Scotland and by addition of deaths of

§ Phoenix Park.

§ Fitzwilliam Square.

‡ The deaths under the heading diphtheria include those from croup. Both births and deaths relate to

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The birth-rate is based upon births actually registered in the several towns in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County. (See also Table XIV.) The death-rates in the other towns have been corrected, as far as possible, (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made. The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.		ANNUAL RATE PER 1000 PERSONS LIVING.													RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.	
		Total Deaths, 13 Weeks ended					Deaths from								Diar- rhoea and Enter- itis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
		28th Dec., 1912.	3rd Jan., 1914.	2nd Jan., 1915.	1st Jan., 1916.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.											
96 Towns		20·5	14·6	14·2	14·9	15·5	0·04	-	0·18	0·07	0·14	0·19	0·64	31·52	128	8·9	100·8	8·2	29·1	1·0	96 Towns.		
LONDON -		-	15·0	14·1	15·3	16·1	0·03	-	0·07	0·07	0·14	0·20	0·77	33·95	126	9·2	101·8	10·3	44·3	0·2	LONDON.		
(CROYDON		-	10·3	11·4	11·8	12·3	-	-	-	-	0·02	0·07	0·68	23·03	96	6·1	86·2	12·0	26·2	-	CROYDON.		
WIMBLEDON		-	8·3	9·2	10·1	9·4	0·07	-	-	-	-	0·07	0·40	21·65	74	4·7	81·3	10·8	21·6	-	WIMBLEDON.		
EALING -		-	10·1	9·3	10·6	10·8	-	-	-	0·23	-	0·06	0·62	11·54	69	6·1	75·8	9·9	26·2	0·5	EALING.		
ACTON -		-	11·4	10·7	9·8	10·5	-	-	-	0·06	-	0·19	0·31	19·01	87	5·2	99·0	5·4	27·4	-	ACTON.		
WILLESDEN -		-	11·4	9·7	11·3	10·2	0·02	-	0·02	-	0·14	0·24	0·31	12·32	84	5·3	93·4	7·7	29·8	0·2	WILLESDEN.		
HORNSEY -		-	10·9	9·3	8·0	11·0	0·05	-	-	0·05	0·09	0·23	0·36	13·47	84	5·9	84·8	9·0	21·3	-	HORNSEY.		
* TOTTENHAM -		-	11·6	11·8	11·8	11·9	0·05	-	0·05	0·11	0·08	0·13	0·24	25·35	94	6·4	102·4	8·6	30·4	-	* TOTTENHAM.		
EDMONTON -		-	10·5	11·4	12·1	12·1	0·06	-	-	-	0·06	0·06	1·36	32·58	138	6·2	76·0	11·7	35·5	-	EDMONTON.		
ENFIELD -		-	8·6	8·9	9·8	9·4	-	-	-	-	0·07	0·26	0·26	34·01	71	4·5	88·4	4·9	24·5	-	ENFIELD.		
WEST HAM -		-	17·3	14·8	14·7	17·4	0·04	-	0·05	0·04	0·31	0·26	0·87	38·61	136	10·0	119·8	9·2	31·8	0·1	WEST HAM.		
EAST HAM -		-	12·3	10·5	11·1	11·4	0·05	-	-	0·08	0·27	0·22	0·47	16·81	104	6·4	98·8	11·0	31·8	-	EAST HAM.		
LEYTON -		-	11·1	10·2	9·8	10·6	0·03	-	-	0·06	0·39	0·15	0·30	12·66	92	5·9	73·8	7·0	34·1	-	LEYTON.		
WALTHAMSTOW -		-	10·8	10·0	11·2	11·6	-	-	-	0·03	0·12	0·09	0·59	18·46	95	6·8	99·7	11·8	32·3	0·3	WALTHAMSTOW.		
(ILFORD -		-	7·7	7·9	8·1	8·1	0·04	-	0·13	-	-	0·13	0·22	11·27	59	4·4	70·1	6·0	23·9	0·5	(ILFORD.		
GILLINGHAM -		-	9·0	9·4	10·5	10·3	-	-	0·22	-	-	0·29	0·29	23·17	120	5·2	85·3	2·8	19·6	4·2	GILLINGHAM.		
HASTINGS-		-	13·7	12·6	15·2	14·6	-	-	0·81	-	-	0·54	0·81	-	76	6·8	82·6	7·4	21·7	-	HASTINGS.		
EASTBOURNE -		-	9·8	10·4	9·2	10·9	-	-	0·14	0·07	0·57	0·07	0·29	26·88	102	5·4	76·7	5·3	23·8	1·3	EASTBOURNE.		
BRIGHTON -		-	11·2	13·6	14·0	15·1	0·03	-	-	-	-	0·03	0·57	23·26	78	8·2	93·1	11·1	28·5	-	BRIGHTON.		
PORTSMOUTH -		-	11·8	12·3	12·3	12·3	0·08	-	-	0·07	0·03	0·39	0·54	12·21	75	7·2	83·1	9·3	29·9	0·8	PORTSMOUTH.		
BOURNEMOUTH		-	9·5	9·8	10·2	13·1	-	-	0·05	-	0·14	0·09	0·04	10·27	89	6·2	83·0	4·6	16·8	-	BOURNEMOUTH.		
SOUTHAMPTON		-	13·6	14·1	14·5	14·7	0·32	-	0·10	0·03	0·10	0·16	0·71	13·07	101	8·5	87·6	8·8	23·3	-	SOUTHAMPTON.		
READING -		-	11·2	11·6	12·4	13·2	0·04	-	0·31	-	0·04	0·09	0·58	14·81	84	7·2	88·6	7·1	22·0	-	READING.		
OXFORD -		-	12·7	11·5	12·6	12·0	-	-	0·07	-	-	0·07	0·30	11·17	78	6·0	82·2	6·8	22·8	-	OXFORD.		
NORTHAMPTON		-	14·8	14·0	15·1	13·1	0·04	-	-	0·13	0·13	0·31	0·13	4·58	92	7·3	85·3	1·7	20·9	1·0	NORTHAMPTON.		
CAMBRIDGE -		-	11·5	12·3	11·8	13·3	-	-	-	-	-	0·35	0·49	13·10	57	7·7	82·4	7·3	28·8	-	CAMBRIDGE.		

* These towns are included within the Metropolitan Outer Ring.

TABLE VIII. (continued).--96 Great Towns, &c.--Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 1st January, 1916.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.		
	Total Deaths.					Deaths from					Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	13 Weeks ended					Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.									Diphtheria.	Violence.
	28th Dec., 1912.	3rd Jan., 1914.	2nd Jan., 1915.	1st Jan., 1916.																
SOUTHEND ON SEA	15.0	11.0	10.0	10.6	10.1	0.05	-	-	-	-	-	0.43	12.78	99	5.3	71.2	4.2	18.9	4.2	SOUTHEND ON SEA.
IPSWICH -	-	13.8	14.6	13.0	13.2	0.05	-	0.42	0.10	0.05	-	0.52	6.12	64	7.1	92.3	9.5	21.8	9.5	IPSWICH.
GREAT YARMOUTH-	-	15.5	17.6	15.1	14.9	0.07	-	-	-	0.14	0.42	0.91	27.27	105	6.7	98.0	10.7	28.0	0.5	GREAT YARMOUTH.
NORWICH-	-	18.0	12.2	15.6	12.5	0.03	-	0.03	0.03	0.23	0.36	0.42	19.71	97	7.0	80.9	7.1	23.3	-	NORWICH.
SWINDON -	-	18.3	11.0	10.1	12.6	12.5	-	1.14	0.08	-	0.08	0.15	4.15	46	8.1	100.8	5.5	17.7	-	SWINDON.
EXETER -	-	15.8	13.8	15.0	14.0	0.07	-	0.07	-	-	-	0.66	16.67	104	7.0	103.7	9.5	19.4	-	EXETER.
PLYMOUTH -	-	19.1	14.4	14.7	17.9	15.6	0.11	-	0.08	0.15	0.32	0.57	16.83	119	9.1	88.8	7.5	22.2	0.1	PLYMOUTH.
BATH -	-	15.0	15.2	12.6	13.0	14.0	-	0.23	0.06	-	0.34	0.40	-	61	6.4	87.9	7.3	22.4	-	BATH.
BRISTOL -	-	18.9	12.1	11.9	14.1	15.1	0.03	-	0.06	0.03	0.06	0.55	23.33	114	8.2	96.7	8.2	26.1	-	BRISTOL.
GLOUCESTER -	-	19.7	14.7	12.2	13.8	16.8	-	3.40	-	0.08	0.24	0.55	32.13	153	10.3	74.2	7.0	17.8	1.9	GLOUCESTER.
STOKE ON TRENT -	-	22.7	16.4	18.1	15.7	18.1	-	0.13	0.23	0.12	0.75	0.90	44.56	178	11.2	106.6	8.8	19.7	1.5	STOKE ON TRENT.
WOLVERHAMPTON -	-	22.9	13.1	12.8	14.0	14.8	-	0.08	-	0.04	0.17	0.42	25.64	134	7.9	100.4	7.6	21.5	-	WOLVERHAMPTON.
WALSALL -	-	25.7	12.4	14.9	14.0	17.6	-	0.09	0.17	-	0.43	0.81	43.19	154	9.8	104.5	8.7	17.2	-	WALSALL.
WEST BROMWICH -	-	25.1	13.4	15.7	15.1	15.4	-	0.46	-	0.17	-	0.87	48.28	124	8.6	95.8	7.9	20.6	3.0	WEST BROMWICH.
DUDLEY -	-	23.3	12.4	17.0	16.3	17.9	0.08	0.31	0.08	-	-	0.62	56.48	153	9.3	128.0	5.6	15.1	1.7	DUDLEY.
BIRMINGHAM -	-	21.5	16.2	14.8	15.6	14.7	0.02	0.06	0.05	0.18	0.15	0.58	32.19	127	8.3	101.6	4.7	25.9	4.6	BIRMINGHAM.
SMETHWICK -	-	22.3	11.2	15.4	13.0	11.7	-	0.05	-	0.53	0.11	0.58	32.94	91	7.3	82.7	5.8	12.1	-	SMETHWICK.
COVENTRY -	-	24.2	13.3	11.5	11.1	13.5	-	-	0.13	0.27	0.67	0.51	12.53	110	7.5	104.5	5.0	23.1	1.7	COVENTRY.
LEICESTER -	-	18.6	14.7	13.9	13.3	16.1	0.02	1.21	-	0.14	0.16	0.52	34.26	143	9.6	98.2	6.7	22.8	0.2	LEICESTER.
LINCOLN -	-	18.0	14.5	11.3	9.7	15.0	-	1.07	-	0.47	0.27	0.53	14.81	100	8.6	100.3	4.4	11.5	-	LINCOLN.
GRIMSBY -	-	20.0	14.9	12.7	15.9	13.1	-	0.61	0.05	0.05	0.05	0.97	22.90	125	7.7	83.0	12.8	17.1	1.2	GRIMSBY.
NOTTINGHAM -	-	17.3	14.7	14.4	15.7	15.4	0.02	0.57	0.03	0.17	0.03	0.81	41.78	147	8.8	97.1	7.2	22.3	0.7	NOTTINGHAM.
DERBY -	-	17.7	10.8	11.5	12.3	15.2	-	-	0.03	0.41	0.19	0.41	28.62	127	7.8	124.1	11.5	29.4	-	DERBY.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 1st January, 1916.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.		
	Total Deaths.				Deaths from						Diar- rheaaand Enter- itis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 years. upwards.	Aged 65 years and upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.			
	13 Weeks ended				Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.										
	28th Dec., 1912.	3rd Jan., 1914.	2nd Jan., 1915.	1st Jan., 1916.																
	BIRTHS in 13 Weeks ended 1st Jan., 1916.																			
STOCKPORT	16.2	13.1	15.9	14.1	17.6	0.16	-	1.69	0.29	0.13	0.29	0.45	53.15	167	11.1	104.7	5.1	18.4	0.7	STOCKPORT.
BIRKENHEAD	-	15.7	13.0	18.4	15.1	-	-	-	0.03	0.26	0.15	0.38	34.12	131	8.5	94.2	6.6	28.4	0.2	BIRKENHEAD
WALLASEY	-	11.0	12.6	13.8	12.1	-	-	0.05	-	0.05	0.09	0.46	13.26	93	5.8	114.0	5.3	16.8	-	WALLASEY.
LIVERPOOL	-	19.3	18.0	20.9	19.9	0.04	-	0.05	0.12	0.25	0.17	0.60	46.97	164	12.2	109.0	5.6	33.7	3.1	LIVERPOOL.
BOOTLE	-	18.5	17.1	16.0	16.5	-	-	-	0.16	0.44	0.16	1.15	37.20	127	10.1	113.1	7.6	24.8	4.6	BOOTLE.
ST. HELENS	-	16.9	15.8	17.2	17.8	-	-	-	0.28	-	0.88	0.60	45.60	159	10.8	127.7	3.6	28.5	3.1	ST. HELENS
SOUTHPORT	-	11.7	11.6	14.4	15.0	-	-	0.17	0.06	0.06	0.22	0.50	13.82	134	6.7	102.8	3.4	9.7	6.0	SOUTHPORT.
WIGAN	-	15.1	14.9	20.3	17.1	0.22	-	-	0.31	0.04	0.09	0.70	43.98	143	11.4	95.0	10.3	16.2	0.3	WIGAN.
WARRINGTON	-	13.6	15.5	15.3	17.0	0.16	-	0.05	0.32	0.16	0.21	0.70	32.83	134	10.3	141.6	4.4	26.2	6.0	WARRINGTON.
BOLTON	-	12.6	15.0	13.8	15.0	0.09	-	0.12	-	0.13	0.26	0.28	57.44	127	9.4	110.5	5.6	16.8	0.6	BOLTON.
BURY	-	12.8	14.7	14.8	15.4	-	-	0.54	0.14	0.20	-	0.34	32.71	136	9.6	95.1	4.8	18.9	2.2	BURY.
MANCHESTER	-	15.2	15.3	16.0	16.5	0.05	-	0.17	0.11	0.10	0.14	0.68	32.41	143	10.3	111.0	7.3	31.2	0.3	MANCHESTER.
SALFORD	-	15.0	16.3	17.2	16.7	0.07	-	0.20	0.07	0.17	0.12	0.56	50.13	133	10.3	122.7	9.2	26.5	0.1	SALFORD.
OLDHAM	-	15.3	18.1	17.4	15.9	-	-	0.16	0.11	0.08	0.13	0.48	23.15	119	10.3	113.1	8.3	19.2	-	OLDHAM.
ROCHDALE	-	13.7	15.4	13.7	15.1	-	-	-	-	0.17	0.34	0.64	42.68	131	9.6	101.7	7.3	21.4	2.3	ROCHDALE.
BURNLEY	-	15.1	18.7	14.5	17.9	0.07	-	1.20	-	0.11	0.18	0.58	81.93	183	10.7	140.3	7.9	18.5	0.6	BURNLEY.
BLACKBURN	-	15.0	15.7	15.0	16.4	-	-	0.81	0.06	-	0.09	0.45	24.90	168	9.6	122.2	6.9	13.1	1.8	BLACKBURN
PRESTON	-	18.1	15.4	16.0	17.0	-	-	0.03	0.30	0.20	0.34	0.58	68.18	214	9.3	107.1	4.2	14.7	4.6	PRESTON.
BLACKPOOL	-	11.6	14.5	15.3	18.0	0.13	-	-	0.06	-	-	0.52	41.47	203	8.8	121.6	3.2	11.8	3.9	BLACKPOOL.
BARROW IN FURNESS.	-	15.0	13.1	14.8	17.9	0.06	-	-	0.06	0.30	0.30	0.73	34.19	137	9.9	127.1	5.1	20.1	3.4	BARROW IN FURNESS.
HUDDERSFIELD	-	13.9	13.4	16.3	15.4	0.04	-	0.04	-	0.07	0.36	0.32	20.18	121	9.4	101.7	4.2	18.1	0.9	HUDDERSFIELD
HALIFAX	-	14.2	15.7	13.7	14.9	-	-	0.16	-	0.04	0.16	0.52	11.36	108	8.9	97.0	5.9	22.5	1.1	HALIFAX.
BRADFORD	-	14.1	15.4	15.1	15.6	0.08	-	0.52	0.03	0.14	0.18	0.43	16.76	138	9.6	96.2	9.1	23.3	0.4	BRADFORD.
LEEDS	-	14.4	13.9	14.6	16.1	0.03	-	0.24	0.07	0.16	0.09	0.87	27.37	120	9.8	109.8	10.9	23.8	-	LEEDS.
DEWSBURY	-	14.1	16.5	16.4	15.6	0.07	-	0.30	0.15	0.22	0.07	0.74	23.81	151	8.4	101.7	7.1	18.6	-	DEWSBURY.
WAKEFIELD	-	11.1	12.9	13.7	15.0	0.30	-	-	-	0.15	0.08	1.07	8.20	131	8.5	100.7	11.2	21.3	-	WAKEFIELD.
BARNESLEY	-	12.8	16.3	14.9	17.2	0.07	-	1.64	0.15	-	-	1.19	57.88	161	10.8	95.7	10.8	13.4	-	BARNESLEY.

TABLE VIII. (continued).—96 Great Towns, &c.—Birth-rate, Death-rate, and Analysis of Mortality in the 13 Weeks ended 1st January, 1916.

TOWNS.	ANNUAL RATE PER 1000 PERSONS LIVING.										RATE PER 1000 BIRTHS.		ANNUAL DEATH-RATE per 1000 living.		PERCENTAGE of Total Deaths.			TOWNS.	
	Total Deaths				Deaths from						Diarrhoea and Enteritis (under 2 years).	Total Deaths under one year.	Aged 1 to 65 years.	Aged 65 years upwards.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
	13 Weeks ended				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.									Violence.
	28th Dec., 1912.	3rd Jan., 1914.	2nd Jan., 1915.	1st Jan., 1916.															
	BIRTHS in 13 Weeks ended 1st Jan., 1916.																		
SHEFFIELD -	23·0	15·1	16·0	15·3	15·5	0·05	-	0·33	0·10	0·20	0·20	0·76	121	9·8	96·6	7·4	25·1	0·4	SHEFFIELD.
ROTHERHAM -	27·4	15·2	14·5	17·9	14·2	0·18	-	-	-	0·06	0·06	0·98	117	8·1	90·2	10·8	21·1	2·6	ROTHERHAM.
YORK -	17·3	12·1	11·3	13·3	15·9	0·10	-	0·34	-	0·48	0·10	0·53	160	8·6	101·4	5·4	26·4	-	YORK.
HULL -	22·3	16·7	15·3	15·2	15·0	0·08	-	0·10	0·03	0·03	0·32	0·69	123	8·3	103·2	8·7	26·4	0·8	HULL.
MIDDLESBROUGH -	24·7	19·2	18·8	17·2	19·2	0·03	-	0·16	0·03	0·29	0·41	0·44	185	11·6	116·5	5·5	13·9	0·5	MIDDLESBROUGH.
DARLINGTON -	20·3	12·7	13·7	12·7	14·8	-	-	0·20	0·20	0·39	0·20	0·46	158	8·1	84·4	4·9	12·8	6·2	DARLINGTON.
STOCKTON ON TEES	23·5	18·0	14·8	17·7	16·8	-	-	-	-	0·27	0·27	0·68	138	10·0	102·1	6·8	13·7	2·4	STOCKTON ON TEES.
WEST HARTLEPOOL	22·2	17·4	15·4	15·4	17·9	-	-	0·19	0·12	0·25	0·25	0·62	174	11·2	101·2	4·5	13·9	1·7	WEST HARTLEPOOL.
SUNDERLAND -	24·8	18·1	17·5	15·2	18·0	0·05	-	-	0·03	0·18	0·05	0·97	161	10·2	117·5	9·8	21·9	1·5	SUNDERLAND.
SOUTH SHIELDS	24·5	19·8	19·1	15·0	17·5	-	-	0·04	0·11	0·25	0·11	0·65	145	10·5	110·1	4·5	13·6	3·3	SOUTH SHIELDS.
GATESHEAD -	26·4	15·5	13·3	18·9	19·0	0·03	-	0·03	0·07	0·34	0·17	0·34	144	11·3	126·2	2·7	19·1	5·8	GATESHEAD.
NEWCASTLE ON TYNE	24·7	17·1	14·5	21·1	16·3	0·07	-	0·03	0·10	0·21	0·06	0·78	127	9·3	116·8	10·6	19·6	0·5	NEWCASTLE ON TYNE.
TYNEMOUTH -	24·4	18·6	16·2	14·7	14·8	0·46	-	0·07	0·07	0·07	0·07	0·85	102	9·0	91·7	6·6	15·9	5·7	TYNEMOUTH.
CARLISLE -	20·4	18·8	14·9	12·5	15·9	-	-	-	0·30	-	0·46	0·91	156	7·7	111·4	6·2	22·4	4·3	CARLISLE.
NEWPORT (MON.) -	20·9	12·1	10·9	12·5	12·3	0·04	-	-	0·04	-	0·18	0·58	120	6·9	93·4	9·5	18·6	0·7	NEWPORT (MON.).
CARDIFF -	22·4	12·7	13·7	14·0	15·2	0·02	-	0·55	0·06	0·13	0·17	0·55	138	8·4	111·4	11·2	18·6	-	CARDIFF.
RHONDDA -	25·3	14·3	12·5	15·6	12·9	-	-	0·34	0·05	-	0·10	0·43	113	8·0	107·5	6·4	4·7	0·4	RHONDDA.
MERTHYR TYDFIL -	21·1	14·7	12·6	16·7	14·0	0·09	-	0·05	-	-	0·09	0·57	143	8·0	104·6	8·1	18·2	0·3	MERTHYR TYDFIL.
ABERDARE -	24·7	14·9	14·8	13·9	14·2	0·23	-	-	0·08	-	0·15	0·68	128	8·1	104·5	7·4	6·9	-	ABERDARE.
SWANSEA -	21·4	13·3	15·6	13·3	13·7	-	-	0·33	-	0·03	0·13	0·49	117	8·3	86·9	9·4	16·9	-	SWANSEA.
GREATER LONDON	20·2	13·4	12·7	13·6	14·3	0·03	-	0·05	0·06	0·13	0·19	0·67	113	?	?	9·9	39·2	0·2	GREATER LONDON.
OUTER RING -	18·8	10·9	10·5	11·0	11·6	0·62	-	0·02	0·04	0·11	0·16	0·53	91	?	?	9·0	28·3	0·2	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	19·8	11·8	11·0	11·4	12·0	0·03	-	0·02	0·04	0·15	0·17	0·53	102	6·6	92·0	9·3	29·6	0·1	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING	17·5	9·7	9·8	10·4	11·0	0·02	-	0·02	0·02	0·06	0·15	0·53	75	?	?	8·6	26·2	0·4	REMAINDER OF OUTER RING.
EDINBURGH -	15·6	15·7*	13·8	15·1	16·9	-	-	0·70	0·35	0·04	0·43	0·43	151	9·4	106·2	?	?	?	EDINBURGH.
GLASGOW -	23·9	19·0*	16·6	17·7	18·6	0·05	-	0·27	0·35	0·07	0·18	0·66	148	11·2	121·0	?	?	?	GLASGOW.
DUBLIN (Registration Area).	23·1	18·6	19·0	20·1	20·9	0·13	-	0·78	0·12	0·20	0·13	0·44	170	12·9	90·3	1·9	37·8	3·6	DUBLIN (Registration Area).
BELFAST -	22·1	18·2	16·3	18·7	18·3	0·03	-	0·37	0·52	0·25	0·09	0·39	151	11·9	85·7	3·7	24·8	1·2	BELFAST.

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates).*	BIRTHS.	DEATHS.	Deaths of		DEATHS FROM								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
148 Towns	4,838,095	23,157	15,901	2,584	5,230	46	-	273	82	167	215	588	553	928	2,551	278	112	148 Towns.
SURREY.																		SURREY.
Barnes.†	34,745	185	99	11	41	-	-	-	-	-	-	-	3	11	15	-	81	Barnes.†
Guildford	24,927	96	70	8	27	-	-	-	-	-	-	-	4	8	15	-	83	Guildford.
Kingston on Thames†	39,227	161	116	15	54	-	-	-	-	-	-	-	6	18	48	-	93	Kingston on Thames.†
Mitcham†	34,682	197	88	13	35	-	-	-	-	-	-	-	3	9	29	-	66	Mitcham.†
Reigate	29,375	86	91	6	42	-	-	-	-	-	-	-	3	10	24	-	70	Reigate.
Richmond†	33,760	119	101	8	49	-	-	-	-	-	-	-	2	13	24	-	67	Richmond.†
Sutton†	22,678	78	58	11	19	-	-	-	-	-	-	-	2	4	11	-	141	Sutton.†
Woking	27,055	98	45	3	12	-	-	-	-	-	-	-	1	6	9	1	31	Woking.
KENT.																		KENT.
Beckenham†	33,572	129	75	8	28	-	-	-	-	-	-	-	3	3	14	-	62	Beckenham.†
Bromley†	35,820	152	93	6	43	-	-	-	-	-	-	-	3	6	25	-	39	Bromley.†
Canterbury	24,531	117	107	16	53	-	-	-	-	-	-	-	3	8	30	1	137	Canterbury.
Chatham	44,057	241	172	21	51	-	-	9	1	1	-	-	13	14	42	10	87	Chatham.
Dartford	25,336	105	48	5	14	-	-	-	-	-	-	-	2	2	13	1	48	Dartford.
Dover	43,984	215	144	23	52	-	-	-	-	3	-	-	14	15	50	1	107	Dover.
Erith†	28,604	193	95	15	28	-	-	-	-	1	-	-	3	3	30	1	78	Erith.†
Folkestone	33,968	151	102	13	48	-	-	-	-	1	-	-	4	5	27	1	86	Folkestone.
Gravesend	28,435	134	96	14	28	-	-	-	-	2	-	-	4	6	27	1	104	Gravesend.
Maidstone	36,157	157	120	14	46	-	-	-	-	-	-	-	2	8	26	1	89	Maidstone.
Margate	29,965	92	75	7	33	-	-	-	-	-	-	-	-	1	13	6	76	Margate.
Penge (Surrey Reg. Co.)†	22,283	103	77	10	38	-	-	-	-	-	-	-	-	7	13	3	97	Penge (Surrey Reg. Co.)†
Ramsgate	30,254	130	92	8	49	-	-	-	-	-	-	-	3	7	27	3	62	Ramsgate.
Rochester	31,660	163	103	15	42	-	-	-	-	-	-	-	5	7	22	2	92	Rochester.
Tunbridge Wells	36,506	128	127	10	69	-	-	-	-	-	-	-	2	5	26	2	78	Tunbridge Wells.
SUSSEX EAST.																		SUSSEX EAST.
Hove	44,134	153	135	18	64	-	-	-	-	-	-	-	1	6	18	-	118	Hove.
SUSSEX WEST.																		SUSSEX WEST.
Worthing	32,997	121	107	5	60	-	-	-	-	-	-	-	2	4	13	-	41	Worthing.
SOUTHAMPTON.																		SOUTHAMPTON.
Aldershot (Surrey Reg. Co.)	36,637	142	78	14	15	-	-	-	-	3	-	-	5	3	30	3	99	Aldershot (Surrey Reg. Co.).
Gosport and Alverstoke	34,838	141	91	7	28	-	-	-	-	1	-	-	5	7	25	-	50	Gosport and Alverstoke.
Winchester	24,230	103	75	9	25	-	-	-	-	-	-	-	4	6	26	-	87	Winchester.
MIDDLESEX.																		MIDDLESEX.
Chiswick†	41,858	186	129	15	50	-	-	-	-	-	-	-	3	15	46	-	81	Chiswick.†
Finchley†	45,435	195	105	7	40	-	-	-	-	-	-	-	4	7	27	-	36	Finchley.†
Hendon†	44,496	240	130	16	52	-	-	-	-	1	-	-	7	13	33	-	67	Hendon.†
Heston and Isleworth†	47,644	202	140	20	56	-	-	-	-	-	-	-	6	13	43	-	99	Heston and Isleworth.†
Southall Norwood†	50,889	147	58	15	20	-	-	-	-	-	-	-	3	5	17	-	102	Southall Norwood.†

* See Note * to Table II.

† These towns are included within the Metropolitan Outer Ring.

TABLE IX. (continued).—One hundred and forty-eight smaller Towns.—Population; Births and Deaths in the QUARTER ended 31st December, 1915.

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914 (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*	40,090 32,281 54,635	150 145 219	82 94 142	3 14 16	39 36 52	- - -	- - -	- - -	- - -	- - -	- - -	- - -	- - -	14 24 38	- - -	20 97 73	MIDDLESEX—continued. Southgate.* Twickenham.* Wood Green.*	
HERTFORDSHIRE. St. Albans Watford	26,203 44,943	110 227	71 125	7 16	31 57	- -	- -	- -	- -	1 2	- -	- -	- -	11 25	1 1	64 70	HERTFORDSHIRE. St. Albans. Watford.	
BUCKINGHAMSHIRE. Chepping Wycombe	21,328	87	71	10	26	-	-	-	4	-	-	3	5	6	1	115	BUCKINGHAMSHIRE. Chepping Wycombe.	
NORTHAMPTONSHIRE. Kettering	30,431	162	97	14	26	-	-	-	-	1	-	1	3	3	4	86	NORTHAMPTONSHIRE. Kettering.	
SOKE OF PETERBOROUGH. Peterborough	34,514	166	112	8	55	-	-	-	-	1	-	1	4	4	7	48	SOKE OF PETERBOROUGH. Peterborough.	
BEDFORDSHIRE. Bedford Luton	40,588 54,700	164 281	139 182	8 39	47 45	- -	- -	- -	- -	- -	7 10	1 14	8 6	9 8	1 11	49 139	BEDFORDSHIRE. Bedford. Luton.	
ESSEX. Barking Town* Colchester	34,685 45,219	225 180	132 128	24 10	31 53	- -	- -	- -	- -	- -	4 -	5 2	4 7	9 6	- 3	107 56	ESSEX. Barking Town.* Colchester.	
SUFFOLK EAST. Lowestoft	35,143	177	97	12	31	-	-	-	-	-	-	-	6	7	5	68	SUFFOLK EAST. Lowestoft.	
NORFOLK. King's Lynn	20,171	93	68	14	28	2	-	-	-	1	2	-	1	3	-	151	NORFOLK. King's Lynn.	
WILTSHIRE. Salisbury	21,576	109	95	15	29	-	-	16	-	-	4	-	1	4	1	138	WILTSHIRE. Salisbury.	
DORSETSHIRE. Poole Weymouth and Melcombe Regis.	42,826 23,187	192 107	131 75	20 7	57 30	- 2	- -	2	-	-	3	1 1	12 3	14 4	- -	104 65	DORSETSHIRE. Poole. Weymouth and Melcombe Regis.	
DEVONSHIRE. Torquay	40,561	103	131	11	62	1	-	4	-	-	1	4	6	11	2	107	DEVONSHIRE. Torquay.	
SOMERSETSHIRE. Taunton Weston super Mare	23,074 24,414	90 66	72 72	4 6	36 40	- -	- -	-	-	-	-	3	-	3 8	3 -	44 91	SOMERSETSHIRE. Taunton. Weston super Mare.	

The DEATHS registered in the Quarter include																Deaths under 1 Year to 1000 Births.	TOWNS.		
ESTIMATED POPULATION IN THE MIDDLE OR 1914 (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS from										Deaths in Public Institutions.	Uncertified Causes of Death.					
			Deaths of		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.							
			Infants under 1 Year of Age.	Persons aged 65 Years and upwards.															
GLoucestershire. Cheltenham - - -	48,769	164	185	14	106	-	-	-	-	-	1	1	2	1	8	41	4	85	GLoucestershire. Cheltenham.
HEREfordshire. Hereford - - -	22,981	91	74	8	40	-	-	-	-	-	-	1	-	-	1	9	-	88	HEREfordshire. Hereford.
SHROpshire. Shrewsbury - - -	29,735	135	118	12	50	1	-	-	-	-	-	-	1	3	8	28	-	89	SHROpshire. Shrewsbury.
STAFFORDshire. Bilston - - -	26,254	171	119	26	25	-	-	-	1	-	-	-	10	4	14	12	1	152	STAFFORDshire. Bilston.
Burton upon Trent - -	47,528	222	163	26	57	-	-	-	-	-	1	1	7	4	5	21	-	117	Burton upon Trent.
Cannock - - -	30,191	208	98	26	32	-	-	-	-	-	1	-	6	7	8	12	-	125	Cannock.
Coseley - - -	23,048	149	96	28	25	-	-	-	1	-	-	-	7	1	7	2	4	188	Coseley.
Newcastle under Lyme -	20,301	103	80	15	23	-	-	-	-	-	-	1	4	-	2	5	-	146	Newcastle under Lyme.
Rowley Regis - - -	37,811	245	149	36	44	-	-	-	-	-	3	1	11	5	12	5	-	147	Rowley Regis
Stafford - - -	24,249	117	84	9	32	-	-	-	-	-	2	1	1	2	3	19	-	77	Stafford.
Tipton - - -	32,178	219	133	25	43	-	-	-	-	-	1	-	5	3	9	12	-	114	Tipton.
Wednesbury - - -	28,642	172	116	25	33	-	-	-	-	-	-	-	6	2	6	23	-	145	Wednesbury.
Wolstanton United - -	28,967	164	94	13	27	-	-	-	2	1	-	2	1	-	-	8	2	79	Wolstanton United.
WORCEstershire. Kidderminster - - -	27,583	102	93	10	45	-	-	-	-	-	-	2	5	6	6	23	1	98	WORCEstershire. Kidderminster.
Oldbury (Staffs. Reg. Co.)	34,682	222	108	20	31	-	-	-	2	2	1	1	7	1	1	8	5	90	Oldbury (Staffs. Reg. Co.)
Worcester - - -	49,735	194	174	14	71	-	-	-	-	-	-	-	4	6	8	29	2	72	Worcester.
WARWICKshire. Nuneaton - - -	41,275	249	110	17	29	-	-	-	-	-	1	-	2	6	6	17	4	68	WARWICKshire. Nuneaton.
Royal Leamington Spa -	26,652	85	114	13	61	1	-	-	-	-	1	-	5	2	9	18	-	141	Royal Leamington Spa.
Rugby - - -	23,472	115	72	11	35	-	-	-	-	-	1	-	-	4	4	27	1	96	Rugby.
Sutton Coldfield (Staffs. Reg. Co.).	22,173	77	51	5	24	-	-	-	-	-	-	-	1	-	-	4	3	65	Sutton Coldfield (Staffs. Reg. Co.).
LEICEstershire. Loughborough - - -	23,506	108	84	15	34	-	-	-	-	-	-	1	4	4	5	11	1	139	LEICEstershire. Loughborough.
LINCOLNshire (Kesteven) Grantham - - -	20,932	103	75	11	30	-	-	-	-	-	-	2	4	-	-	6	3	107	LINCOLNshire (Kesteven) Grantham.
LINCOLNshire (Lindsey) Cleethorpe with Thrunscoc. - - -	24,492	132	61	14	11	-	-	-	-	-	-	2	3	5	7	8	2	106	LINCOLNshire (Lindsey). Cleethorpe with Thrunscoc.
Gainsborough - - -	21,605	103	60	8	19	1	-	2	-	-	-	-	2	2	2	5	-	78	Gainsborough.
NOTTINGHAMshire. Mansfield - - -	42,261	263	122	30	38	2	-	-	-	1	2	2	4	5	5	23	-	114	NOTTINGHAMshire. Mansfield.
Sutton in Ashfield - -	24,090	134	78	26	23	-	-	-	-	-	-	2	6	1	3	4	6	194	Sutton in Ashfield.
Worksop - - -	21,874	122	60	14	11	-	-	3	-	-	-	1	2	3	3	7	2	115	Worksop.

TABLE IX. (continued).—One hundred and forty-eight Smaller Towns.—Population; Births and Deaths in the QUARTER ended 31st December, 1915.

TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	The DEATHS registered in the Quarter include													Deaths under 1 year to 1000 Births.	TOWNS.	
				Deaths of		DEATHS FROM								Deaths in Public Institutions.	Uncertified Causes of Death.				
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
DERBYSHIRE.																			
Chesterfield.	39,170	227	110	21	33	-	-	-	-	-	1	2	4	16	7	93	DERBYSHIRE.		
Glossop.	21,744	89	55	11	22	-	-	-	-	-	-	5	-	6	1	124	Chesterfield.		
Ilkeston (Notts. Reg. Co.)	33,839	180	93	23	23	3	-	-	-	-	1	1	6	11	6	128	Glossop.		
																	Ilkeston (Notts. Reg. Co.)		
CHESHIRE.																	CHESHIRE.		
Chester.	39,278	176	156	22	60	1	-	-	1	-	-	6	5	39	-	125	Chester.		
Crewe.	45,964	237	181	30	55	-	-	-	1	1	-	3	4	14	-	127	Crewe.		
Hyde.	33,670	133	124	20	34	-	-	-	2	1	-	3	3	14	-	160	Hyde.		
Macclesfield.	34,857	140	124	21	47	1	-	-	-	-	1	-	3	27	-	150	Macclesfield.		
Stalybridge (Lancs. Reg. Co.)	26,109	108	107	26	27	-	-	-	-	-	-	14	2	16	-	241	Stalybridge (Lancs. Reg. Co.)		
LANCASHIRE.																	LANCASHIRE.		
Accrington.	45,692	159	157	19	49	2	-	1	-	8	1	2	1	14	4	119	Accrington.		
Ashton in Makerfield.	22,537	144	90	22	19	1	-	-	-	-	1	14	1	11	3	153	Ashton in Makerfield.		
Ashton under Lyne.	45,618	203	209	44	58	-	-	-	-	-	-	10	-	40	-	217	Ashton under Lyne.		
Bacup.	22,253	82	96	7	28	-	-	-	1	-	-	-	-	14	-	85	Bacup.		
Chadderton.	29,484	135	112	16	24	-	-	-	-	-	-	5	2	12	-	119	Chadderton.		
Chorley.	31,520	126	106	22	39	1	-	-	-	3	2	5	6	7	8	175	Chorley.		
Colne.	26,625	81	73	9	28	-	-	-	-	-	-	1	1	11	3	111	Colne.		
Darwen.	41,070	132	147	23	58	1	-	1	-	5	3	4	1	15	1	174	Darwen.		
Eccles.	44,579	169	142	12	49	1	-	-	-	12	1	4	4	41	1	71	Eccles.		
Farnworth.	28,898	132	129	29	37	1	-	8	1	1	2	8	2	6	1	220	Farnworth.		
Heywood.	27,128	123	100	13	26	-	-	3	-	3	4	3	1	8	3	106	Heywood.		
Hindley.	24,307	141	78	20	13	-	-	1	1	-	1	10	5	6	6	142	Hindley.		
Ince in Makerfield.	22,303	135	103	23	13	-	-	-	-	-	1	3	5	8	5	170	Ince in Makerfield.		
Lancaster.	41,786	101	110	16	33	-	-	-	-	-	-	4	4	17	3	158	Lancaster.		
Leigh.	45,530	258	190	37	42	1	-	-	-	2	1	12	5	26	5	143	Leigh.		
Middleton.	28,955	107	109	9	31	-	-	1	-	-	1	3	4	11	2	84	Middleton.		
Nelson.	41,797	116	114	15	32	-	-	-	3	-	6	1	5	11	5	129	Nelson.		
Radcliffe.	25,984	96	121	20	39	-	-	15	1	-	1	3	1	12	1	208	Radcliffe.		
Rawtenstall.	30,329	123	123	20	40	-	-	2	-	-	1	6	3	18	6	163	Rawtenstall.		
Stretford.	46,692	180	133	17	55	-	-	2	1	-	1	1	3	9	4	94	Stretford.		
Swinton and Pendlebury.	32,065	137	104	33	25	-	-	1	2	1	2	6	3	16	3	241	Swinton and Pendlebury.		
Waterloo with Seaforth.	27,542	133	103	15	31	-	-	-	1	-	1	2	1	17	2	113	Waterloo with Seaforth.		
Widnes.	32,571	177	152	24	32	-	-	3	-	-	-	7	5	28	3	136	Widnes.		
YORKSHIRE (WEST RIDING).																	YORKSHIRE (WEST RIDING).		
Batley.	36,949	188	190	21	54	1	-	24	-	10	9	2	1	26	-	112	Batley.		
Brighouse.	20,533	75	70	6	20	-	-	-	-	-	9	8	-	9	1	80	Brighouse.		
Castleford.	25,074	135	120	26	14	-	-	38	1	-	-	1	8	8	2	193	Castleford.		
Doncaster.	51,591	296	162	24	59	-	-	1	-	-	-	1	4	21	-	81	Doncaster.		
Goole.				2	6	2	-	-	-	-	-	-	3	11	-	163	Goole.		

The DEATHS registered in the Quarter include

The DEATHS registered in the Quarter include																		
TOWNS.	ESTIMATED POPULATION IN THE MIDDLE OF 1914. (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		DEATHS FROM								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Deaths under 1 year to 1000 Births.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
YORKSHIRE (WEST RIDING)— <i>cont.</i>																		YORKSHIRE (WEST RIDING)— <i>cont.</i>
Keighley -	44,156	145	149	22	49	2	-	1	-	1	1	5	1	6	29	5	152	Keighley.
Morley -	24,507	105	82	16	25	-	-	-	-	1	1	4	1	1	9	-	152	Morley.
Shipley -	28,448	114	90	11	34	-	-	-	-	2	2	4	4	4	8	1	96	Shipley.
Spenborough -	31,750	141	97	17	38	1	-	1	-	1	1	3	4	5	10	1	121	Spenborough.
Todmorden -	25,399	95	90	5	38	-	-	-	-	-	-	1	4	5	14	1	53	Todmorden.
YORKSHIRE (NORTH RIDING).																		YORKSHIRE (NORTH RIDING).
Eston -	29,146	175	132	26	23	-	-	20	2	1	2	7	4	7	11	-	149	Eston.
Scarborough -	36,890	117	136	18	57	-	-	10	-	1	1	5	3	8	29	-	154	Scarborough.
DURHAM.																		DURHAM.
Blaydon -	35,086	197	85	28	18	-	-	-	-	1	4	8	-	-	3	10	142	Blaydon.
Felling -	25,916	148	110	27	29	-	-	-	-	-	-	17	3	3	8	11	182	Felling.
Hartlepool -	19,882	133	103	14	29	-	-	-	1	4	-	1	2	4	12	-	105	Hartlepool.
Hebburn -	22,063	171	80	18	22	1	-	-	-	-	2	4	4	4	14	4	105	Hebburn.
Jarrow -	33,528	248	188	46	31	-	-	1	-	2	-	18	6	7	12	10	185	Jarrow.
Stanley -	26,683	169	64	14	13	-	-	-	-	-	-	-	2	2	2	3	83	Stanley.
NORTHUMBERLAND.																		NORTHUMBERLAND.
Ashington -	28,275	152	98	21	15	-	-	17	5	1	1	8	7	8	3	-	138	Ashington.
Bedlingtonshire -	27,762	150	76	26	22	2	-	-	-	1	1	6	3	2	6	4	173	Bedlingtonshire.
Blyth -	32,411	187	111	24	32	-	-	-	-	2	1	10	7	6	13	3	128	Blyth.
Wallsend -	44,891	295	125	26	38	-	-	-	1	-	1	10	1	1	13	5	88	Wallsend.
CUMBERLAND.																		CUMBERLAND.
Workington -	24,726	152	133	29	32	-	-	3	6	-	4	4	3	4	12	6	191	Workington.
MONMOUTHSHIRE.																		MONMOUTHSHIRE.
Abersychan -	27,052	171	64	22	16	-	-	-	2	-	1	1	1	2	3	1	129	Abersychan.
Abertillery -	40,101	250	96	29	18	-	-	-	-	-	4	2	3	3	4	2	116	Abertillery.
Bedwellty -	26,916	178	90	21	13	-	-	-	2	3	2	4	3	4	5	-	118	Bedwellty.
Ebbw Vale -	33,862	220	110	28	24	1	-	-	1	12	4	5	8	8	9	-	127	Ebbw Vale.
Tredeggar -	25,377	173	84	34	12	-	-	-	-	-	1	8	5	5	15	-	197	Tredeggar.
GLAMORGANSHIRE.																		GLAMORGANSHIRE.
Barry -	36,105	212	85	19	17	-	-	1	-	-	1	4	3	7	10	-	90	Barry.
Caerphilly -	38,761	233	93	28	16	1	-	-	-	2	1	-	8	8	5	-	120	Caerphilly.
Gelligaer -	41,880	290	117	28	21	-	-	-	2	1	4	7	8	10	3	-	97	Gelligaer.
Maesteg -	28,444	177	98	16	16	-	-	-	-	-	2	10	4	7	4	-	90	Maesteg.
Mountain Ash -	46,126	260	151	34	27	-	-	1	-	5	2	8	10	13	11	2	131	Mountain Ash.
Ogmore and Garw -	29,119	205	102	27	17	-	-	-	-	2	1	7	6	7	16	-	132	Ogmore and Garw.
Pontypridd -	47,001	303	139	40	17	1	-	3	-	1	-	4	10	14	16	-	132	Pontypridd.
CARMARTHENSHIRE.																		CARMARTHENSHIRE.
Llanelli -	34,316	178	133	19	37	-	-	-	5	-	1	7	6	6	13	2	107	Llanelli.

TABLE X.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS	Estimated Popula- tion in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON - - - - -	4,516,612	8,661	142	-	3	-	4,523	2,779	-	1,142	72
CROYDON - - - - -	181,956	167	2	-	-	-	89	52	-	23	1
WIMBLEDON - - - - -	59,598	107	4	-	-	-	51	41	-	11	-
EALING - - - - -	71,030	151	-	-	-	-	119	16	-	16	-
ACTON - - - - -	64,369	88	2	-	-	-	42	29	-	15	-
WILLESDEN - - - - -	167,922	187	2	-	-	-	96	75	-	13	1
HORNSEY - - - - -	88,953	99	3	-	-	-	45	41	-	10	-
TOTTENHAM - - - - -	149,495	248	6	-	-	-	140	79	-	22	1
EDMONTON - - - - -	71,024	97	3	-	-	-	60	18	-	15	1
ENFIELD - - - - -	61,069	81	4	-	-	-	26	42	-	9	-
WEST HAM - - - - -	296,570	401	9	-	-	-	166	159	-	64	3
EAST HAM - - - - -	146,526	297	2	-	-	-	173	85	-	36	1
LEYTON - - - - -	133,719	251	5	-	-	-	162	54	-	28	2
WALTHAMSTOW - - - - -	134,825	154	2	-	-	-	55	73	-	24	-
ILFORD - - - - -	91,041	129	2	-	-	-	59	51	-	17	-
GILLINGHAM - - - - -	55,559	80	1	-	-	-	43	25	-	9	2
HASTINGS - - - - -	59,620	101	-	-	-	-	18	68	-	12	3
EASTBOURNE - - - - -	55,662	115	3	-	-	-	45	63	-	1	3
BRIGHTON - - - - -	133,936	127	3	-	-	-	76	29	-	18	1
PORTSMOUTH‡ - - - - -	245,827	589	15	-	-	-	277	263	-	34	-
BOURNEMOUTH - - - - -	85,904	59	1	-	-	-	32	18	-	8	-
SOUTHAMPTON - - - - -	123,948	260	10	-	-	-	145	81	-	24	-
READING - - - - -	90,083	90	1	-	-	-	61	11	-	16	1
OXFORD - - - - -	54,339	41	1	-	-	-	19	11	-	10	-
NORTHAMPTON - - - - -	91,123	404	4	-	-	-	305	58	-	35	2
CAMBRIDGE - - - - -	57,676	51	2	-	-	-	21	23	-	4	1
SOUTHEND ON SEA - - - - -	83,908	83	2	-	-	-	49	29	-	3	-
IPSWICH - - - - -	76,472	137	7	-	-	-	74	42	-	14	-
GREAT YARMOUTH - - - - -	57,502	103	3	-	-	-	55	32	-	13	-
NORWICH - - - - -	124,107	179	6	-	-	-	72	78	-	20	3
SWINDON - - - - -	52,750	203	-	-	-	-	170	21	-	12	-
EXETER - - - - -	60,788	45	6	-	-	-	20	14	-	5	-
PLYMOUTH - - - - -	212,421	288	9	-	-	-	123	96	-	59	1
BATH - - - - -	70,292	165	3	-	-	-	66	83	-	13	-
BRISTOL - - - - -	363,312	503	12	-	-	-	277	124	-	86	4
GLOUCESTER - - - - -	50,759	78	-	-	-	-	25	42	-	11	-
STOKE ON TRENT - - - - -	241,430	759	5	-	-	-	359	324	-	68	3
WOLVERHAMPTON - - - - -	95,725	117	-	-	-	-	64	33	-	20	-
WALSALL - - - - -	94,093	162	1	-	-	-	116	27	-	16	2
WEST BROMWICH - - - - -	69,430	66	-	-	-	-	36	16	-	11	3
DUDLEY - - - - -	51,895	106	1	-	-	-	89	-	-	16	-
BIRMINGHAM - - - - -	868,430	1,402	8	-	-	-	886	261	-	216	31
SMETHWICK - - - - -	76,314	81	-	-	-	-	53	12	-	14	2
COVENTRY - - - - -	119,003	382	-	-	-	-	235	113	-	32	2
LEICESTER - - - - -	232,664	269	8	-	-	-	84	47	-	124	6
LINCOLN - - - - -	60,243	77	1	-	-	-	49	18	-	8	1
GRIMSBY - - - - -	78,667	67	-	-	-	-	38	27	-	1	1
NOTTINGHAM - - - - -	266,918	463	13	-	-	-	342	41	-	64	3
DERBY - - - - -	126,389	355	3	-	-	-	240	84	-	27	1
STOCKPORT - - - - -	126,040	330	8	-	-	-	278	29	-	14	1
BIRKENHEAD - - - - -	137,710	143	2	-	-	-	82	19	-	34	6
WALLASEY - - - - -	87,175	95	-	-	-	-	56	27	-	12	-
LIVERPOOL - - - - -	767,992	1,451	27	37	-	-	815	341	-	219	12
BOOTLE - - - - -	73,230	108	3	-	-	-	66	28	-	11	-
ST. HELENS - - - - -	100,775	363	5	-	-	-	247	88	-	21	2
SOUTHPORT - - - - -	71,747	122	-	-	-	-	82	30	-	8	2
WIGAN - - - - -	91,491	587	17	-	-	-	542	10	-	15	3
WARRINGTON - - - - -	74,923	229	17	-	-	-	167	22	-	21	2
BOLTON - - - - -	185,247	171	10	-	-	-	79	46	-	36	-
BURY - - - - -	59,213	104	2	-	-	-	68	13	-	21	-
MANCHESTER - - - - -	738,538	1,092	37	-	-	-	764	143	-	128	20
SALFORD - - - - -	234,975	318	19	-	-	-	196	61	-	39	3

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† See Note * to Table II.

‡ The figures for Southsea District of Portsmouth are—population (1911), 25,380; enteric fever, nil; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 32; diphtheria (including membranous croup), 14; erysipelas, 3; and puerperal fever, nil.

TABLE X. (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - - -	151,044	141	3	-	-	-	65	28	-	43	2
ROCHDALE - - - - -	94,320	283	1	-	-	-	11	255	-	16	-
BURNLEY - - - - -	110,040	233	6	-	-	-	158	36	-	33	-
BLACKBURN - - - - -	134,387	200	10	-	-	-	156	12	-	22	-
PRESTON - - - - -	118,514	310	11	-	-	-	225	49	-	24	1
BLACKPOOL - - - - -	62,206	126	7	-	-	-	110	5	-	3	1
BARROW IN FURNESS - -	65,921	147	-	-	-	-	94	29	-	24	-
HUDDERSFIELD - - - - -	112,265	209	2	-	-	-	115	72	-	19	1
HALIFAX - - - - -	100,373	64	5	-	-	-	27	23	-	8	1
BRADFORD - - - - -	291,482	341	23	-	-	-	97	146	-	70	5
LEEDS - - - - -	459,260	540	21	-	-	-	324	109	-	83	3
DEWSBURY - - - - -	54,083	68	2	-	-	3	50	7	-	4	2
WAKEFIELD - - - - -	52,643	44	4	-	-	-	5	32	-	3	-
BARNLEY - - - - -	53,929	48	1	-	-	-	26	10	-	10	-
SHEFFIELD - - - - -	477,228	1,001	19	-	-	-	550	289	-	127	16
ROTHERHAM - - - - -	65,313	97	7	-	-	-	64	16	-	10	-
YORK - - - - -	83,802	112	2	-	-	-	73	28	-	7	2
HULL - - - - -	291,118	535	22	-	1	-	161	291	-	57	3
MIDDLESBROUGH - - - -	126,452	142	6	-	-	-	61	60	-	14	1
DARLINGTON - - - - -	61,441	97	1	-	-	-	35	44	-	16	-
STOCKTON ON TEES - - -	59,311	85	1	-	-	-	63	11	-	10	-
WEST HARTLEPOOL - - -	64,374	46	2	-	-	-	18	13	-	12	1
SUNDERLAND - - - - -	152,927	106	4	-	-	-	59	20	-	20	3
SOUTH SHIELDS - - - -	111,357	276	2	-	-	-	240	10	-	23	1
GATESHEAD - - - - -	119,362	158	8	-	-	-	102	23	-	24	-
NEWCASTLE ON TYNE - -	273,415	510	18	-	1	-	364	65	-	55	7
TYNEMOUTH - - - - -	61,408	106	42	-	-	-	37	13	-	14	-
CARLISLE - - - - -	52,813	357	-	-	-	-	293	33	-	30	1
NEWPORT (MON.) - - - -	89,404	108	2	-	-	-	57	42	-	6	1
CARDIFF - - - - -	188,495	299	6	-	-	-	162	101	-	29	1
RHONDDA - - - - -	166,365	223	4	-	2	-	137	54	-	24	2
MERTHYR TYDFIL - - - -	85,082	97	3	-	-	-	65	14	-	12	3
ABERDARE - - - - -	53,427	174	3	-	-	-	145	14	-	11	1
SWANSEA - - - - -	121,665	145	1	-	-	-	75	53	-	16	-
Smaller Towns.											
SURREY—											
BARNES - - - - -	34,745	65	-	-	-	-	45	13	-	6	1
GUILDFORD - - - - -	24,927	14	-	-	-	-	5	5	-	2	2
KINGSTON ON THAMES - -	39,227	20	2	-	-	-	5	7	-	4	2
MITCHAM - - - - -	34,682	71	-	-	-	-	35	31	-	5	-
REIGATE - - - - -	29,375	35	-	-	-	-	28	4	-	2	1
RICHMOND - - - - -	33,760	51	1	-	-	-	42	7	-	1	-
SUTTON - - - - -	22,678	9	-	-	-	-	5	2	-	1	1
WOKING - - - - -	27,055	13	1	-	-	-	5	3	-	3	1
KENT—											
BECKENHAM - - - - -	33,572	24	2	-	-	-	13	2	-	6	1
BROMLEY - - - - -	35,820	62	1	-	-	-	24	28	-	8	1
CANTERBURY - - - - -	24,531	81	1	-	-	-	15	60	-	5	-
CHATHAM - - - - -	44,057	62	-	-	-	-	35	18	-	9	-
DARTFORD - - - - -	25,336	84	1	-	-	-	68	8	-	7	-
DOVER - - - - -	43,984	102	5	-	-	-	80	12	-	5	-
ERITH - - - - -	28,604	112	1	-	-	-	63	44	-	4	-
FOLKESTONE - - - - -	33,968	38	2	-	-	-	13	14	-	9	-
GRAVESEND - - - - -	28,435	67	-	-	-	-	12	52	-	3	-
MAIDSTONE - - - - -	36,157	35	2	-	-	-	20	9	-	4	-
MARGATE - - - - -	29,965	50	-	-	-	-	31	17	-	2	-
PENGE (Surrey Reg. Co.)	22,283	24	-	-	-	-	15	6	-	3	-
RAMSGATE - - - - -	30,254	36	4	-	-	-	4	17	-	10	-
ROCHESTER - - - - -	31,660	53	1	-	-	-	22	24	-	5	1
TUNBRIDGE WELLS - - -	36,506	26	-	-	-	-	2	22	-	2	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever
SUSSEX EAST—											
HOVE - - - -	44,134	22	1	-	-	-	7	6	-	8	-
SUSSEX WEST—											
WORTHING - - -	32,997	19	-	-	-	-	11	7	-	1	-
SOUTHAMPTON—											
ALDERSHOT (Surrey Reg. Co.)	36,637	42	-	-	-	-	28	14	-	-	-
GOSPORT & ALVERSTOKE	34,838	58	1	-	-	-	20	32	-	5	-
WINCHESTER - - -	24,230	59	3	-	-	-	38	15	-	1	2
MIDDLESEX—											
CHISWICK - - -	41,858	28	-	-	-	-	13	10	-	4	1
FINCHLEY - - -	45,435	108	1	-	-	-	51	44	-	12	-
HENDON - - - -	44,496	46	1	-	-	-	19	17	-	7	2
HESTON & ISLEWORTH	47,644	56	-	-	-	-	26	23	-	4	3
SOUTHALL NORWOOD	30,889	34	2	-	-	-	17	14	-	1	-
SOUTHGATE - - -	40,090	48	-	-	-	-	26	15	-	6	1
TWICKENHAM - - -	32,281	25	-	-	-	-	15	6	-	4	-
WOOD GREEN - - -	54,635	84	1	-	-	-	40	31	-	11	1
HERTFORDSHIRE—											
ST. ALBANS - - -	26,203	17	-	-	-	-	13	2	-	2	-
WATFORD - - - -	44,943	62	2	-	-	-	21	31	-	7	1
BUCKINGHAMSHIRE—											
CHEPPING WYCOMBE -	21,328	122	-	-	-	-	106	11	-	4	1
NORTHAMPTONSHIRE—											
KETTERING - - -	30,431	37	-	-	-	-	14	16	-	7	-
SOKE OF PETER- BOROUGH—											
PETERBOROUGH - - -	34,514	94	-	-	-	-	85	3	-	5	1
BEDFORDSHIRE—											
BEDFORD - - - -	40,588	74	-	-	-	-	17	48	-	4	5
LUTON - - - - -	54,700	132	-	-	-	-	45	72	-	15	-
ESSEX—											
BARKING TOWN - - -	34,685	82	-	-	-	-	29	34	-	19	-
COLCHESTER - - -	45,219	80	3	-	-	-	51	16	-	9	1
SUFFOLK EAST—											
LOWESTOFT - - -	35,143	41	7	-	-	-	15	15	-	4	-
NORFOLK—											
KING'S LYNN - - -	20,171	39	1	-	-	-	33	2	-	3	-
WILTSHIRE—											
SALISBURY - - - -	21,576	55	1	-	-	-	30	21	-	3	-
DORSETSHIRE—											
POOLE - - - - -	42,826	46	2	-	-	-	30	10	-	4	-
WEYMOUTH AND MELCOMBE REGIS.	23,187	11	5	-	-	-	4	2	-	-	-
DEVONSHIRE—											
TORQUAY - - - -	40,561	23	-	-	-	-	3	23	-	1	1
SOMERSETSHIRE—											
TAUNTON - - - -	23,074	38	-	-	-	-	6	31	-	1	-
WESTON SUPER MARE -	24,414	43	-	-	-	-	30	12	-	1	-
GLOUCESTERSHIRE—											
CHELTENHAM - - -	48,769	44	2	-	-	-	17	15	-	10	-
HEREFORDSHIRE—											
HEREFORD - - - -	22,981	17	1	-	-	-	7	4	-	5	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—											
SHREWSBURY - - -	29,735	43	-	-	-	-	26	13	-	4	-
STAFFORDSHIRE—											
BILSTON - - - -	26,254	11	-	-	-	-	7	-	-	4	-
BURTON UPON TRENT -	47,528	44	-	-	-	-	16	15	-	12	1
CANNOCK - - - -	30,191	51	-	-	-	-	36	5	-	9	1
COSELEY - - - -	23,048	26	1	-	-	-	16	1	-	7	1
NEWCASTLE UNDER LYME.	20,301	47	3	-	-	-	36	5	-	3	-
ROWLEY REGIS - - -	37,811	34	5	-	-	-	14	6	-	9	-
STAFFORD - - - -	24,249	101	-	-	-	-	82	14	-	5	-
TIPTON - - - -	32,178	30	2	-	-	-	8	9	-	11	-
WEDNESBURY - - -	28,642	15	1	-	-	-	5	1	-	7	1
WOLSTANTON UNITED -	28,967	147	-	-	-	-	130	13	-	4	-
WORCESTERSHIRE—											
KIDDERMINSTER - -	27,583	23	-	-	-	-	16	4	-	3	-
OLDBURY (Staffordshire Reg. Co.).	34,682	68	-	-	-	-	44	8	-	16	-
WORCESTER - - - -	49,735	46	1	-	-	-	19	18	-	7	1
WARWICKSHIRE—											
NUNEATON - - - -	41,275	31	-	-	-	-	23	1	-	6	1
ROYAL LEAMINGTON SPA	26,652	22	1	-	-	-	8	8	-	5	-
RUGBY - - - -	23,472	93	-	-	-	-	76	7	-	10	-
SUTTON COLDFIELD (Staffs. Reg. Co.)	22,173	21	-	-	-	-	19	2	-	-	-
LEICESTERSHIRE—											
LOUGHBOROUGH - -	23,506	21	-	-	-	-	13	3	-	5	-
LINCOLNSHIRE (KESTEVEN)—											
GRANTHAM - - - -	20,932	52	1	-	-	-	27	18	-	6	-
LINCOLNSHIRE (LINDSEY)—											
CLEETHORPE WITH THRUNSCOE.	24,492	38	-	-	-	-	15	18	-	5	-
GAINSBOROUGH - -	21,605	33	2	-	-	-	28	-	-	3	-
NOTTINGHAMSHIRE—											
MANSFIELD - - - -	42,261	83	2	-	1	-	33	20	-	24	3
SUTTON IN ASHFIELD -	24,090	14	1	-	-	-	5	5	-	3	-
WORKSOP - - - -	21,874	61	-	-	-	-	53	5	-	3	-
DERBYSHIRE—											
CHESTERFIELD - - -	39,170	54	2	-	-	-	21	25	-	6	-
GLOSSOP - - - -	21,744	35	2	-	-	-	29	1	-	-	3
ILKESTON (Nottingham- shire Reg. Co.).	33,839	83	3	-	-	-	58	15	-	2	-
CHESHIRE—											
CHESTER - - - -	39,278	45	-	-	-	-	20	20	-	3	2
CREWE - - - -	45,964	83	2	-	-	1	67	8	-	5	-
HYDE - - - -	33,670	30	2	-	-	-	16	1	-	9	2
MACCLESFIELD - - -	34,857	22	2	-	-	-	11	2	-	6	1
STALYBRIDGE (Lanca- shire Reg. Co.).	26,109	19	-	-	-	-	15	1	-	3	-
LANCASHIRE—											
ACCINGTON - - - -	45,692	30	6	-	-	-	10	3	-	10	1
ASHTON IN MAKERFIELD	22,537	82	3	-	-	-	67	6	-	6	-
ASHTON UNDER LYNE -	45,618	33	4	-	-	-	22	2	-	5	-
BACUP - - - -	22,253	24	1	-	-	-	10	4	-	9	-
CHADDERTON - - -	29,484	21	-	-	-	-	10	7	-	4	-
CHORLEY - - - -	31,520	27	6	-	-	-	11	3	-	7	-
COLNE - - - -	26,625	27	1	-	-	-	21	1	-	4	-
DARWEN - - - -	41,070	67	4	-	-	-	48	11	-	4	-
ECCLES - - - -	44,579	59	5	-	-	-	26	22	-	6	-
FARNWORTH - - - -	28,898	38	3	-	-	-	14	9	-	12	-

* The figures in this table, excepting those for London, which are derived from Table XI., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE X. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Popula- tion in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE— <i>cont.</i>											
HEYWOOD - - -	27,128	27	1	-	-	-	10	13	-	3	-
HINDLEY - - -	24,307	70	-	-	-	-	60	3	-	7	-
INCE IN MAKERFIELD -	22,303	144	1	-	-	-	136	3	-	4	-
LANCASTER - - -	41,786	42	4	-	-	-	19	6	-	13	-
LEIGH - - -	45,530	138	3	-	-	-	107	13	-	15	-
MIDDLETON - - -	28,955	53	2	-	-	-	31	14	-	6	-
NELSON - - -	41,797	177	-	-	-	-	123	47	-	7	-
RADCLIFFE - - -	25,984	52	1	-	-	-	45	3	-	3	-
RAWTENSTALL - - -	30,329	30	8	-	-	-	3	17	-	2	-
STRETFORD - - -	46,692	55	-	-	-	-	39	8	-	7	1
SWINTON AND PENDLEBURY.	32,065	49	2	-	-	-	20	17	-	9	1
WATERLOO WITH SEAFORTH.	27,542	77	-	-	-	-	58	12	-	7	-
WIDNES - - -	32,571	77	1	-	-	-	63	11	-	2	-
YORKSHIRE (WEST RIDING)—											
BATLEY - - -	36,949	85	6	-	-	-	21	54	-	4	-
BRIGHOUSE - - -	20,533	74	1	-	-	-	10	58	-	5	-
CASTLEFORD - - -	25,074	31	1	-	-	-	24	2	-	4	-
DONCASTER - - -	51,591	62	2	-	-	-	43	7	-	8	2
GOOLE - - -	21,639	59	-	-	-	-	11	46	-	2	-
HARROGATE - - -	35,540	41	-	-	-	-	29	9	-	3	-
KEIGHLEY - - -	44,156	27	6	-	-	-	6	10	-	5	-
MORLEY - - -	24,507	15	2	-	-	-	5	3	-	5	-
SHIPLEY - - -	28,448	25	-	-	-	-	1	20	-	4	-
SPENBOROUGH - - -	31,750	17	3	-	-	-	8	3	-	3	-
TODMORDEN - - -	25,399	33	3	-	-	-	17	3	-	10	-
YORKSHIRE (NORTH RIDING)—											
ESTON - - -	29,146	18	2	-	-	-	2	9	-	5	-
SCARBOROUGH - - -	36,890	37	1	-	-	-	24	8	-	4	-
DURHAM—											
BLAYDON - - -	35,086	90	1	-	-	-	57	25	-	6	1
FELLING - - -	25,916	12	-	-	-	-	6	1	-	5	-
HARTLEPOOL - - -	19,882	19	2	-	-	-	10	3	-	4	-
HEBBURN - - -	22,063	46	2	1	-	-	32	4	-	7	-
JARROW - - -	33,528	32	-	-	-	-	19	6	-	7	-
STANLEY - - -	26,683	60	-	-	-	-	52	6	-	2	-
NORTHUMBERLAND—											
ASHINGTON - - -	28,275	198	2	-	-	-	167	26	-	3	-
BEDLINGTONSHIRE -	27,762	18	4	-	-	-	6	3	-	5	-
BLYTH - - -	32,411	19	1	-	-	-	8	6	-	4	-
WALLSEND - - -	44,891	93	-	-	-	-	75	10	-	8	-
CUMBERLAND—											
WORKINGTON - - -	24,726	140	1	-	-	-	120	13	-	6	-
MONMOUTHSHIRE—											
ABERSYCHAN - - -	27,052	200	4	-	-	-	194	-	-	1	1
ABERTILLERY - - -	40,101	89	-	-	-	-	78	8	-	3	-
BEDWELLY - - -	26,916	45	-	-	-	-	27	12	-	6	-
EBBW VALE - - -	33,862	145	5	-	-	-	121	5	-	11	3
TREDEGAR - - -	25,377	82	-	-	-	-	65	11	-	4	2
GLAMORGANSHIRE—											
BARRY - - -	36,105	105	4	-	-	-	55	36	-	6	4
CAERPHILLY - - -	38,761	64	1	-	-	-	43	16	-	3	1
GELLIGAER - - -	41,880	60	-	-	-	-	39	16	-	4	1
MAESTEG - - -	28,444	102	-	-	-	-	81	15	-	6	-
MOUNTAIN ASH - - -	46,126	40	1	-	-	-	22	10	-	6	1
OGMORE AND GARW -	29,119	53	5	-	-	-	18	25	-	3	2
PONTYPRIDD - - -	47,001	25	1	-	-	-	12	7	-	4	1
CARMARTHENSHIRE—											
LLANELLY - - -	34,316	148	-	-	-	-	139	7	-	1	1

* The figures in this table excepting those for London, which are derived from Table XI, are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

XI.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in the several BOROUGHs of the ADMINISTRATIVE COUNTY of LONDON during the 13 Weeks ended 1st January, 1916.*

BOROUGHs.	Estimated Population in the middle of 1914. (Old Estimates.)†	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Croup).	Cholera.	Erysipelas.	Cerebro-Spinal Fever.	Puerperal Fever.	Anthrax.	Glanders.	Ophthalmia Neonatorum.	Poliomyelitis.
WEST.																
Acton - - -	142,055	253	8	-	1	-	125	72	-	36	1	4	-	-	5	1
Barnet - - -	170,817	169	4	-	-	-	78	51	-	26	3	1	-	-	6	-
Brentford - -	124,750	176	8	-	-	-	74	46	-	34	-	3	-	-	5	6
Bromley - - -	158,849	297	1	-	-	-	147	112	-	22	3	4	-	-	8	-
Clapham - - -	83,791	87	4	-	-	-	29	37	-	11	-	2	-	-	4	-
Westminster -	152,346	254	1	-	-	-	112	106	-	25	6	3	-	-	1	-
NORTH.																
Camden Town -	112,892	102	3	-	1	-	34	32	-	24	3	-	1	-	3	1
Clayton - - -	86,731	104	6	-	-	-	44	37	-	16	-	-	-	-	1	-
Crus - - - -	212,497	597	3	-	-	-	384	140	-	54	3	4	-	-	4	5
Don - - - - -	324,764	708	6	-	-	-	431	187	-	63	4	5	-	-	8	4
Newington - -	50,454	128	1	-	-	-	64	45	-	14	-	-	-	-	4	-
St. Pancras -	223,724	405	6	-	-	-	207	128	-	51	6	2	-	-	5	-
CENTRAL.																
St. James - -	45,861	76	1	-	-	-	42	19	-	8	2	1	-	-	3	-
St. Mary - - -	83,212	174	2	-	-	-	113	40	-	17	-	-	-	-	2	-
St. Martin - -	17,129	24	3	-	-	-	12	8	-	-	-	-	-	-	-	1
EAST.																
Beckton - - -	108,869	329	14	-	1	-	156	90	-	53	7	2	-	-	6	-
Greenwich - -	127,662	424	-	-	-	-	186	159	-	64	3	2	-	-	9	1
St. George's -	273,265	787	11	-	-	-	406	281	-	74	4	1	-	-	9	1
St. George's -	160,222	254	1	-	-	-	121	61	-	47	3	7	-	-	13	1
SOUTH.																
Wandsworth -	186,941	314	5	-	-	-	93	123	-	73	3	3	1	-	13	-
Wandsworth -	124,213	233	4	-	-	-	95	89	-	39	2	1	-	-	2	1
Wandsworth -	296,724	411	8	-	-	-	230	98	-	46	-	12	-	-	16	1
Wandsworth -	167,338	361	4	-	-	-	172	114	-	50	3	2	-	†1	10	5
Wandsworth -	338,998	844	15	-	-	-	442	319	-	54	2	2	-	-	8	2
Wandsworth -	262,020	419	2	-	-	-	199	124	-	81	1	3	-	-	9	-
Wandsworth -	109,182	241	3	-	-	-	128	51	-	51	2	3	-	-	2	1
Wandsworth -	96,037	232	13	-	-	-	133	52	-	28	1	1	-	-	4	-
Wandsworth -	172,433	248	2	-	-	-	128	68	-	45	-	2	-	-	3	-
Wandsworth -	122,836	268	1	-	-	-	138	89	-	35	1	2	-	-	2	-
St. George's -	?	4	2	-	-	-	-	1	-	1	-	-	-	-	-	-
ADMINISTRATIVE COUNTY OF LONDON.																
4,516,612		8,923	142	-	3	-	4,523	2,779	-	1,142	63	72	2	1	165	31
AGES.																
Ages 0-1 - - -	342	1	-	-	-	-	62	56	-	40	16	-	-	-	165	2
" 1-5 - - - -	2,107	7	-	-	-	-	1,199	815	-	56	12	-	-	-	-	18
" 5- - - - -	3,159	24	-	-	-	-	1,992	1,090	-	39	8	-	-	-	-	6
" 10- - - - -	1,326	11	-	-	-	-	797	446	-	60	8	-	-	-	-	4
" 15- - - - -	445	18	-	-	-	-	225	120	-	72	6	4	-	-	-	-
" 20- - - - -	300	20	-	-	-	-	106	91	-	63	5	14	1	-	-	-
" 25- - - - -	364	22	-	2	-	-	101	85	-	106	5	41	1	-	-	1
" 35- - - - -	328	15	-	1	-	-	35	43	-	219	1	13	-	1	-	-
" 45- - - - -	278	17	-	-	-	-	5	25	-	229	2	-	-	-	-	-
" 55- - - - -	151	7	-	-	-	-	1	5	-	138	-	-	-	-	-	-
" 65- - - - -	87	-	-	-	-	-	-	2	-	85	-	-	-	-	-	-
" 75 and upwards -	36	-	-	-	-	-	-	1	-	35	-	-	-	-	-	-
Age not stated - -	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-

This table is supplied by the Medical Officer of Health of the Administrative County of London, and is compiled from returns which the London County Council receives from the Metropolitan Asylums Board under section 55 (4) of the Public Health (London) Act, 1891.

See Note* to Table II.

This was subsequently found not to be a case of Glanders.

TABLE XII.—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.

NOTE.—The Old Estimates of population in the middle of 1914 have been used in the calculation of these rates.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LONDON - - - -	7·69	0·13	-	0·00	-	4·02	2·47	-	1·01	0·06
243 Provincial Towns - - - -	6·77	0·17	0·01	0·00	0·00	4·03	1·72	-	0·78	0·06
95 Great Towns - - - -	6·78	0·17	0·01	0·00	0·00	3·98	1·74	-	0·82	0·06
148 Smaller Towns - - - -	6·76	0·18	0·00	0·00	0·00	4·18	1·67	-	0·67	0·06
Great Towns.										
CROYDON - - - -	3·68	0·04	-	-	-	1·96	1·15	-	0·51	0·02
WIMBLEDON - - - -	7·20	0·27	-	-	-	3·43	2·76	-	0·74	-
EALING - - - -	8·52	-	-	-	-	6·72	0·90	-	0·90	-
ACTON - - - -	5·48	0·12	-	-	-	2·62	1·81	-	0·93	-
WILLESDEN - - - -	4·46	0·05	-	-	-	2·29	1·79	-	0·31	0·02
HORNSEY - - - -	4·47	0·14	-	-	-	2·03	1·85	-	0·45	-
TOTTENHAM - - - -	6·66	0·16	-	-	-	3·76	2·12	-	0·59	0·03
EDMONTON - - - -	5·49	0·17	-	-	-	3·39	1·02	-	0·85	0·06
ENFIELD - - - -	5·32	0·26	-	-	-	1·71	2·76	-	0·59	-
WEST HAM - - - -	5·43	0·12	-	-	-	2·25	2·15	-	0·87	0·04
EAST HAM - - - -	8·13	0·05	-	-	-	4·73	2·32	-	0·99	0·03
LEYTON - - - -	7·53	0·15	-	-	-	4·86	1·62	-	0·84	0·06
WALTHAMSTOW - - - -	4·58	0·06	-	-	-	1·64	2·17	-	0·71	-
ILFORD - - - -	5·69	0·09	-	-	-	2·60	2·25	-	0·75	-
GILLINGHAM - - - -	5·76	0·07	-	-	-	3·10	1·80	-	0·65	0·14
HASTINGS - - - -	6·79	-	-	-	-	1·21	4·57	-	0·81	0·20
EASTBOURNE - - - -	8·29	0·22	-	-	-	3·24	4·54	-	0·07	0·22
BRIGHTON - - - -	3·81	0·09	-	-	-	2·28	0·87	-	0·54	0·03
PORTSMOUTH - - - -	9·60	0·24	-	-	-	4·52	4·29	-	0·55	-
BOURNEMOUTH - - - -	2·75	0·05	-	-	-	1·49	0·84	-	0·37	-
SOUTHAMPTON - - - -	8·41	0·32	-	-	-	4·69	2·62	-	0·78	-
READING - - - -	4·00	0·04	-	-	-	2·72	0·49	-	0·71	0·04
OXFORD - - - -	3·02	0·07	-	-	-	1·40	0·81	-	0·74	-
NORTHAMPTON - - - -	17·79	0·18	-	-	-	13·43	2·55	-	1·54	0·09
CAMBRIDGE - - - -	3·55	0·14	-	-	-	1·46	1·60	-	0·28	0·07
SOUTHEND ON SEA - - - -	3·97	0·10	-	-	-	2·34	1·39	-	0·14	-
IPSWICH - - - -	7·18	0·37	-	-	-	3·88	2·20	-	0·73	-
GREAT YARMOUTH - - - -	7·19	0·21	-	-	-	3·84	2·23	-	0·91	-
NORWICH - - - -	5·79	0·19	-	-	-	2·33	2·52	-	0·65	0·10
SWINDON - - - -	15·44	-	-	-	-	12·93	1·60	-	0·91	-
EXETER - - - -	2·97	0·40	-	-	-	1·32	0·92	-	0·33	-
PLYMOUTH - - - -	5·43	0·17	-	-	-	2·32	1·81	-	1·11	0·02
BATH - - - -	9·42	0·17	-	-	-	3·77	4·74	-	0·74	-
BRISTOL - - - -	5·55	0·13	-	-	-	3·06	1·37	-	0·95	0·04
GLOUCESTER - - - -	6·17	-	-	-	-	1·98	3·32	-	0·87	-
STOKE ON TRENT - - - -	12·60	0·08	-	-	-	5·96	5·38	-	1·13	0·05
WOLVERHAMPTON - - - -	4·90	-	-	-	-	2·68	1·38	-	0·84	-
WALSALL - - - -	6·90	0·04	-	-	-	4·94	1·15	-	0·68	0·09
WEST BROMWICH - - - -	3·81	-	-	-	-	2·08	0·92	-	0·61	0·17
DUDLEY - - - -	8·20	0·08	-	-	-	6·88	-	-	1·24	-
BIRMINGHAM - - - -	6·48	0·04	-	-	-	4·09	1·21	-	1·00	0·14
SMETHWICK - - - -	4·26	-	-	-	-	2·78	0·63	-	0·71	0·11
COVENTRY - - - -	12·88	-	-	-	-	7·92	3·81	-	1·08	0·07
LEICESTER - - - -	4·64	0·14	-	-	-	1·45	0·81	-	2·14	0·10
LINCOLN - - - -	5·13	0·07	-	-	-	3·26	1·20	-	0·53	0·07
GRIMSBY - - - -	3·42	-	-	-	-	1·94	1·38	-	0·05	0·05
NOTTINGHAM - - - -	6·97	0·20	-	-	-	5·14	0·62	-	0·91	0·05
DERBY - - - -	11·28	0·10	-	-	-	7·62	2·67	-	0·86	0·03
STOCKPORT - - - -	10·50	0·25	-	-	-	8·85	0·92	-	0·45	0·03
BIRKENHEAD - - - -	4·16	0·06	-	-	-	2·39	0·55	-	0·99	0·17
WALLASEY - - - -	4·37	-	-	-	-	2·58	1·24	-	0·55	-
LIVERPOOL - - - -	7·57	0·14	0·19	-	-	4·26	1·78	-	1·14	0·06
BOOTLE - - - -	5·91	0·16	-	-	-	3·62	1·53	-	0·60	-
ST. HELENS - - - -	14·45	0·20	-	-	-	9·83	3·50	-	0·84	0·08
SOUTHPORT - - - -	6·82	-	-	-	-	4·58	1·68	-	0·45	0·11
WIGAN - - - -	25·74	0·75	-	-	-	23·76	0·44	-	0·66	0·13
WARRINGTON - - - -	12·26	0·91	-	-	-	8·94	1·18	-	1·12	0·11
BOLTON - - - -	3·71	0·22	-	-	-	1·71	1·00	-	0·78	-
BURY - - - -	7·05	0·14	-	-	-	4·61	0·88	-	1·42	-
MANCHESTER - - - -	5·94	0·20	-	-	-	4·15	0·78	-	0·70	0·11
SALFORD - - - -	5·43	0·32	-	-	-	3·35	1·04	-	0·67	0·05

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
OLDHAM - - - -	3·74	0·08	-	-	-	1·73	0·74	-	1·14	0·05
ROCHDALE - - - -	12·03	0·04	-	-	-	0·47	10·84	-	0·68	-
BURNLEY - - - -	8·49	0·22	-	-	-	5·76	1·31	-	1·20	-
BLACKBURN - - - -	5·98	0·30	-	-	-	4·66	0·36	-	0·66	-
PRESTON - - - -	10·48	0·37	-	-	-	7·61	1·66	-	0·81	0·03
BLACKPOOL - - - -	8·11	0·45	-	-	-	7·09	0·32	-	0·19	0·06
BARROW IN FURNESS -	8·94	-	-	-	-	5·72	1·76	-	1·46	-
HUDDERSFIELD - - -	7·47	0·07	-	-	-	4·11	2·57	-	0·68	0·04
HALIFAX - - - -	2·56	0·20	-	-	-	1·08	0·92	-	0·32	0·04
BRADFORD - - - -	4·69	0·32	-	-	-	1·33	2·01	-	0·96	0·07
LEEDS - - - -	4·71	0·18	-	-	-	2·83	0·95	-	0·72	0·03
DEWSBURY - - - -	5·05	0·15	-	-	0·22	3·71	0·52	-	0·30	0·15
WAKEFIELD - - - -	3·35	0·30	-	-	-	0·38	2·44	-	0·23	-
BARNLEY - - - -	3·55	0·07	-	-	-	1·93	0·74	-	0·74	0·07
SHEFFIELD - - - -	8·41	0·16	-	-	-	4·62	2·43	-	1·07	0·13
ROTHERHAM - - - -	5·95	0·43	-	-	-	3·93	0·98	-	0·61	-
YORK - - - -	5·37	0·10	-	-	-	3·49	1·34	-	0·34	0·10
HULL - - - -	7·37	0·30	-	0·01	-	2·22	4·01	-	0·79	0·04
MIDDLESBROUGH - -	4·50	0·19	-	-	-	1·94	1·90	-	0·44	0·03
DARLINGTON - - - -	6·33	0·07	-	-	-	2·28	2·87	-	1·04	0·07
STOCKTON ON TEES -	5·75	0·07	-	-	-	4·26	0·74	-	0·68	-
WEST HARTLEPOOL -	2·86	0·12	-	-	-	1·12	0·81	-	0·75	0·06
SUNDERLAND - - - -	2·77	0·10	-	-	-	1·55	0·52	-	0·52	0·08
SOUTH SHIELDS - -	9·94	0·07	-	-	-	8·64	0·36	-	0·83	0·04
GATESHEAD - - - -	5·31	0·27	-	-	-	3·43	0·77	-	0·81	0·03
NEWCASTLE ON TYNE	7·47	0·26	-	0·01	-	5·34	0·95	-	0·81	0·10
TYNEMOUTH - - - -	6·92	2·74	-	-	-	2·42	0·85	-	0·91	-
CARLISLE - - - -	27·12	-	-	-	-	22·25	2·51	-	2·28	0·08
NEWPORT (MON.) - -	4·84	0·09	-	-	-	2·56	1·88	-	0·27	0·04
CARDIFF - - - -	6·37	0·13	-	-	-	3·45	2·15	-	0·62	0·02
RHONDDA - - - -	5·38	0·10	-	0·05	-	3·30	1·30	-	0·58	0·05
MERTHYR TYDFIL - -	4·57	0·14	-	-	-	3·06	0·66	-	0·57	0·14
ABERDARE - - - -	13·07	0·23	-	-	-	10·88	1·05	-	0·83	0·08
SWANSEA - - - -	4·78	0·03	-	-	-	2·47	1·75	-	0·53	-
Smaller Towns.										
SURREY—										
BARNES - - - -	7·50	-	-	-	-	5·19	1·50	-	0·69	0·12
GUILDFORD - - - -	2·24	-	-	-	-	0·80	0·80	-	0·32	0·32
KINGSTON ON THAMES	2·04	0·20	-	-	-	0·51	0·72	-	0·41	0·20
MITCHAM - - - -	8·22	-	-	-	-	4·05	3·59	-	0·58	-
REIGATE - - - -	4·78	-	-	-	-	3·82	0·55	-	0·27	0·14
RICHMOND - - - -	6·06	0·12	-	-	-	4·99	0·83	-	0·12	-
SUTTON - - - -	1·59	-	-	-	-	0·88	0·35	-	0·18	0·18
WOKING - - - -	1·92	0·15	-	-	-	0·74	0·44	-	0·44	0·15
KENT—										
BECKENHAM - - - -	2·87	0·24	-	-	-	1·55	0·24	-	0·72	0·12
BROMLEY - - - -	6·95	0·11	-	-	-	2·69	3·14	-	0·90	0·11
CANTERBURY - - - -	13·24	0·16	-	-	-	2·45	9·81	-	0·82	-
CHATHAM - - - -	5·64	-	-	-	-	3·18	1·64	-	0·82	-
DARTFORD - - - -	13·30	0·16	-	-	-	10·76	1·27	-	1·11	-
DOVER - - - -	9·31	0·46	-	-	-	7·30	1·09	-	0·46	-
ERITH - - - -	15·70	0·14	-	-	-	8·83	6·17	-	0·56	-
FOLKESTONE - - - -	4·49	0·24	-	-	-	1·54	1·65	-	1·06	-
GRAVESEND - - - -	9·44	-	-	-	-	1·69	7·33	-	0·42	-
MAIDSTONE - - - -	3·88	0·22	-	-	-	2·22	1·00	-	0·44	-
MARGATE - - - -	6·70	-	-	-	-	4·15	2·28	-	0·27	-
PENGE (Surrey Reg. Co.)	4·32	-	-	-	-	2·70	1·08	-	0·54	-
RAMSGATE - - - -	4·77	0·53	-	-	-	0·53	2·25	-	1·33	0·13
ROCHESTER - - - -	6·72	0·13	-	-	-	2·79	3·04	-	0·63	0·13
TUNBRIDGE WELLS -	2·86	-	-	-	-	0·22	2·42	-	0·22	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SUSSEX EAST—										
HOVE - - - -	2'01	0'09	-	-	-	0'64	0'55	-	0'73	-
SUSSEX WEST—										
WORTHING - - -	2'31	-	-	-	-	1'34	0'85	-	0'12	-
SOUTHAMPTON—										
ALDERSHOT (Surrey Reg. Co.).	4'60	-	-	-	-	3'07	1'53	-	-	-
GOSPORT & ALVERSTOKE	6'68	0'12	-	-	-	2'30	3'68	-	0'58	-
WINCHESTER - - -	9'77	0'50	-	-	-	6'29	2'48	-	0'17	0'33
MIDDLESEX—										
CHISWICK - - - -	2'69	-	-	-	-	1'25	0'96	-	0'38	0'10
FINCHLEY - - - -	9'53	0'09	-	-	-	4'50	3'88	-	1'06	-
HENDON - - - -	4'14	0'09	-	-	-	1'71	1'53	-	0'63	0'18
HESTON & ISLEWORTH	4'72	-	-	-	-	2'19	1'94	-	0'34	0'25
SOUTHALL NORWOOD	4'42	0'26	-	-	-	2'21	1'82	-	0'13	-
SOUTHGATE - - -	4'80	-	-	-	-	2'60	1'50	-	0'60	0'10
TWICKENHAM - - -	3'11	-	-	-	-	1'86	0'75	-	0'50	-
WOOD GREEN - - -	6'17	0'07	-	-	-	2'94	2'28	-	0'81	0'07
HERTFORDSHIRE—										
ST. ALBANS - - -	2'61	-	-	-	-	1'99	0'31	-	0'31	-
WATFORD - - - -	5'53	0'18	-	-	-	1'87	2'77	-	0'62	0'09
BUCKINGHAMSHIRE—										
CHEPPING WYCOMBE -	22'94	-	-	-	-	19'93	2'07	-	0'75	0'19
NORTHAMPTONSHIRE—										
KETTERING - - -	4'88	-	-	-	-	1'85	2'11	-	0'92	-
SOKE OF PETERBOROUGH—										
PETERBOROUGH - -	10'93	-	-	-	-	9'88	0'35	-	0'58	0'12
BEDFORDSHIRE—										
BEDFORD - - - -	7'31	-	-	-	-	1'68	4'74	-	0'40	0'49
LUTON - - - -	9'68	-	-	-	-	3'30	5'28	-	1'10	-
ESSEX—										
BARKING TOWN - - -	9'48	-	-	-	-	3'35	3'93	-	2'20	-
COLCHESTER - - -	7'10	0'27	-	-	-	4'52	1'42	-	0'80	0'09
SUFFOLK EAST—										
LOWESTOFT - - -	4'68	0'80	-	-	-	1'71	1'71	-	0'46	-
NORFOLK—										
KING'S LYNN - - -	7'76	0'20	-	-	-	6'56	0'40	-	0'60	-
WILTSHIRE—										
SALISBURY - - - -	10'23	0'19	-	-	-	5'58	3'90	-	0'56	-
DORSETSHIRE—										
POOLE - - - -	4'31	0'19	-	-	-	2'81	0'94	-	0'37	-
WEYMOUTH AND MELCOMBE REGIS.	1'90	0'86	-	-	-	0'69	0'35	-	-	-
DEVONSHIRE—										
TORQUAY - - - -	2'77	-	-	-	-	0'30	2'27	-	0'10	0'10
SOMERSETSHIRE—										
TAUNTON - - - -	6'60	-	-	-	-	1'04	5'39	-	0'17	-
WESTON SUPER MARE	7'06	-	-	-	-	4'93	1'97	-	0'16	-
GLOUCESTERSHIRE—										
CHELTENHAM - - -	3'61	0'16	-	-	-	1'40	1'23	-	0'82	-
HEREFORDSHIRE—										
HEREFORD - - - -	2'96	0'17	-	-	-	1'22	0'70	-	0'87	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.

TOWNS.	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
SHROPSHIRE—										
SHREWSBURY - - -	5'80	-	-	-	-	3'51	1'75	-	0'54	-
STAFFORDSHIRE—										
BILSTON - - -	1'68	-	-	-	-	1'07	-	-	0'61	-
BURTON UPON TRENT - - -	3'71	-	-	-	-	1'35	1'27	-	1'01	0'08
CANNOCK - - -	6'77	-	-	-	-	4'78	0'66	-	1'20	0'13
COSELEY - - -	4'51	0'17	-	-	-	2'78	0'17	-	1'22	0'17
NEWCASTLE UNDER LYME - - -	9'28	0'59	-	-	-	7'11	0'99	-	0'59	-
ROWLEY REGIS - - -	3'61	0'53	-	-	-	1'49	0'64	-	0'95	-
STAFFORD - - -	16'70	-	-	-	-	13'56	2'31	-	0'83	-
TIPTON - - -	3'74	0'25	-	-	-	1'00	1'12	-	1'37	-
WEDNESBURY - - -	2'10	0'14	-	-	-	0'70	0'14	-	0'98	0'14
WOLSTANTON UNITED - - -	20'35	-	-	-	-	18'00	1'80	-	0'55	-
WORCESTERSHIRE—										
KIDDERMINSTER - - -	3'35	-	-	-	-	2'33	0'58	-	0'44	-
OLDBURY (Staffs. Reg. Co.). - - -	7'87	-	-	-	-	5'09	0'93	-	1'85	-
WORCESTER - - -	3'70	0'08	-	-	-	1'53	1'45	-	0'56	0'08
WARWICKSHIRE—										
NUNEATON - - -	3'01	-	-	-	-	2'23	0'10	-	0'58	0'10
ROYAL LEAMINGTON SPA - - -	3'30	0'15	-	-	-	1'20	1'20	-	0'75	-
RUGBY - - -	15'90	-	-	-	-	12'99	1'20	-	1'71	-
SUTTON COLDFIELD (Staffs. Reg. Co.). - - -	3'80	-	-	-	-	3'44	0'36	-	-	-
LEICESTERSHIRE—										
LOUGHBOROUGH - - -	3'58	-	-	-	-	2'22	0'51	-	0'85	-
LINCOLNSHIRE (KESTEVEN)—										
GRANTHAM - - -	9'96	0'19	-	-	-	5'17	3'45	-	1'15	-
LINCOLNSHIRE (LINDSEY)—										
CLEETHORPE WITH THRUNSCOE. - - -	6'23	-	-	-	-	2'46	2'95	-	0'82	-
GAINSBOROUGH - - -	6'13	0'37	-	-	-	5'20	-	-	0'56	-
NOTTINGHAMSHIRE—										
MANSFIELD - - -	7'87	0'19	-	0'09	-	3'13	1'90	-	2'28	0'28
SUTTON IN ASHFIELD - - -	2'33	0'17	-	-	-	0'83	0'83	-	0'50	-
WORKSOP - - -	11'19	-	-	-	-	9'72	0'92	-	0'55	-
DERBYSHIRE—										
CHESTERFIELD - - -	5'52	0'20	-	-	-	2'15	2'56	-	0'61	-
GLOSSOP - - -	6'45	0'37	-	-	-	5'35	0'18	-	-	0'55
ILKESTON (Notts. Reg. Co.). - - -	9'84	0'95	-	-	-	6'87	1'78	-	0'24	-
CHESHIRE—										
CHESTER - - -	4'59	-	-	-	-	2'04	2'04	-	0'31	0'20
CREWE - - -	7'25	0'17	-	-	0'09	5'85	0'70	-	0'44	-
HYDE - - -	3'58	0'24	-	-	-	1'91	0'12	-	1'07	0'24
MACCLESFIELD - - -	2'54	0'23	-	-	-	1'27	0'23	-	0'69	0'12
STALYBRIDGE (Lancs. Reg. Co.). - - -	2'91	-	-	-	-	2'30	0'15	-	0'46	-
LANCASHIRE—										
ACCRINGTON - - -	2'64	0'53	-	-	-	0'88	0'23	-	0'88	0'09
ASHTON IN MAKERFIELD - - -	14'59	0'53	-	-	-	11'92	1'07	-	1'07	-
ASHTON UNDER LYNE - - -	2'90	0'35	-	-	-	1'93	0'18	-	0'44	-
BACUP - - -	4'32	0'18	-	-	-	1'80	0'72	-	1'62	-
CHADDERTON - - -	2'87	-	-	-	-	1'38	0'95	-	0'54	-
CHORLEY - - -	3'43	0'76	-	-	-	1'40	0'38	-	0'89	-
COLNE - - -	4'06	0'15	-	-	-	3'16	0'15	-	0'60	-
DARWEN - - -	6'54	0'39	-	-	-	4'69	1'07	-	0'39	-
ECCLES - - -	5'31	0'45	-	-	-	2'34	1'98	-	0'54	-
FARNWORTH - - -	5'28	0'42	-	-	-	1'94	1'25	-	1'67	-

TABLE XII. (*continued*).—PROPORTION to POPULATION of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 13 Weeks ended 1st January, 1916.

TOWNS	Annual Rate per 1,000 Persons living.									
	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (including Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
LANCASHIRE— <i>cont.</i>										
HEYWOOD - - - - -	3·99	0·15	-	-	-	1·48	1·92	-	0·44	-
HINDLEY - - - - -	11·56	-	-	-	-	9·90	0·50	-	1·16	-
INCE IN MAKERFIELD - - - - -	25·90	0·18	-	-	-	24·46	0·54	-	0·72	-
LANCASTER - - - - -	4·03	0·38	-	-	-	1·82	0·58	-	1·25	-
LEIGH - - - - -	12·16	0·26	-	-	-	9·43	1·15	-	1·32	-
MIDDLETON - - - - -	7·34	0·28	-	-	-	4·29	1·94	-	0·83	-
NELSON - - - - -	16·98	-	-	-	-	11·80	4·51	-	0·67	-
RADCLIFFE - - - - -	8·02	0·15	-	-	-	6·95	0·46	-	0·46	-
RAWTENSTALL - - - - -	3·97	1·06	-	-	-	0·40	2·25	-	0·26	-
STRETFORD - - - - -	4·73	-	-	-	-	3·35	0·69	-	0·60	0·09
SWINTON AND	6·14	0·25	-	-	-	2·50	2·13	-	1·13	0·13
PENDLEBURY.										
WATERLOO WITH	11·22	-	-	-	-	8·45	1·75	-	1·02	-
SEAFORTH										
WIDNES - - - - -	9·48	0·12	-	-	-	7·76	1·35	-	0·25	-
YORKSHIRE										
(WEST RIDING)—										
BATLEY - - - - -	9·22	0·65	-	-	-	2·28	5·86	-	0·43	-
BRIGHOUSE - - - - -	14·46	0·20	-	-	-	1·95	11·33	-	0·98	-
CASTLEFORD - - - - -	4·96	0·16	-	-	-	3·84	0·32	-	0·64	-
DONCASTER - - - - -	4·82	0·16	-	-	-	3·34	0·54	-	0·62	0·16
GOOLE - - - - -	10·94	-	-	-	-	2·04	8·53	-	0·37	-
HARROGATE - - - - -	4·63	-	-	-	-	3·27	1·02	-	0·34	-
KEIGHLEY - - - - -	2·46	0·55	-	-	-	0·55	0·91	-	0·45	-
MORLEY - - - - -	2·46	0·33	-	-	-	0·82	0·49	-	0·82	-
SHIPLEY - - - - -	3·52	-	-	-	-	0·14	2·82	-	0·56	-
SPENBOROUGH - - - - -	2·15	0·38	-	-	-	1·01	0·38	-	0·38	-
TODMORDEN - - - - -	5·20	0·47	-	-	-	2·68	0·47	-	1·58	-
YORKSHIRE										
(NORTH RIDING)—										
ESTON - - - - -	2·49	0·28	-	-	-	0·28	1·24	-	0·69	-
SCARBOROUGH - - - - -	4·02	0·11	-	-	-	2·61	0·87	-	0·43	-
DURHAM—										
BLAYDON - - - - -	10·29	0·11	-	-	-	6·52	2·86	-	0·69	0·11
FELLING - - - - -	1·85	-	-	-	-	0·93	0·15	-	0·77	-
HARTLEPOOL - - - - -	3·84	0·40	-	-	-	2·02	0·61	-	0·81	-
HEBBURN - - - - -	8·36	0·36	0·18	-	-	5·82	0·73	-	1·27	-
JARROW - - - - -	3·83	-	-	-	-	2·27	0·72	-	0·84	-
STANLEY - - - - -	9·02	-	-	-	-	7·82	0·90	-	0·30	-
NORTHUMBERLAND—										
ASHINGTON - - - - -	28·09	0·28	-	-	-	23·69	3·69	-	0·43	-
BEDLINGTONSHIRE - - - - -	2·60	0·58	-	-	-	0·87	0·43	-	0·72	-
BLYTH - - - - -	2·34	0·12	-	-	-	0·99	0·74	-	0·49	-
WALLSEND - - - - -	8·30	-	-	-	-	6·70	0·89	-	0·71	-
CUMBERLAND—										
WORKINGTON - - - - -	22·70	0·16	-	-	-	19·46	2·11	-	0·97	-
MONMOUTHSHIRE—										
ABERSYCHAN - - - - -	29·65	0·59	-	-	-	28·76	-	-	0·15	0·15
ABERTILLERY - - - - -	8·90	-	-	-	-	7·80	0·80	-	0·30	-
BEDWELLTY - - - - -	6·70	-	-	-	-	4·02	1·79	-	0·89	-
EBBW VALE - - - - -	17·17	0·59	-	-	-	14·33	0·59	-	1·30	0·36
TREDEGAR - - - - -	12·96	-	-	-	-	10·27	1·74	-	0·63	0·32
GLAMORGANSHIRE—										
BARRY - - - - -	11·63	0·44	-	-	-	6·11	4·00	-	0·67	0·44
CAERPHILLY - - - - -	6·62	0·10	-	-	-	4·45	1·66	-	0·31	0·10
GELLIGAER - - - - -	5·74	-	-	-	-	3·73	1·53	-	0·38	0·10
MAESTEG - - - - -	14·39	-	-	-	-	11·42	2·12	-	0·85	-
MOUNTAIN ASH - - - - -	3·48	0·09	-	-	-	1·91	0·87	-	0·52	0·09
OGMORE AND GARW - - - - -	7·30	0·69	-	-	-	2·48	3·44	-	0·41	0·28
PONTYPRIDD - - - - -	2·14	0·09	-	-	-	1·02	0·66	-	0·34	0·09
CARMARTHENSHIRE—										
LLANELLY - - - - -	17·31	-	-	-	-	16·25	0·82	-	0·12	0·12

TABLE XIV.—COUNTY OF LONDON.—**Births, Deaths, and Death-Rates in London**, and in the **Metropolitan Boroughs** during the 13 WEEKS ended **1st January, 1916**. (The births in this table are those actually registered in the several Metropolitan Boroughs. The Deaths are, so far as concerns London as a whole, corrected to the extent indicated at the head of Table VII. As between individual boroughs, however, correction is complete. The Old Estimates of population in the middle of 1914 have been used in the calculation of the rates.)

London as a whole, corrected to the extent possible, in the calculation of the rates, of population in the middle of 1914 have been used in the calculation of the rates.)																						
BOROUGH.	Estimated Population in the middle of 1914. (Old Estimates.)*	Births.	Deaths from										Deaths of Infants under 1 Year of Age.	ANNUAL DEATH-RATES PER 1000 LIVING.							RATE PER 1000 BIRTHS.	
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	All Causes.		Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Pulmonary Tuberculosis.	Diarrhoea and Enteritis (under 2 years).	Total deaths under 1 Year.
County of London -	4,516,612	23,803	18,184	33	-	75	83	158	228	808	1,735	3,000	16.1	0.03	-	0.07	0.07	0.14	0.20	1.54	33.95	126
WEST.																						
PADDINGTON -	142,055	568	571	1	-	1	5	5	5	37	43	90	16.1	0.03	-	0.03	0.14	0.14	0.14	1.21	65.14	158
KENSINGTON -	170,817	649	617	-	-	1	1	2	4	16	44	61	14.5	-	-	0.02	0.02	0.05	0.02	1.03	24.65	94
HAMMERSMITH -	124,750	579	473	2	-	1	2	7	11	22	42	109	15.2	0.06	0.03	0.03	0.06	0.13	1.74	29.36	109	
FULHAM -	158,849	807	572	1	-	1	1	6	11	22	42	109	14.4	0.03	-	0.03	0.03	0.18	1.06	27.26	135	
CHELSEA -	63,791	255	277	1	-	1	1	2	2	8	24	32	17.4	-	-	0.06	0.06	0.38	1.51	31.37	125	
CITY OF WESTMINSTER -	152,346	420	559	2	-	1	2	2	4	18	53	54	14.7	0.05	0.03	0.03	0.05	0.11	1.40	42.86	129	
NORTH.																						
ST. MARYLEBONE -	112,892	824	420	1	-	1	-	3	3	19	41	47	14.9	0.04	-	0.04	-	0.11	1.46	23.06	57	
HAMPSTEAD -	86,731	246	248	1	-	3	-	-	5	5	10	26	11.5	0.05	-	0.14	-	0.14	0.46	20.33	106	
ST. PANCRAS -	212,497	1,033	894	3	-	1	10	4	5	41	102	138	16.9	0.06	-	0.02	0.19	0.08	1.93	39.69	134	
ISLINGTON -	324,764	1,663	1,390	1	-	4	14	13	16	56	150	221	17.2	0.01	-	0.05	0.17	0.16	1.85	33.67	133	
STOKE NEWINGTON -	50,454	203	200	1	-	-	2	1	7	1	15	26	15.9	0.08	-	-	0.16	0.08	1.19	4.93	128	
HACKNEY -	223,724	1,210	786	-	-	-	4	4	14	28	74	134	14.1	-	-	-	0.07	0.07	1.33	23.14	111	
CENTRAL.																						
HOLBORN -	45,861	121	200	1	-	3	-	1	3	2	20	15	17.5	0.09	-	0.26	-	0.09	1.75	16.53	124	
FINSBURY -	83,212	656	438	-	-	19	1	2	4	26	36	81	21.1	-	-	0.92	0.05	0.10	1.74	39.63	123	
CITY OF LONDON -	17,129	78	66	-	-	-	-	1	1	-	3	4	15.5	-	-	-	-	0.23	0.70	-	51	
EAST.																						
SHOREDITCH -	108,869	650	550	1	-	-	2	4	8	56	71	148	20.3	0.04	-	-	0.07	0.15	2.84	86.15	228	
BETHNAL GREEN -	127,662	720	517	-	-	11	7	3	13	53	48	108	16.2	-	-	0.03	0.06	0.09	1.51	73.61	150	
STEPNEY -	273,265	1,836	1,230	2	-	11	7	22	26	63	141	251	18.1	0.03	-	0.16	0.10	0.32	2.07	34.31	137	
POPLAR -	160,222	1,040	760	-	-	1	1	17	7	44	66	156	19.0	-	-	0.03	0.03	0.43	1.65	42.31	150	
SOUTH.																						
SOUTHWARK -	186,911	1,142	1,011	-	-	11	4	15	13	50	113	196	21.7	-	-	0.24	0.09	0.32	2.42	43.78	172	
BERMONDSEY -	124,213	793	621	2	-	1	3	8	11	38	54	140	20.1	0.06	-	0.03	0.13	0.10	1.74	47.92	177	
LAMBETH -	296,724	1,856	1,225	5	-	4	3	6	12	44	107	187	16.6	0.07	-	0.05	0.04	0.11	1.45	23.71	101	
BATTERSEA -	167,338	829	629	1	-	3	2	9	9	15	62	93	15.1	0.02	-	0.07	0.05	0.14	1.49	18.09	112	
WANDSWORTH -	338,998	1,473	1,019	1	-	1	8	9	18	42	78	135	12.1	0.02	-	0.01	0.09	0.11	0.92	28.51	92	
CAMBERWELL -	262,020	1,432	1,003	1	-	1	2	4	10	48	86	185	15.4	-	-	0.02	0.03	0.06	1.47	33.52	129	
DEPTFORD -	109,182	710	483	-	-	1	1	4	4	25	49	97	17.7	0.04	-	0.04	0.04	0.15	1.80	35.21	137	
GREENWICH -	96,037	561	389	4	-	2	1	-	5	13	36	57	16.2	0.17	-	0.08	-	-	1.50	23.17	102	
										14	44	75	12.9	-	-	0.02	0.02	0.23	1.02	18.28	98	

TABLE XV.—**Births and Deaths in the Fourth Quarter** (13 weeks) of **1915** in certain **Colonial and Foreign Cities.**

CITIES.	POPULATION (enumerated or estimated).	BIRTHS. (Excluding Stillborn.)	DEATHS.	ANNUAL RATE per 1000 Persons living.									RATE per 1000 Births.	
				Births.	Deaths from							Diarrhoea and Enteri- tis (under 2 years) †	Total Deaths under 1 yr.	
					All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whoop- ing Cough.	Diph- theria and Croup.*			
LONDON - -	4,516,612‡	23,803	18,184	21·1	16·1	0·03	-	0·07	0·07	0·14	0·21	33·95	126	
CALCUTTA - -	896,067	—	6,379§	—	28·6	-	0·02	-	-	-	-	-	-	
BOMBAY - -	979,445	6,189	6,271§	25·3	25·7	0·08	0·23	0·07	-	0·01	0·01	58·49	296	
MADRAS - -	518,660	4,954	4,317§	38·3	33·4	0·11	0·29	0·27	-	-	-	77·11	-	
PARIS - -	2,847,229	6,078	10,294	8·6	14·5	0·05	-	0·04	0·03	0·07	0·05	26·16	106	
BRUSSELS - -	780,852	—	—	—	—	-	-	-	-	-	-	-	-	
ANTWERP - -	313,833	—	—	—	—	-	-	-	-	-	-	-	-	
AMSTERDAM - -	615,691	3,208	1,888	20·9	12·3	0·05	-	0·29	0·10	0·27	0·11	7·17	74	
COPENHAGEN - -	494,000	2,664	1,613	21·6	13·1	0·01	-	0·02	0·01	0·22	0·06	12·39	97	
STOCKHOLM - -	386,270	1,722	1,113	17·9	11·6	0·06	-	-	0·06	0·08	0·06	7·55	57	
GÖTEBORG - -	181,503	—	561	—	12·4	0·07	-	-	0·09	0·20	0·81	-	-	
CHRISTIANIA - -	250,677	1,253	708	20·0	11·3	-	-	0·02	0·05	0·03	0·10	11·97	72	
PETROGRAD - -	1,728,200	—	—	—	—	-	-	-	-	-	-	-	-	
MOSCOW - -	1,694,000	—	—	—	—	-	-	-	-	-	-	-	-	
BERLIN - -	1,839,559	6,438	11,738	14·0	25·6	0·05	-	0·03	0·19	0·06	0·63	?	120	
HAMBURG - -	1,049,210	3,236	5,670	12·4	21·7	0·07	-	0·06	0·13	0·08	0·72	?	118	
LEIPZIG - -	665,122	2,148	1,859	13·0	11·2	-	-	0·07	0·08	0·07	0·77	?	111	
MUNICH - -	665,988	—	—	—	—	-	-	-	-	-	-	-	-	
DRESDEN - -	575,160	1,715	1,651	12·0	11·5	0·02	-	0·01	0·05	0·06	0·36	?	98	
COLOGNE - -	654,453	—	—	—	—	-	-	-	-	-	-	-	-	
BRESLAU - -	500,757	2,371	2,086	19·0	16·7	0·04	-	0·04	0·18	0·08	1·00	?	118	
FRANKFORT ON MAIN.	460,175	1,355	1,121	11·8	9·8	0·02	-	0·17	0·03	0·07	0·40	?	89	
VIENNA - -	2,167,287	5,798	9,057	10·7	16·8	0·08	0·01	0·03	0·13	0·03	0·29	?	141	
PRAGUE - -	500,926	—	—	—	—	-	-	-	-	-	-	-	-	
BUDAPEST - -	950,784	—	—	—	—	-	-	-	-	-	-	-	-	
TRIESTE - -	244,655	—	—	—	—	-	-	-	-	-	-	-	-	
ROME - -	591,943	—	—	—	—	-	-	-	-	-	-	-	-	
BUCAREST - -	342,427	—	—	—	—	-	-	-	-	-	-	-	-	
NEW YORK - -	5,806,532	—	—	—	—	-	-	-	-	-	-	-	-	
CHICAGO - -	2,447,045	—	—	—	—	-	-	-	-	-	-	-	-	
NEW ORLEANS - -	373,000	—	2,104	—	22·6	-	-	-	-	-	0·45	-	-	
RIO DE JANEIRO	964,201	—	—	—	—	-	-	-	-	-	-	-	-	
CAIRO :—														
Egyptians - -	657,451	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	72,952	—	—	—	—	-	-	-	-	-	-	-	-	
ALEXANDRIA :—														
Egyptians - -	344,239	—	—	—	—	-	-	-	-	-	-	-	-	
Foreigners - -	77,569	—	—	—	—	-	-	-	-	-	-	-	-	

* Excluding deaths from Croup in the Indian Cities.

† The death-rates in this column relate to *children under 1 year of age* for Copenhagen and Stockholm.

‡ Old estimate. See note * to Table II.

§ Including 1 death from Plague in Calcutta, and 77 in Bombay; and 221 deaths from Cholera in Calcutta and 3 in Madras.

|| The figures for the German and Austrian towns are taken from the Amsterdam Weekly Return.

TABLE XVI.—**ENGLAND and WALES.—Population; Marriages, Births,**

The numbers of Marriages, Births, and Deaths in this Table are provisional, and will be found to the Registrar General. The numbers of Births and Deaths in London are those actually registered during

Registration Divisions and Counties.*	Popula- tion estimated to the middle of 1914, (Old Estimates.)†	Marri- ages.	Births.	Deaths.		
				Total.	Infants under 1 year of age.	Per- sons aged 65 years and up- wards.
ENGLAND and WALES.. ..	37,302,983	360,026	814,527	562,326	89,477	179,506
I. LONDON	4,516,612	58,172	103,646	72,772	11,797	21,083
1. LONDON	4,516,612	58,172	103,646	72,772	11,797	21,083
II. SOUTH EASTERN DIVISION..	4,015,121	37,519	71,734	56,829	6,098	22,149
2. SURREY	990,068	8,484	17,616	13,123	1,385	4,940
3. KENT	1,049,253	10,529	19,919	15,496	1,788	5,884
4. SUSSEX	688,078	5,975	10,651	10,057	949	4,429
5. HAMPSHIRE	966,474	9,519	17,747	13,811	1,501	5,022
6. BERKSHIRE	321,248	3,012	5,801	4,342	475	1,874
III. SOUTH MIDLAND DIVISION..	2,800,205	25,627	54,544	36,834	4,755	14,337
7. MIDDLESEX	1,260,737	11,688	25,920	14,339	2,194	4,746
8. HERTFORDSHIRE	303,385	2,579	5,440	4,216	417	1,816
9. BUCKINGHAMSHIRE	201,176	1,644	3,702	2,720	321	1,193
10. OXFORDSHIRE	191,665	1,571	3,373	2,621	244	1,265
11. NORTHAMPTONSHIRE	369,037	3,745	7,037	5,503	739	2,091
12. HUNTINGDONSHIRE	48,571	349	857	683	59	380
13. BEDFORDSHIRE	205,505	2,066	3,937	3,281	396	1,339
14. CAMBRIDGESHIRE	220,129	1,985	4,278	3,471	385	1,507
IV. EASTERN DIVISION	2,307,959	22,028	47,336	31,490	4,331	12,219
15. ESSEX	1,421,997	14,147	30,134	18,226	2,602	6,188
16. SUFFOLK	389,979	3,359	7,681	5,865	731	2,577
17. NORFOLK	495,983	4,522	9,521	7,399	998	3,444
V. SOUTH WESTERN DIVISION..	2,054,823	17,799	35,775	30,145	3,106	13,273
18. WILTSHIRE	284,696	2,590	5,240	4,109	391	1,789
19. DORSETSHIRE	227,635	2,037	3,917	3,213	310	1,394
20. DEVONSHIRE	714,902	6,545	12,278	10,888	1,218	4,562
21. CORNWALL.. ..	327,611	2,570	5,819	4,987	533	2,233
22. SOMERSETSHIRE	499,979	4,057	8,491	6,948	654	3,295
VI. WEST MIDLAND DIVISION ..	4,108,196	39,995	95,199	61,472	10,501	19,963
23. GLOUCESTERSHIRE	680,900	6,738	13,245	10,435	1,388	4,085
24. HEREFORDSHIRE	113,276	841	2,053	1,706	172	826
25. SHROPSHIRE	268,475	2,020	5,271	3,825	453	1,723
26. STAFFORDSHIRE	1,419,136	13,606	36,317	21,880	4,381	5,964
27. WORCESTERSHIRE	336,881	3,038	6,907	4,838	695	1,905
28. WARWICKSHIRE	1,289,528	13,752	31,406	18,788	3,412	5,460

* The Registration or Union Counties consist of groups of Registration Districts which are generally known as Registration Divisions. Monmouth being by this arrangement included in the Welsh Division. The differences between Registrati

† See Note * to Table II.

Deaths registered in the Year 1915 (Calendar Year).

er slightly from the revised figures to be hereafter presented to Parliament in the 78th Annual Report of Calendar Year, and differ from those shown in Tables XVIII., XX., XXI., and XXV. (see note to Table XVIII.)

The DEATHS in the Year are stated by the Registrars to include											Registration Divisions and Counties.*
Deaths from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.					
30	12	16,180	2384	7,937	5,703	14,805	23,074	39,078	125145	7,685	ENGLAND and WALES.
6	1	2,297	279	1,152	673	2,650	3,536	7,617	31,429	72	I. LONDON.
6	1	2,297	279	1,152	673	2,650	3,536	7,617	31,429	72	1. LONDON.
4	4	881	198	672	512	665	2,890	4,236	14,963	762	II. SOUTH EASTERN DIVISION.
5	—	296	62	115	93	179	518	1,065	4,411	51	2. SURREY.
2	4	210	62	179	155	198	1,025	1,170	3,809	433	3. KENT.
1	—	96	15	109	63	90	398	695	2,113	45	4. SUSSEX.
9	—	256	42	187	173	166	809	1,042	3,657	144	5. HAMPSHIRE.
7	—	23	17	82	23	32	140	264	973	89	6. BERKSHIRE.
8	—	1,138	187	474	534	511	1,217	2,127	7,787	530	III. SOUTH MIDLAND DIVISION.
31	—	532	119	260	212	298	476	1,062	3,566	29	7. MIDDLESEX.
6	—	60	11	39	42	34	149	207	1,127	77	8. HERTFORDSHIRE.
—	—	32	7	37	18	24	77	136	407	66	9. BUCKINGHAMSHIRE.
1	—	19	4	8	6	20	111	139	561	38	10. OXFORDSHIRE.
5	—	198	16	86	130	68	182	253	838	147	11. NORTHAMPTONSHIRE.
—	—	9	—	—	1	2	18	31	105	24	12. HUNTINGDONSHIRE.
4	—	179	23	23	90	49	93	140	547	87	13. BEDFORDSHIRE.
7	—	109	7	21	35	16	111	159	636	62	14. CAMBRIDGESHIRE.
54	—	501	120	398	326	557	1,239	1,981	6,997	605	IV. EASTERN DIVISION.
32	—	406	62	281	200	429	690	1,162	4,583	355	15. ESSEX.
6	—	63	38	47	57	45	287	371	1,040	127	16. SUFFOLK.
16	—	32	20	70	69	83	312	448	1,374	123	17. NORFOLK.
59	—	437	61	318	249	214	1,083	1,933	4,445	276	V. SOUTH WESTERN DIVISION.
5	—	52	8	50	27	19	145	273	790	59	18. WILTSHIRE.
5	—	33	6	34	19	20	109	147	512	59	19. DORSETSHIRE.
37	—	227	25	103	103	106	336	711	1,678	80	20. DEVONSHIRE.
6	—	85	12	61	68	26	187	375	473	34	21. CORNWALL.
6	—	40	10	70	32	43	256	457	992	44	22. SOMERSETSHIRE.
84	6	1,966	247	855	657	1,711	2,332	3,717	12,112	1,251	VI. WEST MIDLAND DIVISION.
18	6	177	33	202	100	201	393	801	2,448	44	23. GLOUCESTERSHIRE.
4	—	11	7	11	10	10	51	77	244	63	24. HEREFORDSHIRE.
4	—	54	6	51	32	39	145	221	574	115	25. SHROPSHIRE.
51	—	978	99	349	242	705	814	1,410	3,421	329	26. STAFFORDSHIRE.
7	—	89	15	56	60	58	189	269	915	103	27. WORCESTERSHIRE.
30	—	657	87	186	213	698	740	939	4,510	597	28. WARWICKSHIRE.

extensive with the Poor Law Unions. The Counties are grouped in Registration Divisions, the County of Counties and Administrative Counties are shown in Table 7 of Vol. II. of the Census of England and Wales (1911).

TABLE XVI.—(continued).—**ENGLAND and WALES.**—Population; Marriages,

Registration Divisions and Counties.	Popula- tion estimated to the middle of 1914. (Old Estimates.)*	Marri- ages.	Births.	Deaths.		
				Total.	Infants under 1 year of age.	Per- sons aged 65 years and up- wards.
VII. NORTH MIDLAND DIVISION	2,421,814	21,945	52,779	33,573	5,717	11,313
29. LEICESTERSHIRE	495,022	5,027	10,427	6,898	1,151	2,304
30. RUTLANDSHIRE	21,315	138	367	259	28	133
31. LINCOLNSHIRE	579,921	5,049	12,653	8,508	1,252	3,305
32. NOTTINGHAMSHIRE ..	758,202	6,957	17,815	10,539	2,101	3,102
33. DERBYSHIRE	567,354	4,774	12,517	7,369	1,185	2,469
VIII. NORTH WESTERN DIVISION	5,897,175	55,100	123,986	91,375	16,147	24,883
34. CHESHIRE	937,209	7,986	19,501	13,222	2,026	4,260
35. LANCASHIRE	4,959,966	47,114	109,485	81,153	14,121	20,623
IX. YORKSHIRE DIVISION ..	4,098,202	38,069	92,370	65,110	10,938	18,917
36. WEST RIDING	3,141,373	29,337	70,059	49,940	8,428	14,078
37. EAST RIDING (with YORK)	525,512	5,224	12,088	8,059	1,321	2,667
38. NORTH RIDING	431,317	3,508	10,223	7,141	1,189	2,172
X. NORTHERN DIVISION ..	2,498,630	22,328	66,806	41,703	8,841	10,359
39. DURHAM	1,440,495	12,802	40,832	24,144	5,569	5,400
40. NORTHUMBERLAND ..	729,517	6,938	18,779	12,118	2,426	3,028
41. CUMBERLAND	265,333	2,130	6,125	4,582	765	1,498
42. WESTMORLAND	63,285	453	1,070	859	81	433
XI. WELSH DIVISION	2,584,246	21,444	64,352	37,993	7,246	11,010
43. MONMOUTHSHIRE	448,691	3,869	12,127	6,450	1,456	1,528
44. GLAMORGANSHIRE ..	1,222,659	10,521	33,161	16,980	3,855	3,657
45. CARMARTHENSHIRE ..	160,610	1,267	4,085	2,367	433	750
46. PEMBROKESHIRE	85,726	828	1,889	1,411	171	567
47. CARDIGANSHIRE	80,095	504	1,337	1,419	138	708
48. BRECKNOCKSHIRE ..	57,212	463	1,274	883	122	338
49. RADNORSHIRE	16,553	130	379	238	29	103
50. MONTGOMERYSHIRE ..	61,577	423	1,150	953	93	464
51. FLINTSHIRE	72,918	514	1,704	1,033	157	362
52. DENBIGHSHIRE	140,411	1,221	3,048	2,361	343	853
53. MERIONETHSHIRE ..	58,900	370	1,053	974	113	451
54. CARNARVONSHIRE ..	143,343	1,107	2,421	2,371	255	973
55. ANGLESEY	35,551	227	724	553	81	256

* See Note * to Table II.

Births, and Deaths registered in the Year 1915.

The DEATHS in the Year are stated by the Registrars to include											
Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	Registration Divisions and Counties.
Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
65	—	974	93	362	340	766	1,280	1,841	5,131	635	VII. NORTH MIDLAND DIVISION.
8	—	148	8	56	51	238	243	385	1,289	68	29. LEICESTERSHIRE.
—	—	—	—	7	5	1	11	15	27	3	30. RUTLANDSHIRE.
20	—	238	22	78	98	131	344	453	1,054	139	31. LINCOLNSHIRE.
22	—	343	34	162	88	278	434	565	1,658	215	32. NOTTINGHAMSHIRE.
15	—	245	29	59	98	118	248	423	1,103	210	33. DERBYSHIRE.
324	1	2,677	538	1,297	859	3,369	3,524	5,906	20,887	1,577	VIII. NORTH WESTERN DIVISION.
26	1	258	46	163	100	348	490	947	2,607	43	34. CHESHIRE.
298	—	2,419	492	1,134	759	3,021	3,034	4,959	18,280	1,534	35. LANCASHIRE.
244	—	2,188	257	955	704	2,058	2,603	4,777	12,229	355	IX. YORKSHIRE DIVISION.
201	—	1,769	215	708	525	1,558	2,011	3,612	9,459	276	36. WEST RIDING.
25	—	80	15	91	83	305	368	716	1,912	42	37. EAST RIDING (with YORK).
18	—	339	27	153	96	195	224	449	858	37	38. NORTH RIDING.
111	—	2,224	264	742	438	1,443	1,702	2,463	5,228	1,170	X. NORTHERN DIVISION.
63	—	1,487	147	381	307	1,019	948	1,294	2,698	794	39. DURHAM.
42	—	538	91	243	83	367	537	894	1,937	233	40. NORTHUMBERLAND.
3	—	191	25	75	39	54	185	239	511	127	41. CUMBERLAND.
3	—	8	1	13	6	3	32	36	82	16	42. WESTMORLAND.
81	—	897	140	742	416	861	1,618	2,450	3,937	452	XI. WELSH DIVISION.
16	—	266	40	137	75	187	308	402	785	71	43. MONMOUTHSHIRE.
40	—	451	53	421	225	517	871	1,423	2,083	32	44. GLAMORGANSHIRE.
2	—	25	20	37	17	47	88	118	181	52	45. CARMARTHENSHIRE.
5	—	9	2	12	10	16	57	71	63	83	46. PEMBROKESHIRE.
4	—	3	1	12	7	7	21	39	52	49	47. CARDIGANSHIRE.
3	—	16	6	9	14	7	29	58	108	8	48. BRECKNOCKSHIRE.
—	—	2	2	3	—	—	6	10	22	10	49. RADNORSHIRE.
—	—	7	—	14	4	1	26	42	51	27	50. MONTGOMERYSHIRE.
2	—	21	8	17	17	11	30	50	52	24	51. FLINTSHIRE.
3	—	61	6	31	26	41	60	84	323	37	52. DENBIGHSHIRE.
—	—	6	—	4	1	3	20	23	29	13	53. MERIONETHSHIRE.
5	—	29	2	35	17	18	87	111	177	34	54. CARNARVONSHIRE.
1	—	1	—	10	3	6	15	19	11	12	55. ANGLESEY.

TABLE XVIa.—**England and Wales and Registration Counties.**—
ILLEGITIMATE BIRTHS registered in the Years 1914 and 1915.

REGISTRATION COUNTY.	Illegitimate Births registered during the Years.		REGISTRATION COUNTY.	Illegitimate Births registered during the Years.	
	1914.	1915.		1914.	1915.
England and Wales.	37,329	35,822	Leicestershire	432	436
London	5,002	4,952	Rutlandshire	19	20
Surrey	788	789	Lincolnshire	781	695
Kent	846	928	Nottinghamshire	1,055	898
Sussex	639	710	Derbyshire	552	502
Hampshire	892	834			
Berkshire	285	306	Cheshire	799	736
			Lancashire	4,902	4,438
Middlesex	881	812	Yorkshire (West Riding)	3,531	3,226
Hertfordshire	242	240	Yorkshire (East Riding	727	659
Buckinghamshire	155	174	with York).		
Oxfordshire	195	198	Yorkshire (North Riding)	549	510
Northamptonshire	332	337			
Huntingdonshire	49	59			
Bedfordshire	183	227	Durham	1,650	1,610
Cambridgeshire	232	245	Northumberland	858	782
			Cumberland	386	342
Essex	931	947	Westmorland	67	69
Suffolk	476	464			
Norfolk	615	641			
			Monmouthshire	380	385
Wiltshire	210	225	Glamorganshire	1,126	1,049
Dorsetshire	204	202	Carmarthenshire	160	141
Devonshire	670	700	Pembrokeshire	109	110
Cornwall	303	313	Cardiganshire	80	95
Somersetshire	334	345	Brecknockshire	59	61
			Radnorshire	31	34
Gloucestershire	545	547	Montgomeryshire	81	88
Herefordshire	142	129	Flintshire	72	95
Shropshire	361	306	Denbighshire	167	193
Staffordshire	1,512	1,310	Merionethshire	104	96
Worcestershire	300	316	Carnarvonshire	176	176
Warwickshire	1,077	1,052	Anglesey	75	68

TABLE XVII.—**Birth-rate, Death-rate, and Analysis of Mortality** during the year **1915.**

	ANNUAL RATE PER 1000 LIVING.									
	Births.	Total Deaths.		Deaths from						
		Crude.	Stand-ard-ized.*	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Violence.
England and Wales -	21·8	15·1	14·8	0·04	0·00	0·43	0·06	0·21	0·15	0·62
96 Great Towns (including London).	22·8	15·6	15·9	0·04	0·00	0·50	0·07	0·23	0·16	0·62
148 Smaller Towns -	21·6	14·0	14·2	0·04	—	0·52	0·06	0·22	0·15	0·47
England and Wales, less the 244 Towns.	20·7	14·8	13·6	0·04	0·00	0·32	0·05	0·19	0·14	0·67
London - - - -	22·6	16·1	16·1	0·03	0·00	0·50	0·07	0·25	0·16	0·73

	ANNUAL DEATH-RATE PER 1,000 BIRTHS.		ANNUAL DEATH-RATE PER 1,000 LIVING.		PERCENTAGE OF TOTAL DEATHS.			
	Diarrhœa and Enteritis (under 2 years).	Total under 1 year.	Aged 1 to 65 Years.	Aged 65 Years and upwards.	Deaths in Public Institutions	Certified Causes.	Inquest Cases.	Uncertified Causes.
England and Wales	18·18	110	8·5	92·4	22·3	91·7	6·9	1·4
96 Great Towns (including London).	24·43	117	9·2	93·6	28·6	91·3	7·8	0·9
148 Smaller Towns - -	17·15	114	7·8	91·9	15·6	93·1	5·3	1·6
England and Wales, less the 244 Towns.	9·79	98	7·8	88·7	16·0	91·7	6·4	1·9
London - - - -	25·01	112	9·5	97·5	43·6	89·9	10·0	0·1

* The Standardized Death-rates represent the Crude Death-rates multiplied by the respective Standardizing Factors in order to make correction for differences of sex- and age-constitution of the several populations in 1911 as compared with that of England and Wales in 1901. A description of the method of constructing these Factors is to be found in the Annual Report for 1911, p. xxix. Owing to the difficulty of distributing to their proper areas deaths occurring in public institutions the death-rate of the rural area is somewhat overstated.

TABLE XVIII.—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 1st January, 1916.

NOTE.—The 96 Great Towns are those with populations exceeding 50,000 persons at the Census of 1911. The births shown in this table are those registered in the several towns without correction, except in the case of London. The births in London have been corrected by the transference of those occurring in the principal institutions receiving maternity cases. The deaths in London have been corrected as far as possible (1) by excluding deaths of all non-residents, and (2) by including the deaths of London residents occurring in the Metropolitan Outer Ring or in Metropolitan Public Institutions situated outside the County (See Table XXI.) The deaths in the other towns have been corrected, as far as possible (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying public institutions. With regard to the Outer Ring and its constituent areas, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)*	BIRTHS.	DEATHS.	The DEATHS registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (Degrees Fahr.).	RAIN-FALL (Milli-metres).	TOWNS.
				Deaths from															
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-Pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
96 Towns	18,136,180	413,030	282,223	48513	78540	646	9	9059	1321	4141	2908	10109	11157	21930	80600	2463	48.8	842	96 Towns.
LONDON	4,516,612	101,649	72,399	11,369	21,458	120	3	2,272	332	11,46	699	25,42	3,308	7,244	31,599	73	49.9	776	LONDON.
(CROYDON	181,956	3,672	2,391	305	921	4	—	110	5	12	13	55	80	244	651	—	—	—	(CROYDON.
WIMBLEDON	59,598	994	619	72	232	2	—	9	1	5	9	20	27	62	155	—	—	—	WIMBLEDON.
EALING	71,030	1,137	830	91	314	4	—	19	11	16	9	11	28	45	184	2	—	—	EALING.
ACTON ..	64,369	1,391	774	146	234	—	—	27	2	16	13	21	28	56	218	—	—	—	ACTON.
WILLESDEN ..	167,922	3,581	1,969	338	546	6	—	71	15	52	26	46	61	141	611	1	—	—	WILLESDEN.
HORNSEY ..	88,953	1,348	989	113	375	2	—	39	3	7	12	29	28	80	212	—	—	—	HORNSEY.
TOTTENHAM ..	149,495	3,560	1,907	330	530	2	—	125	14	33	20	48	57	199	607	—	50.4	805	TOTTENHAM.
EDMONTON ..	71,024	1,709	862	188	187	1	—	27	9	14	8	46	71	87	305	—	—	—	EDMONTON.
ENFIELD ..	61,069	1,299	675	115	209	1	—	31	3	14	10	11	21	49	164	1	49.2	838	ENFIELD.
WEST HAM ..	296,570	8,435	4,711	940	1,119	13	—	147	12	56	65	253	223	433	1,514	2	—	—	WEST HAM.
EAST HAM ..	146,526	3,196	1,634	261	463	3	—	23	10	30	15	31	65	145	527	—	—	—	EAST HAM.
LEYTON ..	133,719	2,567	1,452	212	479	2	—	38	11	30	19	24	56	115	493	—	—	—	LEYTON.
WALTHAMSTOW	134,825	2,828	1,556	263	419	1	—	53	5	32	14	39	52	143	486	2	—	—	WALTHAMSTOW.
(ILFORD	91,041	1,498	841	122	300	2	—	18	2	9	9	14	30	49	180	3	—	—	(ILFORD.
GILLINGHAM ..	55,559	1,084	863	103	197	1	—	8	1	12	11	15	218	175	121	71	—	—	GILLINGHAM.
HASTINGS ..	59,620	810	898	76	457	—	—	28	—	7	10	1	30	48	179	1	49.7	814	HASTINGS
EASTBOURNE ..	55,662	761	687	72	260	—	—	7	1	9	10	14	24	38	186	4	50.1	938	EASTBOURNE.
BRIGHTON ..	133,936	2,251	2,163	215	840	9	—	14	2	40	4	26	87	213	628	1	50.3	956	BRIGHTON.
PORTSMOUTH ..	245,827	4,974	3,299	433	1,010	19	—	119	19	37	68	47	140	300	860	19	50.8	957	PORTSMOUTH.
BOURNEMOUTH\$	85,904	1,135	1,139	103	512	—	—	3	3	12	11	5	48	80	221	1	49.6	1036	BOURNEMOUTH.\$
SOUTHAMPTON	123,948	2,695	1,760	236	572	16	—	30	2	39	38	43	77	152	507	—	50.4	1056	SOUTHAMPTON.
READING ..	90,083	1,774	1,176	147	412	5	—	9	1	36	7	14	36	66	252	19	48.5	874	READING.
OXFORD ..	54,339	877	675	66	315	—	—	7	—	1	3	5	19	36	152	1	49.2	799	OXFORD.
NORTHAMPTON	91,123	1,764	1,521	238	467	5	—	142	7	18	42	29	26	54	269	11	—	—	NORTHAMPTON.
CAMBRIDGE ..	57,676	995	990	85	346	—	—	59	2	2	16	6	24	54	260	4	48.7	612	CAMBRIDGE.

TABLE XVIII (continued).—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 1st January, 1916.

TOWNS	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (Degrees Fahr.).	RAIN-FALL (Milli-metres).	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.						
SOUTHEND ON SEA ..	83,908	1375	970	121	342	1	—	12	3	11	6	13	49	45	153	37	49.9	606	SOUTHEND ON SEA.
IPSWICH ..	76,472	1606	1161	149	465	1	—	11	19	12	15	22	51	91	240	—	48.4	706	IPSWICH.
GREAT YARMOUTH ..	57,502	1120	891	120	398	4	—	2	—	6	16	16	42	83	199	1	48.7	832	GREAT YARMOUTH.
NORWICH ..	124,107	2490	1798	284	694	1	—	17	6	20	30	41	73	118	425	2	48.9	760	NORWICH.
SWINDON ..	52,750	1079	640	70	209	—	—	17	4	10	6	3	11	30	84	—	—	—	SWINDON.
EXETER ..	60,788	1140	903	94	398	3	—	15	—	1	—	14	28	70	148	1	—	—	EXETER.
PLYMOUTH† ..	212,421	4256	3443	501	1078	21	—	125	11	27	46	65	124	267	665	1	50.8	1111	PLYMOUTH.†
BATH ..	70,292	1048	985	82	491	—	—	6	3	13	8	2	31	69	230	1	49.3	927	BATH.
BRISTOL ..	363,312	7357	5511	855	1895	12	6	106	17	126	34	142	216	481	1503	1	50.0	959	BRISTOL.
GLOUCESTER ..	50,759	1140	723	120	257	—	—	44	1	14	10	19	21	45	130	11	—	—	GLOUCESTER.
STOKE ON TRENT ..	241,430	6500	4148	959	847	13	—	92	29	65	103	168	165	283	748	85	—	—	STOKE ON TRENT.
WOLVERHAMPTON ..	95,725	2363	1609	316	416	1	—	131	2	11	14	40	40	104	334	—	—	—	WOLVERHAMPTON.
WALSALL ..	94,093	2663	1565	377	353	2	—	125	6	14	24	95	42	115	246	4	—	—	WALSALL.
WEST BROMWICH ..	69,430	2002	1179	265	275	1	—	125	—	11	8	60	45	67	184	37	—	—	WEST BROMWICH.
DUDLEY ..	51,895	1437	842	178	247	1	—	15	5	—	—	36	22	33	116	31	—	—	DUDLEY.
BIRMINGHAM ..	868,430	21222	12748	2489	3416	10	—	415	58	120	139	578	474	559	3416	486	47.9	749	BIRMINGHAM.
SMETHWICK ..	76,314	1862	959	198	210	—	—	66	3	12	9	51	25	52	125	2	—	—	SMETHWICK.
COVENTRY ..	119,003	2978	1569	255	432	5	—	85	15	11	36	27	54	83	331	28	48.9	735	COVENTRY.
LEICESTER ..	232,664	4825	3373	601	955	4	—	77	2	20	25	180	131	220	785	13	—	—	LEICESTER.
LINCOLN ..	60,243	1181	809	109	291	2	—	42	1	12	9	12	18	28	110	6	48.5	640	LINCOLN.
GRIMSBY ..	78,667	1961	1125	208	261	2	—	62	3	9	7	46	58	104	180	7	—	—	GRIMSBY.
NOTTINGHAM ..	266,918	5534	3993	714	1186	6	—	57	14	69	14	146	157	236	946	22	47.8	684	NOTTINGHAM.
DERBY ..	126,389	2737	1826	257	599	1	—	71	13	20	20	37	50	180	502	—	—	—	DERBY.

* The values for Mean Temperature and Rainfall relate to the calendar year.

† As extended on 9th November, 1914.

TABLE XVIII. (continued).—96 Great Towns.—Population; Births, Deaths, and Meteorology in the 52 Weeks ended 1st January, 1916.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		The Deaths registered include										Inquest Cases.	Deaths in Public Institutions.	Uncertified (Cause of Death)	MEAN TEMPERATURE (Degrees Fahr.).	RAIN- FALL (Milli- metres).	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Deaths from															
						Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping Cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.								
STOCKPORT	126,040	2417	1951	303	541	7	—	64	13	19	18	65	54	99	417	9	47·9	817	STOCKPORT.		
BIRKENHEAD	137,710	3860	2118	403	520	1	—	7	4	42	19	163	77	159	583	2	—	—	BIRKENHEAD.		
WALLASEY	87,175	1749	1081	141	380	3	—	6	3	12	13	17	32	51	213	—	—	—	WALLASEY.		
LIVERPOOL	767,992	21630	14272	2862	3097	21	—	255	71	258	133	763	511	908	5133	365	48·4	680	LIVERPOOL.		
BOOTLE	73,230	2017	1239	287	265	—	—	14	7	56	8	92	48	56	308	56	48·6†	700†	BOOTLE.		
ST. HELENS	100,775	2938	1726	381	285	6	—	118	11	41	33	73	55	64	428	59	—	—	ST. HELENS.		
SOUTHPORT	71,747	970	1018	86	468	—	—	4	7	6	8	6	25	27	133	39	47·9	814	SOUTHPORT.		
WIGAN	91,491	2363	1639	387	267	10	—	71	27	106	7	66	52	112	222	2	—	—	WIGAN.		
WARRINGTON	74,923	1894	1164	206	235	4	—	24	29	24	22	37	31	37	296	55	—	—	WARRINGTON.		
BOLTON	185,247	3606	2675	445	706	17	—	59	5	45	43	120	83	182	430	19	47·6	1,110	BOLTON.		
BURY	59,213	1024	933	118	276	—	—	27	5	5	3	26	42	64	193	21	—	—	BURY.		
MANCHESTER	738,538	16897	12135	2126	2818	48	—	446	84	67	99	461	517	905	3797	47	49·3	860	MANCHESTER.		
SALFORD	234,975	5372	4042	709	926	17	—	263	31	48	29	193	127	308	959	3	—	—	SALFORD.		
OLDHAM	151,044	2942	2497	363	635	3	—	45	16	16	19	68	71	194	491	—	—	—	OLDHAM.		
ROCHDALE	94,320	1591	1429	189	422	6	—	—	2	6	30	40	43	76	294	28	—	—	ROCHDALE.		
BURNLEY	110,040	2003	1709	331	449	4	—	41	3	6	15	104	56	130	276	6	45·7	1,024	BURNLEY.		
BLACKBURN	134,387	2445	2043	357	546	6	—	49	7	41	9	58	51	120	289	25	—	—	BLACKBURN.		
PRESTON	118,514	2516	2069	392	562	4	—	63	24	31	36	94	64	81	355	78	—	—	PRESTON.		
BLACKPOOL	62,206	984	1019	122	372	6	—	10	2	2	2	18	25	38	116	38	47·9	792	BLACKPOOL.		
BARROW IN FURNESS	65,921	1972	1118	242	272	2	—	41	2	12	19	43	40	47	184	31	—	—	BARROW IN FURNESS.		
HUDDERSFIELD	112,265	1940	1787	210	576	1	—	23	—	9	18	33	53	99	321	11	47·2	888	HUDDERSFIELD.		
HALIFAX	100,373	1866	1677	163	573	6	—	34	4	5	16	16	41	86	371	17	—	—	HALIFAX.		
BRADFORD	291,482	5064	4630	621	1424	19	—	100	25	52	53	83	146	406	1162	8	46·6	934	BRADFORD.		
LEEDS	459,260	9946	7547	1248	2105	18	—	77	30	153	48	276	347	696	1719	2	—	—	LEEDS.		
DEWSBURY	54,083	1136	901	134	267	3	—	12	4	15	7	15	33	63	144	—	—	—	DEWSBURY.		
WAKEFIELD	52,643	1032	794	118	240	6	—	9	—	13	5	14	28	57	166	1	47·8	706	WAKEFIELD.		
BARNLEY	53,929	1469	909	249	175	1	—	57	3	15	3	83	40	82	117	2	—	—	BARNLEY.		

* The values for Mean Temperature and Rainfall relate to the Calendar year.

† Means of daily observations made at Blundellsands.

The DEATHS registered include

The DEATHS registered include																			
TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	Deaths of		Deaths from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	MEAN TEMPERATURE (De- grees Fahr.). *	RAIN- FALL (Milli- metres). *	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria	Enteritis and Typhoid.	Violence.						
SHEFFIELD†	477,228	12131	8075	1609	1705	17	—	632	53	102	100	394	325	537	1959	34	48.2	835	SHEFFIELD.†
ROTHERHAM	65,313	1831	1099	236	242	6	—	49	5	30	17	60	48	71	210	18	—	—	ROTHERHAM.
YORK	83,802	1790	1296	214	451	6	—	22	3	17	6	36	45	84	312	—	48.3	625	YORK.
HULL	291,118	7226	4462	866	1219	15	—	38	6	56	57	250	195	421	1079	32	48.2	708	HULL.
MIDDLESBROUGH	126,452	3637	2546	546	450	4	—	202	11	49	43	128	67	150	374	10	—	—	MIDDLESBROUGH.
DARLINGTON‡	61,441	1538	949	174	269	1	—	83	9	10	12	33	33	51	134	50	—	—	DARLINGTON.‡
STOCKTON ON TEES	59,311	1670	1030	213	250	—	—	62	6	11	17	45	30	56	121	23	—	—	STOCKTON ON TEES.
WEST HARTLEPOOL	64,374	1667	1116	252	227	1	—	79	3	22	5	32	44	65	163	16	—	—	WEST HARTLEPOOL.
SUNDERLAND	152,927	4475	2947	676	678	3	—	118	3	52	10	129	132	231	550	50	—	—	SUNDERLAND.
SOUTH SHIELDS	111,357	3265	2085	464	465	2	—	50	15	44	6	78	59	73	290	78	—	—	SOUTH SHIELDS.
GATESHEAD	119,362	3627	2323	526	466	5	—	129	12	29	18	144	70	91	384	128	—	—	GATESHEAD.
NEWCASTLE ON TYNE	273,415	7564	4775	1007	1090	13	—	213	40	74	25	166	163	417	848	22	—	—	NEWCASTLE ON TYNE.
TYNEMOUTH	61,408	1569	1002	209	241	16	—	18	5	28	5	23	35	46	138	37	46.9	600	TYNEMOUTH.
CARLISLE	52,813	1189	939	172	283	—	—	34	8	22	10	13	27	43	140	30	—	—	CARLISLE.
NEWPORT (MON.)	89,404	2185	1112	210	290	4	—	14	4	5	10	43	34	80	222	4	—	1,012	NEWPORT (MON.).
CARDIFF	188,495	4652	2746	491	718	5	—	37	11	34	46	99	121	272	542	1	48.9	1,038	CARDIFF.
RHONDDA	166,365	4952	2172	555	356	9	—	59	12	47	26	95	101	143	131	9	—	—	RHONDDA.
MERTHYR TYDFIL	85,082	2174	1427	339	257	4	—	106	4	68	7	34	54	94	207	2	—	—	MERTHYR TYDFIL.
ABERDARE	53,427	1498	820	215	167	4	—	27	3	24	13	32	38	43	46	2	—	—	ABERDARE.
SWANSEA	121,665	3080	1630	325	425	1	—	15	1	13	20	40	53	144	292	1	50.3	1,229	SWANSEA.
GREATER LONDON	7,484,436	163099	107655	16843	32909	189	3	3315	474	1679	1084	3464	4693	10159	41416	119	—	—	GREATER LONDON.
OUTER RING	2,967,824	61450	35256	5474	11451	69	—	1043	142	533	385	922	1385	2915	9817	46	—	—	OUTER RING.
14 GREAT TOWNS IN OUTER RING.	1,718,097	37215	21210	3496	6328	43	—	737	103	326	242	648	827	1848	6307	11	—	—	14 GREAT TOWNS IN OUTER RING.
REMAINDER OF OUTER RING.	1,249,727	24235	14046	1978	5123	26	—	306	39	207	143	274	558	1067	3510	35	—	—	REMAINDER OF OUTER RING.
EDINBURGH.¶	328,700	5,851	5,419	775	1,782	3	—	101	58	174	117**	70	185	?	?	?	46.1	684	EDINBURGH.¶
GLASGOW.¶	1,078,400	27,944	20,150	4,007	4,212	54	—	932	281	1,012	171**	462	715	?	?	?	45.6	805	GLASGOW.¶
DUBLIN (Registration Area).¶	409,000	10,839	8,902	1,663	2,246	30	—	118	32	181	60	425	186	215	3,373	322	{ 47.1 ^a 49.0 ^b	{ 830 ^a 852 ^b	DUBLIN (Registration Area).¶
BELFAST¶	403,000	10,196	7,220	1,399	1,447	10	—	177	107	134	27	209	109	262	1,783	80	47.8	925	BELFAST.¶

* The values for Mean Temperature and Rainfall relate to the calendar year.

† As extended on 1st October, 1914.

‡ The estimated population relates to the borough as extended on 1st April, 1915. The births and deaths include those for the extended area from that date.

¶ The figures for Edinburgh and Glasgow relate to the calendar year. The deaths are corrected throughout by deduction of deaths of non-residents domiciled in Scotland and by addition of deaths of residents registered elsewhere in Scotland. Births are similarly corrected. The deaths in Dublin and Belfast are exclusive of those of persons admitted into public institutions from without the boundaries of the respective areas.

^a Phoenix Park.^b City

** Including group.

TABLE XIX.—One hundred and forty-eight Smaller Towns.—Population: Births and Deaths in the Year 1915.

NOTE.—The 148 Smaller Towns are those with populations of 20,000 but not exceeding 50,000 at the Census of 1911. The births here shown are those actually registered in the several towns. The deaths have been corrected as far as possible (1) by the exclusion of all deaths of non-residents, and (2) by the inclusion of deaths of residents in certain outlying institutions. With regard to towns in the Outer Ring, however, correction is more complete, a distribution of all transferable deaths occurring in any part of Greater London having been made. The number of towns is increased by the inclusion of Mitcham, Spenborough, and Eton.

The DEATHS registered in the Year include																		
TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates).†	BIRTHS.	DEATHS.	DEATHS of		DEATHS from							Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).					Violence.	
				148 Towns ..	4,838,095	103,926	67,286	11,805	20,714	184	—	2,519	297	1,071	714		1,782	2,247
SURREY.																		SURREY.
Barnes.*	34,745	636	365	55	123	3	—	15	3	6	1	1	1	9	41	79	—	Barnes.*
Guildford ..	24,927	425	314	39	118	—	—	3	—	7	5	2	2	21	32	84	5	Guildford.
Kingston on Thames.*	39,227	801	512	71	210	1	—	1	—	1	3	15	15	25	57	195	—	Kingston on Thames.*
Mitcham.†	34,682	645	272	48	81	—	—	7	2	5	2	11	8	23	95	67	—	Mitcham.†
Reigate ..	29,375	438	330	27	156	—	—	2	4	—	3	3	3	7	19	67	—	Reigate.
Richmond.*	33,780	570	474	46	203	—	—	3	2	6	—	2	2	20	43	125	—	Richmond.*
Sutton.*	22,678	338	213	24	97	1	—	1	—	1	2	2	7	19	41	41	—	Sutton.*
Woking ..	27,055	460	252	28	63	—	—	30	—	—	1	1	1	10	20	40	2	Woking.
KENT.																		KENT.
Beckenham.*	33,572	546	304	34	135	1	—	6	—	—	—	—	10	5	9	46	2	Beckenham.*
Bromley.*	35,820	607	367	31	162	—	—	4	—	7	4	4	4	19	32	98	1	Bromley.*
Canterbury ..	24,531	496	428	55	190	1	—	13	2	2	9	11	16	10	27	112	3	Canterbury.
Chatham ..	44,057	940	703	116	219	1	—	14	2	11	12	16	44	49	176	26	—	Chatham.
Dartford ..	25,336	488	247	41	73	2	—	15	5	4	2	3	14	20	70	6	—	Dartford.
Dover ..	43,984	865	675	110	206	3	—	15	4	6	2	11	50	43	190	20	—	Dover.
Erith.*	28,604	724	367	57	123	—	—	8	2	5	1	17	12	23	84	1	—	Erith.*
Folkestone ..	33,968	623	492	71	175	—	—	22	2	12	4	11	19	32	33	24	—	Folkestone.
Gravesend ..	28,435	604	396	55	139	—	—	3	1	6	3	9	18	25	116	7	—	Gravesend.
Maidstone ..	36,157	695	524	68	205	—	—	—	—	7	3	5	14	23	105	8	—	Maidstone.
Margate ..	29,965	424	287	27	129	1	—	5	—	2	1	1	7	12	60	8	—	Margate.
Penge (Surrey Reg. Co.)*	22,283	402	340	42	142	—	—	10	—	3	1	8	19	20	89	—	—	Penge (Surrey Reg. Co.)*
Ramsgate ..	30,254	508	435	37	206	1	—	6	—	2	1	7	19	26	103	—	—	Ramsgate.
Rochester ..	31,660	658	451	52	175	—	—	11	2	3	5	5	16	21	97	—	—	Rochester.
Tunbridge Wells ..	36,506	542	547	47	286	—	—	1	—	3	6	3	12	17	104	13	—	Tunbridge Wells.
SUSSEX EAST.																		SUSSEX EAST.
Hove ..	44,134	580	615	64	303	1	—	5	—	13	3	11	12	27	73	—	—	Hove.
SUSSEX WEST.																		SUSSEX WEST.
Worthing ..	32,997	426	495	33	274	—	—	6	—	—	6	4	11	20	63	1	—	Worthing.
SOUTHAMPTON.																		SOUTHAMPTON.
Aldershot (Surrey Reg. Co.)	36,637	612	456	67	67	3	—	17	18	16	6	13	33	22	229	14	—	Aldershot (Surrey Reg. Co.)
Gosport and Alverstoke	34,838	657	391	47	138	2	—	8	1	4	9	6	10	23	78	1	—	Gosport and Alverstoke.
Winchester ..	24,230	405	375	43	145	2	—	3	—	8	7	2	15	28	125	2	—	Winchester.
MIDDLESEX.																		MIDDLESEX.
Chiswick.*	41,858	819	587	77	201	2	—	24	2	28	1	4	17	39	174	—	—	Chiswick.*
Finchley.*	45,435	888	479	57	181	1	—	10	2	2	5	6	9	33	93	—	—	Finchley.*
Hendon.*	44,496	1,041	474	75	160	—	—	15	—	5	5	6	23	36	100	—	—	Hendon.*
Heston and Isleworth.*	47,644	972	590	98	221	—	—	20	1	10	5	12	22	36	157	—	—	Heston and Isleworth.*

The DEATHS registered in the Year include

The DEATHS registered in the Year include																	
TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS OF		DEATHS FROM								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.				
MIDDLESEX—continued. Southgate* Twickenham* Wood Green* HERTFORDSHIRE. St. Albans Watford BUCKINGHAMSHIRE. Chepping Wycombe NORTHAMPTONSHIRE. Kettering SOKE OF PETERBOROUGH. Peterborough BEDFORDSHIRE. Bedford Luton ESSEX. Barking Town* Colchester SUFFOLK EAST. Lowestoft NORFOLK. King's Lynn WILTSHIRE. Salisbury DORSETSHIRE. Poole Weymouth and Regis. DEVONSHIRE. Torquay SOMERSETSHIRE. Taunton Weston super Mare	40,090 32,281 54,635 26,203 44,943 21,328 30,431 34,514 40,588 54,700 34,685 45,219 35,143 20,171 21,576 42,826 23,187 40,561 23,074 24,414	674 660 1014 464 870 386 595 697 678 1213 928 785 825 389 419 842 440 489 409 204	314 385 592 308 472 291 371 521 681 798 494 567 410 323 338 518 355 579 302 309	28 67 94 32 60 50 53 63 53 162 108 67 70 50 44 72 35 41 36 31	119 133 208 117 205 101 106 225 275 214 117 226 137 142 129 203 126 275 140 138	— — — — — — 1 1 — — — — 1 2 — — — 3 1 — 1	— — — — — — — —										

* These towns are included within the Metropolitan Outer Ring.

TABLE XIX. (continued).—One hundred and forty-eight smaller Towns.—Population; Births and Deaths in the Year 1913.

The DEATHS registered in the Year include																		
TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.	
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years.)	Violence.					
GLoucestershire. Cheltenham	48,769	771	769	66	396	1	—	6	5	2	7	12	10	31	186	8	GLoucestershire. Cheltenham.	
HEREfordshire Hereford	22,981	425	329	34	161	1	—	—	1	1	1	3	5	12	56	3	HEREfordshire. Hereford.	
SHROPSHIRE. Shrewsbury	29,735	584	471	46	199	1	—	14	—	—	2	5	17	32	102	16	SHROPSHIRE. Shrewsbury.	
STAFFORDshire. Bilston	26,254	782	488	122	97	—	—	33	1	22	—	31	12	32	42	2	STAFFORDshire. Bilston.	
.. .. .	47,528	1005	604	76	202	—	—	24	2	2	4	11	16	25	105	8	
BURton upon TREnt	30,191	939	399	92	122	—	—	7	2	6	3	14	24	39	48	5	BURton upon TREnt.	
.. .. .	23,048	643	390	91	102	1	—	15	1	2	1	21	11	26	23	5	
COseley	20,301	532	321	59	80	—	—	11	4	9	3	10	3	10	54	—	COseley.	
NEWcastle under LYme	37,811	1042	524	137	143	1	—	12	6	8	1	20	14	29	29	2	NEWcastle under LYme.	
.. .. .	24,249	529	315	50	103	—	—	2	3	3	—	4	10	22	65	3	
ROWley REGis	32,178	989	607	136	143	1	—	80	—	10	3	30	17	39	59	1	ROWley REGis.	
.. .. .	28,642	777	452	90	114	1	—	19	3	3	2	20	9	23	59	2	
TIPTon	28,967	748	349	71	102	2	—	6	2	5	4	9	18	24	27	8	TIPTon.	
..	
WEDnesbury	WEDnesbury.	
WOLstanton United	WOLstanton United.	
WORcestershire. Kidderminster	27,583	497	386	64	154	—	—	3	—	4	5	5	21	25	98	8	WORcestershire. Kidderminster.	
.. .. .	34,682	958	570	124	133	—	—	71	2	12	2	27	16	14	42	22	
OLDbury (Staffs. Reg. Co.)	49,735	994	701	83	307	2	—	6	1	2	3	12	22	34	150	7	OLDbury (Staffs. Reg. Co.) Worcester.*	
WARWICKshire. Nuneaton	41,275	1051	537	123	110	—	—	40	1	8	4	15	17	22	52	14	WARWICKshire. Nuneaton.	
.. .. .	26,652	427	463	44	219	2	—	20	—	1	5	5	8	23	86	—	
ROYal LEamington SPA	23,472	471	293	35	119	—	—	3	2	1	1	3	8	14	88	5	ROYal LEamington SPA.	
.. .. .	22,173	355	226	23	103	—	—	—	—	2	1	1	3	5	17	10	
RUGby	
SUTTON COLdfield (Staffs. Reg. Co.)	SUTTON COLdfield (Staffs. Reg. Co.).	
LEICEstershire. Loughborough	23,506	486	316	52	104	—	—	—	—	—	2	15	13	20	45	2	LEICEstershire. Loughborough.	
LINCOLNshire (KESTEVEN). Grantham	20,932	425	334	57	129	—	—	11	1	3	9	11	6	5	35	19	LINCOLNshire (KESTEVEN). Grantham.	
LINCOLNshire (LINDSEY). Cleethorpe with Thrunscoe	24,492	618	265	51	65	2	—	12	—	4	7	5	12	15	25	2	LINCOLNshire (LINDSEY). Cleethorpe with Thrunscoe.	
Gainsborough	21,605	440	271	54	85	1	—	5	—	—	—	13	6	7	24	3	Gainsborough.	
NOTTINGHAMshire. Mansfield	42,981	1187	578	141	136	2	—	42	3	8	9	18	31	31	98	10	NOTTINGHAMshire. Mansfield.	

The DEATHS registered in the Year include

The DEATHS registered in the Year include																	
TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS of		DEATHS from								Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.	TOWNS.
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 Years).	Violence.				
DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)	39,170 21,744 33,839	1032 353 916	564 281 450	115 40 128	146 109 88	2 — 4	— — —	46 — 25	1 1 —	6 1 3	4 3 5	5 9 12	12 6 23	12 8 28	98 30 35	27 3 19	DERBYSHIRE. Chesterfield. Glossop. Ilkeston (Notts. Reg. Co.)
CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.)	39,278 45,964 33,670 34,857 26,109	829 1033 607 620 550	647 659 594 554 464	97 128 85 90 81	188 191 178 195 134	2 — 2 1 4	— — — — —	19 34 38 10 11	4 3 5 — 3	10 10 3 11 —	8 4 3 2 4	16 22 6 6 25	29 22 18 14 10	57 45 45 48 28	166 89 67 123 62	5 — — — —	CHESHIRE. Chester. Crewe. Hyde. Macclesfield. Stalybridge (Lancs. Reg. Co.)
LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton & Pendlebury. Waterloo with Seaforth. Widnes.	45,932 22,537 45,618 22,253 29,484 31,520 26,625 41,070 44,579 28,893 27,128 24,307 22,303 41,786 45,530 28,955 41,797 25,984 30,329 46,692 32,065 27,542 32,571	750 610 918 374 655 706 423 663 875 599 524 671 691 667 1117 501 618 428 554 658 679 602 933	634 362 779 364 411 447 348 592 632 465 444 431 423 541 843 423 436 421 458 493 434 371 619	78 94 150 38 81 93 49 75 98 101 63 108 122 91 184 47 56 62 71 60 101 51 133	209 64 217 114 103 135 111 180 176 116 124 72 55 161 171 131 118 129 145 171 92 114 122	3 3 3 1 2 2 3 3 6 3 2 2 2 4 5 1 1 1 3 3 3 3	— —	4 33 29 1 13 1 7 27 37 19 40 64 22 76 9 2 18 10 14 28 1 12	— 10 3 1 — 1 3 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	1 16 1 1 5 4 6 12 13 16 2 17 14 6 4 — 2 8 2 2 5 2 11 30	4 4 1 4 — 2 1 4 6 7 10 2 2 2 4 4 6 12 1 6 5 5 3 6	8 34 35 2 12 11 4 9 23 27 19 10 20 34 47 11 3 6 14 7 19 7 20	14 10 27 4 8 18 6 27 16 7 10 9 12 18 22 8 6 13 8 11 10 5 19	23 11 41 7 19 23 16 29 25 39 45 17 20 82 114 49 37 52 61 56 45 14 7 20	23 7 14 6 5 15 9 19 9 5 12 16 17 26 13 12 7 7 15 14 10 16 18	LANCASHIRE. Accrington. Ashton in Makerfield. Ashton under Lyne. Bacup. Chadderton. Chorley. Colne. Darwen. Eccles. Farnworth. Heywood. Hindley. Ince in Makerfield. Lancaster. Leigh. Middleton. Nelson. Radcliffe. Rawtenstall. Stretford. Swinton & Pendlebury. Waterloo with Seaforth. Widnes.	
YORKSHIRE (WEST RIDING). Batley. Brighouse. Castleford. Doncaster*. Goole. Harrogate.	36,949 20,533 25,074 51,591 21,639 35,540	746 350 664 1247 493 494	636 316 417 733 270 509	89 36 113 125 66 57	203 92 78 223 73 199	2 — 8 5 — 1	— — — — — —	27 31 43 11 2 21	— 1 2 4 — 1	17 — 15 6 10 4	17 15 1 14 15 2	10 2 44 9 7 —	38 6 27 36 36 35	96 36 38 114 38 63	— 4 — 9 — —	YORKSHIRE (W. RIDING). Batley. Brighouse. Castleford. Doncaster*. Goole. Harrogate.	

* As extended on 9th November 1914.

TABLE XIX (continued).—One hundred and forty-eight Smaller Towns.—Population ; Births and Deaths in the Year 1915.

TOWNS.	ESTIMATED POPULATION in the middle of 1914. (Old Estimates.)	BIRTHS.	DEATHS.	DEATHS OF		DEATHS FROM										TOWNS		
				Infants under 1 Year of Age.	Persons aged 65 Years and upwards.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Violence.	Inquest Cases.	Deaths in Public Institutions.	Uncertified Causes of Death.		
YORKSHIRE (WEST RIDING).— <i>continued.</i>																		
Keighley.	44,156	719	605	95	196	2	—	5	1	9	6	14	9	19	108	21	YORKSHIRE (W. RIDING)	
Morley.	24,507	482	327	64	103	4	—	—	1	6	2	7	12	20	29	—	<i>continued.</i>	
Shipley.	28,448	501	382	49	143	1	—	—	—	7	8	6	8	10	45	1	Keighley.	
Spenborough*.	31,750	411	299	45	100	1	—	12	1	4	—	6	7	15	25	1	Morley.	
Todmorden.	25,399	391	376	36	150	1	—	—	—	2	—	3	12	23	41	1	Shipley.	
																	Spenborough*.	
YORKSHIRE (NORTH RIDING).																	Todmorden.	
Eston*.	29,146	570	408	106	58	1	—	34	2	20	2	13	10	18	32	—	YORKSHIRE (N. RIDING).	
Scarborough.	36,890	564	536	48	247	1	—	10	—	1	15	7	14	38	124	—	Eston*.	
DURHAM.																	Scarborough.	
Blaydon.	35,086	1031	458	137	65	2	—	36	1	3	11	16	8	8	17	17	DURHAM.	
Felling.	25,916	737	436	89	102	2	—	16	5	1	1	37	10	13	34	27	Blaydon.	
Hartlepool.	19,882	544	362	53	85	2	—	13	3	7	2	6	25	30	70	2	Felling.	
Hebburn.	22,063	764	368	85	80	1	—	21	3	1	2	19	19	20	35	17	Hartlepool.	
Jarrow.	33,528	1036	733	154	157	1	—	65	1	14	7	34	22	26	80	42	Hebburn.	
Stanley.	26,683	797	370	104	55	—	—	37	1	8	3	9	7	7	13	8	Jarrow.	
																	Stanley.	
NORTHUMBERLAND.																	YORKSHIRE (W. RIDING)	
Ashington.	28,275	886	407	116	58	—	—	25	5	27	5	16	13	16	8	7	— <i>continued.</i>	
Bedlingtonshire.	27,762	756	347	95	78	2	—	19	—	12	3	21	18	20	9	7	continued.	
Blyth.	32,411	859	505	137	119	2	—	43	—	13	1	32	21	18	29	10	Ashington.	
Wallsend.	44,891	1307	688	169	137	—	—	83	4	24	3	25	14	19	53	21	Bedlingtonshire.	
																	Blyth.	
CUMBERLAND.																	Wallsend.	
Workington.	24,726	639	513	120	111	—	—	30	7	18	6	12	17	23	35	18	CUMBERLAND.	
MONMOUTHSHIRE.																	Workington.	
Abersychan.	27,052	702	326	99	66	—	—	3	3	8	2	3	9	14	27	5	MONMOUTHSHIRE.	
Abertillery.	40,101	1210	489	155	73	2	—	17	3	7	13	20	16	18	20	6	Abersychan.	
Bedwellty.	26,916	945	391	123	48	2	—	26	2	8	8	13	25	26	18	6	Abertillery.	
Ebbw Vale.	33,862	989	557	154	96	2	—	43	13	24	4	27	26	27	42	—	Bedwellty.	
Tredegar.	25,377	803	382	114	71	4	—	4	—	14	8	19	18	18	37	5	Ebbw Vale.	
																	Tredegar.	
GLAMORGANSHIRE.																	GLAMORGANSHIRE.	
Barry.	36,105	869	403	69	94	1	—	—	2	12	17	18	15	32	52	—	Barry.	
Caerphilly.	38,761	1121	434	138	79	1	—	22	—	7	8	6	33	33	25	—	Caerphilly.	
Gelligaer.	41,880	1374	594	170	78	1	—	42	2	20	10	19	22	32	34	3	Gelligaer.	
Maesteg.	28,444	859	404	119	63	—	—	10	2	17	3	19	15	20	19	—	Maesteg.	
Mountain Ash.	46,126	1329	641	173	86	1	—	24	2	34	9	33	33	42	29	7	Mountain Ash.	
Ogmore & Garw.	29,119	890	408	134	57	1	—	8	—	15	4	27	21	27	16	—	Ogmore & Garw.	
Pontypridd.	47,001	1357	603	163	118	2	—	15	—	13	6	18	43	64	77	—	Pontypridd.	

CAUSES OF DEATH.		Quarter ended					Fifty-two Weeks ended January 1st, 1916.													
		Quarter ended																		
		Apr. 3 (13 weeks.)	July 3 (13 weeks.)	Oct. 2 (13 weeks.)	Jan. 1 (13 weeks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 2.	2 and under 5.	5 and under 10.	10 and under 15.	15 and under 20.	20 and under 25.	25 and under 35.	35 and under 45.	45 and under 55.	55 and under 65.	65 and under 75.	75 and up- wards.	
ALL CAUSES		23158	17120	13937	18184	72399	11369	4015	3390	1728	964	1307	1636	3737	5597	7810	9388	10867	10591	
Enteric Fever	..	37	24	26	33	120	1	—	4	6	9	11	17	25	24	15	8	—	—	
Small-pox	3	—	—	—	3	—	—	1	—	—	—	—	—	—	—	2	—	—	
Measles	1120	946	131	75	2272	489	965	652	139	7	5	3	5	2	1	1	1	2	
Scarlet Fever	100	90	59	83	332	10	30	137	87	21	11	13	13	8	1	1	—	—	
Whooping cough	378	417	193	158	1146	474	360	275	36	—	—	—	—	6	—	—	—	—	
Diphtheria	199	136	136	228	699	50	88	288	217	33	6	3	5	—	—	—	—	—	
Croup	4	3	—	3	10	2	1	4	3	—	—	—	—	—	—	—	—	—	
Influenza	672	219	41	124	1056	32	14	16	11	8	20	24	52	91	142	178	232	236	
Erysipelas	55	43	33	48	179	33	5	2	—	3	1	4	8	15	22	22	31	33	
Other Epidemic Diseases	..	67	44	38	35	184	12	7	12	2	2	5	10	28	24	29	26	17	10	
Pyæmia and Septicæmia	..	24	20	26	31	101	14	6	5	2	4	6	4	9	13	12	14	8	4	
Tetanus	3	1	1	4	9	4	—	—	—	—	—	1	1	1	1	—	1	—	
Tuberculosis:—	..	2089	1597	1361	1735	6782	59	63	127	102	160	448	582	1301	1594	1340	672	277	57	
Pulmonary Tuberculosis	..	209	217	219	167	812	138	158	240	148	52	40	12	8	9	5	2	—	—	
Tuberculous Meningitis	..	69	89	89	72	319	92	52	49	29	24	10	5	14	20	13	7	4	—	
Abdominal Tuberculosis	..	25	19	14	18	76	1	3	2	8	7	12	3	2	11	8	8	4	1	
Tuberculosis of the Spine	..	8	12	5	13	38	—	—	2	7	7	2	4	2	4	3	3	2	2	
Tuberculosis of the Joints	20	26	14	14	74	6	2	6	3	3	3	3	8	12	8	5	12	3	
Tuberculosis of Other Organs	..	83	86	65	72	306	50	47	51	48	20	19	19	16	7	10	12	5	2	
Disseminated Tuberculosis	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
Venereal Diseases	..	100	67	57	71	295	176	18	2	—	—	1	2	16	30	22	16	11	1	
Cancer	1340	1281	1338	1289	5248	2	3	7	10	9	18	15	133	438	1091	1512	1350	650	
Tumour, situation undefined	9	12	14	14	49	2	1	3	—	—	—	—	3	5	8	6	12	9	
Rheumatic Fever	69	67	37	63	236	1	1	7	30	42	31	19	30	27	25	13	7	—	
Diabetes	168	119	109	110	506	—	1	1	7	6	10	17	34	34	79	140	132	45	
Anæmia, Leucocythæmia	..	70	60	64	58	252	2	6	4	13	5	10	11	20	40	49	51	36	5	
Other General Diseases	..	143	119	91	144	500	40	45	18	7	2	9	10	26	17	51	72	108	95	
Alcoholism	12	14	15	12	53	—	—	—	—	—	—	1	5	15	18	9	5	—	
Chronic Poisonings	..	2	4	1	—	7	—	—	—	—	—	—	—	—	3	—	2	2	—	
Cerebro-Spinal Fever	70	109	39	23	241	53	17	25	21	22	24	31	25	10	10	3	—	—	
Simple Meningitis	180	155	90	90	515	148	78	80	72	29	19	12	24	12	18	11	7	5	
Cerebral Hæmorrhage, Apoplexy	..	738	527	502	672	2439	3	1	4	2	1	3	5	16	99	313	552	782	658	
Softening of Brain	44	42	25	32	143	—	—	—	—	—	1	—	2	11	20	34	125	35	
Paralysis, without specified cause	..	103	74	78	92	350	—	—	1	—	2	2	—	5	8	29	62	116	116	
Epilepsy	111	90	76	102	379	3	1	3	9	5	25	26	59	70	55	53	44	26	
"Convulsions" (not Puerperal)	..	157	142	127	114	540	452	63	18	3	2	—	1	—	—	—	1	—	—	
Other Diseases of Nervous System	377	312	240	347	1276	15	7	24	30	24	27	30	111	256	278	227	163	84	

TABLE XX. (continued).—London.—Deaths from **Different Causes** in each **Quarter** of **1915**, and in several **Groups** of **Ages** during the **52 Weeks** of **1915**.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended January 1st, 1916.													
	Apr. 3 (13 weeks.)	July 3 (13 weeks.)	Oct. 2 (13 weeks.)	Jan. 1 (13 weeks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 2.	2 and under 5.	5 and under 10.	10 and under 15.	15 and under 20.	20 and under 25.	25 and under 35.	35 and under 45.	45 and under 55.	55 and under 65.	65 and under 75.	75 and up- wards.
Pericarditis	34	25	23	24	106	4	3	10	14	10	8	7	6	7	13	9	12	3
Acute Endocarditis	69	77	50	49	245	—	—	6	12	22	32	29	33	34	40	32	5	—
Organic Disease of Heart	2330	1672	1359	2057	7418	4	1	11	69	127	128	105	302	586	1020	1606	1962	1500
Embolism and Thrombosis (includ- ing Cerebral).	140	109	97	106	452	—	—	4	3	4	3	3	12	14	38	78	156	132
Other Diseases of Circulatory System	508	361	302	406	1577	41	11	8	6	7	5	4	25	61	173	284	471	481
Diseases of the Larynx	30	23	13	22	88	18	13	26	7	1	—	—	3	6	5	3	3	3
Bronchitis	3117	1333	604	1944	6998	764	217	110	18	5	9	21	66	247	490	1088	1747	2216
Broncho-Pneumonia	1355	822	356	899	3442	1278	794	471	78	21	12	5	29	60	113	153	227	201
Lobar Pneumonia	533	480	251	450	1714	78	83	85	44	17	37	52	164	232	299	281	213	129
Pneumonia (type not distinguished)	686	516	265	498	1965	280	179	122	52	20	41	28	120	180	260	262	248	173
Pleurisy	55	56	43	67	221	10	14	16	10	2	2	7	15	24	28	38	36	19
Pulmonary Congestion, Pulmonary Apoplexy.	71	50	31	62	214	28	8	5	1	—	2	—	3	9	12	15	36	95
Other Diseases of Respiratory System	218	81	62	150	511	2	3	4	2	—	7	7	16	53	112	127	114	64
Diseases of the Pharynx, Tonsillitis ..	23	19	18	22	87	11	10	10	12	5	5	5	5	4	6	5	1	8
Diseases of Stomach	194	132	149	152	627	126	11	13	4	1	7	10	56	77	113	93	71	45
Diarrhoea and Enteritis	330	295	1514	944	3083	2122	420	123	22	5	23	33	40	53	28	31	14	83
Appendicitis and Typhlitis	65	67	85	54	271	1	—	9	36	27	8	8	27	35	53	109	119	7
Hernia and Intestinal Obstruction ..	178	133	115	132	558	54	9	14	9	8	2	4	33	40	53	172	116	94
Cirrhosis of Liver	182	143	181	142	648	1	1	1	—	1	2	2	19	15	203	34	54	31
Other Diseases of Liver	52	47	33	47	179	4	—	3	—	2	2	3	11	10	32	9	10	19
Other Diseases of Liver	28	25	21	16	90	11	4	6	6	4	1	5	12	12	9	9	10	3
Peritonitis (cause unknown)	58	58	40	50	206	20	9	8	8	3	5	5	13	23	23	34	29	26
Other Diseases of Digestive System ..																		
Acute Nephritis	65	49	40	59	213	13	6	17	11	6	9	12	24	27	36	25	18	9
Chronic Bright's Disease	602	461	365	525	1953	—	—	2	6	11	18	33	70	177	422	486	483	245
Urinary Calculi	12	9	6	6	33	—	—	—	—	—	—	2	3	6	5	5	5	5
Uterine Tumour (non-cancerous) ..	10	14	9	11	44	—	—	—	—	—	—	—	2	1	20	5	6	3
Ovarian Tumour	7	7	5	12	31	—	—	—	—	—	—	1	3	4	4	14	6	2
Other Diseases of Genito-urinary System.	162	138	115	167	582	10	2	2	1	4	1	9	28	41	63	88	160	173
Puerperal Fever, &c.	42	36	17	29	124	—	—	—	—	—	3	24	58	39	—	—	—	—
Other Causes incident to Childbirth	42	35	36	35	148	—	—	—	—	—	1	17	63	61	6	—	—	—

TABLE XX. (continued).—London.—Deaths from Different Causes in each Quarter of 1915 and in several Groups of Ages during the 52 Weeks of 1915.

CAUSES OF DEATH.	Quarter ended				Fifty-two Weeks ended January 1st, 1916.													
	Apr. 3 (13 weeks.)	July 3 (13 weeks.)	Oct. 2 (13 weeks.)	Jan. 1 (13 weeks.)	TOTAL AT ALL AGES.	Under 1 Year.	1 and under 2.	2 and under 5.	5 and under 10.	10 and under 15.	15 and under 20.	20 and under 25.	25 and under 35.	35 and under 45.	45 and under 55.	55 and under 65.	65 and under 75.	75 and up- wards.
Diseases of Skin and Cellular Tissue	161	116	82	126	485	64	15	8	2	4	1	3	14	18	37	73	107	139
Diseases of Locomotor System ..	28	24	20	31	103	10	6	8	10	14	5	4	6	6	5	11	13	5
Congenital Malformations	125	116	126	149	516	453	14	12	15	9	1	3	3	3	1	2	—	—
Premature Birth	510	416	384	473	1783	1783	—	—	—	—	—	—	—	—	—	—	—	—
Debility, Atrophy, Marasmus (Infants).	288	223	237	277	1025	1025	—	—	—	—	—	—	—	—	—	—	—	—
Old Age	980	711	540	778	3009	—	—	—	—	—	—	—	—	—	—	63	615	2331
ACCIDENT.																		
Poisons or Poisonous Vapours ..	12	16	18	14	60	—	2	2	—	—	—	7	8	13	12	7	7	2
Conflagration	2	1	4	3	10	1	1	4	—	—	—	—	1	—	—	1	1	1
Burns and Scalds	109	59	44	67	279	16	50	82	33	8	6	1	9	4	9	20	20	21
Drowning	33	58	76	36	203	3	3	4	35	8	—	11	24	34	23	13	1	—
Suffocation in bed	79	47	23	45	194	189	3	—	—	—	—	—	—	1	—	—	—	—
Other Deaths by Accident ..	422	553	532	597	2104	50	24	79	120	72	104	219	300	244	230	217	212	233
Total Deaths from Accident ..	657	734	697	762	2850	259	83	171	188	88	119	238	342	296	286	268	254	258
Included in above are deaths in connection with:—																		
Railways	24	13	16	27	80	—	—	—	2	1	11	5	16	18	15	10	1	1
Vehicles and Horses	112	148	160	210	630	1	4	40	97	46	17	21	46	59	86	92	86	35
Ships, Boats, Docks	7	10	5	11	33	—	—	—	—	—	1	2	9	6	7	6	2	—
Building Operations	6	7	11	4	28	—	—	—	—	—	—	—	5	3	11	8	1	—
VIOLENCE OTHER THAN ACCIDENTAL.																		
Homicide	15	14	12	10	51	12	1	2	1	—	1	3	13	11	4	—	1	2
Suicide	87	121	98	90	396	—	—	—	—	—	9	27	59	102	77	75	40	7
Execution	—	1	6	4	11	—	—	—	—	—	—	2	5	—	3	1	—	—
Other Specified Diseases	197	160	153	171	681	512	15	19	27	26	16	18	17	15	9	5	2	—
Ill-defined Causes	46	18	20	30	114	5	38	14	2	1	—	3	5	2	13	16	14	1

TABLE XXI.—**LONDON** and the **METROPOLITAN BOROUGHs**.—**Births** and **Deaths** of **Persons** belonging to **London** and the **Metropolitan Boroughs** during the **52 Weeks** ended **1st January, 1916**.*

BOROUGHs.	Population estimated to the middle of 1914. (Old Estimates.)†	Births.	Deaths from									Deaths under 1 year of Age.
			All Causes.	Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping cough.	Diphtheria.	Diarrhoea and Enteritis (under 2 years).	Pulmonary Tuberculosis.	
COUNTY OF LONDON	4,516,612	101,649	72,399	120	3	2272	332	1146	699	2542	6782	11369
West.												
PADDINGTON	142,055	2746	2266	6	—	93	11	31	20	91	189	316
KENSINGTON	170,817	3118	2607	2	—	111	11	21	16	69	193	367
HAMMERSMITH	124,750	2707	1932	2	—	47	13	27	14	45	197	275
FULHAM	158,849	3870	2349	5	3	122	20	50	27	75	197	445
CHELSEA	63,791	1099	1116	—	—	40	5	8	6	17	110	106
CITY OF WESTMINSTER	152,346	1969	2229	4	—	38	11	11	12	39	205	182
North.												
ST. MARYLEBONE ..	112,892	1823	1700	2	—	53	9	16	8	46	134	181
HAMPSTEAD	86,731	1317	1014	1	—	22	2	6	10	17	55	103
ST. PANCRAS	212,497	4755	3527	8	—	64	22	51	24	102	415	496
ISLINGTON	324,764	7544	5555	5	—	152	40	105	58	164	525	812
STOKE NEWINGTON ..	50,454	916	778	2	—	24	7	7	9	7	55	94
HACKNEY	223,724	4844	3259	6	—	67	7	43	29	122	309	526
Central.												
HOLBORN	45,861	672	759	1	—	19	1	12	11	13	80	68
FINSBURY	83,212	2198	1643	1	—	54	10	45	9	83	169	281
CITY OF LONDON ..	17,129	150	308	—	—	4	—	1	3	3	20	18
East.												
SHOREDITCH	108,869	3114	2052	3	—	68	11	36	22	130	260	450
BETHNAL GREEN ..	127,662	3514	2110	4	—	101	11	41	39	135	199	430
STEPNEY	273,265	7512	4603	3	—	111	29	53	72	236	520	867
POPLAR	160,222	4742	3046	5	—	118	9	72	34	173	252	628
South.												
SOUTHWARK	186,941	5239	3727	3	—	131	12	46	37	148	389	693
BERMONDSEY	124,213	3547	2504	3	—	110	9	79	21	134	239	527
LAMBETH	296,724	6571	4944	13	—	102	19	49	45	139	460	693
BATTERSEA	167,338	3824	2648	6	—	164	9	77	29	79	240	428
WANDSWORTH	338,998	6278	4195	9	—	165	22	66	54	117	335	589
CAMBERWELL	262,020	6149	3918	6	—	95	8	40	30	146	366	635
DEPTFORD	109,182	2956	1948	4	—	55	9	65	10	96	173	390
GREENWICH	96,037	2335	1710	8	—	46	3	43	14	46	165	237
LEWISHAM	172,433	3317	2124	3	—	51	5	29	16	39	155	267
WOOLWICH	122,836	2823	1828	5	—	45	7	16	20	31	196	265

* For the purpose of this table the Births registered in London have been corrected by distributing those which occurred in the principal institutions receiving maternity cases to the boroughs in which the mothers resided. In 1592 cases the residence was outside the County of London and these cases have been excluded. On the other hand 53 births that occurred outside the County have been included. With regard to the Deaths of London residents, all transferable deaths (*i.e.*, those of persons who, having a fixed or usual residence in England and Wales, die in a district other than that in which they resided) occurring in Greater London and in certain Metropolitan Institutions outside Greater London have been distributed to the Metropolitan Borough to which the deceased belonged. Of the deaths registered in London the previous residence was outside the county in 3529 cases, while, on the other hand, the deaths of 3507 London residents occurred in the Outer Ring or in Metropolitan Institutions outside Greater London.

† See Note * to Table II.

TABLE XXII.—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Population in the middle of 1914 (Old Estimates). †	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
Great Towns.											
LONDON	4,516,612	30,821	607	4	11	13§	16,974	9094	—	3842	276
CROYDON	181,956	712	21	—	—	—	407	191	—	81	12
WIMBLEDON	59,598	344	13	—	—	—	184	117	—	28	2
EALING	71,030	557	10	—	—	—	454	56	—	36	1
ACTON	64,369	271	4	—	—	—	157	73	—	36	1
WILLESDEN	167,922	758	9	—	—	—	438	228	—	78	5
HORNSEY	88,953	342	18	—	—	—	177	108	—	34	5
TOTTENHAM	149,495	836	8	—	—	—	514	233	—	79	2
EDMONTON	71,024	531	13	—	—	—	305	110	—	96	7
ENFIELD	61,069	296	17	—	—	—	146	94	—	37	2
WEST HAM.. .. .	296,570	1499	54	—	—	—	733	476	—	228	8
EAST HAM	146,526	808	5	—	—	—	496	207	—	96	4
LEYTON	133,719	726	8	—	—	—	465	168	—	79	6
WALTHAMSTOW	134,825	669	11	—	—	—	316	266	—	73	3
ILFORD	91,041	396	4	—	—	—	223	124	—	45	—
GILLINGHAM	55,559	258	5	—	—	—	132	86	—	32	3
HASTINGS	59,620	216	1	—	—	—	97	89	—	26	3
EASTBOURNE	55,662	345	5	—	—	—	175	144	—	16	5
BRIGHTON	133,936	420	18	—	—	—	219	120	—	61	2
PORTSMOUTH†	245,827	1957	95	—	1	—	832	908	—	115	6
BOURNEMOUTH	85,904	228	2	—	—	—	117	84	—	25	—
SOUTHAMPTON	123,948	860	25	—	—	—	426	346	—	58	5
READING	90,083	333	17	—	—	—	198	57	—	49	12
OXFORD	54,339	93	4	—	—	—	42	24	—	21	2
NORTHAMPTON	91,123	1113	18	—	—	—	685	306	—	96	8
CAMBRIDGE	57,676	167	2	—	—	—	76	69	—	16	4
SOUTHEND ON SEA	83,908	272	7	—	—	—	159	70	—	29	7
IPSWICH	76,472	704	16	—	—	—	542	102	—	41	3
GREAT YARMOUTH	57,502	286	14	—	—	—	112	123	—	36	1
NORWICH	124,107	624	23	—	—	—	240	305	—	49	7
SWINDON	52,750	560	4	—	—	—	440	67	—	47	2
EXETER	60,788	173	20	—	—	—	64	62	—	25	2
PLYMOUTH	212,421	1015	81	—	1	—	380	350	—	194	9
BATH	70,292	371	7	—	—	—	191	119	—	51	3
BRISTOL	363,312	1935	45	—	—	29	1071	502	—	260	28
GLOUCESTER	50,759	238	1	—	—	—	96	104	—	35	2
STOKE ON TRENT	241,430	2075	48	—	—	—	871	933	—	202	21
WOLVERHAMPTON	95,725	414	3	—	—	—	206	140	—	63	2
WALSALL	94,093	398	8	—	—	—	236	68	—	81	5
WEST BROMWICH	69,430	203	1	—	—	—	108	54	—	34	6
DUDLEY	51,895	292	3	—	—	—	242	3	—	43	1
BIRMINGHAM	868,430	5307	37	—	—	—	3141	1237	—	735	157
SMETHWICK	76,314	366	—	—	—	—	252	57	—	48	9
COVENTRY.. .. .	119,003	966	7	—	—	—	654	209	—	89	7
LEICESTER.. .. .	232,664	856	14	—	—	—	333	153	—	335	21
LINCOLN	60,243	221	3	—	—	—	118	59	—	40	1
GRIMSBY	78,667	255	14	—	—	—	145	80	—	14	2
NOTTINGHAM	266,918	1676	29	—	1	—	1235	182	—	221	8
DERBY	126,389	1230	16	—	—	—	815	296	—	93	10
STOCKPORT	126,040	876	26	—	—	—	685	98	—	63	4
BIRKENHEAD	137,710	518	20	—	—	—	300	80	—	106	12
WALLASEY.. .. .	87,175	347	14	—	—	—	208	88	—	35	2
LIVERPOOL	767,992	5128	105	37	—	—	2975	1206	—	751	54
BOOTLE	73,230	400	16	—	—	—	269	72	—	40	3
ST. HELENS	100,775	901	28	—	—	—	505	282	—	75	11
SOUTHPORT	71,747	430	5	—	—	—	303	74	—	42	6
WIGAN	91,491	1776	45	—	—	—	1608	37	—	81	5
WARRINGTON	74,923	1134	36	—	—	—	944	90	—	59	5
BOLTON	185,247	952	48	—	—	—	575	178	—	149	2
BURY	59,213	265	10	—	—	—	156	48	—	48	3
MANCHESTER	738,538	4335	173	—	—	—	2995	572	—	492	103
SALFORD	234,976	1502	79	—	—	1	996	235	—	169	22
OLDHAM	151,644	799	11	—	—	20	535	85	—	137	11
ROCHDALE.. .. .	94,320	752	22	—	—	—	137	513	—	80	—
BURNLEY	110,040	670	21	—	—	—	414	102	—	126	7
BLACKBURN	134,387	617	44	—	—	—	460	39	—	69	5
PRESTON	118,514	1024	44	—	—	—	692	197	—	82	9

* The figures in this Table, excepting those for London, which are derived from Table XXIII., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† See Note * to Table II.

‡ The figures for Southsea District of Portsmouth are—population (1911), 25,380; enteric fever, 5; typhus, nil; continued fever, nil; small-pox, nil; scarlet fever, 69; diphtheria (including membranous croup), 80; erysipelas, 7; and puerperal fever, nil.

§ Two of these cases were subsequently found not to be cases of small-pox.

TABLE XXII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Population in the middle of 1914 (Old Estimates).	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
BLACKPOOL	62,206	420	34	—	—	—	318	33	—	27	8
BARROW IN FURNESS	65,921	364	2	—	—	—	177	118	—	67	—
HUDDERSFIELD	112,265	613	8	—	—	—	373	173	—	57	2
HALIFAX	100,373	438	26	—	1	—	264	87	—	58	2
BRADFORD	291,482	1284	96	—	—	—	497	424	—	237	30
LEEDS	459,260	2314	108	—	—	1	1441	396	—	347	21
DEWSBURY	54,083	254	8	—	—	3	195	18	—	28	4
WAKEFIELD	52,643	190	16	—	—	—	51	93	—	26	4
BARNSELY	53,929	254	7	—	—	—	153	43	—	48	2
SHEFFIELD	477,228	3709	63	—	—	—	2172	1020	—	391	63
ROTHERHAM	65,313	509	32	—	—	—	337	85	—	47	8
YORK	83,802	400	14	—	—	—	246	104	—	30	6
HULL	291,118	1518	91	—	1	—	574	649	—	184	19
MIDDLESBROUGH	126,452	664	16	—	—	—	328	259	—	58	1
DARLINGTON†	61,441	350	7	—	—	—	162	135	—	44	1
STOCKTON ON TEES	59,311	329	13	—	—	—	187	91	—	34	4
WEST HARTLEPOOL	64,374	165	11	—	—	—	77	40	—	36	1
SUNDERLAND	152,927	482	15	—	—	—	254	108	—	95	10
SOUTH SHIELDS	111,357	1028	9	—	1	—	922	34	—	58	4
GATESHEAD	119,362	651	24	—	—	—	446	81	—	95	5
NEWCASTLE ON TYNE	273,415	1866	90	1	4	—	1337	243	—	170	23
TYNEMOUTH	61,408	362	122	1	1	—	130	61	—	45	2
CARLISLE	52,813	707	2	—	—	—	564	68	—	72	1
NEWPORT (MON.)	89,404	360	10	—	—	—	202	92	—	47	1
CARDIFF	188,495	1361	20	—	1	—	752	472	—	104	12
RHONDDA	166,365	922	31	—	4	—	572	205	—	88	22
MERTHYR TYDFIL	85,082	310	6	—	—	—	186	51	—	60	—
ABERDARE	53,427	430	9	—	—	—	322	57	—	39	—
SWANSEA	121,665	500	10	—	—	—	297	129	—	61	—
Smaller Towns.											
SURREY.											
BARNES.. .. .	34,745	198	3	—	—	—	137	42	—	10	—
GUILDFORD	24,927	87	—	—	—	—	56	22	—	7	—
KINGSTON ON THAMES	39,227	121	10	—	1	—	55	16	—	33	—
MITCHAM‡	34,682	186	3	—	—	—	100	65	—	18	—
REIGATE	29,375	216	1	—	—	—	178	24	—	12	—
RICHMOND	33,760	177	4	—	—	—	123	40	—	9	—
SUTTON	22,678	54	—	—	—	—	31	16	—	5	—
WOKING	27,055	49	6	—	—	—	19	12	—	11	—
KENT.											
BECKENHAM	33,572	101	3	—	—	—	53	32	—	12	—
BROMLEY	35,820	255	3	—	—	—	109	115	—	24	—
CANTERBURY.. .. .	24,531	240	6	—	—	—	94	119	—	20	—
CHATHAM	44,057	246	4	—	—	—	119	96	—	26	—
DARTFORD	25,336	228	8	—	—	—	174	23	—	23	—
DOVER	43,984	253	59	—	—	—	136	37	—	20	—
ERITH	28,604	360	3	—	—	—	231	104	—	21	—
FOLKESTONE	33,968	182	8	—	—	1	79	71	—	21	—
GRAVESEND	28,435	189	7	—	—	1	62	91	—	28	—
MAIDSTONE	36,157	152	15	—	—	—	81	28	—	28	—
MARGATE	29,965	115	6	—	1	—	51	47	—	10	—
PENGE (Surrey Reg. Co.)	22,283	80	—	—	—	—	49	24	—	7	—
RAMSGATE	30,254	182	11	—	—	—	44	66	—	60	—
ROCHESTER	31,660	173	3	—	—	—	75	72	—	21	—
TUNBRIDGE WELLS	36,506	112	1	—	—	—	18	82	—	9	—
SUSSEX, EAST.											
HOVE	44,134	95	2	—	—	—	46	19	—	24	—
SUSSEX, WEST.											
WORTHING	32,997	136	1	—	—	—	66	62	—	6	—
SOUTHAMPTON.											
ALDERSHOT (Surrey Reg. Co.)	36,637	247	2	—	—	—	182	59	—	4	—
GOSPORT AND ALVERSTOKE	34,838	221	2	—	—	—	65	132	—	21	—
WINCHESTER	24,230	132	8	—	—	—	76	41	—	2	—

* The figures in this table, excepting those for London, which are derived from Table XXIII. are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.
† The number of cases notified for Darlington include those for the area as extended from 1st April 1915.
‡ Number of cases for 39 weeks commencing 4th April, 1915.

TABLE XXII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Population in the middle of 1914. (Old Estimates.)	Total Cases,	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
MIDDLESEX.											
CHISWICK	41,858	128	2	—	—	—	54	44	—	26	2
FINCHLEY	45,435	282	4	—	—	—	162	79	—	32	5
HENDON	44,496	206	6	—	—	—	113	63	—	22	2
HESTON & ISLEWORTH	47,644	225	—	—	—	1	96	92	—	29	7
SOUTHALL NORWOOD ..	30,889	157	5	—	—	—	110	29	—	13	—
SOUTHGATE	40,090	155	2	—	—	—	90	43	—	19	1
TWICKENHAM	32,281	94	1	—	—	—	32	50	—	10	1
WOOD GREEN	54,635	299	3	—	—	—	150	101	—	43	2
HERTFORDSHIRE.											
ST. ALBANS	26,203	125	—	—	—	—	96	15	—	12	2
WATFORD	44,943	198	3	—	—	—	98	75	—	18	4
BUCKINGHAMSHIRE.											
CHEPPING WYCOMBE ..	21,323	154	1	—	—	—	125	19	—	7	2
NORTHAMPTONSHIRE.											
KETTERING	30,431	191	2	—	—	—	64	93	—	30	2
SOKE OF PETERBOROUGH.											
PETERBOROUGH	34,514	224	2	—	—	—	191	15	—	14	2
BEDFORDSHIRE.											
BEDFORD	40,588	291	1	—	—	—	134	132	—	18	6
LUTON	54,700	495	8	—	—	—	130	304	—	50	3
ESSEX.											
BARKING TOWN	34,685	265	5	—	—	—	138	74	—	48	—
COLCHESTER	45,219	371	10	—	—	—	274	43	—	43	1
SUFFOLK, EAST.											
LOWESTOFT	35,143	146	17	—	—	—	47	65	—	16	1
NORFOLK.											
KING'S LYNN	20,171	218	7	—	—	—	186	12	—	12	1
WILTSHIRE.											
SALISBURY	21,576	153	3	—	—	—	98	37	—	14	1
DORSETSHIRE.											
POOLE	42,826	138	6	—	—	—	77	33	—	19	3
WEYMOUTH AND MEL- COMBE REGIS.	23,187	31	5	—	—	—	12	6	—	5	3
DEVONSHIRE.											
TORQUAY	40,561	144	1	—	—	—	42	98	—	2	1
SOMERSETSHIRE.											
TAUNTON	23,074	100	1	—	—	—	38	54	—	7	—
WESTON SUPER MARE ..	24,414	100	2	—	—	—	57	34	—	7	—
GLOUCESTERSHIRE.											
CHELTENHAM	48,769	322	7	—	—	—	211	55	—	46	3
HEREFORDSHIRE.											
HEREFORD	22,981	115	3	—	—	—	59	19	—	34	—
SHROPSHIRE.											
SHREWSBURY	29,735	144	1	—	—	—	57	67	—	18	1

* The figures in this table, excepting those for London, which are derived from Table XXIII., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE XXII. (*continued*).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Population in the middle of 1914. (Old Estimates.)	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Group).	Cholera.	Erysipelas.	Puerperal Fever.
STAFFORDSHIRE.											
BILSTON	26,254	82	1	—	—	—	50	10	—	21	—
BURTON UPON TRENT ..	47,528	185	1	—	—	—	100	44	—	38	2
CANNOCK	30,191	179	—	—	—	—	133	22	—	19	5
COSELEY	23,048	86	8	—	—	—	47	8	—	22	1
NEWCASTLE UNDER LYME	20,301	210	7	—	—	—	153	41	—	7	2
ROWLEY REGIS	37,811	148	8	—	—	—	99	16	—	24	1
STAFFORD	24,249	177	1	—	—	—	138	23	—	15	—
TIPTON	32,178	91	—	—	—	—	31	21	—	30	2
WEDNESBURY	28,642	60	3	—	—	—	20	16	—	15	6
WOLSTANTON UNITED ..	28,967	311	2	—	—	—	252	43	—	12	2
WORCESTERSHIRE.											
KIDDERMINSTER	27,583	66	—	—	—	—	37	16	—	13	—
OLDBURY (Staffs. Reg. Co.)	34,682	223	2	—	—	—	157	27	—	35	2
WORCESTER	49,735	191	6	—	—	—	83	75	—	23	4
WARWICKSHIRE.											
NUNEATON	41,275	113	—	—	—	—	83	12	—	16	2
ROYAL LEAMINGTON SPA	26,652	85	3	—	—	—	42	27	—	13	—
RUGBY	23,472	194	3	—	—	1	149	17	—	20	4
SUTTON COLDFIELD (Staffs. Reg. Co.).	22,173	97	1	—	—	—	78	13	—	3	2
LEICESTERSHIRE.											
LOUGHBOROUGH	23,506	121	2	—	—	—	85	18	—	16	—
LINCOLNSHIRE (KESTEVEN)											
GRANTHAM	20,932	132	4	—	—	—	62	52	—	13	1
LINCOLNSHIRE (LINDSEY).											
CLEETHORPE-WITH- THRUNSCOE.	24,492	93	3	—	—	—	30	48	—	12	—
GAINSBOROUGH	21,605	95	3	—	—	—	73	—	—	19	—
NOTTINGHAMSHIRE.											
MANSFIELD	42,261	292	5	—	1	—	148	87	—	44	7
SUTTON-IN-ASHFIELD ..	24,090	78	12	—	—	—	41	13	—	12	—
WORKSOP	21,874	101	—	—	—	—	81	16	—	4	—
DERBYSHIRE.											
CHESTERFIELD	39,170	237	7	—	—	—	126	80	—	21	3
GLOSSOP	21,744	129	3	—	—	—	103	9	—	11	3
ILKESTON (Notts. Reg. Co.)	33,839	217	11	—	—	—	128	71	—	6	1
CHESHIRE.											
CHESTER	39,278	147	1	—	—	—	57	73	—	12	4
CREWE	45,964	287	3	—	—	1	184	73	—	24	2
HYDE	33,670	186	4	—	—	—	115	12	—	50	5
MACCLESFIELD	34,857	109	7	—	—	—	65	19	—	15	3
STALYBRIDGE (Lancs. Reg. Co.).	26,109	105	8	—	—	—	75	7	—	14	1
LANCASHIRE.											
ACCINGTON	45,692	140	12	—	—	—	74	13	—	38	3
ASHTON IN MAKERFIELD	22,537	300	7	—	—	—	237	29	—	23	4
ASHTON UNDER LYNE ..	45,618	192	9	—	—	—	140	12	—	31	—
BACUP	22,253	96	2	—	—	—	57	10	—	26	1
CHADDERTON	29,484	122	2	—	—	—	89	14	—	13	4
CHORLEY	31,520	85	6	—	1	—	56	4	—	18	—
COLNE	26,625	154	10	—	—	—	118	9	—	15	2
DARWEN	41,070	197	6	—	—	—	155	16	—	18	2
ECCLES	44,579	249	16	—	—	—	145	70	—	17	1
FARNWORTH	28,898	150	9	—	—	—	76	37	—	27	1
HEYWOOD	27,128	235	3	—	—	—	171	40	—	21	—

* The figures in this table, excepting those for London, which are derived from Table XXIII., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

TABLE XXII. (continued).—NUMBER of CASES of INFECTIOUS DISEASE NOTIFIED in certain LARGE TOWNS of ENGLAND and WALES during the 52 Weeks ended 1st January, 1916.*

CITIES, BOROUGHES, and URBAN DISTRICTS.	Estimated Population in the middle of 1914. (Old Estimates).	Total Cases.	Enteric Fever.	Typhus.	Continued Fever.	Small-pox.	Scarlet Fever.	Diphtheria (includ- ing Membranous Croup).	Cholera.	Erysipelas.	Puerperal Fever
LANCASHIRE—cont.											
HINDLEY	24,307	234	6	—	—	—	189	14	—	24	1
INCE IN MAKERFIELD ..	22,303	360	6	—	—	—	324	9	—	18	3
LANCASTER	41,786	141	17	—	—	—	61	29	—	33	1
LEIGH	45,530	525	23	—	—	—	390	45	—	64	3
MIDDLETON	28,955	148	9	—	—	—	86	31	—	21	1
NELSON	41,797	515	1	—	—	—	408	83	—	23	—
RADCLIFFE	25,984	182	4	—	—	—	156	9	—	13	—
RAWTENSTALL	30,329	94	17	—	—	—	33	30	—	13	1
STRETTFORD	46,692	220	6	—	—	—	163	30	—	19	2
SWINTON & PENDLEBURY	32,065	252	22	—	—	—	134	51	—	44	1
WATERLOO WITH SEA- FORTH.	27,542	206	4	—	1	—	136	39	—	26	—
WIDNES	32,571	210	15	—	—	—	156	31	—	7	1
YORKSHIRE (W. RIDING).											
BATLEY	36,949	246	14	—	—	—	118	98	—	16	—
BRIGHOUSE	20,533	177	2	—	—	—	58	99	—	16	2
CASTLEFORD	25,074	122	15	—	—	—	87	4	—	16	—
DONCASTER	51,591	379	16	—	—	—	231	84	—	42	6
GOOLE	21,639	170	1	—	—	—	38	117	—	14	—
HARROGATE	35,540	111	2	—	—	—	69	27	—	13	—
KEIGHLEY	44,156	95	6	—	—	—	14	53	—	21	1
MORLEY	24,507	101	18	—	—	—	34	22	—	26	1
SHIPLEY	28,448	81	—	—	—	—	32	40	—	9	—
SPENBOROUGH†	31,750	62	4	—	—	—	33	13	—	11	1
TODMORDEN	25,399	87	8	—	—	—	45	10	—	22	2
YORKSHIRE (N. RIDING).											
ESTON‡	29,146	97	3	—	2	—	55	24	—	12	1
SCARBOROUGH	36,890	181	4	—	—	—	107	56	—	13	1
DURHAM.											
BLAYDON	35,086	237	6	—	—	—	149	63	—	17	2
FELLING	25,916	123	3	—	—	—	100	2	—	17	1
HARTLEPOOL	19,882	68	2	—	—	—	35	12	—	19	—
HEBBURN	22,063	154	8	1	—	—	108	13	—	24	—
JARROW	33,528	177	5	—	—	—	114	40	—	18	—
STANLEY	26,683	201	—	—	—	—	162	35	—	4	—
NORTHUMBERLAND.											
ASHINGTON	28,275	394	3	—	1	—	285	88	—	15	2
BEDLINGTONSHIRE ..	27,762	72	14	—	—	—	25	19	—	14	—
BLYTH	32,411	102	7	—	—	—	54	20	—	20	1
WALLSEND	44,891	302	3	—	—	—	229	49	—	20	1
CUMBERLAND.											
WORKINGTON	24,726	271	5	—	—	—	207	41	—	18	—
SOMERSETSHIRE.											
ABERSYCHAN	27,052	387	6	—	—	—	343	16	—	20	2
ABERTILLERY	40,101	295	8	—	—	—	232	41	—	13	1
BEDWELLY	26,916	199	4	—	—	—	123	57	—	14	1
EBBW VALE	33,862	810	9	—	—	—	750	7	—	39	5
TREDEGAR	25,377	397	17	—	—	—	261	85	—	26	8
GLAMORGANSHIRE.											
BARRY	36,105	409	18	—	—	—	202	154	—	30	5
CAERPHILLY	38,761	218	4	—	—	—	125	81	—	5	3
GELLIGAER	41,880	236	10	—	—	—	157	54	—	13	2
MAESTEG	28,444	439	1	—	—	—	390	34	—	14	—
MOUNTAIN ASH	46,126	249	6	—	—	—	154	48	—	37	4
OGMORE AND GARW ..	29,119	244	15	—	—	—	172	42	—	13	2
PONTYPRIDD	47,001	116	5	—	—	—	60	35	—	15	1
SOUTH-WALES.											
CARDIFF.											
LLANELLY	34,316	445	2	—	—	—	395	24	—	15	9

* The figures in this table, excepting those for London, which are derived from Table XXIII., are compiled and furnished to the Registrar-General by the Medical Officer of the Local Government Board.

† Number of cases for 39 weeks commencing 4th April, 1915.

‡ The number of cases notified for Eston include those for the area as extended from 1st April, 1915.

TABLE XXIV.—METEOROLOGICAL TABLE for LONDON, 1915.

(Deduced from Observations at Greenwich, under the Superintendence of the Astronomer Royal.)

1915.		Baro- meter.	Air Temperature.							Hygrometer.				Earth Temperature.		Bright Sunshine.				
			Mean Pressure at Station Level.* (Bar. 159 ft. above M.S.L.)	Mean of		Mean of A and B.	Difference from Average.†	Absolute Maximum and Minimum.		Mean of Observations at 9 a.m. and 9 p.m.*			At 1 foot depth.	At 3 ft. 2 in. depth.	Daily Mean.	Difference from Average.†	Per cent. of Possible.			
				Maximum. A	Minimum. B			Maximum.	Day of Month.	Minimum.	Day of Month.	Dry Bulb.						Depression of Wet Bulb.	Vapour Pressure.	Humidity.
..	° F. 43.6	° F. 35.7	° F. 39.7	° F. +1.1	° F. 53	° F. 13	° F. 22	° F. 23	° F. 39.3	° F. 1.5	mb. 7.2	% 88	° F. 43.3	hrs. 1.13	% 13			
January	° F. 46.4	° F. 35.0	° F. 40.7	° F. +1.1	° F. 52	° F. 4	° F. 26	° F. 25	° F. 39.9	° F. 1.8	° F. 7.1	% 86	° F. 42.1	° F. 2.75	° F. 28			
February	° F. 48.1	° F. 35.7	° F. 41.9	° F. 0.0	° F. 59	° F. 23	° F. 26	° F. 29	° F. 41.4	° F. 2.4	° F. 7.2	% 82	° F. 42.6	° F. 2.87	° F. 24			
March	° F. 55.4	° F. 38.2	° F. 46.8	° F. -0.4	° F. 72	° F. 30	° F. 29	° F. 18	° F. 46.9	° F. 3.8	° F. 8.1	% 75	° F. 44.6	° F. 5.33	° F. 39			
April	° F. 63.9	° F. 43.4	° F. 53.7	° F. +0.6	° F. 76	° F. 26	° F. 34	° F. 31	° F. 53.5	° F. 4.0	° F. 10.4	% 75	° F. 50.9	° F. 6.90	° F. 45			
May	° F. 70.6	° F. 49.0	° F. 59.8	° F. +0.6	° F. 87	° F. 8	° F. 37	° F. 1	° F. 58.7	° F. 4.3	° F. 12.5	% 76	° F. 57.5	° F. 7.27	° F. 44			
June	° F. 71.4	° F. 52.7	° F. 62.0	° F. -0.4	° F. 87	° F. 4	° F. 45	° F. 13	° F. 61.0	° F. 4.0	° F. 13.9	% 78	° F. 60.5	° F. 6.42	° F. 40			
July	° F. 71.4	° F. 53.8	° F. 62.6	° F. +1.1	° F. 77	° F. 1	° F. 44	° F. 30	° F. 61.0	° F. 3.4	° F. 14.5	% 81	° F. 61.6	° F. 5.23	° F. 36			
August	° F. 67.7	° F. 48.2	° F. 58.0	° F. +0.9	° F. 79	° F. 17	° F. 37	° F. 30	° F. 57.1	° F. 3.3	° F. 12.6	% 80	° F. 59.7	° F. 6.20	° F. 49			
September	° F. 56.8	° F. 42.6	° F. 49.7	° F. -0.4	° F. 68	° F. 12	° F. 32	° F. 30	° F. 48.6	° F. 1.7	° F. 10.2	% 89	° F. 55.0	° F. 2.29	° F. 21			
October	° F. 44.8	° F. 33.8	° F. 39.3	° F. -4.2	° F. 58	° F. 12	° F. 23	° F. 27	° F. 38.7	° F. 1.6	° F. 6.9	% 87	° F. 47.8	° F. 1.83	° F. 21			
November	° F. 48.3	° F. 39.3	° F. 43.8	° F. +3.6	° F. 56	° F. 10	° F. 29	° F. 13	° F. 44.1	° F. 1.8	° F. 8.5	% 87	° F. 44.9	° F. 1.16	° F. 15			
December	° F. 48.3	° F. 39.3	° F. 43.8	° F. +3.6	° F. 56	° F. 10	° F. 29	° F. 13	° F. 44.1	° F. 1.8	° F. 8.5	% 87	° F. 44.9	° F. 1.16	° F. 15			
Year	° F. 57.4	° F. 42.3	° F. 49.9	° F. +0.4	° F. —	° F. —	° F. —	° F. —	° F. 49.2	° F. 2.8	° F. 10.0	% 82	° F. 50.9	° F. 4.12	° F. 34			

* The hours of observation are 9 a.m. and 9 p.m. local time.

† The averages used are obtained from observations extending over 65 years for Rain, 75 years for Temperature, and 18 years for Sunshine.
 Pressure is expressed in millibars (1000 mb. = 29.531 mercury-inches). Wind Force.—Beaufort Scale (0-12) is used. The Summary is obtained from the records of a cup anemograph having 5 in. cups and 15 in. arms The factor used is 3. Winds above 37 miles per hour are reckoned as gales and winds between 21 and 37 miles per hour as moderate or strong winds.

TABLE XXIV.—continued.

1915.	Cloud.	Rain and other forms of Precipitation.			Weather. Number of days of								Wind. Number of Observations at 9 a.m., 3 p.m. and 9 p.m.											
		Total Fall.	Difference from Average.†	Most in a day.	Day of Month.	Precipitation (0.2 mm. and above).	Precipitation (1 mm. and above).	Snow.	Hail.	Thunderstorm.	Clear Sky.†	Overcast.†	Fog.	Wind force 8 and above.	Force (0-12).			Direction.						
															Amount.	Force 8 or more.	Moderate and Strong Wind. Force (4-7).	Calm.	N.	N.E.	E.	S.E.	S.	S.W.
January	..	mm. 93	mm. + 45	mm. 24	22	21	14	4	0	0	1	18	6	1	22	10	7	7	3	3	10	32	12	9
February	..	81	+ 43	12	8, 13	19	15	3	1	0	0	10	6	0	22	8	3	1	2	17	25	15	4	9
March	..	20	- 19	4	2	12	7	7	2	0	1	16	3	0	10	16	12	13	4	1	9	21	6	11
April	..	31	- 9	7	12	12	7	0	1	0	3	11	7	0	12	13	12	15	7	2	6	21	9	5
May	..	83	+ 34	37	13	7	5	0	0	0	6	8	1	0	5	11	11	32	19	5	5	7	2	1
June	..	14	- 38	3	30	9	6	0	0	1	5	8	3	0	0	18	5	16	21	2	8	17	2	1
July	..	78	+ 17	16	16, 22	14	13	0	0	1	0	9	0	0	8	7	5	0	1	1	14	39	21	5
August	..	82	+ 23	19	10	15	11	0	1	1	3	12	8	0	1	23	11	3	2	3	9	22	15	5
September	..	51	- 4	42	28	6	4	0	0	0	6	5	1	0	1	7	13	3	21	4	5	25	8	4
October	..	50	- 21	18	31	12	7	0	1	0	0	13	5	0	3	24	15	11	16	10	6	8	2	1
November	..	62	+ 6	17	11	8	8	2	0	0	5	10	5	0	6	9	21	13	3	3	8	16	8	9
December	..	131	+ 85	16	9	24	21	1	0	0	1	14	0	1	22	6	7	4	5	6	27	26	8	4
Year	..	776	+ 162	—	—	159	118	17	6	3	31	14	45	2	112	152	122	118	104	57	132	249	97	64

† A day is reckoned as a day of "clear sky" if the average of the estimates of the fraction of sky covered by cloud at 9 a.m., 3 p.m., and 9 p.m. is less than .2, and as an "overcast day" if the average is .2 or more.

TABLE XXV.—**Births and Deaths in London and in certain Colonial and Foreign Cities, 1915.**

Note.—The figures in this table are compiled from the weekly returns.

CITIES.	POPULATION (estimated).*	BIRTHS. (Excluding Still-born.)	DEATHS.	PRINCIPAL EPIDEMIC DISEASES.							
				Enteric Fever.	Small-pox.	Measles.	Scarlet Fever.	Whooping- cough.	Diphtheria and Croup.	Diarrhoea and Enteritis (under 2 years).	
LONDON	4,516,612	101,649	72,399	120	3	2,272	332	1,146	709	2,542	
CALCUTTA	896,067	—	25,661†	?	2,516	?	?	?	?	?	
BOMBAY	979,445	20,000	23,613†	105	360	70	?	11	6	1,559‡	
MADRAS	518,660	18,371	18,784†	73	89	77	?	?	?	1,836‡	
PARIS	2,847,229	30,577	42,966	196	—	883	125	216	132	1,015	
BRUSSELS	—	—	—	—	—	—	—	—	—	—	
ANTWERP.. ..	—	—	—	—	—	—	—	—	—	—	
AMSTERDAM ..	612,482	13,200	7,019	20	—	93	20	132	54	87	
COPENHAGEN ..	494,000	11,172	6,773	11	—	27	32	37	33	133§	
STOCKHOLM ..	386,270	7,028	4,919	6	—	23	42	49	35	41§	
GÖTEBERG	181,503	—	2,337	8	—	—	11	34	83	24§	
CHRISTIANIA ..	250,677	5,423	2,954	4	—	1	11	15	19	72‡	
ST. PETROGRAD..	—	—	—	—	—	—	—	—	—	—	
MOSCOW	1,694,000	—	—	—	—	—	—	—	—	—	
BERLIN	1,958,719	30,031	41,308	163	—	294	251	225	723	?	
HAMBURG(51wks.)	1,048,870	16,212	19,990	87	—	125	127	185	532	?	
LEIPZIG (51 wks.)	665,122	10,429	7,875	16	—	55	60	100	339	?	
MUNICH (51 wks.)	665,988	10,071	9,190	11	—	76	28	51	118	?	
DRESDEN	574,772	8,356	6,820	13	—	55	54	31	134	?	
COLOGNE (51 wks.)	653,806	13,298	12,812	95	—	139	58	189	297	?	
BRESLAU	509,824	11,217	9,447	30	—	77	77	94	287	?	
FRANKFORT ON MAIN (51 wks.)	460,175	6,660	4,634	7	—	57	25	60	94	?	
VIENNA (51 wks.)	2,167,287	27,622	36,169	558	?	266	283	141	445	?	
PRAGUE	—	—	—	—	—	—	—	—	—	—	
BUDAPEST	—	—	—	—	—	—	—	—	—	—	
TRIESTE (50 wks.)	244,655	4,082	4,778	51	—	20	12	26	38	?	
BUCAREST	342,427	—	—	—	—	—	—	—	—	—	
NEW YORK	5,806,532	141,256	76,193	332	—	630	291	397	1,278	?	
CHICAGO	2,447,045	—	—	—	—	—	—	—	—	—	
NEW ORLEANS..	373,000	—	7,752	79	5	3	2	19	111	346	
RIO DE JANEIRO	964,201	—	—	—	—	—	—	—	—	—	
CAIRO :—											
Egyptians ..	657,451	—	—	—	—	—	—	—	—	—	
Foreigners ..	72,952	—	—	—	—	—	—	—	—	—	
ALEXANDRIA :—											
Egyptians ..	344,239	—	—	—	—	—	—	—	—	—	
Foreigners ..	77,569	—	—	—	—	—	—	—	—	—	

* These populations relate, as far as possible, to the middle of the year.

† Including 191 deaths from *plague* in Calcutta and 588 in Bombay; and 1,590 deaths from *cholera* in Calcutta, 16 in Bombay and 35 in Madras.

‡ All ages.

§ Under 1 year.

ENGLAND AND WALES,—CAUSES OF DEATH AT DIFFERE

[illegible]

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
1,012,08	1,727,428	2,072,594	2,025,1798	2,476,1,986	2,964,2,437	3,239,2,670	3,786,3,122	4,517,3,729	5,249,4,401	6,256,5,539	6,475,6,685	7,243,8,551	6,217,8,221	4,177,5,835	2,697,4,544	All Causes.
16 11	19 20	44 21	26 15	19 17	20 7	25 9	15 9	8 4	17 7	1 3	1 2	— 1	— 1	— —	— —	1
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	2
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	3
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	2	1	1	5	1	—	1	—	1	1	—	—	1	—	4
—	1	—	—	—	1	—	1	—	—	—	—	—	—	1	—	5
10 7	34 6	33 8	13 7	8 3	1 1	2 2	— 1	— —	— —	— —	— —	— —	2	—	1	6
21 38	24 13	16 8	11 5	6 6	4 8	1 —	1 —	— —	— 2	— —	— —	— —	— —	— —	— —	7
— 1	— 1	—	—	— 1	—	—	—	—	1	—	—	—	— 1	—	—	8
56 73	16 13	3 4	1 5	3 9	1 7	1 1	1 1	1 2	— 2	1 1	—	—	—	—	—	9
56 73	16 13	3 4	1 5	3 9	1 7	1 1	1 1	1 2	— 2	1 1	—	—	—	—	—	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
36 37	69 49	83 55	98 75	111 78	156 91	135 94	162 111	196 144	229 176	281 251	267 367	342 473	286 463	184 334	118 236	10
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	11
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	12
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	13
—	—	2	7	6	4	3	2	3	3	3	4	1	3	—	—	14
—	2	1	4	4	7	6	5	7	7	5	3	5	10	1	—	15
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	16
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	17

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
18	Erysipelas ... { M	194	7	12	4	5	28	3	1	—	1	33	
	... { F	151	3	10	1	7	21	1	1	—	—	23	
19	Other epidemic diseases. { M	28	—	2	5	4	11	4	4	4	1	24	
	... { F	34	—	—	3	9	12	7	6	1	3	29	
	A. Mumps ... { M	4	—	—	—	—	—	—	1	—	1	2	
	... { F	3	—	—	—	—	—	—	1	—	1	2	
	B. German measles. { M	12	—	—	2	—	2	3	2	3	—	10	
	... { F	12	—	—	1	3	4	3	1	1	2	11	
	C. Varicella ... { M	12	—	2	3	4	9	1	1	1	—	12	
	... { F	19	—	—	2	6	8	4	4	—	—	16	
	D. Other diseases included under 19. { M	—	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
20	Pyæmia, Septicæmia. { M	135	7	2	1	—	10	1	3	—	1	15	
	... { F	50	4	2	—	2	8	—	2	—	—	10	
	A. Pyæmia ... { M	27	2	1	—	—	3	—	—	—	—	3	
	... { F	10	1	1	—	1	3	—	—	—	—	3	
	B. Septicæmia ... { M	108	5	1	1	—	7	1	3	—	1	12	
	... { F	40	3	1	—	1	5	—	2	—	—	7	
	C. Vaccinia ... { M	—	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
21	Glanders ... { M	—	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
22	Anthrax (Splenic Fever.) { M	5	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
23	Rabies ... { M	—	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
24	Tetanus ... { M	24	2	—	—	—	2	—	—	1	1	4	
	... { F	10	4	—	—	—	4	—	—	—	—	4	
25	Mycoses ... { M	12	—	—	—	—	—	—	—	—	—	—	
	... { F	2	—	—	—	—	—	—	—	—	—	—	
	A. Actinomycosis { M	10	—	—	—	—	—	—	—	—	—	—	
	... { F	1	—	—	—	—	—	—	—	—	—	—	
	B. Other mycoses { M	2	—	—	—	—	—	—	—	—	—	—	
	... { F	1	—	—	—	—	—	—	—	—	—	—	
26	Pellagra ... { M	1	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
27	Beri-beri ... { M	—	—	—	—	—	—	—	—	—	—	—	
	... { F	—	—	—	—	—	—	—	—	—	—	—	
28	Pulmonary tuber- { M	6,133	—	—	5	29	34	31	26	10	12	113	
	culosis (notacute). { F	4,442	1	1	2	11	15	33	18	13	9	88	
	A. Pulmonary tuberculosis. { M	4,173	—	—	3	26	29	28	21	7	11	96	
	... { F	2,969	1	—	2	9	12	28	17	10	5	72	
	B. Phthisis (not defined as tuberculous). { M	1,960	—	—	2	3	5	3	5	3	1	17	
	... { F	1,473	—	1	—	2	3	5	1	3	4	16	

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards		
5 1	4 3	3 6	4 —	6 2	11 7	6 5	13 4	15 11	15 9	21 18	12 14	21 13	15 11	7 18	3 3	}	18
1 —	— —	2 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —		}
1 —	— —	1 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
9 2	9 3	7 2	5 3	2 1	7 2	11 1	12 4	10 1	9 6	13 1	7 6	5 2	6 2	1 —	3 —	}	
2 1	2 1	1 —	1 —	1 —	2 —	2 1	2 —	3 —	4 2	— —	1 —	1 —	— —	— —	1 —		}
7 1	7 2	6 2	4 3	1 1	5 2	9 —	10 4	7 1	5 4	13 1	6 6	4 2	6 2	1 —	2 —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
— —	— —	— —	1 —	1 —	— —	1 —	1 —	1 —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
1 —	4 1	1 —	2 1	2 —	3 1	2 —	1 1	1 —	2 —	— 1	— —	— 1	— —	— —	— —		}
— 1	1 —	2 —	1 —	2 —	2 —	2 —	— —	— —	1 —	— 1	1 —	— —	— —	— —	— —	}	
— 1	1 —	2 —	1 —	2 —	2 —	— —	— —	— —	1 —	— —	1 —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	2 —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	
98 195	333 437	546 526	584 534	719 523	829 524	693 433	663 345	551 256	420 187	292 137	140 96	60 66	20 28	7 6	— 1		}
70 139	220 279	364 354	400 344	489 359	560 331	486 297	443 220	357 174	276 134	196 89	98 62	47 45	13 15	5 6	— 1	}	
28 56	113 158	182 172	184 190	230 164	269 193	207 136	220 125	194 82	144 53	96 48	42 34	13 21	7 13	2 —	— —		}

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
23 55	55 79	59 52	51 45	80 57	63 46	52 36	58 22	26 28	26 14	15 9	7 3	1 1	— —	2 —	— —	}	29
10 37	46 62	52 45	43 39	75 50	60 38	47 35	51 20	23 25	22 12	13 9	6 3	— 1	— —	2 —	— —		A
13 18	9 17	7 7	8 6	5 7	3 8	5 1	7 2	3 3	4 2	2 —	1 —	1 —	— —	— —	— —	}	B
52 45	31 25	14 9	10 7	10 8	6 6	3 1	4 2	1 1	1 1	1 —	— —	— —	1 —	— —	— —		30
28 46	29 16	21 14	21 13	9 11	11 12	6 14	5 10	9 9	4 6	2 1	— —	— —	— 1	— —	— —	}	31
3 2	2 —	1 —	— —	— —	1 1	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —		A
25 44	27 16	20 14	21 13	9 11	10 11	6 14	5 10	9 9	3 6	2 1	— —	— —	— 1	— —	— —	}	B
10 7	18 10	8 3	11 8	5 6	4 6	10 3	5 5	6 3	3 5	3 4	5 3	1 2	— 1	— 1	— 1		32
12 4	6 4	4 3	2 1	3 —	2 1	3 1	— 1	5 1	1 1	2 1	3 6	2 3	1 1	— 1	— —	}	33
3 1	7 4	7 8	4 3	9 12	5 6	2 9	6 9	8 4	6 2	5 3	3 4	11 8	4 3	— 1	— —		34
— —	— —	— 2	— 1	1 —	— —	— —	— —	— —	1 1	1 —	— 1	1 3	1 —	— —	— —	}	A
— —	— —	— —	— —	— —	— —	— —	— —	— 1	— —	1 —	— —	— —	1 —	— 1	— —		B
3 1	7 4	7 6	4 2	8 12	5 6	2 9	6 9	8 3	5 1	3 3	3 3	10 5	2 3	— —	— —	}	C
23 14	22 27	23 14	13 17	23 11	14 7	12 3	4 4	7 4	8 7	7 6	6 2	2 —	2 —	— 2	— —		35
249 367	501 602	682 629	696 628	858 628	934 608	781 500	745 398	613 306	469 223	327 161	164 114	77 80	28 34	9 11	— 2	}	28-35
— —	— —	— 1	1 —	— 2	— 3	— —	— 1	— 1	1 1	— 1	— —	— —	— —	— —	— —		36
— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	A
— —	— —	— —	1 —	— 2	— 3	— —	— 1	— 1	1 1	— 1	— —	— —	— —	— —	— —		B
— 2	2 4	1 5	5 9	9 7	15 8	17 8	15 11	19 10	13 8	13 5	5 10	1 5	3 1	— —	1 —	}	37

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	1	2	1	—	—	2	—	—	—	—	—	—	—	}	38
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	1	1	—	—	2	—	—	—	—	—	—	—	}	B
1	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	8	18	45	78	84	76	87	63	39	28	8	}	39
—	—	1	2	1	3	5	3	8	11	13	11	14	10	4	3		
—	—	1	4	13	26	70	123	183	252	294	294	189	130	58	14	}	40
1	—	4	11	14	35	61	94	141	218	261	273	261	144	62	26		
—	1	2	4	11	23	46	49	88	129	171	173	142	78	30	7	}	41
1	—	3	4	10	23	47	65	111	116	138	159	156	99	61	14		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	42
—	—	5	12	22	66	104	169	149	170	155	120	101	48	16	13		
—	—	—	—	—	—	1	2	1	1	—	4	1	1	—	1	}	43
—	—	—	7	23	48	79	122	136	117	124	106	104	53	45	24		
—	—	—	1	1	5	7	10	11	14	19	16	27	18	10	9	}	44
—	—	—	—	—	1	2	7	7	5	13	23	11	15	9	9		
5	9	14	23	32	26	48	76	104	145	149	121	108	79	26	8	}	45
5	10	11	9	14	25	28	52	52	77	86	66	71	50	18	6		
6	10	17	32	57	88	190	305	465	625	709	695	530	345	152	47	}	39-45
7	10	24	45	84	201	326	512	604	714	790	758	718	419	215	95		
—	—	—	—	1	1	2	—	2	1	2	3	2	4	2	—	}	46
—	1	—	1	2	1	3	2	6	3	4	2	3	2	2	3		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	1	2	—	2	1	2	3	2	4	2	—	}	C
—	1	—	1	2	1	3	2	6	3	4	2	3	2	2	3		
51	42	17	23	15	18	26	13	11	13	6	5	6	3	—	3	}	47
56	42	35	15	21	17	21	19	12	11	18	7	4	3	1	1		
—	1	1	1	1	2	7	10	18	34	40	55	48	44	26	8	}	48
—	2	1	—	4	8	12	20	17	24	57	66	81	56	32	18		
—	—	—	1	—	—	2	2	2	6	5	6	9	7	10	3	}	A
—	—	—	—	2	—	—	4	1	3	10	15	23	11	9	5		
—	1	1	—	1	2	4	5	11	11	17	28	14	23	10	1	}	B
—	2	1	—	2	8	12	15	14	19	41	45	52	42	22	10		
—	—	—	—	—	—	1	3	5	17	18	21	25	14	6	4	}	C
—	—	—	—	—	—	—	1	2	2	6	6	6	3	1	3		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
49	Scurvy ... { M F	4 6	— —	— 1	— 1	1 2	1 4	— 1	1 —	1 1	— —	3 6	—
50	Diabetes ... { M F	699 691	— —	— —	— —	1 —	1 —	1 —	— 3	1 1	2 2	5 6	1 1
51	Exophthalmic goître. { M F	9 117	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
52	Addison's disease ... { M F	23 33	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
53	Leucocythæmia, Lymphadenoma. { M F	102 83	— —	— —	— 1	— 2	— 3	1 —	— 1	— 2	1 1	2 7	—
	A. Leucocythæ- mia (Leuchæ- mia). { M F	61 54	— —	— —	— —	— 2	— 2	1 —	— 1	— 2	— 1	1 6	—
	B. Lymphade- noma. { M F	41 29	— —	— —	— 1	— —	— 1	— —	— —	— —	1 —	1 1	—
54	Anæmia, Chlorosis { M F	296 371	— —	— —	1 1	— —	1 1	1 3	1 2	1 —	— —	4 6	—
55	Other general diseases. { M F	80 81	11 8	4 2	1 —	3 5	19 15	2 3	3 5	1 3	2 —	27 26	—
	A. Diabetes insipidus { M F	8 1	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	B. Purpura ... { M F	42 58	3 4	3 2	1 —	3 4	10 10	1 2	2 5	1 2	2 —	16 19	—
	C. Hæmophilia... { M F	21 9	7 4	1 —	— —	— 1	8 5	1 1	1 —	— —	— —	10 6	—
	D. Other diseases included under 55. { M F	9 13	1 —	— —	— —	— —	1 —	— —	— —	— 1	— —	1 1	—
56	Alcoholism (acute or chronic). { M F	84 63	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
57	Chronic lead poisoning. { M F	24 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	A. Occupational lead poison- ing. { M F	23 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
	B. Non-occupa- tional lead poisoning. { M F	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
58	Other chronic occu- pational poison- ings. { M F	— 3	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	—
59	Other chronic poisonings. { M F	8 4	— —	— —	— —	1 —	1 —	— —	— —	— —	— —	1 —	—
60	Encephalitis ... { M F	49 41	1 —	— 1	— —	1 1	2 2	5 1	1 1	— —	1 2	9 6	—

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	}	49
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
24 21	24 15	16 19	18 17	35 21	36 30	45 23	40 26	63 39	80 79	87 95	88 104	69 98	38 50	16 29	5 8	}	50
—	1 6	— 7	— 7	— 12	— 15	— 10	5 17	— 17	1 13	1 6	— 3	1 3	— 1	— —	— —		
1 —	1 —	2 2	2 3	3 4	1 4	2 3	5 2	2 7	1 2	1 2	2 2	— 1	— —	— 1	— —	}	52
6 4	7 3	15 7	6 5	5 5	10 10	8 7	6 8	11 8	6 6	6 5	5 1	— 2	— —	— 1	— —		
5 3	4 —	9 4	3 2	2 3	7 5	4 6	3 6	8 5	4 4	4 4	2 1	— 2	— —	— —	— —	}	A
1 1	3 3	6 3	3 3	3 2	3 5	4 1	3 2	3 3	2 2	2 1	3 —	— —	— —	— 1	— —		
2 6	10 15	4 7	4 14	7 14	10 30	20 37	21 31	51 37	45 53	35 37	44 44	19 22	11 10	3 2	— —	}	54
7 4	5 5	7 4	1 1	5 3	2 4	2 1	6 4	2 3	2 6	3 5	3 1	2 5	— 2	1 1	— 1		
—	2 —	— —	— —	— —	— —	— —	2 —	— —	1 —	1 —	1 —	1 1	— —	— —	— —	}	A
3 4	1 3	3 3	1 1	2 1	2 4	1 1	3 2	2 2	1 5	1 2	2 1	1 3	— 2	1 1	— —		
3 —	2 2	2 1	— —	1 —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	C
1 —	— —	2 —	— —	2 2	— —	— —	1 2	— 1	— 1	1 3	— —	— 1	— —	— —	— 1		
—	—	— 1	2 1	10 6	14 6	8 7	11 14	12 9	11 9	7 5	7 3	1 1	— —	1 1	— —	}	56
—	—	1 —	2 —	3 —	3 —	2 —	3 —	4 —	1 —	3 —	2 —	— —	— —	— —	— —		
—	—	—	2 —	3 —	3 —	2 —	3 —	4 —	1 —	3 —	2 —	— —	— —	— —	— —	}	A
—	—	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		
—	2 —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	58
—	—	—	1 —	— —	— —	1 —	1 —	1 —	— 1	— 1	2 —	— 1	1 1	— —	— —		
1 4	4 1	2 —	8 —	3 —	— 5	6 1	2 6	2 2	4 5	1 1	1 1	2 5	1 1	— —	— —	}	60

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.
61	Meningitis ... { M	1,186	3	22	64	133	222	139	59	54	40	514
		F 744	5	17	43	86	151	95	56	41	21	364
	A. Cerebro-spinal fever. { M	509	—	3	8	21	32	17	11	13	7	80
		F 160	—	2	5	8	15	7	8	7	5	42
	B. Posterior basal meningitis. { M	36	1	—	5	10	16	6	3	1	—	26
		F 36	1	3	2	12	18	8	—	—	1	27
	C. Meningitis— other forms. { M	641	2	19	51	102	174	116	45	40	33	408
		F 548	4	12	36	66	118	80	48	34	15	295
62	Locomotor ataxy { M	192	—	—	—	—	—	—	—	—	—	—
		F 38	—	—	—	—	—	—	—	—	—	—
63	Other diseases of the spinal cord. { M	470	2	—	1	2	5	6	1	4	—	16
		F 388	—	—	2	2	4	4	5	2	1	16
	A. Diseases formerly classed to "Other nervous affectns" { M	160	—	—	—	—	—	—	—	—	—	—
		F 150	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 63. { M	310	2	—	1	2	5	6	1	4	—	16
		F 238	—	—	2	2	4	4	5	2	1	16
64	Cerebral hæmorrhage, Apoplexy. { M	3,419	3	—	—	4	7	1	1	1	2	12
		F 4,090	—	1	—	—	1	1	1	—	—	3
	A. Apoplexy ... { M	758	—	—	—	1	1	—	—	1	—	2
		F 853	—	—	—	—	—	—	—	—	—	—
	B. Serous apoplexy and Edema of brain. { M	16	—	—	—	—	—	—	—	—	1	1
		F 28	—	—	—	—	—	—	1	—	—	1
	C. Cerebral congestion. { M	16	3	—	—	1	4	1	1	—	—	6
		F 16	—	1	—	—	1	—	—	—	—	1
	D. Cerebral atheroma. { M	65	—	—	—	—	—	—	—	—	—	—
		F 54	—	—	—	—	—	—	—	—	—	—
	E. Cerebral hæmorrhage. { M	2,564	—	—	—	2	2	—	—	—	1	3
		F 3,139	—	—	—	—	—	1	—	—	—	1
65	Softening of brain { M	257	—	—	—	—	—	—	—	—	—	—
		F 216	—	—	—	—	—	—	—	—	—	—
66	Paralysis without specified cause. { M	379	—	—	—	—	—	—	1	—	—	1
		F 485	—	—	—	—	—	1	—	—	—	1
	A. Hemiplegia ... { M	312	—	—	—	—	—	—	1	—	—	1
		F 419	—	—	—	—	—	1	—	—	—	1
	B. Paraplegia ... { M	20	—	—	—	—	—	—	—	—	—	—
		F 25	—	—	—	—	—	—	—	—	—	—
	C. Other forms of paralysis. { M	47	—	—	—	—	—	—	—	—	—	—
		F 41	—	—	—	—	—	—	—	—	—	—
67	General paralysis of the insane. { M	526	—	—	—	—	—	—	—	—	—	—
		F 131	—	—	—	—	—	—	—	—	—	—
68	Other forms of mental alienation. { M	123	—	—	—	—	—	—	—	—	—	—
		F 186	—	—	—	—	—	—	—	—	—	—

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.															International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
145 47	135 22	61 17	42 16	34 13	18 17	14 21	14 20	17 10	9 8	10 —	5 6	1 6	1 5	1 4	}	61
109 19	124 10	52 5	35 4	21 4	11 10	7 4	4 1	4 5	2 2	2 —	1 1	— —	— —	— —		
1 2	2 1	1 —	— —	2 1	— —	— 1	— 2	— —	— —	— —	— —	— —	— —	— —	}	B
35 26	9 11	8 12	7 12	11 8	7 7	7 16	10 17	13 5	7 6	8 —	4 5	1 6	1 5	1 4		
— —	— —	1 —	5 —	8 2	21 3	26 3	33 6	26 9	31 5	18 7	14 2	9 —	— 1	— —	}	62
12 7	10 6	9 17	17 17	18 12	25 30	32 32	40 27	40 36	64 29	61 38	70 58	35 35	13 16	1 8		
5 1	3 1	1 2	1 3	1 2	3 5	4 4	10 7	12 10	22 11	30 22	34 38	24 26	8 11	1 7	}	A
7 6	7 5	8 15	16 14	17 10	22 25	28 28	30 20	28 26	42 18	31 16	36 20	11 9	5 5	— 1		
7 5	8 4	11 10	20 20	35 37	66 82	120 160	206 254	307 339	441 466	501 597	651 770	547 679	319 424	166 233	}	64
— 1	2 —	3 2	4 1	5 10	16 12	20 35	43 62	55 72	103 87	105 128	148 172	118 136	89 75	45 60		
— —	— 1	— —	— 1	— —	— 2	— 2	1 3	2 1	1 2	1 4	2 3	6 2	— 2	1 4	}	B
— 1	— —	1 1	— 1	— 1	— 1	1 2	1 1	1 1	1 1	2 1	1 —	— 2	1 —	1 —		
— —	— —	— —	— —	— 1	— 1	4 —	4 2	2 8	7 6	7 10	13 10	11 8	15 5	2 3	}	D
7 3	6 3	7 7	16 17	30 25	50 66	95 121	157 186	247 257	329 370	386 454	487 585	412 531	214 342	117 166		
1 1	1 1	1 —	— 1	2 3	3 7	12 6	8 7	26 15	42 17	46 38	41 35	38 40	21 27	14 18	}	65
1 —	1 —	— 1	5 2	5 7	2 5	10 18	25 19	28 27	46 50	59 63	77 93	66 101	36 62	17 36		
— —	— —	— 1	4 2	2 2	2 5	7 15	21 17	23 23	38 46	51 56	65 80	54 94	31 52	13 25	}	A
— —	— —	— —	— —	1 3	— —	1 3	1 —	— 2	3 2	4 3	5 3	3 3	2 2	— 4		
1 —	1 —	— —	1 —	2 2	— —	2 —	3 2	5 2	5 2	4 4	7 10	9 4	3 8	4 7	}	C
2 1	1 4	4 —	19 6	53 10	88 15	95 23	94 19	67 10	23 10	16 3	4 4	5 5	1 2	— —		
— 1	6 5	1 5	5 6	7 9	6 21	7 8	14 26	13 18	18 22	20 22	13 17	8 17	5 7	— 2	}	68

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFER

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.
69	Epilepsy ... { M	489	4	6	2	4	16	6	7	1	2	32
	... { F	422	—	1	2	4	7	11	1	1	3	23
70	Convulsions (non- { M	11	—	—	—	—	—	—	—	—	—	—
	puerperal; 5 { F	19	—	—	—	—	—	—	—	—	—	—
	years and over). { M	2	—	—	—	—	—	—	—	—	—	—
	A. Epileptiform { F	3	—	—	—	—	—	—	—	—	—	—
	convulsions. { M	9	—	—	—	—	—	—	—	—	—	—
	B. Others in- { F	16	—	—	—	—	—	—	—	—	—	—
	cluded under 70 { M	9	—	—	—	—	—	—	—	—	—	—
	... { F	16	—	—	—	—	—	—	—	—	—	—
71	Infantile convul- { M	1,626	497	302	239	321	1,359	202	42	14	9	1,626
	sions (under 5 { F	1,177	333	210	184	241	968	157	40	8	4	1,177
	years). { M	252	—	1	26	135	162	82	8	—	—	252
	A. Convulsions { F	201	—	1	19	94	114	80	7	—	—	201
	with teething. { M	1,374	497	301	213	186	1,197	120	34	14	9	1,374
	B. Other infantile { F	976	333	209	165	147	854	77	33	8	4	976
	convulsions. { M	1,374	497	301	213	186	1,197	120	34	14	9	1,374
	... { F	976	333	209	165	147	854	77	33	8	4	976
72	Chorea ... { M	16	—	—	—	—	—	—	—	—	—	—
	... { F	30	—	—	—	—	—	—	1	—	—	1
73	Hysteria, Neuralgia, { M	49	—	—	—	—	—	—	—	—	—	—
	Neuritis. { F	99	—	—	—	—	—	—	—	—	—	—
	A. Hysteria, Neu- { M	3	—	—	—	—	—	—	—	—	—	—
	ralgia, Sciatica. { F	8	—	—	—	—	—	—	—	—	—	—
	B. Neuritis ... { M	46	—	—	—	—	—	—	—	—	—	—
	... { F	91	—	—	—	—	—	—	—	—	—	—
74	Other diseases of the { M	309	1	1	4	5	11	2	7	6	1	27
	nervous system. { F	332	1	—	1	6	8	8	2	3	4	25
	A. Idiocy. { M	39	—	—	—	—	—	—	2	1	1	4
	Imbecility. { F	43	—	—	—	1	1	2	—	3	1	7
	B. Cretinism ... { M	7	—	—	—	—	—	—	1	2	—	3
	... { F	14	—	—	—	—	—	3	—	—	1	4
	C. Cerebral { M	128	—	—	—	1	1	—	3	2	—	6
	tumour. { F	133	—	—	—	—	—	—	1	—	1	2
	D. Other diseases { M	135	1	1	4	4	10	2	1	1	—	14
	included under { F	142	1	—	1	5	7	3	1	—	1	12
	74. { M	135	1	1	4	4	10	2	1	1	—	14
	... { F	142	1	—	1	5	7	3	1	—	1	12
75	Diseases of the eyes { M	9	—	1	—	—	1	1	1	—	—	3
	and annexa. { F	10	—	—	—	—	—	—	1	—	1	2
76	Diseases of the ears { M	212	2	3	9	29	43	21	14	2	5	85
	... { F	152	1	3	6	11	21	18	7	3	5	54
	A. Mastoid disease { M	51	—	—	1	8	9	4	5	—	—	18
	... { F	34	—	—	2	4	6	1	2	1	1	11
	B. Other diseases { M	161	2	3	8	21	34	17	9	2	5	67
	of the ears. { F	118	1	3	4	7	15	17	5	2	4	43
77	Pericarditis ... { M	93	—	1	2	1	4	2	4	1	1	12
	... { F	74	—	—	2	1	3	—	1	2	1	7

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
38 26	34 24	41 31	38 36	35 31	35 46	33 24	27 34	33 36	28 23	25 15	27 22	17 16	4 6	1 5	}	69
—	1	—	—	—	—	—	1	—	—	—	—	—	1	—		}
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	2	—	—	1	—	1	—	—	1	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
6 9	1 2	— 1	— 1	— —	— —	2 —	1 —	— 2	— —	— —	1 —	— —	— —	— —		}
—	1 2	— 1	— 2	4 7	6 16	4 15	5 13	6 10	6 9	9 7	2 9	3 4	2 4	—	}	
—	—	—	—	—	—	—	1	—	1	—	—	—	1	2		}
—	1 2	— 1	— 1	4 7	6 16	4 14	4 13	6 10	5 7	9 6	2 9	3 3	1 2	—	}	
14 17	14 17	15 13	16 14	20 16	23 30	16 22	27 27	18 20	22 22	18 13	19 19	16 21	8 8	3 4		}
6 2	6 4	5 3	1 2	2 1	1 1	— 1	2 4	— —	— —	— —	1 —	— —	— —	— —	}	
—	—	2	1	—	—	—	1	—	—	—	—	—	—	—		}
5 8	5 4	— 11	— 5	— 12	— 15	— 14	— 12	— 18	— 7	— 3	— 1	— 1	— —	— —	}	
3 2	3 6	1 2	3 3	2 2	3 4	8 10	4 8	6 7	11 10	15 14	15 11	17 14	15 20	8 8		}
—	—	1	—	1	—	1	—	—	1	—	—	—	—	—	}	
20 15	17 7	10 2	9 6	9 2	4 2	3 4	6 5	1 3	4 3	1 —	3 1	— —	— —	— —		}
3 6	4 5	6 —	3 1	1 —	3 1	2 —	— —	2 1	— —	— —	— —	— —	— —	— —	}	
16 18	16 10	11 7	7 1	8 6	6 1	2 2	3 4	4 4	— 3	4 3	1 —	3 1	— —	1 —		}
12 4	5 3	3 3	1 —	3 2	7 4	7 3	5 4	3 3	10 1	8 6	5 6	4 7	— 7	3 3	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFER

[illegible]

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.	
	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards		
4 9	18 18	20 19	16 21	18 21	16 13	20 29	29 23	29 30	36 35	6 5	6 3	3 5	3 2	1 3	1 —	}	78
2 —	2 1	3 2	1 2	3 3	2 1	5 7	3 9	11 12	13 13	3 3	1 —	1 2	2 1	— 2	— —		A
3 2	7 7	9 6	9 8	9 8	2 4	6 8	9 3	3 4	— 5	2 —	4 2	1 2	— —	— —	— —	}	B
9 17	9 10	8 11	6 11	6 10	12 8	9 14	17 11	15 14	23 17	1 2	1 1	1 1	1 1	1 1	1 —		C
58 24	82 117	106 114	95 153	150 190	185 241	292 343	370 431	547 610	771 774	1,006 1,064	1,140 1,276	1,212 1,501	857 1,253	437 669	239 362	}	79
84 87	53 71	63 76	59 96	102 119	106 148	157 195	181 222	253 281	339 369	415 471	428 498	479 539	296 447	148 232	74 122		A
— —	1 —	1 —	3 6	3 5	7 13	22 19	21 17	43 41	40 64	73 93	84 108	79 101	40 64	20 38	11 13	}	B
24 37	28 46	42 38	33 51	45 66	72 80	113 129	168 192	251 288	392 341	518 500	628 670	654 861	521 742	269 399	154 227		C
— —	— —	— —	— 1	2 —	4 1	5 4	16 6	23 3	37 10	46 21	56 23	32 29	15 15	7 9	2 3	}	80
1 —	1 1	— 1	5 2	10 2	21 3	39 3	81 13	85 39	133 56	203 94	246 146	311 225	261 239	172 157	90 166		81
1 —	— 1	— —	3 1	9 2	17 3	21 3	47 5	34 5	31 3	39 17	21 9	13 8	8 8	1 2	— 2	}	A
— —	1 —	— 1	1 1	1 —	4 —	12 —	33 8	49 34	101 53	161 76	223 135	294 214	249 229	171 152	90 163		B
— —	— —	— —	1 —	— —	— —	6 —	1 —	2 —	1 —	3 1	2 2	4 3	4 2	— 3	— 1	}	C
2 —	1 5	1 6	6 7	6 7	4 11	9 8	13 26	16 29	31 33	41 47	61 70	77 91	84 105	36 69	30 50		82
2 —	1 5	1 4	3 5	6 7	4 8	8 7	10 19	10 23	28 29	39 43	54 66	75 85	80 101	35 65	30 49	}	A
— —	— —	— 2	3 2	— —	— 3	1 1	3 7	6 6	3 4	2 4	7 4	2 6	4 4	1 4	— 1		B
— —	1 —	— 1	1 —	1 1	4 1	2 6	8 3	6 6	5 10	3 10	4 7	3 5	2 1	— 1	— 1	}	83
— —	— —	— 1	— —	1 —	— 1	1 2	6 2	6 4	3 4	3 7	3 4	3 2	1 1	— —	— —		A
— —	— —	— —	— —	— 1	4 —	1 3	2 1	— 2	2 6	— 3	1 3	— 3	1 —	— 1	— 1	}	B
— —	1 —	— —	— —	— —	— —	— 1	— —	— —	— —	— —	— —	— —	— —	— —	— —		C
— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	}	D

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5
84	Dis. of the lymphatic system (Lymphangitis, &c.).	{ M 79	3	11	11	15	40	13	5	3	1	62	
		{ F 45	5	5	9	4	23	5	2	1	1	32	
	A. Status lymphaticus.	{ M 52	3	10	10	9	32	8	3	1	—	44	
		{ F 31	3	5	8	4	20	3	1	1	1	26	
	B. Other diseases of the lymphatic system.	{ M 27	—	1	1	6	8	5	2	2	1	18	
		{ F 14	2	—	1	—	3	2	1	—	—	6	
85	Hæmorrhage, other dis. of the circulatory system.	{ M 38	—	—	—	1	1	—	—	—	—	1	
		{ F 41	—	—	—	—	—	—	—	—	—	—	
	A. Functional disease of the heart.	{ M 28	—	—	—	—	—	—	—	—	—	—	
		{ F 37	—	—	—	—	—	—	—	—	—	—	
	B. Epistaxis ...	{ M 2	—	—	—	1	1	—	—	—	—	1	
		{ F 2	—	—	—	—	—	—	—	—	—	—	
	C. Other diseases included under 85.	{ M 8	—	—	—	—	—	—	—	—	—	—	
		{ F 2	—	—	—	—	—	—	—	—	—	—	
	Diseases of the nasal fossæ.	{ M 11	2	2	—	1	5	—	1	—	—	6	
		{ F 13	—	3	2	1	6	2	—	1	—	9	
87	Diseases of the larynx	{ M 254	5	5	12	32	54	40	35	34	17	180	
		{ F 196	3	2	3	19	27	43	29	29	13	141	
	A. Laryngismus stridulus	{ M 62	3	—	6	16	25	10	13	3	4	55	
		{ F 35	3	—	—	6	9	8	6	4	4	31	
	B. Laryngitis ...	{ M 191	2	5	6	16	29	30	22	31	13	125	
		{ F 157	—	2	3	13	18	35	23	24	9	109	
	C. Other diseases of larynx.	{ M 1	—	—	—	—	—	—	—	—	—	—	
		{ F 4	—	—	—	—	—	—	—	1	—	1	
	Diseases of the thyroid body	{ M 17	—	—	—	—	—	—	1	—	—	1	
		{ F 87	—	—	—	—	—	1	—	1	—	2	
89 & 90	Bronchitis...	{ M 10,942	270	530	548	930	2,278	608	164	59	35	3,144	
		{ F 12,043	169	355	393	662	1,579	545	123	61	25	2,333	
	A. Bronchiectasis, Bronchial catarrh, &c.	{ M 168	7	6	8	9	30	6	1	1	—	38	
		{ F 159	7	4	5	9	25	8	—	4	—	37	
	B. Other bronchitis	{ M 10,774	263	524	540	921	2,248	602	163	58	35	3,106	
		{ F 11,884	162	351	388	653	1,554	537	123	57	25	2,296	
91	Broncho-pneumonia	{ M 5,472	77	329	509	1,453	2,368	1,362	423	185	88	4,426	1
		{ F 4,538	52	228	345	987	1,612	1,102	366	168	76	3,324	1
92	Pneumonia, lobar and undefined	{ M 5,056	26	82	138	344	590	382	146	99	54	1,271	1
		{ F 3,651	26	52	96	239	413	320	131	76	43	983	1
	A. Lobar pneumonia	{ M 2,013	3	23	29	75	130	84	44	31	16	305	
		{ F 1,411	5	5	16	57	83	76	38	25	11	233	
	B. Pneumonia (type not stated).	{ M 3,043	23	59	109	269	460	298	102	68	38	966	
		{ F 2,240	21	47	80	182	330	244	93	51	32	750	

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards,		
2	1	—	—	2	1	1	1	1	1	2	1	—	—	—	1	}	84
—	1	3	2	1	—	—	—	1	—	—	1	—	—	1	1		
2	1	—	—	1	1	—	—	—	—	—	—	—	—	—	—	}	A
—	1	1	—	1	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	1	1	1	1	2	1	—	—	—	1	}	B
—	—	2	2	—	—	—	—	1	—	—	1	—	—	1	1		
—	—	1	1	—	1	—	2	1	3	9	4	6	6	2	1	}	85
—	—	—	—	—	—	—	3	4	5	4	5	4	10	2	4		
—	—	1	—	—	1	—	1	1	3	6	4	4	5	1	1	}	A
—	—	—	—	—	—	—	2	4	3	4	5	4	10	2	3		
—	—	—	—	—	—	—	—	—	—	—	—	—	1	—	—	}	B
—	—	—	—	—	—	—	1	—	—	—	—	—	—	—	1		
—	—	—	1	—	—	—	1	—	—	3	—	2	—	1	—	}	C
—	—	—	—	—	—	—	—	—	2	—	—	—	—	—	—		
2	1	—	1	—	1	—	—	—	—	—	—	—	—	—	—	}	86
—	—	1	1	—	—	—	—	—	—	—	1	1	—	—	—		
6	1	2	2	3	3	—	5	2	3	3	3	—	2	1	1	}	87
3	1	—	1	2	3	1	6	1	1	2	1	—	1	—	—		
2	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	A
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
4	1	2	2	3	3	—	5	2	3	3	2	—	2	1	1	}	B
3	1	—	1	2	3	1	6	—	1	1	1	—	1	—	—		
—	—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	}	C
—	—	—	—	—	—	—	—	1	—	1	—	—	—	—	—		
—	3	—	1	1	1	—	3	4	—	1	1	—	1	—	—	}	88
1	4	1	3	2	4	6	11	9	2	7	20	9	3	2	1		
17	16	31	30	68	112	200	266	411	611	889	1,052	1,404	1,217	847	582	}	89 & 90
17	18	23	44	34	76	126	201	351	512	875	1,292	1,836	1,881	1,407	969		
3	4	4	4	3	6	9	4	13	11	8	13	16	6	9	16	}	A
2	2	3	2	2	1	1	1	7	6	9	5	21	17	24	17		
14	12	27	26	65	106	191	262	398	600	881	1,039	1,388	1,211	838	566	}	B
15	16	20	42	32	75	125	200	344	506	866	1,287	1,815	1,864	1,383	952		
15	21	31	24	33	50	43	72	71	80	101	115	98	92	57	31	}	91
27	7	10	12	20	31	33	35	76	94	121	144	168	149	102	56		
84	152	214	206	237	288	297	319	353	310	368	300	247	141	97	32	}	92
64	91	105	126	135	155	174	188	185	199	228	262	259	213	87	72		
47	75	111	102	116	140	143	163	177	147	149	124	87	43	22	8	}	A
37	47	56	64	74	77	87	88	90	92	104	107	95	72	29	17		
37	77	103	104	121	148	154	156	176	163	219	176	160	98	75	24	}	B
27	44	49	62	61	78	87	100	95	107	124	155	164	141	58	55		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

GE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																85 years and upwards.	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—			
2	8	14	13	17	16	13	12	14	15	23	27	17	6	8	—	}	93
—	3	5	6	5	11	12	11	11	14	20	19	23	11	5	4		
1	5	8	4	8	5	7	5	3	2	2	1	—	—	—	—	}	A
—	2	1	2	1	2	3	—	2	—	2	2	—	—	—	—		
1	3	6	9	9	11	6	7	11	13	21	26	17	6	8	—	}	B
—	1	4	4	4	9	9	11	9	14	18	17	23	11	5	4		
4	—	3	3	3	5	4	8	11	11	14	20	29	26	28	21	}	94
5	1	3	6	1	3	3	6	2	11	15	25	42	53	52	49		
—	—	—	1	—	—	—	1	1	—	1	—	—	—	—	—	}	A
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	1		
4	—	3	2	3	3	4	7	10	11	11	19	25	20	18	16	}	B
5	1	3	5	—	3	3	5	2	11	10	21	35	41	41	41		
—	—	—	—	—	2	—	—	—	—	2	1	4	6	10	5	}	C
—	—	—	—	1	—	—	1	—	—	5	4	7	12	11	7		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	1	—	1	1	4	—	3	3	1	2	—	—	—	—	—	}	95
—	—	—	—	—	—	1	—	—	—	—	—	1	1	—	—		
3	3	3	10	15	27	30	53	53	75	79	78	60	34	20	6	}	96
—	1	4	10	10	17	19	31	40	62	55	61	62	30	24	6		
—	1	—	—	4	4	5	7	13	17	29	22	23	16	8	1	}	97
—	—	—	—	—	2	1	6	1	7	17	10	11	8	8	4		
—	4	2	1	5	8	12	11	17	15	23	9	5	5	3	—	}	98
1	1	1	—	—	3	1	5	5	5	7	4	11	5	1	3		
—	2	—	—	2	4	10	8	10	10	14	8	1	2	1	—	}	A
—	1	—	—	—	—	—	2	2	1	4	4	6	3	1	1		
—	2	2	1	3	4	2	3	7	5	9	1	4	3	2	—	}	B
1	—	1	—	—	3	1	3	3	4	3	—	5	2	—	2		
1	2	1	1	3	—	1	1	1	2	5	—	1	2	—	—	}	99
1	—	3	1	2	2	1	2	—	2	1	1	3	1	1	—		
1	2	1	—	3	—	1	1	—	2	5	—	1	2	—	—	}	A
—	—	3	1	2	1	1	2	—	2	1	1	3	—	1	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	B
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	—	—	—	—	1	—	—	—	—	—	—	—	—	1	—	}	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	1	—	—	—	—	1	—	—	—	—	—	—	—	}	D
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
100	Diseases of the pharynx, Tonsillitis.	M 114	3	—	2	4	9	6	12	7	5	39	16	
		F 107	—	1	1	8	10	12	2	3	5	32	23	
	A. Tonsillitis ...	M 81	1	—	—	1	2	4	11	4	4	25	14	
		F 72	—	—	—	1	1	7	1	3	4	16	20	
	B. Ludwig's angina.	M 5	—	—	—	1	1	—	—	1	—	2	—	
		F 8	—	—	—	—	—	2	—	—	1	3	—	
	C. Other diseases of the pharynx.	M 28	2	—	2	2	6	2	1	2	1	12	—	
		F 27	—	1	1	7	9	3	1	—	—	13	—	
	101	Diseases of the oesophagus.	M 12	—	—	—	—	—	—	1	—	—	1	—
			F 6	—	—	—	—	—	—	—	1	—	1	—
102	Perforating ulcer of stomach.	M 256	—	—	1	—	1	—	—	1	—	2	—	
		F 271	—	—	—	—	—	—	—	—	—	—	—	
103	Other diseases of the stomach.	M 572	37	119	81	53	290	31	9	6	4	340	—	
		F 568	19	69	48	45	181	33	10	5	3	232	—	
	A. Inflammation of stomach.	M 473	33	113	72	52	270	29	7	4	3	313	—	
		F 469	17	62	40	40	159	33	6	5	2	205	—	
	B. Other diseases included under 103.	M 99	4	6	9	1	20	2	2	2	1	27	—	
		F 99	2	7	8	5	22	—	4	—	1	27	—	
104 & 105	Diarrhoea and enteritis.	M 1,547	118	262	261	238	879	156	34	16	17	1,102	1	
		F 1,219	62	162	184	191	599	141	31	23	10	864	1	
	A. Infective enteritis.	M 167	14	30	40	36	120	23	7	4	1	155	—	
		F 114	4	17	26	25	72	19	4	3	—	98	—	
	B. Diarrhoea—not returned as infective.	M 281	17	51	59	43	170	30	4	4	3	211	—	
		F 260	9	35	51	38	133	27	4	3	4	171	—	
	C. Enteritis—not returned as infective.	M 391	36	70	47	68	221	41	9	3	6	280	—	
		F 364	27	42	46	55	170	47	8	5	3	233	—	
	D. Gastro-enteritis—not returned as infective.	M 447	41	87	99	81	308	59	14	5	7	393	—	
		F 355	18	51	54	65	188	47	15	12	3	265	—	
	E. Dyspepsia—under 2 years.	M 55	9	22	13	9	53	2	—	—	—	55	—	
		F 31	4	14	5	7	30	1	—	—	—	31	—	
	F. Colic ...	M 13	1	2	2	1	6	1	—	—	—	7	—	
		F 15	—	3	1	1	5	—	—	—	—	5	—	
	G. Ulceration of intestines.	M 51	—	—	1	—	1	—	—	—	—	1	—	
		F 39	—	—	1	—	1	—	—	—	—	1	—	
	H. Duodenal ulcer.	M 142	—	—	—	—	—	—	—	—	—	—	—	
		F 41	—	—	—	—	—	—	—	—	—	—	—	
106	Ankylostomiasis ...	M —	—	—	—	—	—	—	—	—	—	—	—	
		F —	—	—	—	—	—	—	—	—	—	—	—	
107	Other intestinal parasites.	M 3	—	—	—	—	—	1	1	1	—	3	—	
		F 8	—	—	—	—	—	—	4	—	—	4	—	
108	Appendicitis ...	M 350	—	—	—	—	—	1	2	8	1	12	—	
		F 264	—	—	—	—	—	—	—	5	8	13	—	

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.	
—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
10 13	9 4	7 4	4 4	2 1	5 4	4 3	1 2	3 3	8 2	2 4	1 2	1 1	— 2	2 1	— 2	}	100
9 12	6 3	6 2	3 3	2 1	4 3	4 3	1 1	3 3	3 1	— 1	— —	— 1	— 1	1 1	— —		A
—	—	—	1 —	— —	1 —	— —	— —	— —	1 1	— 2	— 2	— —	— —	— —	— —	}	B
1 1	3 1	1 2	— 1	— —	— 1	— —	— 1	— —	4 —	2 1	1 —	1 —	— 1	1 —	— 2		C
—	—	—	—	—	1 —	2 1	— —	— —	1 1	1 —	2 —	2 1	2 —	— —	— —	}	101
1 2	5 8	7 20	23 19	24 22	24 32	22 34	26 34	29 21	21 17	34 20	13 16	13 11	7 8	4 3	1 2		102
6 5	4 1	7 9	4 6	5 8	7 11	13 18	18 13	10 20	24 20	30 35	32 43	26 58	23 38	13 29	8 14	}	103
6 4	3 —	3 7	2 6	3 6	5 6	8 14	12 8	5 16	13 15	22 32	23 36	23 46	16 33	11 20	4 9		A
—	1 1	4 2	2 —	2 2	2 5	5 4	6 5	5 4	11 5	8 3	9 7	3 12	7 5	2 9	4 5	}	B
9 4	7 3	12 17	18 13	26 16	23 16	34 29	29 24	43 27	31 34	30 33	41 42	41 49	30 45	31 32	19 13		}
1 —	— —	1 —	— 1	1 —	1 2	— 3	— —	2 —	— 1	— 2	3 3	2 1	— 1	1 —	— —	}	
—	—	—	—	—	2 3	1 2	3 3	1 —	2 5	5 2	6 16	10 15	11 17	17 13	7 5		}
4 1	2 —	— 6	3 2	5 3	5 3	11 9	2 7	10 15	6 14	8 15	9 9	15 16	13 16	10 8	6 4	}	
3 1	3 1	— 3	2 4	— 6	— 3	2 6	6 6	3 6	2 5	4 6	4 6	8 9	2 7	2 10	4 3		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	1 —	— —	— —	— 1	— —	— 1	— 1	— —	1 3	— —	1 3	— —	1 1	2 —		}
1 1	1 1	2 4	5 4	6 6	6 3	3 4	2 2	6 1	4 1	5 1	4 4	2 2	3 2	— —	— 1	}	
—	1 —	8 3	8 2	14 —	14 1	17 5	16 5	21 4	17 8	7 4	15 4	3 3	1 2	— —	— —		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
55 37	41 35	34 24	30 12	26 14	19 19	18 20	17 10	15 13	12 12	13 8	14 10	2 3	2 4	1 1	1 1	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
109	Hernia, Intestinal obstruction.	M	571	13	10	26	35	84	12	7	6	8	117	15
		F	640	9	4	8	10	31	7	2	—	3	43	6
	A. Hernia ...	M	230	2	5	13	5	25	4	—	1	—	30	1
		F	302	1	1	—	—	2	—	1	—	—	3	—
	B. Intestinal obstruction	M	341	11	5	13	30	59	8	7	5	8	87	14
		F	338	8	3	8	10	29	7	1	—	3	40	6
110	Other diseases of the intestines.	M	83	—	3	5	5	13	—	—	1	—	14	2
		F	87	1	2	2	6	11	1	—	2	—	14	1
111	Acute yellow atrophy of the liver.	M	3	—	—	—	—	—	—	—	—	—	—	2
		F	11	—	—	—	—	—	—	—	—	—	—	1
112	Hydatid of liver ...	M	2	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
113	Cirrhosis of the liver	M	596	—	—	—	—	—	1	1	1	—	3	1
		F	457	—	—	—	1	1	—	—	—	—	1	—
	A. Cirrhosis of the liver not ret'd alcoholic.	M	541	—	—	—	—	—	1	1	1	—	3	1
		F	384	—	—	—	1	1	—	—	—	—	1	—
	B. Cirrhosis of the liver ret'd as alcoholic.	M	45	—	—	—	—	—	—	—	—	—	—	—
		F	59	—	—	—	—	—	—	—	—	—	—	—
	C. Dis. formerly classed to "Other dis. of liver and gallbladder."	M	10	—	—	—	—	—	—	—	—	—	—	—
		F	14	—	—	—	—	—	—	—	—	—	—	—
114	Biliary calculi ...	M	49	—	—	—	—	—	—	—	—	—	—	—
		F	149	—	—	—	—	—	—	—	—	—	—	—
115	Other diseases of the liver.	M	102	—	—	3	2	5	3	—	—	—	8	1
		F	150	—	—	4	3	7	—	1	4	—	12	1
116	Diseases of the spleen.	M	4	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—	—	—
	A. Infarction of spleen.	M	—	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases of the spleen.	M	4	—	—	—	—	—	—	—	—	—	—	—
		F	6	—	—	—	—	—	—	—	—	—	—	—
117	Peritonitis (cause unstated).	M	52	4	2	3	2	11	1	1	—	1	14	4
		F	71	1	3	1	1	6	2	1	3	—	12	6
118	Other diseases of the digestive system.	M	37	—	—	—	—	—	—	—	—	1	1	—
		F	25	—	—	—	—	—	—	—	1	—	1	—
	A. Abdominal abscess, Sub-phrenic absces.	M	9	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—
	B. Other diseases included under 118.	M	28	—	—	—	—	—	—	—	—	1	1	—
		F	23	—	—	—	—	—	—	—	1	—	1	—
119	Acute Nephritis ...	M	340	1	5	9	9	24	19	15	10	17	85	20
		F	297	—	2	3	6	11	27	16	6	8	68	19

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
6 5	15 5	13 8	13 9	10 13	11 11	22 24	19 40	33 45	33 61	55 73	50 97	62 76	53 60	29 38	15 26	}	109
— 2	5 —	8 —	8 2	5 2	4 4	6 12	8 20	14 27	12 36	28 40	27 58	29 40	23 31	15 18	7 7		}
6 3	10 5	5 8	5 7	5 11	7 7	16 12	11 20	19 18	21 25	27 33	23 39	33 36	30 29	14 20	8 19	}	
2 —	2 2	2 1	— —	2 4	1 3	1 2	6 2	8 5	4 1	6 4	5 8	13 11	6 15	6 11	3 3		}
— —	— —	— —	— —	— 2	— 2	— 1	— 2	— 2	— —	1 1	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	1 —	— —	— —	— —	1 —	— —	— —	— —	— —	— —	— —		}
2 —	2 —	2 2	3 3	9 5	23 25	53 45	62 65	102 75	110 78	101 59	53 45	44 31	20 13	5 5	1 5	}	
2 —	2 —	2 2	3 1	7 3	23 19	42 34	58 54	93 66	106 64	88 52	48 40	40 28	19 12	3 5	1 3		}
— —	— —	— —	— 2	2 1	— 5	10 10	4 10	7 9	4 13	13 5	4 2	1 2	— —	— —	— —	}	
— —	— —	— —	— —	— 1	— 1	1 1	— 1	2 1	— 1	— 2	1 3	3 1	1 1	2 —	— 2		}
— —	— —	— —	— 1	— 1	5 2	— 3	3 10	5 12	6 16	8 24	10 23	6 31	3 16	2 5	1 5	}	
1 1	2 —	5 3	2 5	1 5	4 4	1 4	7 8	13 14	8 11	4 11	13 23	13 16	7 16	7 10	5 6		}
— —	— —	— 1	— —	— 1	1 1	1 1	1 —	— —	— 1	1 1	— —	— —	— —	— —	— —	}	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —		}
— —	— —	— 1	— —	— 1	1 1	1 1	1 —	— —	— 1	1 1	— —	— —	— —	— —	— —	}	
2 1	2 2	1 4	1 3	2 7	5 6	3 7	5 5	2 3	5 4	— 3	2 3	2 2	2 3	— —	— —		}
1 —	— —	3 2	2 2	4 1	1 3	3 2	2 3	5 2	6 3	5 2	2 3	— 1	2 —	— —	— —	}	
1 —	— —	3 —	— —	2 1	— —	— —	— —	1 —	1 1	1 —	— —	— —	— —	— —	— —		}
— —	— —	— 2	2 2	2 —	1 3	3 2	2 3	4 2	5 2	4 2	2 3	— 1	2 —	— —	— —	}	
12 9	12 12	19 10	15 21	19 16	18 14	19 16	32 23	18 21	19 18	16 14	14 8	8 10	12 9	2 4	— 5		}

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

[illegible]

PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.	
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
1	—	1	—	5	5	6	7	5	1	2	1	3	5	1	—	}	130
1	—	—	—	—	—	1	2	—	—	—	—	—	—	—	—		}
—	—	1	—	5	5	5	5	5	1	2	1	3	5	1	—	}	
—	—	2	3	5	4	5	6	8	6	6	5	7	3	—	1		}
1	2	5	7	3	8	4	4	1	1	—	—	—	1	—	—	}	
—	1	—	—	—	—	1	—	—	—	—	—	—	—	—	—		}
1	1	5	7	3	8	3	4	1	1	—	—	—	1	—	—	}	
—	—	—	—	—	—	—	—	1	—	1	—	—	1	—	—		}
—	—	9	18	21	27	12	4	—	—	—	—	—	—	—	—	}	
—	—	1	6	12	10	4	2	—	—	—	—	—	—	—	—		}
—	—	1	1	3	9	6	—	—	—	—	—	—	—	—	—	}	
—	—	4	4	2	2	—	—	—	—	—	—	—	—	—	—		}
—	—	3	6	4	3	1	1	—	—	—	—	—	—	—	—	}	
—	—	—	1	—	3	1	1	—	—	—	—	—	—	—	—		}
—	2	15	12	28	30	15	5	—	—	—	—	—	—	—	—	}	
—	1	15	30	24	45	14	2	—	—	—	—	—	—	—	—		}
—	10	55	95	88	65	25	2	—	—	—	—	—	—	—	—	}	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.										
		All Ages	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.
138	Puerperal albumin- uria and con- vulsions.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 184	—	—	—	—	—	—	—	—	—	—
	A. Puerperal ne- phritis and uraemia.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 41	—	—	—	—	—	—	—	—	—	—
139	B. Puerperal albuminuria and Bright's disease.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 13	—	—	—	—	—	—	—	—	—	—
	C. Puerperal convulsions.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 130	—	—	—	—	—	—	—	—	—	—
140	Puerperal phlegma- sia alba dolens, embolism and sudden death.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 98	—	—	—	—	—	—	—	—	—	—
	A. Puerperal phlegmasia alba dolens and phlebitis.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 18	—	—	—	—	—	—	—	—	—	—
141	B. Puerperal em- bolism and sudden death.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 80	—	—	—	—	—	—	—	—	—	—
	Puerperal insanity	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 7	—	—	—	—	—	—	—	—	—	—
142	Puerperal diseases of the breast.	{ M —	—	—	—	—	—	—	—	—	—	—
		{ F 3	—	—	—	—	—	—	—	—	—	—
	Gangrene	{ M 247	—	—	—	1	1	1	1	2	—	5
		{ F 230	—	1	1	—	2	1	3	2	3	11
143	A. Senile gangrene.	{ M 221	—	—	—	—	—	—	—	—	—	—
		{ F 196	—	—	—	—	—	—	—	—	—	—
	B. Noma, Gan- grene of mouth.	{ M 10	—	—	—	1	1	1	1	2	—	5
		{ F 16	—	1	1	—	2	—	2	1	3	8
144	C. Noma pudendi	{ M 4	—	—	—	—	—	—	—	—	—	—
		{ F 2	—	—	—	—	—	1	—	1	—	2
	D. Other gan- grene.	{ M 12	—	—	—	—	—	—	—	—	—	—
		{ F 16	—	—	—	—	—	—	1	—	—	1
145	Carbuncle, Boil ...	{ M 53	—	1	—	—	1	1	—	—	—	2
		{ F 22	—	—	—	1	1	—	—	—	—	1
146	Phlegmon, Acute abscess.	{ M 134	5	7	4	7	23	6	—	—	—	29
		{ F 115	7	8	2	9	26	4	2	1	3	36
	A. Phlegmon ...	{ M 88	2	1	1	2	6	3	—	—	—	9
		{ F 66	1	3	—	1	5	2	—	1	2	10
147	B. Acute Abscess	{ M 46	3	6	3	5	17	3	—	—	—	20
		{ F 49	6	5	2	8	21	2	2	—	1	26

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—*continued*.

AGES AT DEATH.																International List Nos.
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	138
—	9	43	38	38	41	15	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	8	13	8	8	4	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	2	3	4	4	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	C
—	9	33	22	26	29	11	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	139
—	—	11	25	25	29	8	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	A
—	—	4	4	4	6	—	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	B
—	—	7	21	21	23	8	—	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	140
—	—	—	2	1	1	2	1	—	—	—	—	—	—	—	—	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	141
—	—	1	—	—	1	1	—	—	—	—	—	—	—	—	—	
1	1	—	—	—	1	—	—	4	6	23	30	50	57	38	31	142
1	1	—	1	1	2	1	2	2	5	18	25	33	48	28	48	
—	—	—	—	—	—	—	—	—	—	20	27	49	56	38	31	A
—	—	—	—	—	—	—	—	1	1	18	23	31	47	27	48	
1	—	—	—	—	—	—	—	2	1	—	1	—	—	—	—	B
—	—	—	1	1	—	—	—	—	—	—	1	1	—	1	—	
—	—	—	—	—	—	—	—	1	—	2	—	1	—	—	—	C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	
—	1	—	—	—	1	—	—	1	5	1	2	—	1	—	—	D
1	1	—	—	—	2	1	2	1	4	—	1	1	1	—	—	
—	2	—	1	3	2	4	1	5	2	13	4	5	4	4	1	143
—	—	1	—	1	3	1	—	1	3	2	2	3	2	2	—	
5	—	1	3	1	5	10	8	5	10	10	17	11	11	6	—	144
1	4	—	1	1	7	3	5	6	9	12	7	8	8	3	2	
4	—	—	2	1	4	8	5	5	7	10	11	9	8	4	—	A
—	2	—	1	1	6	2	3	6	7	7	6	6	5	1	2	
1	—	1	1	—	1	2	3	—	3	—	6	2	3	2	—	B
1	2	—	—	—	1	1	2	—	2	5	1	2	3	2	—	

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages	Under 1 Month.	1-3 Months.	3-6 Months.	6-12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
145	Diseases of the integumentary system.	M 147	21	14	8	13	56	4	4	1	1	66	—
		F 190	20	5	5	6	36	1	4	—	—	41	1
	A. Ulcer, Bedsore	M 51	—	—	—	—	—	—	—	—	—	—	—
		F 123	2	—	1	—	3	—	2	—	—	5	—
	B. Eczema ...	M 45	6	8	6	12	32	4	1	—	1	38	—
		F 19	2	3	3	4	12	1	—	—	—	13	—
	C. Pemphigus ...	M 12	4	—	—	—	4	—	1	1	—	6	—
		F 18	10	2	—	—	12	—	—	—	—	12	—
	D. Other Dis. of the integumentary system.	M 39	11	6	2	1	20	—	2	—	—	22	—
		F 30	6	—	1	2	9	—	2	—	—	11	1
146	Diseases of the bones.	M 83	2	5	1	3	11	3	1	3	2	20	11
		F 60	1	—	—	3	4	1	—	—	2	7	11
147	Diseases of the joints.	M 22	2	—	1	1	4	1	—	—	—	5	—
		F 15	—	1	—	—	1	1	—	—	—	2	—
148	Amputations ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
149	Other diseases of locomotor system.	M 12	—	—	—	—	—	—	—	—	—	—	—
		F 3	—	—	—	—	—	—	—	—	—	—	—
150	Congenital malformations.	M 610	341	108	48	42	539	15	7	6	7	574	15
		F 491	264	85	48	33	435	13	6	4	—	458	14
	A. Congenital hydrocephalus.	M 45	6	5	5	12	28	4	1	2	2	37	6
		F 37	6	5	8	11	30	2	1	1	—	34	2
	B. Phimosi s ...	M 9	3	3	1	—	7	2	—	—	—	9	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	C. Congenital malformation of heart.	M 265	158	35	17	14	224	6	3	4	5	242	7
		F 206	100	32	21	17	170	8	1	3	—	182	9
	D. Other congenital malformations.	M 291	174	65	25	16	280	3	3	—	—	286	2
		F 248	158	48	19	10	235	3	4	—	—	242	3
151	Premature birth, Infantile debility, Icterus and Sclerema.	M 4,378	3,291	700	262	125	4,378	—	—	—	—	4,378	—
		F 3,271	2,445	503	217	106	3,271	—	—	—	—	3,271	—
	A. Premature birth.	M 2,574	2,304	247	17	6	2,574	—	—	—	—	2,574	—
		F 1,945	1,733	185	21	6	1,945	—	—	—	—	1,945	—
	B. Infant. atrophy, debility and marasmus.	M 1,636	874	424	224	114	1,636	—	—	—	—	1,636	—
		F 1,234	651	297	188	98	1,234	—	—	—	—	1,234	—
	C. Icterus neonatorum.	M 120	107	10	3	—	120	—	—	—	—	120	—
		F 69	55	9	5	—	69	—	—	—	—	69	—
	D. Sclerema and œdema neonatorum.	M —	—	—	—	—	—	—	—	—	—	—	—
		F 7	4	3	—	—	7	—	—	—	—	7	—
	E. Want of breast milk.	M 48	6	19	18	5	48	—	—	—	—	48	—
		F 16	2	9	3	2	16	—	—	—	—	16	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																85 years and upwards.	International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—			
2	1	1	—	—	2	3	2	3	3	6	11	19	14	9	5	{ 145	
—	1	1	—	1	3	2	2	4	8	11	19	33	26	16	21		{ A
—	—	1	—	—	1	—	2	2	3	2	5	16	10	7	2		
—	1	—	—	1	2	1	1	2	5	9	16	26	24	13	17	{ C	
—	—	—	—	—	—	1	—	—	—	1	2	1	1	1	—		{ D
—	—	—	—	—	1	1	—	—	1	—	1	—	1	—	—		
2	1	—	—	—	—	2	—	—	—	2	3	1	3	1	2	{ 147	
—	—	1	—	—	—	—	1	1	2	1	2	4	1	3	2		{ 148
15	10	4	3	1	2	2	—	4	—	3	6	1	1	—	—		
8	6	3	1	—	4	2	2	1	3	3	—	4	3	1	1	{ 150	
—	1	1	2	—	1	2	2	—	1	1	2	2	2	—	—		{ A
2	—	—	—	—	—	—	2	—	2	—	1	1	5	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ C	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ D
1	—	1	—	1	—	—	1	1	1	1	3	1	1	—	—		
—	—	—	—	2	1	—	—	—	—	—	—	—	—	—	—	{ A	
6	3	1	2	2	4	2	—	—	—	—	1	—	—	—	—		{ B
4	5	7	—	—	—	1	1	—	—	1	—	—	—	—	—		
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	{ D	
—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 152
3	3	1	1	2	4	1	—	—	—	—	1	—	—	—	—		
4	5	4	—	—	—	—	1	—	—	1	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
3	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	2	—	—	—	1	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 153
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 154
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 155
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 156
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 157
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 158
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 159
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 160
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 161
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 162
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 163
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 164
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 165
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 166
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ B	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ C
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	{ E	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		{ 167
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—														

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.												
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—	
152	Other diseases peculiar to early infancy.	M	478	446	32	—	—	478	—	—	—	—	478	—
		F	308	288	20	—	—	308	—	—	—	—	308	—
	A. Diseases of umbilicus, &c.	M	63	54	9	—	—	63	—	—	—	—	63	—
		F	50	41	9	—	—	50	—	—	—	—	50	—
	B. Atelectasis ...	M	253	239	14	—	—	253	—	—	—	—	253	—
		F	149	139	10	—	—	149	—	—	—	—	149	—
C. Injuries at birth.	M	151	143	8	—	—	151	—	—	—	—	151	—	
	F	104	103	1	—	—	104	—	—	—	—	104	—	
D. Cyanosis neonatorum.	M	11	10	1	—	—	11	—	—	—	—	11	—	
	F	5	5	—	—	—	5	—	—	—	—	5	—	
153	Lack of care ...	M	30	29	1	—	—	30	—	—	—	—	30	—
		F	39	38	1	—	—	39	—	—	—	—	39	—
154	Old age ...	M	4,471	—	—	—	—	—	—	—	—	—	—	—
		F	6,258	—	—	—	—	—	—	—	—	—	—	—
	A. Senile dementia.	M	174	—	—	—	—	—	—	—	—	—	—	—
		F	217	—	—	—	—	—	—	—	—	—	—	—
	B. Senile decay...	M	4,297	—	—	—	—	—	—	—	—	—	—	—
		F	6,041	—	—	—	—	—	—	—	—	—	—	—
155	Suicide by poison...	M	32	—	—	—	—	—	—	—	—	—	—	—
		F	41	—	—	—	—	—	—	—	—	—	—	—
156	Suicide by asphyxia	M	23	—	—	—	—	—	—	—	—	—	—	—
		F	13	—	—	—	—	—	—	—	—	—	—	—
157	Suicide by hanging or strangulation.	M	127	—	—	—	—	—	—	—	—	—	—	—
		F	40	—	—	—	—	—	—	—	—	—	—	—
158	Suicide by drowning.	M	82	—	—	—	—	—	—	—	—	—	—	—
		F	96	—	—	—	—	—	—	—	—	—	—	—
159	Suicide by firearms	M	63	—	—	—	—	—	—	—	—	—	—	—
		F	—	—	—	—	—	—	—	—	—	—	—	—
160	Suicide by cutting or piercing instruments.	M	111	—	—	—	—	—	—	—	—	—	—	—
		F	27	—	—	—	—	—	—	—	—	—	—	—
161	Suicide by jumping from high place.	M	26	—	—	—	—	—	—	—	—	—	—	—
		F	10	—	—	—	—	—	—	—	—	—	—	—
162	Suicide by crushing	M	16	—	—	—	—	—	—	—	—	—	—	—
		F	8	—	—	—	—	—	—	—	—	—	—	—
163	Other suicides ...	M	4	—	—	—	—	—	—	—	—	—	—	—
		F	2	—	—	—	—	—	—	—	—	—	—	—
164	Poisoning by food	M	8	—	—	—	—	—	—	—	—	—	—	—
		F	5	—	—	—	—	—	—	—	—	—	—	—
165	Other acute poisonings.	M	19	1	—	—	—	1	—	1	—	—	2	—
		F	18	—	—	—	1	1	—	—	—	—	1	—
166	Conflagration ...	M	14	—	—	1	—	1	—	1	—	1	3	—
		F	12	—	—	—	—	—	1	1	1	1	4	2
167	Burns (conflagration excepted).	M	314	1	1	2	18	22	68	56	41	17	204	34
		F	499	—	—	1	14	15	50	36	42	38	181	106

E-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.	
15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.			
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	152
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	—	—	1	1	15	44	166	778	1,203	1,227	1,036	}	
—	—	—	—	—	—	—	1	1	12	56	213	910	1,609	1,642	1,814		}
—	—	—	—	—	—	—	1	—	5	16	31	36	42	21	22	}	
—	—	—	—	—	—	—	1	—	3	11	24	49	67	36	26		}
1	—	1	3	3	2	1	3	6	4	3	2	3	—	—	—	}	
3	7	3	7	4	5	3	5	5	2	1	1	—	—	—	—		}
1	—	1	1	1	1	1	5	7	1	4	1	—	—	—	—	}	
1	1	—	1	—	3	1	1	—	3	2	—	1	—	—	—		}
3	2	5	5	7	14	15	15	21	16	12	7	3	2	—	—	}	
1	2	—	5	3	7	5	3	6	5	3	—	—	—	—	—		}
10	3	5	6	5	14	10	9	10	8	6	2	4	—	—	—	}	
3	7	6	8	13	9	13	9	8	5	4	3	—	—	—	—		}
—	9	6	2	8	3	10	6	1	9	2	2	1	1	—	—	}	
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		}
1	4	2	10	10	16	11	10	10	7	7	14	6	2	1	—	}	
1	—	3	—	6	2	5	—	3	2	2	2	—	1	—	—		}
—	3	2	2	1	3	—	3	5	2	5	—	—	—	—	—	}	
—	—	2	1	—	1	2	1	—	1	1	1	—	—	—	—		}
1	1	2	3	1	4	1	—	—	1	—	—	1	—	—	—	}	
2	2	1	—	1	2	—	—	—	—	—	—	—	—	—	—		}
—	—	—	—	—	1	—	2	1	—	—	—	—	—	—	—	}	
—	1	2	—	—	2	—	1	—	1	1	—	—	—	—	—		}
—	—	—	1	—	—	—	—	—	—	—	—	—	—	—	—	}	
—	2	1	2	—	2	2	2	2	—	2	1	1	—	—	—		}
—	—	1	4	2	4	1	3	—	1	—	—	—	—	—	—	}	
3	—	—	1	1	1	1	1	—	—	1	—	—	—	2	—		}
—	—	—	—	—	—	—	—	1	3	—	—	1	—	1	—	}	
3	4	6	4	5	2	5	1	4	8	3	6	12	2	5	6		}
19	23	8	5	4	5	2	12	11	15	16	15	23	19	16	19		

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
168	Absorption of dele- terious gases { (conflagration ex- cepted). M	247	68	77	45	15	205	2	1	—	—	208	2
	F	209	53	74	35	14	176	3	1	—	1	181	1
169	Accidental drown- ing. { M	451	3	—	—	—	3	4	9	4	4	24	22
	F	119	2	1	—	—	3	1	5	3	3	15	3
170	Injury by firearms { M	36	—	—	—	—	—	—	—	—	—	—	1
	F	2	—	—	—	—	—	—	—	—	—	—	—
171	Injury by cutting or piercing { M	6	—	—	—	—	—	1	—	—	1	2	—
	F	1	—	—	—	—	—	—	—	—	—	—	—
172	Injury by fall ... { M	546	—	1	1	2	4	3	5	3	—	15	5
	F	430	—	—	—	3	3	4	3	1	4	15	6
173	Injury in mines { M	294	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
174	Injury by machines { M	76	—	—	—	—	—	—	—	—	1	1	—
	F	3	—	—	—	—	—	—	—	—	—	—	—
175	Injury by other crushing (vehi- { M	762	—	—	—	—	—	—	5	7	10	22	46
	F	134	—	—	—	—	—	3	7	4	6	20	12
176	Injury by animals { M	24	—	—	—	—	—	1	1	—	—	2	—
	F	2	—	—	—	—	—	—	—	—	—	—	—
177	Starvation... { M	10	—	—	—	—	—	—	—	—	—	—	—
	F	5	—	—	—	1	1	—	—	—	—	1	—
178	Excessive cold ... { M	68	—	—	—	1	1	—	—	—	1	2	—
	F	15	—	—	—	—	—	—	—	—	—	—	1
179	Effects of heat ... { M	1	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—
180	Lightning ... { M	—	—	—	—	—	—	—	—	—	—	—	—
	F	—	—	—	—	—	—	—	—	—	—	—	—
181	Electricity (light- ning excepted). { M	9	—	—	—	—	—	—	—	—	—	—	1
	F	—	—	—	—	—	—	—	—	—	—	—	—
182	Homicide by fire- arms. { M	2	—	—	—	—	—	—	—	—	—	—	—
	F	1	—	—	—	—	—	—	—	—	—	—	—
183	Homicide by cut- ting or piercing { M	7	1	—	—	1	2	—	—	—	—	2	—
	F	6	—	—	—	1	1	—	—	—	—	1	—
184	Homicide by other means. { M	19	6	2	—	—	8	—	1	—	—	9	—
	F	36	7	—	1	—	8	2	1	1	—	12	2
185	Fractures (cause not specified). { M	19	1	—	—	—	1	—	—	—	—	1	—
	F	4	1	—	1	—	2	—	—	—	—	2	—
186	Other violence ... { M	438	4	4	7	3	18	5	1	1	—	25	7
	F	39	1	9	3	4	17	5	—	1	1	24	2
187	Dropsy ... { M	7	—	—	—	—	—	1	—	—	—	1	—
	F	8	—	—	—	—	—	1	—	—	—	1	—

AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—*continued*.

AGES AT DEATH.																International List Nos.	
10—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.		
—	3	1	3	1	5	5	3	1	1	5	5	2	2	—	—	}	168
—	—	—	—	1	3	2	4	1	5	3	3	5	—	—	—		
9 4	21 8	43 3	30 7	36 5	49 10	43 9	37 12	43 10	29 12	28 11	21 6	9 —	4 4	2 —	1 —	}	169
— 1	6 —	8 —	4 1	2 —	2 —	4 —	4 —	3 —	1 —	— —	1 —	— —	— —	— —	— —		
—	1	—	—	—	1	—	—	2	—	—	—	—	—	—	—	}	171
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
11 4	20 3	17 3	23 1	24 2	35 6	39 4	36 15	39 22	47 25	46 26	37 32	38 63	48 77	41 61	25 65	}	172
9 —	43 —	28 —	26 —	29 —	34 —	30 —	26 —	27 —	26 —	10 —	5 —	1 —	— —	— —	— —		
6 —	16 1	6 —	9 —	7 —	4 —	8 —	9 1	3 —	2 —	1 1	4 —	— —	— —	— —	— —	}	174
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
46 5	52 4	34 3	50 7	56 3	78 8	65 7	59 8	51 13	55 9	67 6	33 15	26 7	14 5	6 2	2 —	}	175
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1 1	5 —	3 —	— —	2 —	1 —	1 —	1 1	1 —	3 —	1 —	2 —	1 —	— —	— —	— —	}	176
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	1	—	1	1	1	—	—	2	1	2	—	1	}	177
—	—	—	—	—	1	—	1	—	1	—	—	—	—	—	1		
—	3	7	2	2	4	1	3	11	3	4	3	12	9	1	1	}	178
—	—	—	—	—	1	3	—	—	2	4	1	2	1	—	—		
—	—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	}	179
—	—	—	—	—	—	—	—	—	1	—	—	—	—	—	—		
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	}	180
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
1	3	1	—	1	2	—	—	—	—	—	—	—	—	—	—	}	181
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	2	—	—	—	—	—	—	—	—	—	—	}	182
—	—	—	—	—	—	1	—	—	—	—	—	—	—	—	—		
—	—	2	—	2	—	—	1	—	—	—	—	—	—	—	—	}	183
—	—	—	1	2	—	2	—	—	—	—	—	—	—	—	—		
—	—	—	4	—	2	—	1	—	—	1	1	—	—	1	—	}	184
—	1	3	4	6	6	1	—	—	1	—	—	—	—	—	—		
—	1	—	3	2	—	1	1	1	3	1	2	1	—	2	—	}	185
—	—	—	—	—	—	—	1	—	—	—	—	—	—	1	—		
8 1	37 1	93 —	84 2	80 —	42 2	23 1	7 —	7 2	5 —	8 1	7 —	1 1	2 1	1 1	1 —	}	186
—	—	—	—	—	—	—	—	—	—	—	—	—	—	—	—		
—	—	—	—	—	—	1	—	1	—	1	—	1	1	1	—	}	187
—	—	—	1	—	—	—	—	1	2	—	—	2	1	—	—		

ENGLAND AND WALES.—CAUSES OF DEATH AT DIFFERENT

International List Nos.	Causes of Death.	AGES AT DEATH.											
		All Ages.	Under 1 Month.	1—3 Months.	3—6 Months.	6—12 Months.	Total under 1 Year.	1—	2—	3—	4—	Total under 5 years.	5—
188	Syncope, Sudden death.	M 56	—	—	—	—	—	—	1	1	—	2	—
		F 41	—	—	—	—	—	—	—	—	—	—	—
	A. Syncope (aged 1 year and under 70 years).	M 52	—	—	—	—	—	—	1	1	—	2	—
		F 41	—	—	—	—	—	—	—	—	—	—	—
	B. Sudden death (not otherwise defined).	M 4	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
189	Ill-defined causes...	M 410	15	4	4	13	36	70	10	2	1	119	4
		F 379	12	6	3	8	29	63	15	11	1	119	8
	A. Heart failure (aged 1 year and under 70).	M 228	—	—	—	—	—	3	—	—	—	3	1
		F 196	—	—	—	—	—	—	1	2	—	3	5
	B. Atrophy, debility, marasmus (aged 1 year and under 70).	M 80	—	—	—	—	—	57	10	2	1	70	1
		F 96	—	—	—	—	—	57	13	9	1	80	2
	C. Teething ...	M 17	—	—	1	8	9	8	—	—	—	17	—
		F 8	—	—	—	5	5	2	1	—	—	8	—
	D. Pyrexia ...	M —	—	—	—	—	—	—	—	—	—	—	—
		F —	—	—	—	—	—	—	—	—	—	—	—
	E. Other ill-defined deaths.	M 69	11	3	3	4	21	2	—	—	—	23	2
		F 58	6	4	2	3	15	4	—	—	—	19	1
	F. Cause not specified.	M 16	4	1	—	1	6	—	—	—	—	6	—
		F 21	6	2	1	—	9	—	—	—	—	9	—

CHANGES in the BOUNDARIES of ADMINISTRATIVE AREAS and

No changes in the boundaries of Administrative Areas and Poor Law Areas were made during



AGE-PERIODS IN THE QUARTER ENDED 31ST MARCH, 1915—continued.

AGES AT DEATH.																International List Nos.
0—	15—	20—	25—	30—	35—	40—	45—	50—	55—	60—	65—	70—	75—	80—	85 years and upwards.	
— 1	— —	— 1	2 2	5 —	1 4	2 6	3 6	10 5	3 4	10 5	17 7	— —	— —	1 —	— —	} 188
— 1	— —	— 1	2 2	5 —	1 4	2 6	2 6	10 5	3 4	10 5	15 7	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	1 —	— —	— —	— —	2 —	— —	— —	1 —	— —	} B
6 4	1 4	3 6	7 5	6 6	12 14	15 19	25 19	30 30	54 20	54 46	64 56	4 7	2 9	3 2	1 5	
3 1	— 2	2 4	5 4	4 5	7 10	12 18	20 14	24 26	46 18	45 39	56 47	— —	— —	— —	— —	} A
1 1	— 1	— —	1 —	— —	1 2	— —	— —	1 2	2 2	1 1	2 5	— —	— —	— —	— —	
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	} C
— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	— —	
2 1	— 1	— 1	1 1	2 —	4 2	— —	4 5	4 2	6 —	8 5	6 3	3 5	2 7	1 1	1 4	} E
— 1	1 —	1 1	— —	— 1	— —	3 1	1 —	1 —	— —	— 1	— 1	1 2	— 2	2 1	— 1	

DOOR LAW AREAS from 1st July, 1915, to 31st December, 1915.

he above period, but the name of Ynyscynhaiarn Urban District was altered to Portmadoc.

